## Phase-2 Practice Project: Assisted Practice

7. Write a program to demonstrate a Session Tracking using URL Rewrite.


```
Web.xml:
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app_4_0.xsd" id="WebApp_ID" version="4.0">
 <display-name>URLRewriteDemo</display-name>
 <welcome-file-list>
  <welcome-file>index.html</welcome-file>
  <welcome-file>index.htm</welcome-file>
  <welcome-file>index.jsp</welcome-file>
  <welcome-file>default.html</welcome-file>
  <welcome-file>default.htm</welcome-file>
  <welcome-file>default.jsp</welcome-file>
 </welcome-file-list>
 <servlet>
  <servlet-name>LoginServlet</servlet-name>
  <servlet-class>LoginServlet</servlet-class>
 </servlet>
 <servlet>
  <servlet-name>Dashboard/servlet-name>
  <servlet-class>Dashboard/servlet-class>
 </servlet>
 <servlet-mapping>
  <servlet-name>Dashboard/servlet-name>
  <url-pattern>/dashboard</url-pattern>
 </servlet-mapping>
 <servlet-mapping>
  <servlet-name>LoginServlet/servlet-name>
  <url-pattern>/login</url-pattern>
 </servlet-mapping>
</web-app>
Login:
import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.*;
```

import javax.servlet.http.\*;

```
/**
* Servlet implementation class LoginServlet
@WebServlet("/LoginServlet")
public class LoginServlet extends HttpServlet {
    private static final long serialVersionUID = 1L;
  /**
* @see HttpServlet#HttpServlet()
  public LoginServlet() {
    super();
    // TODO Auto-generated constructor stub
  }
    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
         // TODO Auto-generated method stub
          String userId = request.getParameter("userid");
        response.sendRedirect("dashboard?userid=" + userId);
    }
    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
         // TODO Auto-generated method stub
         doGet(request, response);
    }
}
Dashboard:
import javax.servlet.*;
import javax.servlet.annotation.*;
import javax.servlet.http.*;
```

```
/**
* Servlet implementation class Dashboard
@WebServlet("/Dashboard")
public class Dashboard extends HttpServlet {
    private static final long serialVersionUID = 1L;
  /**
* @see HttpServlet#HttpServlet()
  public Dashboard() {
    super();
    // TODO Auto-generated constructor stub
  }
    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
         // TODO Auto-generated method stub
       PrintWriter out = response.getWriter();
       out.println("<html><body>");
       String userId = request.getParameter("userid");
       if (userId == null) {
          out.println("No UserId was found in the URL.<br>");
       } else {
         out.println("UserId obtained from URL Rewriting:" + userId + "<br/>br>");
       out.println("</body></html>");
    }
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
     */
     protected void doPost(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException {
         // TODO Auto-generated method stub
         doGet(request, response);
    }
}
```

## Output:



Dashboard with URL Rewriting based login
Dashboard without URL Rewriting based login

