Phase-2 Practice Project: Assisted Practice

6.Demonstrate lazy collection in Hibernate.

Color.java

package com.ecommerce;

public class Color {

```
Create these tables
use ECOMMERCE;
DROP TABLE IF EXISTS 'eproduct';
CREATE TABLE 'eproduct' (
 'ID' bigint(20) NOT NULL AUTO INCREMENT,
 'name' varchar(100) DEFAULT NULL,
 'price' decimal(10,2) DEFAULT NULL,
 `date_added` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,
 `parts_hdd` varchar(10) DEFAULT NULL,
 `parts cpu` varchar(10) DEFAULT NULL,
 'parts ram' varchar(10) DEFAULT NULL,
 PRIMARY KEY ('ID')
);
INSERT INTO 'eproduct' VALUES (1,'HP Laptop ABC',21900.00,'2019-06-04 07:18:57','2 Gb
HDD', 'AMD Phenom', '4 Gb'), (2, 'Acer Laptop ABC', 23300.00, '2019-06-04 07:19:07', '500 Gb
HDD', 'Core-i7', '4 Gb'), (3, 'Lenovo Laptop ABC', 33322.00, '2019-06-04 07:19:19', '1 Tb HDD', 'Core-
i7','8 Gb');
```

```
private long COLORID;
  private String name;
  public Color() {
  }
  public Color(String name) {
       this.COLORID = 0;
       this.name = name;
  }
  public long getCOLORID() {return this.COLORID; }
  public String getName() { return this.name;}
  public void setCOLORID(long id) { this.COLORID = id;}
  public void setName(String name) { this.name = name;}
}
Finance.java
package com.ecommerce;
public class Finance {
       private long FINANCEID;
  private String name;
  private String ftype;
  public Finance() {
```

```
}
  public Finance(String name, String ftype) {
       this.FINANCEID = 0;
       this.name = name;
       this.ftype = ftype;
  }
  public long getFINANCEID() {return this.FINANCEID; }
  public String getName() { return this.name;}
  public String getFtype() { return this.ftype;}
  public void setFINANCEID(long id) { this.FINANCEID = id;}
  public void setName(String name) { this.name = name;}
  public void setFtype(String ftype) { this.ftype= ftype;}
OS.java
package com.ecommerce;
public class OS {
        private long OSID;
  private String name;
  public OS() {
  }
  public OS(String name) {
       this.OSID = 0;
       this.name = name;
```

}

```
}
  public long getOSID() {return this.OSID; }
  public String getName() { return this.name;}
  public void setOSID(long oSID) {
              OSID = oSID;
       }
       public void setName(String name) {
              this.name = name;
       }
}
ScreenSizes.java
package com.ecommerce;
public class ScreenSizes {
       private long SCREENID;
  private String size;
  public ScreenSizes() {
  }
  public ScreenSizes(String size) {
       this.SCREENID = 0;
       this.size = size;
  }
```

```
public long getSCREENID() {return this.SCREENID; }
  public String getSize() { return this.size;}
  public void setSCREENID(long id) { this.SCREENID = id;}
  public void setSize(String size) { this.size = size;}
}
HibernateUtil.java
package com.simpli;
import org.hibernate.SessionFactory;
import org.hibernate.boot.*;
import org.hibernate.boot.registry.*;
public class HibernateUtil {
       private static final SessionFactory sessionFactory;
       static {
              try {
                      StandardServiceRegistry standardRegistry = new
StandardServiceRegistryBuilder()
                                     .configure("hibernate.cfg.xml").build();
                      Metadata metaData = new
MetadataSources(standardRegistry).getMetadataBuilder().build();
```

```
sessionFactory = metaData.getSessionFactoryBuilder().build();
             } catch (Throwable th) {
                   System.out.println(th);
                   throw new ExceptionInInitializerError(th);
             }
      }
      public static SessionFactory getSessionFactory() {
             return sessionFactory;
      }
}
Color.hbm.xml
<?xml version="1.0"?>
<!DOCTYPE hibernate-mapping PUBLIC
"-//Hibernate/Hibernate Mapping DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-mapping-3.0.dtd">
<hibernate-mapping package="com.ecommerce">
  <class name="Color" table="colors">
    <id name="COLORID" type="long" column="ID">
      <generator class="identity"/>
    </id>
    column="COLOR_NAME"/>
  </class>
```

```
</hibernate-mapping>
Finance.hbm.xml
<?xml version="1.0"?>
<!DOCTYPE hibernate-mapping PUBLIC</pre>
"-//Hibernate/Hibernate Mapping DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-mapping-3.0.dtd">
<hibernate-mapping package="com.ecommerce">
 <class name="Finance" table="fi nance" >
   <id name="FINANCEID" type="long" column="ID">
     <generator class="identity"/>
   </id>
   column="NAME"/>
   column="fTYPE"/>
 </class>
</hibernate-mapping>
EProduct.hbm.xml
<?xml version="1.0"?>
<!DOCTYPE hibernate-mapping PUBLIC</pre>
"-//Hibernate/Hibernate Mapping DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-mapping-3.0.dtd">
<hibernate-mapping package="com.ecommerce">
 <class name="EProduct" table="eproduct">
   <id name="ID" type="long" column="ID">
```

<generator class="identity"/>

```
</id>
column="NAME"/>
 column="price" type="big decimal" column="PRICE"/>
column="DATE ADDED"/>
    <list name="colors" cascade="all" lazy="true">
        <key column="product id" />
        <list-index column="idx" />
        <one-to-many class="com.ecommerce.Color" />
    </list>
    <br/><br/>dag name="screensizes" cascade="all" lazy="true">
    <key column="product_id"></key>
     <one-to-many class="com.ecommerce.ScreenSizes"/>
    </bag>
    <set name = "os" cascade="all" lazy="true">
 <key column = "product id"/>
 <one-to-many class="OS"/>
</set>
<map name = "finance" cascade="all">
 <key column = "product id"/>
 <index column = "ftype" type = "string"/>
 <one-to-many class="com.ecommerce.Finance"/>
</map>
```

```
</class>
</hibernate-mapping>
Os.hbm.xml
<?xml version="1.0"?>
<!DOCTYPE hibernate-mapping PUBLIC</pre>
"-//Hibernate/Hibernate Mapping DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-mapping-3.0.dtd">
<hibernate-mapping package="com.ecommerce">
 <class name="OS" table="os">
   <id name="OSID" type="long" column="ID">
      <generator class="identity"/>
   </id>
   column="NAME"/>
 </class>
</hibernate-mapping>
ScreenSizes.hbm.xml
<?xml version="1.0"?>
<!DOCTYPE hibernate-mapping PUBLIC</pre>
"-//Hibernate/Hibernate Mapping DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-mapping-3.0.dtd">
<hibernate-mapping package="com.ecommerce">
  <class name="ScreenSizes" table="screensizes">
   <id name="SCREENID" type="long" column="ID">
      <generator class="identity"/>
   </id>
```

```
column="SIZE"/>
 </class>
</hibernate-mapping>
hibernate.cfg.xml
<?xml version='1.0' encoding='utf-8'?>
<!DOCTYPE hibernate-configuration PUBLIC</pre>
"-//Hibernate/Hibernate Configuration DTD 3.0//EN"
"http://www.hibernate.org/dtd/hibernate-configuration-3.0.dtd">
<hibernate-configuration>
<session-factory>
 <!-- Database connection settings -->
 connection.driver class">com.mysql.cj.jdbc.Driver
 connection.url">jdbc:mysql://localhost:3306/ecommerce/property>
 connection.username">root
 cproperty name="connection.password">Simplilearn/property>
 cproperty name="dialect">org.hibernate.dialect.MySQL8Dialect/property>
 <mapping resource="com/ecommerce/Color.hbm.xml"/>
 <mapping resource="com/ecommerce/OS.hbm.xml"/>
 <mapping resource="com/ecommerce/ScreenSizes.hbm.xml"/>
 <mapping resource="com/ecommerce/Finance.hbm.xml"/>
 <mapping resource="com/ecommerce/EProduct.hbm.xml"/>
 </session-factory>
</hibernate-configuration>
```

```
index.html
<title>Hibernate Demo </title>
<h3>Hibernate Configuration Example </h3>
<a href="init">Initialize Hibernate</a><br>
<br><br><
<h3>Hibernate Query Demo </h3>
<a href="query-demo">Query Here and get the data</a><br>
<br><br>
<h3>Hibernate Collections Mapping Demo </h3>
<a href="product-details">Click here</a><br>
<br><br>>
<h3>Hibernate Component Mapping Demo </h3>
<a href="component_mapping-demo">Click here</a><br>
ProductDetails.java
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletConfig;
import javax.servlet.ServletException;
```

```
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.transaction.*;
import javax.xml.bind.*;
import java.io.Serializable;
import java.math.BigDecimal;
import java.util.ArrayList;
import java.util.Calendar;
import java.util.Collection;
import java.util.List;
import java.util.Map;
import java.util.Set;
import org.hibernate.Session;
import org.hibernate.SessionFactory;
import org.hibernate.Transaction;
import org.hibernate.cfg.Configuration;
import com.ecommerce.Color;
import com.ecommerce.EProduct;
import com.ecommerce.Finance;
import com.ecommerce.HibernateUtil;
import com.ecommerce.OS;
```

```
import com.ecommerce.ScreenSizes;
/**
* Servlet implementation class ProductDetails
*/
@WebServlet("/ProductDetails")
public class ProductDetails extends HttpServlet {
    private static final long serialVersionUID = 1L;
  /**
* @see HttpServlet#HttpServlet()
*/
  public ProductDetails() {
    super();
    // TODO Auto-generated constructor stub
  }
    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
    */
    protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
        // TODO Auto-generated method stub
        try {
            SessionFactory = HibernateUtil.getSessionFactory();
```

```
Session session = factory.openSession();
             List<EProduct> list = session.createQuery("from EProduct").list();
              PrintWriter out = response.getWriter();
              out.println("<html><body>");
              out.println("<b>Product Listing</b><br>");
              for(EProduct p: list) {
                  out.println("ID: " + String.valueOf(p.getID()) + ", Name: " + p.getName() +
                           ", Price: " + String.valueOf(p.getPrice()) + ", Date Added: " +
p.getDateAdded().toString());
                  List<Color> colors = p.getColors();
                  out.println("Colors: ");
                  for(Color c: colors) {
                       out.print(c.getName() + " ");
                  }
                  Collection<ScreenSizes> sizes= p.getScreensizes();
                  out.println(", Screen Sizes: ");
                  for(ScreenSizes s: sizes) {
                       out.print(s.getSize() + " ");
                  }
                  Set<OS> os= p.getOs();
```

```
for(OS o: os) {
             out.print(o.getName() + " ");
        }
        Map finances = p.getFinance();
        out.println(", Finance Options: ");
        if (finances.get("CREDITCARD") != null) {
            Finance f = (Finance) finances.get("CREDITCARD");
            out.println(f.getName() + "  ");
        }
        if (finances.get("BANK") != null) {
            Finance f = (Finance) finances.get("BANK");
            out.println(f.getName() + "  ");
        }
        out.println("<hr>");
    }
        session.close();
  out.println("</body></html>");
} catch (Exception ex) {
    throw ex;
```

out.println(", OS: ");

```
}

/**

* @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)

*/

protected void doPost(HttpServletRequest request, HttpServletResponse response) throws

ServletException, IOException {

// TODO Auto-generated method stub

doGet(request, response);
}

Output
```

ID	NAME	· a	Search	. P	COLORS	os	SCREENSIZES FINAN	CE
1	HP Laptop ABC	121	00.51.09.0		Red Silver	Windows 10	12 in	
2	DELL PC ABC	19000.00	2023-05-26 06:51:09.0		Gray White	Windows 10 RedHat Linux FreeDOS	14.5 in 14.9 in	
3	Samsung Laptop PQR	22000.00	2023-05-26 06:51:09.0		Maroon	Windows 10	15.5 in	
4	Phillips Mixer	7000.00	2023-05-26 07:14:31.0					
6	Apple IPad	20000.50	2023-05-26 10:27:16.0					
7	Apple IPad	20000.50	2023-05-26 10:28:07.0					
8	HP Gaming Laptop	100000.00	2023-05-26 11:06:40.0					
9	HP Gaming Laptop 2	200000.00	2023-05-26 11:07:39.0					
10	Mac PC	1.00	2023-05-26 11:22:00.0					
11	HP Camera	2500.00	2023-05-26 11:22:15.0					
12	Mac PC	2.00	2023-05-29					