SYNTHETIC MEDICAL LAB REPORT

MediLens AI - Sample PDF for report-extraction and pipeline testing

FICTIONAL TEST DATA ONLY - NOT A REAL PATIENT REPORT

Sample details

Sample ID	SYN-0001	**Report type**	Routine blood tests
Patient	SAMPLE PATIENT (fictional)	**Collection date**	2026-10-28
Specimen	Blood / serum as applicable	**Report status**	Final - synthetic data

Laboratory results

Test name	Result	Unit	Reference range	Flag
Fasting Blood Glucose	135	mg/dL	70 - 99	HIGH
Hemoglobin	13.2	g/dL	12.0 - 16.0	Within range
Creatinine	0.9	mg/dL	0.6 - 1.2	Within range
Total Cholesterol	210	mg/dL	Desirable: less than 200	HIGH
Sodium	140	mmol/L	135 - 145	Within range

Notes for software testing

1. All patient identifiers and measurements in this document are invented for software testing.

2. Reference intervals are illustrative and can differ by laboratory, method, age, and other factors.

3. The HIGH labels are sample annotations intended to test the abnormality-display workflow. They are not diagnoses.

4. MediLens AI must not be used to make clinical decisions. Confirm actual results with the issuing laboratory and a qualified healthcare professional.

Generated solely for demonstration/testing. No real patient data is included.