

Task 1 – Portfolio Website Design

You are building a personal portfolio website to showcase your work.

Requirements:

- Create sections for **About Me**, **Projects**, and **Contact**.
- Use AI to:
 - Suggest **color palettes** and typography.
 - Create a **responsive layout** with Grid/Flexbox.
 - Add smooth scrolling navigation.

Prompt:

Create a responsive personal portfolio website using HTML, CSS, and JS with these features:

Sections: About Me, Projects, Contact


Design: Use AI to suggest a modern color palette and Google Fonts typography

Layout: Responsive with Flexbox/Grid

Navigation: Sticky navbar + smooth scrolling

Extras: Hover effects, subtle animations, and a scroll-to-top button

Code:



pre>
blder > personal-portfolio > src > index.html > html > body > header > nav.navbar > ul.nav-links > li
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Personal Portfolio</title>
 <link rel="stylesheet" href="css/styles.css">
 <link href="https://fonts.googleapis.com/css2?family=Roboto:wght@400;700&display=swap" rel="stylesheet">
</head>
<body>
 <header>
 <nav class="navbar">
 <div class="logo">My Portfolio</div>
 <ul class="nav-links">
 About Me
 Projects
 Contact

 <div class="scroll-to-top" id="scrollToTopBtn">↑</div>
 </nav>
 </header>

 <main>
 <section id="about">
 <h1>About Me</h1>
 <p>Welcome to my portfolio! Here you can find information about my work and projects.</p>
 <!-- Include content from about.html -->
 </section>

 <section id="projects">
 <h1>Projects</h1>
 <p>Here are some of the projects I've worked on.</p>
 <!-- Include content from projects.html -->
 </section>

 <section id="contact">
 <h1>Contact</h1>
35
36 <section id="contact">
37 <h1>Contact</h1>
38 <p>If you'd like to get in touch, please fill out the form below.</p>
39 <!-- Include content from contact.html -->
40 </section>
41 </main>
42
43 <footer>
44 <p>&copy; 2023 My Portfolio. All rights reserved.</p>
45 </footer>
46
47 <script src="js/main.js"></script>
48 </body>
49 </html>

```

body {
  font-family: 'Roboto', sans-serif;
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  background-color: #f4f4f4;
  color: #333;
}

header {
  background: #333;
  color: #fff;
  padding: 10px 0;
  position: sticky;
  top: 0;
  z-index: 1000;
}

nav {
  display: flex;
  justify-content: center;
  align-items: center;
}

nav a {
  color: #fff;
  text-decoration: none;
  padding: 15px 20px;
  transition: background 0.3s;
}

nav a:hover {
  background: #555;
}

section {
  padding: 60px 20px;
  max-width: 800px;
  margin: auto;
}

#about {
  background: #fff;
  border-radius: 8px;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);

```

```

}

#projects {
  background: #eaeaea;
  border-radius: 8px;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
}

#contact {
  background: #fff;
  border-radius: 8px;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
}

h1, h2 {
  color: #333;
}

button.scroll-to-top {
  position: fixed;
  bottom: 20px;
  right: 20px;
  background: #333;
  color: #fff;
  border: none;
  border-radius: 50%;
  padding: 10px 15px;
  cursor: pointer;
  display: none;
  transition: background 0.3s;
}


button.scroll-to-top:hover {
  background: #555;
}

@media (max-width: 768px) {
  nav {
    flex-direction: column;
  }

  nav a {
    padding: 10px;
  }
}

```

Output:



Task 2 – Online Store Product Page

Design a product display page for an online store.

Requirements:

- Display product image, title, price, and "Add to Cart" button.
- Use AI to:

- Style with **BEM methodology**.
- Make layout **responsive**.
- Add **hover effects** and "Add to Cart" alert.

Prompt:

Create a **responsive product display page** using **HTML, CSS, and JavaScript** with these requirements:

- Show **product image, title, price**, and an "Add to Cart" button.
- Use **BEM methodology** for CSS class naming.
- Make the layout **responsive** using **Flexbox or Grid**.
- Add **hover effects** on the product card.
- When the user clicks "Add to Cart," show a simple **JavaScript alert** confirming the action.
- Keep the design **modern, clean, and minimal**.

Code:


```
product-display-page > src > index.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3
4
C:\Users\allun\Desktop\B.Tech\2-1\ai\assignment_week_8_ai_chaithra_2403A51105
5  <meta name="viewport" content="width=device-width, initial-scale=1">
6  <title>Product Display Page</title>
7  <link rel="stylesheet" href="css/styles.css">
8  </head>
9  <body>
10 <main class="product-list">
11   <div class="product-card">
12     
13     <h2 class="product-card__title">Wireless Headphones</h2>
14     <p class="product-card__price">$59.99</p>
15     <button class="product-card__button">Add to Cart</button>
16   </div>
17   <div class="product-card">
18     
19     <h2 class="product-card__title">Smart Watch</h2>
20     <p class="product-card__price">$129.99</p>
21     <button class="product-card__button">Add to Cart</button>
22   </div>
23   <div class="product-card">
24     
25     <h2 class="product-card__title">Digital Camera</h2>
26     <p class="product-card__price">$299.99</p>
27     <button class="product-card__button">Add to Cart</button>
28   </div>
29   <div class="product-card">
30     
31     <h2 class="product-card__title">Sneakers</h2>
32     <p class="product-card__price">$89.99</p>
33     <button class="product-card__button">Add to Cart</button>
34   </div>
35   <div class="product-card">
36     
37     <h2 class="product-card__title">Travel Backpack</h2>
38     <p class="product-card__price">$49.99</p>
39     <button class="product-card__button">Add to Cart</button>
40   </div>
41 </main>
42 <script src="js/app.js"></script>
43 </body>
44 </html>
```

```
product-display-page > src > css > # styles.css > body
1  body {
2    font-family: 'Segoe UI', Arial, sans-serif;
3    background: #f9f9f9;
4    margin: 0;
5    padding: 0;
6  }
7
8  .product-list {
9    display: flex;
10   flex-wrap: wrap;
11   gap: 2rem;
12   justify-content: center;
13   padding: 2rem;
14 }
15
16 .product-card {
17   background: #ffff;
18   border-radius: 1rem;
19   box-shadow: 0 2px 16px rgba(0,0,0,0.07);
20   display: flex;
21   flex-direction: column;
22   align-items: center;
23   width: 260px;
24   transition: transform 0.2s, box-shadow 0.2s;
25 }
26
27 .product-card:hover {
28   transform: translateY(-8px) scale(1.03);
29   box-shadow: 0 8px 32px rgba(0,0,0,0.12);
30 }
31
32 .product-card_image {
33   width: 100%;
34   height: 180px;
35   object-fit: cover;
36   border-radius: 1rem 1rem 0 0;
37 }
38
39 .product-card_title {
40   font-size: 1.1rem;
41   margin: 1rem 0 0.5rem 0;
42   color: #222;
43   text-align: center;
44 }
```

```
product-display-page > src > css > # styles.css > body
46 .product-card_price {
47   font-size: 1rem;
48   color: #4a90e2;
49   margin-bottom: 1rem;
50 }
51
52 .product-card_button {
53   background: #4a90e2;
54   color: #fff;
55   border: none;
56   border-radius: 2rem;
57   padding: 0.6rem 1.5rem;
58   font-size: 1rem;
59   cursor: pointer;
60   margin-bottom: 1.2rem;
61   transition: background 0.2s;
62 }
63
64 .product-card_button:hover {
65   background: #357ab8;
66 }
67
68 @media (max-width: 900px) {
69   .product-list {
70     gap: 1rem;
71   }
72   .product-card {
73     width: 45vw;
74     min-width: 220px;
75     max-width: 320px;
76   }
77 }
78
79 @media (max-width: 600px) {
80   .product-list {
81     flex-direction: column;
82     align-items: center;
83     padding: 1rem;
84   }
85   .product-card {
86     width: 100%;
87     max-width: 340px;
88   }
89 }
```

```
product-display-page > src > js > JS app.js > ...
1  // This file contains the JavaScript code for the product display page functionality.
2
3  document.addEventListener('DOMContentLoaded', () => {
4    document.querySelectorAll('.product-card_button').forEach(btn => {
5      btn.addEventListener('click', () => {
6        alert('Product added to cart!');
7      });
8    });
9  });
```

Output:



Task 3 – Event Registration Form

Build an event registration form for a conference.

Requirements:

- Collect **name, email, phone number, and session selection**.
- Use AI to:
 - Add **form validation** with JavaScript.
 - Make the form **accessible** with labels and ARIA.
 - Style with a **professional look**.

Prompt:

Create a responsive event registration form for a conference using HTML, CSS, and JavaScript with these features:

Collect Name, Email, Phone Number, and Session Selection (dropdown or checkboxes).

Add JavaScript form validation for required fields and proper formats.

Ensure accessibility with labels, ARIA attributes, and keyboard navigation.

Style it with a clean, professional look (modern colors, spacing, and readable fonts).

Keep the layout responsive and user-friendly.

Code:

```
14_1.html > html
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <title>Conference Registration</title>
7   <link href="https://fonts.googleapis.com/css?family=Roboto:400,700&display=swap" rel="stylesheet">
8   <style>
9     body {
10       font-family: 'Roboto', Arial, sans-serif;
11       background: #f6f8fa;
12       margin: 0;
13       padding: 0;
14     }
15     .registration-form {
16       background: #ffff;
17       max-width: 420px;
18       margin: 2rem auto;
19       padding: 2rem 2.5rem 1.5rem 2.5rem;
20       border-radius: 1rem;
21       box-shadow: 0 2px 16px rgba(0,0,0,0.07);
22     }
23     .registration-form_title {
24       text-align: center;
25       color: #2d3a4b;
26       margin-bottom: 1.5rem;
27       font-size: 1.5rem;
28       font-weight: 700;
29     }
30     .registration-form_group {
31       margin-bottom: 1.2rem;
32     }
33     .registration-form_label {
34       display: block;
35       margin-bottom: 0.4rem;
36       color: #2d3a4b;
37       font-weight: 500;
```

```
14_1.html > html > head > style > body
2 <html lang="en">
3 <head>
8 <style>
33 .registration-form_label {
37   font-weight: 500;
38 }
39 .registration-form_input,
40 .registration-form_select {
41   width: 100%;
42   padding: 0.7rem;
43   border: 1px solid #cfd8dc;
44   border-radius: 0.4rem;
45   font-size: 1rem;
46   background: #fafafa;
47   transition: border 0.2s;
48 }
49 .registration-form_input:focus,
50 .registration-form_select:focus {
51   border-color: #4a90e2;
52   outline: none;
53 }
54 .registration-form_sessions {
55   display: flex;
56   flex-direction: column;
57   gap: 0.5rem;
58 }
59 .registration-form_checkbox-label {
60   font-weight: 400;
61   color: #2d3a4b;
62   cursor: pointer;
63   display: flex;
64   align-items: center;
65   gap: 0.5rem;
66 }
67 .registration-form_error {
68   color: #e53935;
69   font-size: 0.95rem;
70   margin-top: 0.2rem;
71   min-height: 1.2em;
72 }
73 .registration-form_submit {
74   width: 100%;
75   background: #4a90e2;
76   color: #fff;
77   border: none;
```

```

14_1.html > html > head > style > body
2 <html lang="en">
3 <head>
8 <style>
73 .registration-form_submit {
77     border: none;
78     border-radius: 0.4rem;
79     padding: 0.9rem;
80     font-size: 1.1rem;
81     font-weight: 700;
82     cursor: pointer;
83     margin-top: 0.5rem;
84     transition: background 0.2s;
85 }
86 .registration-form_submit:hover,
87 .registration-form_submit:focus {
88     background: #357ab8;
89 }
90 @media (max-width: 600px) {
91     .registration-form {
92         padding: 1.2rem 0.7rem;
93     }
94 }
95 </style>
96 </head>
97 <body>
98 <form class="registration-form" id="regForm" novalidate aria-labelledby="formTitle">
99   <h1 class="registration-form_title" id="formTitle">Conference Registration</h1>
100   <div class="registration-form_group">
101     <label for="name" class="registration-form_label">Full Name *</label>
102     <input type="text" id="name" name="name" class="registration-form_input" required aria-required="true" autocomplete="name">
103     <div class="registration-form_error" id="nameError" aria-live="polite"></div>
104   </div>
105   <div class="registration-form_group">
106     <label for="email" class="registration-form_label">Email *</label>
107     <input type="email" id="email" name="email" class="registration-form_input" required aria-required="true" autocomplete="email">
108     <div class="registration-form_error" id="emailError" aria-live="polite"></div>
109   </div>
110   <div class="registration-form_group">
111     <label for="phone" class="registration-form_label">Phone Number *</label>
112     <input type="tel" id="phone" name="phone" class="registration-form_input" required aria-required="true" autocomplete="tel" pattern="^\d{10};
113     <div class="registration-form_error" id="phoneError" aria-live="polite"></div>
114     <small id="phoneHelp" style="color: #888;">Digits only, 10-15 numbers</small>
115   </div>
116   <div class="registration-form_group" role="group" aria-labelledby="sessionsLabel">

```

```

14_1.html > html > head > style > body
2 <html lang="en">
97 <body>
98 <form class="registration-form" id="regForm" novalidate aria-labelledby="formTitle">
116   <div class="registration-form_group" role="group" aria-labelledby="sessionsLabel">
117     <span class="registration-form_label" id="sessionsLabel">Select Sessions *</span>
118     <div class="registration-form_sessions">
119       <label class="registration-form_checkbox-label">
120         <input type="checkbox" name="sessions" value="AI Trends" tabindex="0"> AI Trends
121       </label>
122       <label class="registration-form_checkbox-label">
123         <input type="checkbox" name="sessions" value="Web Development" tabindex="0"> Web Development
124       </label>
125       <label class="registration-form_checkbox-label">
126         <input type="checkbox" name="sessions" value="Cloud Computing" tabindex="0"> Cloud Computing
127       </label>
128       <label class="registration-form_checkbox-label">
129         <input type="checkbox" name="sessions" value="Cybersecurity" tabindex="0"> Cybersecurity
130       </label>
131     </div>
132     <div class="registration-form_error" id="sessionsError" aria-live="polite"></div>
133   </div>
134   <button type="submit" class="registration-form_submit">Register</button>
135 </form>
136 <script>
137   // Accessibility: focus first error on submit
138   function focusFirstError() {
139     const errorFields = document.querySelectorAll('.registration-form_error');
140     for (const err of errorFields) {
141       if (err.textContent.trim() !== '') {
142         const input = err.previousElementSibling;
143         if (input && input.focus) input.focus();
144         break;
145       }
146     }
147   }
148
149   document.getElementById('regForm').addEventListener('submit', function(e) {
150     e.preventDefault();
151     let valid = true;
152
153     // Name validation
154     const name = document.getElementById('name');
155     const nameError = document.getElementById('nameError');
156     if (!name.value.trim()) {
157       nameError.textContent = 'Name is required.';

```

```

14_1.html > html > head > style > body
2  <html lang="en">
97 <body>
136 <script>
149 document.getElementById('regForm').addEventListener('submit', function(e) {
158     valid = false;
159 } else {
160     nameError.textContent = '';
161 }
162
163 // Email validation
164 const email = document.getElementById('email');
165 const emailError = document.getElementById('emailError');
166 const emailPattern = /^[^\s]+@[^\s]+\.[^\s]+$/;
167 if (!email.value.trim()) {
168     emailError.textContent = 'Email is required.';
169     valid = false;
170 } else if (!emailPattern.test(email.value.trim())) {
171     emailError.textContent = 'Enter a valid email address.';
172     valid = false;
173 } else {
174     emailError.textContent = '';
175 }
176
177 // Phone validation
178 const phone = document.getElementById('phone');
179 const phoneError = document.getElementById('phoneError');
180 const phonePattern = /^\d{10,15}$/;
181 if (!phone.value.trim()) {
182     phoneError.textContent = 'Phone number is required.';
183     valid = false;
184 } else if (!phonePattern.test(phone.value.trim())) {
185     phoneError.textContent = 'Enter 10-15 digits only.';
186     valid = false;
187 } else {
188     phoneError.textContent = '';
189 }
190
191 // Sessions validation
192 const sessions = document.querySelectorAll('input[name="sessions"]:checked');
193 const sessionsError = document.getElementById('sessionsError');
194 if (sessions.length === 0) {
195     sessionsError.textContent = 'Select at least one session.';
196     valid = false;
197 } else {
198     sessionsError.textContent = '';

```

```

196     valid = false;
197 } else {
198     sessionsError.textContent = '';
199 }
200
201 if (valid) {
202     alert('Registration successful! Thank you for registering.');
203     this.reset();
204 } else {
205     focusFirstError();
206 }
207 });
208 </script>
209 </body>
210 </html>

```

Output:

Conference Registration

Full Name *

Email *

Phone Number *

Digits only, 10-15 numbers

Select Sessions *

☒ AI Trends

☒ Web Development

☒ Cloud Computing

☒ Cybersecurity

Register

Conference Event Registration

Full name

Enter your full name.

Email address

We'll send confirmation to this email.

Phone number

Optional, but helpful for urgent updates.

Session selection

☐

AI in Practice

☐

Machine Learning Foundations

☐

Data Strategies

Register

Reset

Task Description #4 (Data – Fetch API & Render List with Loading/Error States)

- **Task:** Fetch JSON from an API and render items to the DOM with loading and error UI.
- **Instructions:**
 - Ask AI to write `fetch()` logic, create DOM nodes safely, and add skeleton/loading text.

Prompt:

Create a JavaScript app that:

Uses `fetch()` to get JSON data from a public API.

Renders items dynamically to the DOM (e.g., titles, images, or names).

Shows a loading state (spinner or “Loading...” text) while fetching.

Displays an error message if the request fails.

Uses safe DOM creation methods (`createElement`, `textContent`, etc.).

Style the list with a clean, responsive layout.

Code:

14_4.html > html

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <title>Fetch API Example</title>
6   <meta name="viewport" content="width=device-width, initial-scale=1">
7 </head>
8 <body>
9   font-family: 'Segoe UI', Arial, sans-serif;
10  background-color: #f6f8fa;
11  margin: 0;
12  padding: 0;
13
14  .container {
15    max-width: 900px;
16    margin: 2rem auto;
17    padding: 1rem;
18  }
19  .title {
20    text-align: center;
21    color: #2d3a4b;
22    margin-bottom: 2rem;
23    font-size: 2rem;
24    font-weight: 700;
25  }
26  .loading, .error {
27    text-align: center;
28    font-size: 1.2rem;
29    color: #4a90e2;
30    margin-top: 2rem;
31  }
32  .error {
33    color: #e53935;
34  }
35  .user-list {
36    display: flex;
37    flex-wrap: wrap;
38    gap: 1.5rem;
39    justify-content: center;
40    margin-top: 1.5rem;
41  }
42  .user-card {
43    background-color: #fff;
44    border-radius: 1rem;
45    box-shadow: 0 2px 16px rgba(0,0,0,0.07);
```

```
<> 14_4.html > html > head > style > .user-list
2   <html lang="en">
3   <head>
7   <style>
42   .user-card {
46       display: flex;
47       flex-direction: column;
48       align-items: center;
49       width: 220px;
50       padding: 1.2rem 1rem 1.5rem 1rem;
51       transition: transform 0.2s, box-shadow 0.2s;
52   }
53   .user-card:hover {
54       transform: translateY(-6px) scale(1.03);
55       box-shadow: 0 8px 32px rgba(0,0,0,0.12);
56   }
57   .user-card__img {
58       width: 90px;
59       height: 90px;
60       border-radius: 50%;
61       object-fit: cover;
62       margin-bottom: 1rem;
63       border: 2px solid #4a90e2;
64   }
65   .user-card__name {
66       font-size: 1.1rem;
67       font-weight: 600;
68       color: #222;
69       margin-bottom: 0.3rem;
70       text-align: center;
71   }
72   .user-card__email {
73       font-size: 0.97rem;
74       color: #4a90e2;
75       text-align: center;
76       word-break: break-all;
77   }
78   @media (max-width: 600px) {
79       .user-list {
80           flex-direction: column;
81           align-items: center;
82       }
83       .user-card {
84           width: 100%;
85           max-width: 320px;
86       }
```

```

14_4.html > html > head > style > .user-list
2  <html lang="en">
3  <head>
7  <style>
88  </style>
89  </head>
90  <body>
91  <div class="container">
92    <div class="title">Random Users</div>
93    <div id="status" class="loading">Loading...</div>
94    <div id="userList" class="user-list"></div>
95  </div>
96  <script>
97    const statusDiv = document.getElementById('status');
98    const userList = document.getElementById('userList');
99
100   function showLoading() {
101     statusDiv.textContent = 'Loading...';
102     statusDiv.className = 'loading';
103     statusDiv.style.display = 'block';
104   }
105   function showError(msg) {
106     statusDiv.textContent = msg;
107     statusDiv.className = 'error';
108     statusDiv.style.display = 'block';
109   }
110   function hideStatus() {
111     statusDiv.style.display = 'none';
112   }
113
114   function renderUsers(users) {
115     userList.innerHTML = '';
116     users.forEach(user => {
117       const card = document.createElement('div');
118       card.className = 'user-card';
119
120       const img = document.createElement('img');
121       img.className = 'user-card__img';
122       img.src = user.picture.large;
123       img.alt = user.name.first + ' ' + user.name.last;
124
125       const name = document.createElement('div');
126       name.className = 'user-card__name';
127       name.textContent = user.name.first + ' ' + user.name.last;
128
129       const email = document.createElement('div');

```

```

14_4.html > html > head > style > .user-list
2  <html lang="en">
90 <body>
96 <script>
114 function renderUsers(users) {
116   users.forEach(user => {
121     img.className = 'user-card__img';
122     img.src = user.picture.large;
123     img.alt = user.name.first + ' ' + user.name.last;
124
125     const name = document.createElement('div');
126     name.className = 'user-card__name';
127     name.textContent = user.name.first + ' ' + user.name.last;
128
129     const email = document.createElement('div');
130     email.className = 'user-card__email';
131     email.textContent = user.email;
132
133     card.appendChild(img);
134     card.appendChild(name);
135     card.appendChild(email);
136
137     userList.appendChild(card);
138   });
139 }
140
141 async function fetchUsers() {
142   showLoading();
143   try {
144     const res = await fetch('https://randomuser.me/api/?results=8');
145     if (!res.ok) throw new Error('Network response was not ok');
146     const data = await res.json();
147     renderUsers(data.results);
148     hideStatus();
149   } catch (err) {
150     showError('Failed to load users. Please try again.');

```

Output:

Random Users



Dulce Ríos
dulce.rios@example.com



Uroš Ninković
uros.ninkovic@example.com



Millian Vinje
millian.vinje@example.com



Richard Pape
richard.pape@example.com



Deepika Babu
deepika.babu@example.com



رادین سلطانی نژاد
rdyn.sltnynjd@example.com



Courtney Walters
courtney.walters@example.com



Elli Marttila
elli.marttila@example.com