

Demographic Information

Name: _____ Age: _____ yrs; Gender: ____ (M/F)
MR No: _____ IP No: _____
Date of Admission: _____ Date of Discharge: _____
Primary Consultant: _____
Contact details: Phone: _____ E-mail: _____
ACS No: _____

Clinical Information

Background:

Hypertension	☐ Yes	☐ No	☐ Unknown
Diabetes	☐ Yes	☐ No	☐ Unknown
Smoking	☐ Yes	☐ No	☐ Unknown
Renal Failure	☐ Yes	☐ No	☐ Unknown
COPD	☐ Yes	☐ No	☐ Unknown
CVA	☐ Yes	☐ No	☐ Unknown
Prior ACS	☐ Yes	☐ No	☐ Unknown
Prior PTCA	☐ Yes	☐ No	☐ Unknown
Prior CABG	☐ Yes	☐ No	☐ Unknown
Any other	_____		

Presentation:

Typical angina	☐ Yes	☐ No
Atypical chest pain	☐ Yes	☐ No
Breathlessness	☐ Yes	☐ No
Syncope/ Pre-syncope	☐ Yes	☐ No
Pulse rate:	_____	
SBP:	_____	
DBP:	_____	

Risk Stratification- TIMI Risk score:

			Points
Age >75 years	☐ Yes	☐ No	3
Age 65 to 74 years	☐ Yes	☐ No	2
H/o DM/ HTN/ Angina	☐ Yes	☐ No	1
SBP < 100 mmHg	☐ Yes	☐ No	3
Heart Rate > 100/ min	☐ Yes	☐ No	2
Killip Class II to IV	☐ Yes	☐ No	2
Ant MI/ LBBB	☐ Yes	☐ No	1
Weight < 67 kg	☐ Yes	☐ No	1

Time to reperfusion > 4 hrs	☐ Yes	☐ No	1
Presence of at least 3 CHD risk factors	☐ Yes	☐ No	
Prior coronary stenosis of >50%	☐ Yes	☐ No	
Presence of ST deviation at admission	☐ Yes	☐ No	
At least 2 anginal episodes < 24 hrs	☐ Yes	☐ No	
Elevated serum cardiac markers	☐ Yes	☐ No	

Total Score

(score 1 for every YES)

Other Risk Factors:

LVF	☐ Yes	☐ No
VT/VF	☐ Yes	☐ No
BBB/CHB	☐ Yes	☐ No
Elevated BNP	☐ Yes	☐ No
Elevated CRP	☐ Yes	☐ No

Treatment Strategy: ☐ PAMI ☐ Thrombolysis ☐ Conservative

PAMI details, if done:

- Door to Balloon Time: _____ min
- Vessel(s): LMCA/ LAD/ Diagonal/ LCX/ Ramus/ OM/ RCA/ PDA
- Segment:
- Thrombosuction: Done/ Not done
- Stent(s): BMS/ DES; Dimensions: Diameter: _____ :Length: _____
- Result:
 - Procedural success: Yes/ No
 - Post-procedure TIMI flow: 0/1/2/3
 - Major Complications: None/ Tamponade/ Major bleed/ Stroke/ Stent thrombosis/ MI/ Death/ Emergency CABG
 -
 - Thrombolysis details
 - Door to Needle Time: _____ min
 - Drug: ☐ STK ☐ UK ☐ Reteplase
 ☐ Tenecteplase
 - Dose:

Drugs

Beta-blocker	☐ Yes	☐ No
Calcium-channel blocker	☐ Yes	☐ No
Nitrate	☐ Yes	☐ No
Nicorandil	☐ Yes	☐ No
Ivabradine	☐ Yes	☐ No

Ranozolidine	☐ Yes	☐ No
Trimetazidine	☐ Yes	☐ No
Aspirin	☐ Yes	☐ No
Clopidigrel	☐ Yes	☐ No
Prasugrel	☐ Yes	☐ No
Ticagralor	☐ Yes	☐ No
Heparin strategy	☐ UFH i.v alone	☐ UFH s.c alone
	☐ UFH i.v+UFHs.c	☐ LMWH alone
	☐ UFH i.v + LMWH	
Gp2b3a	☐ Yes	☐ No
Bivaluridin	☐ Yes	☐ No
Statin	☐ Yes	☐ No
Dose	☐ 10 mg	☐ 20 mg
	☐ 40 mg	☐ 80 mg
Any Other		

Diagnostic Procedures:

Bed-side echo	☐ Yes	☐ No
Departmental echo	☐ Yes	☐ No
Stress Testing	☐ Yes	☐ No
Lipid profile	☐ Yes	☐ No
BNP	☐ Yes	☐ No
CRP	☐ Yes	☐ No
Trop-T / I	☐ Yes	☐ No
CPK/ CPK-MB	☐ Yes	☐ No
RFT	☐ Yes	☐ No
LFT	☐ Yes	☐ No
Electrolytes	☐ Yes	☐ No
Hemogram	☐ Yes	☐ No
CXR	☐ Yes	☐ No
Others		

Reports:

ECG:

HR: _____bpm;

AV Block: None/ 1-degree/ 2-degree/ CHB

BBB: RBBB/ LBBB/ Inderminate/ None

Q waves: None/ Inferior/ Antero-septal/ Anterior/ Anterolateral/ Lateral

ST dep: None/ Inferior/ Antero-septal/ Anterior/ Anterolateral/ Lateral

T inv: None/ Inferior/ Antero-septal/ Anterior/ Anterolateral/ Lateral

Rhythm: NSR/ AF/ SVT/ VT/ VF

Any other

Echo:

- EF:_____ %
- LV Function: Normal/ Mild LVD/ Mod. LVD/ Sev.LVD
- RWMA: LAD/ RCA/ LCX territory
- MR: None/ Mild/ Mod/ Severe
- E:_____ A:_____ DT:_____ E':_____ TAPSV:_____
- Others:_____

Blood Investigations:

- Hemoglobin:_____ gm%
- Creat:_____ mg/dl
- Trop-I:_____
- CPK:_____
- CK-MB:_____
- Na:_____
- K:_____
- RBS at admission:_____

Coronary Angiogram:

- Done/ Not done
- If done: Normal/ 1-VD/ 2-VD/ 3-VD/ LMCA

Invasive Procedures:

CAG	☐ Yes	☐ No
IABP	☐ Yes	☐ No
Invasive Ventilation	☐ Yes	☐ No
PTCA	☐ Yes	☐ No
CABG	☐ Yes	☐ No
Other _____		

Out-comes:

Clinical:

Death	☐ Yes	☐ No
STEMI for NONSTEMI subjects	☐ Yes	☐ No
Re-MI for STEMI subjects	☐ Yes	☐ No
Revascularization for recurrent ischemia	☐ Yes	☐ No
CVA-thrombotic	☐ Yes	☐ No
CVA-hemorrhagic	☐ Yes	☐ No
Major Bleeding	☐ Yes	☐ No
Any other _____		

Discharge Medications:

Beta-blocker	☐ Yes	☐ No		
Calcium-channel blocker	☐ Yes	☐ No		
Nitrate	☐ Yes	☐ No		
Nicorandil	☐ Yes	☐ No		
Ivabradine	☐ Yes	☐ No		
Ranolazine	☐ Yes	☐ No		
Trimetazidine	☐ Yes	☐ No		
Aspirin	☐ Yes	☐ No		
Clopidogrel	☐ Yes	☐ No		
Prasugrel	☐ Yes	☐ No		
Ticagrelor	☐ Yes	☐ No		
Statin	☐ Yes	☐ No		
Dose	☐ 10 mg	☐ 20 mg	☐ 40 mg	☐ 80 mg
Any Other				

Appropriateness for various procedures:

Indication for ICCU admission ^a	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
ICCU transfer-out	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for TLT ^b	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for PTCA ^c	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for Invasive monitoring ^d	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for IABP ^e	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for Invasive Ventilation ^f	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Indication for dialysis ^g	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Any other procedure	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _

Appropriateness for various investigations:

Cardiac enzymes	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
BNP	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
CRP	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Lipid Profile	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Bed-side Echo	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
CXR	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _

Appropriateness for various drugs:

Beta-blockers	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Aspirin	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Clopidigrel	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
ACE-inhibitor	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
ARB	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Statin	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Diuretic	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Lanoxin	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Anticoagulant	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Amiodarone	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _
Any other _____	☐ Appropriate	☐ Inappropriate	☐ _+ ☐ _

Length of Stay:

ICCU _____ hours
Step-down ICU _____ hours
Floors _____ days
Total Hospital stay _____ days

Cost of care:

Bed charges _____
Drugs & Disposables _____
Packages _____
Lab Investigations _____
Non-invasive labs _____
Consults _____
Radiology _____
Miscellaneous _____
Total: _____

Follow-up:

		1-month	3-month	6-month	12-month
Angina					
Func. Class:					
No. of antianginals:					
Dual Antiplatelets:					
Statins:					
Beta-blocker:					
ACEI/ ARB:					
Aldosterone Anta:					
ACS					
Hospitalization:					
PTCA					
CABG					
Death					
Any other					