

Routes

Authroutes.js

```
const express = require('express');
const router = express.Router();
const { registerUser, loginUser } = require('../controllers/authController');

router.post('/register', registerUser);
router.post('/login', loginUser);

module.exports = router;
```

Bookingroutes.js

```
const express = require('express');
const router = express.Router();
const { createBooking, getMyBookings, getAllBookings, removeSeatFromBooking } =
require('../controllers/bookingController');
const { protect, admin } = require('../middleware/authMiddleware');

router.route('/').post(protect, createBooking);
router.route('/mybookings').get(protect, getMyBookings);
router.route('/admin/all').get(protect, admin, getAllBookings);
router.route('/admin/:bookingId/seat/:seatId').delete(protect, admin,
removeSeatFromBooking);

module.exports = router;
```

Movieroutes.js

```
const express = require('express');
const router = express.Router();
const { getMovies, getMovieById, createMovie, updateMovie, deleteMovie } =
require('../controllers/movieController');
const { protect, admin } = require('../middleware/authMiddleware');

router.route('/')
  .get(getMovies)
  .post(protect, admin, createMovie);

router.route('/:id')
```

```
.get(getMovieById)
.put(protect, admin, updateMovie)
.delete(protect, admin, deleteMovie);

module.exports = router;
```

Showroutes.js

```
const express = require('express');
const router = express.Router();
const { getShowsByMovie, createShow } = require('../controllers/showController');
const { protect, admin } = require('../middleware/authMiddleware');

router.route('/movie/:movieId').get(getShowsByMovie);
router.route('/').post(protect, admin, createShow);

module.exports = router;
```