

Home.jsx

```
import { useState, useEffect } from 'react';
import axios from 'axios';
import { Link } from 'react-router-dom';
import { Search } from 'lucide-react';

const Home = () => {
  const [movies, setMovies] = useState([]);
  const [searchQuery, setSearchQuery] = useState('');

  useEffect(() => {
    const fetchMovies = async () => {
      try {
        const { data } = await axios.get('http://localhost:5000/api/movies');
        setMovies(data);
      } catch (error) { console.error('Error fetching movies', error); }
    };
    fetchMovies();
  }, []);

  const filteredMovies = movies.filter(m =>
    m.title.toLowerCase().includes(searchQuery.toLowerCase()) ||
    m.genre.toLowerCase().includes(searchQuery.toLowerCase())
  );

  const today = new Date();
  today.setHours(0, 0, 0, 0);

  const currentlyShowing = filteredMovies.filter(m => new Date(m.releaseDate) <=
today);
  const upcomingMovies = filteredMovies.filter(m => new Date(m.releaseDate) > today);

  const renderMovies = (moviesList) => (
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-8 px-4">
      {moviesList.map(movie => (
        <Link to={` /movies/${movie._id}`} key={movie._id} className="block
group h-full">
          <div className="bg-gray-800 rounded-xl overflow-hidden shadow-lg
transition transform hover:-translate-y-2 hover:shadow-2xl border border-gray-700
h-full flex flex-col">
            <img
```

```

        src={movie.posterUrl}
        alt={movie.title}
        className="w-full h-96 object-cover border-b
border-gray-700"

        onError={(e) => { e.target.src =
'https://via.placeholder.com/400x600/111827/9ca3af?text=No+Poster+Found'; }}
    />
    <div className="p-6 flex-1 flex flex-col justify-between
bg-gradient-to-t from-gray-900 to-gray-800">
      <div>
        <h2 className="text-2xl font-bold text-white
group-hover:text-blue-400 transition">{movie.title}</h2>
        <p className="text-gray-400 text-sm mt-2">{movie.genre}
&bull; {new Date(movie.releaseDate).getFullYear()}</p>
      </div>
      <span className="mt-6 block text-blue-500 font-bold
opacity-0 group-hover:opacity-100 transition">View Details &rarr;</span>
    </div>
  </div>
</Link>
  )}
</div>
);

return (
  <div className="space-y-12 pb-12 w-full animate-fade-in-up">
    <div className="max-w-2xl mx-auto relative group">
      <div className="absolute inset-y-0 left-0 pl-4 flex items-center
pointer-events-none text-gray-400 group-focus-within:text-blue-500 transition-colors">
        <Search size={20} />
      </div>
      <input
        type="text"
        placeholder="Search movies by title or genre..."
        value={searchQuery}
        onChange={(e) => setSearchQuery(e.target.value)}
        className="w-full bg-gray-800/80 border border-gray-700 text-white
rounded-full py-4 pl-12 pr-6 shadow-lg focus:outline-none focus:ring-2
focus:ring-blue-500 focus:border-transparent transition-all backdrop-blur-sm"
      />
    </div>
  </div>

```

```
    <div className="bg-gray-900/50 p-6 rounded-2xl border border-gray-800">
      <h1 className="text-4xl font-extrabold mb-8 text-center bg-clip-text
text-transparent bg-gradient-to-r from-green-400 to-blue-500 pb-2">Currently
Showing</h1>
      {currentlyShowing.length > 0 ? renderMovies(currentlyShowing) : <p
className="text-center text-gray-500 p-8">No movies currently showing.</p>}
    </div>

    <div className="bg-gray-900/50 p-6 rounded-2xl border border-gray-800">
      <h1 className="text-4xl font-extrabold mb-8 text-center bg-clip-text
text-transparent bg-gradient-to-r from-purple-400 to-pink-500 pb-2">Upcoming
Movies</h1>
      {upcomingMovies.length > 0 ? renderMovies(upcomingMovies) : <p
className="text-center text-gray-500 p-8">No upcoming movies.</p>}
    </div>
  </div>
);
};
export default Home;
```