

# FLOODSENSE OFFICIAL DISASTER SITUATION REPORT

AUTOMATED MULTIMODAL DISASTER DISPATCH & INCIDENT TRIAGE (SITREP)

| REPORT REFERENCE        | TIMESTAMP (UTC)     | SEVERITY TIER      |
|-------------------------|---------------------|--------------------|
| FS-SITREP-20260916-5467 | 2026-09-16 06:24:23 | SEVERE (12.51/100) |

## 1. Executive Summary & Incident Triage

SEVERE flood event detected covering 70.2% of aerial survey sector (1,383.1 m²).

## 2. Computer Vision Damage Assessment (Ground-Truth Verified)

| QUANTITATIVE METRIC           | VERIFIED VALUE                                                              |
|-------------------------------|-----------------------------------------------------------------------------|
| Total Inundated Area (m²)     | 1,383.1 sq. meters                                                          |
| Overall Sector Flood Coverage | 70.167%                                                                     |
| Flooded Building Structures   | 0 units                                                                     |
| Safe / Dry Buildings          | 4 units                                                                     |
| Road Inundation Percentage    | 0.0%                                                                        |
| Submerged / Trapped Vehicles  | 1 vehicles                                                                  |
| Terrain & Environment Impact  | Agricultural & permeable grass land assisting in natural flood attenuation. |

## 3. Prioritized Actionable Response Protocols

### [P1-IMMEDIATE] Rooftop Vertical Evacuation & Water Rescue Deployment

- **Details:** Deploy 1 motorized Inflatable Rescue Boats (IRBs) with certified divers to extract residents from 0 inundated structures.
- **Resources:** 1 Inflatable Rescue Boats (IRB) with Outboard Motors (35 HP), 4 NDRF Water Rescuers.
- **Citation:** [\[NDRF\\_SDRF\\_SOP:SECTION-2.0 VEHICULAR SUBMERSION & OCCUPANT EXTRACTION\]](#) & [\[NDMA\\_FLOOD\\_GUIDELINES:SECTION-2.0 INFRASTRUCTURE SAFETY & ACCESS PROTOCOLS\]](#)

### [P2-URGENT] Sector Road Barricading & Vehicle Occupant Extraction

- **Details:** Barricade inundated road corridors (0.0% submerged). Conduct emergency diver surveys on 1 stranded vehicles for trapped occupants.
- **Resources:** Traffic Police Barricades, 4x4 High-Clearance Tactical Rescue Trucks, Diver Survey Unit.
- **Citation:** [\[FEMA\\_FLOOD\\_PROTOCOLS:SECTION-2.0 CRITICAL LIFELINE RESTORATION & LOGISTICS\]](#) & [\[NDRF\\_SDRF\\_SOP:SECTION-2.0 VEHICULAR SUBMERSION & OCCUPANT EXTRACTION\]](#)

### [P2-URGENT] Drinking Water Contamination Mitigation & Relief Staging

- **Details:** Issue immediate boil water advisory across affected sectors. Deploy mobile water filtration units to support 10 estimated residents.
- **Resources:** Mobile Water Purification Unit (10,000 L/day RO+UV), Halogen Tablets, 500 Food Packets.
- **Citation:** [\[FEMA\\_FLOOD\\_PROTOCOLS:SECTION-2.0 CRITICAL LIFELINE RESTORATION & LOGISTICS\]](#) & [\[HISTORICAL-FLOOD-CASE-STUDIES-2025:CASE-STUDY-1\]](#)

## 4. Critical Lifelines & Logistics

- **Drinking Water & Sanitation:** Inundated municipal water lines presumed contaminated. Boil water advisory mandatory [FEMA\_FLOOD\_PROTOCOLS:SECTION-2.0 CRITICAL LIFELINE RESTORATION & LOGISTICS].
- **Electrical Power Safety:** Mandatory electrical feeder trip within 30 minutes for flooded sector [NDMA\_FLOOD\_GUIDELINES:SECTION-2.0 INFRASTRUCTURE SAFETY & ACCESS PROTOCOLS].
- **Emergency Traffic Routing:** Sector declared CAUTION TRANSIT ZONE. Reroute to elevated corridors [FEMA\_FLOOD\_PROTOCOLS:SECTION-2.0 CRITICAL LIFELINE RESTORATION & LOGISTICS].

## 5. Traceable Regulatory Citations

- [NDMA\_FLOOD\_GUIDELINES:SECTION-2.0 INFRASTRUCTURE SAFETY & ACCESS PROTOCOLS]
- [NDRF\_SDRF\_SOP:SECTION-2.0 VEHICULAR SUBMERSION & OCCUPANT EXTRACTION]
- [FEMA\_FLOOD\_PROTOCOLS:SECTION-2.0 CRITICAL LIFELINE RESTORATION & LOGISTICS]
- [NDRF\_SDRF\_SOP:SECTION-2.0 VEHICULAR SUBMERSION & OCCUPANT EXTRACTION]