


# PRÁCTICA BD ARQUITECTURA

## PARTE 2



```
* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/pro

System information as of Wed Oct 30 01:01:25 UTC 2024

System load:  0.2               Processes:            153
Usage of /:   32.6% of 48.27GB   Users logged in:     0
Memory usage: 48%              IPv4 address for ens4: 10.128.0.11
Swap usage:   0%

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

2 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

7 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm

New release '22.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

*** System restart required ***
Last login: Tue Oct 29 22:50:58 2024 from 35.235.245.129
arv11_kc@cluster-practica-bigarq-2-m:~$ curl -I http://34.55.201.54:9200
curl: (7) Failed to connect to 34.55.201.54 port 9200 after 0 ms: Couldn't connect to server
arv11_kc@cluster-practica-bigarq-2-m:~$ curl -I http://34.66.187.42:9200
HTTP/1.1 200 OK
X-elastic-product: Elasticsearch
content-type: application/json
content-length: 546
arv11_kc@cluster-practica-bigarq-2-m:~$
```



```
#action.destructive_requires_name: false

#----- BEGIN SECURITY AUTO CONFIGURATION -----
#
# The following settings, TLS certificates, and keys have been automatically
# generated to configure Elasticsearch security features on 30-10-2024 01:35:39
#
# -----

# Enable security features
xpack.security.enabled: false

xpack.security.enrollment.enabled: true

# Enable encryption for HTTP API client connections, such as Kibana, Logstash, and Agents
xpack.security.http.ssl:
  enabled: false
  keystore.path: certs/http.p12

# Enable encryption and mutual authentication between cluster nodes
xpack.security.transport.ssl:
  enabled: false
  verification_mode: certificate
  keystore.path: certs/transport.p12
  truststore.path: certs/transport.p12
# Create a new cluster with the current node only
# Additional nodes can still join the cluster later
cluster.initial_master_nodes: ["cluster-practica-bigarq-2-m"]

# Allow HTTP API connections from anywhere
# Connections are encrypted and require user authentication
http.host: 0.0.0.0

# Allow other nodes to join the cluster from anywhere
# Connections are encrypted and mutually authenticated
#transport.host: 0.0.0.0

#----- END SECURITY AUTO CONFIGURATION -----
arv11_kc@cluster-practica-bigarq-2-m:~$
```