

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 3 - SHORT ANSWER TEST

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO5 - Manipulation (BL3, BL4)	Assessment:	Assessment Tool 3 - Short Answer Test
Weightage:	30% of CIA	Total Marks:	100
CO2 Statement:	Construct MST using shortest path algorithms and traverse the graph to model and analyse real-world problem.		
Student Name:	T. Varun Tej	Reg. No.:	19251217
Section / Batch:		Date:	04/09/2026

Code of Conduct

I T. Varun Tej (19251217) (Name / Reg No)

certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: Varun Tej

Instructions

- This test contains 10 short answer test questions. Total: 100 Marks.
- When a student answer using an Analytical problem-solving, in evaluation the answer should be with following five requirements: Understanding of problem, select appropriate data structure, Design the solution, analyze, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.
- No DTP printouts or electronic devices permitted. They should provide written materials.

Section / Topic	Focus	Q Nos	Marks
Minimum Spanning Tree	Kruskal's Algorithm	1	20
Graph Sorting	Topological Sort	2	20
Shortest Path Algorithm	MST & Dijkstra's Algorithm	3	20
Shortest Path Algorithm	Dijkstra's Algorithm	4	20
Minimum Spanning Tree	Prim's or Kruskal's Algorithm	5	20
GRAND TOTAL:			100 Marks


Annexure A - Short Answer Test

1. Perform the following operations using stack. Assume the size of the stack is 5 and have a value of 22, 55, 33, 66, 88 in the stack from 0 position to size-1. Now perform the following operations: 1) Invert the elements in the stack, 2) Pop (), 3) Pop (), 3) Pop Construct AVL tree for the following elements. Mention the
2. Given a collection of elements 10,20,30,40,50,60,70,80. The Key element to be search 70. Compare how searching is performed in Linear Search and Binary Search. Identify the efficient search method. Justify.
3. What is the postfix and prefix forms of the following expression? $A+B*(C-D)/(P-R)$
4. Construct AVL tree for the following elements. Mention the Rotations in each step of insertion. 1,2,3,4,5,6,7,8,9,10
5. Construct a heap by inserting 10, 15, 12, 23, 21, 1, 6, 43, 34, 56, 78, 23, 45 into a binary heap.
6. Construct a B-Tree of Order 3 by inserting numbers 34,26,45,12,87,56,78,22,23,24,65,85,95.
7. Perform the merge sort for the following inputs. Also, show the result for each step of iteration. 40,20,70,14,60,61,97,30.
8. How the following data set can be sorted by quick sort. Show each step-in sorting. 78,23,31,88,43,55,67,55.
9. Perform Open Hashing & Linear Probing for the given set of 0,1,81, 4,64,25,16,36, 9 and 49.
10. Consider the following graph & construct BFS.



Graph with six nodes

Rubrics for Calculation

Criteria	Weightage	Level 4 - Exemplary	Level 3 - Proficient	Level 2 - Developing	Level 1 - Beginning
Conceptual Understanding	30	Demonstrates complete and accurate understanding of concepts	Good understanding with minor gaps	Basic understanding	Limited understanding
Accuracy of Answer	25	Answers are completely correct and relevant	Mostly correct with minor errors	Partially correct	Mostly incorrect
Problem-Solving & Reasoning	20	Provides logical reasoning and appropriate steps	Good reasoning with minor gaps	Basic reasoning	Lacks logical reasoning
Clarity & Relevance	15	Answers are precise, clear, concise, and directly address the question	Mostly clear and relevant	Somewhat unclear or incomplete	Irrelevant or unclear answers
Time Management & Completion	10	Completes all questions accurately within the allotted time	Completes most questions on time	Requires additional time	Unable to complete the test
Faculty In-charge		Course Coordinator		Program Director	
Signature: 		Signature: _____		Signature: _____	
Date: _____		Date: _____		Date: _____	

C0-5 - AT3

Name: T. Varun Tej

Reg : 192511217

Code: CSA0305

Course: D.S

Stack Operations:

Stack: 22, 55, 33, 66, 88

Assume 88 at top before inversion

88
66
33
55
22

Operation 1: Inverse stack

After reversing all elements

22
55
33
66
88

Operation 2: pop()

popped = 22,

Stack → 55
33
66
88

Operation 3: pop()

popped = 55

Stack → 33
66
88

Operation 4: pop

popped = 33

Stack → 66

Final Answers:

Inverted Answer = 22, 55, 33, 66, 88

First pop = 22

Second pop = 55

Third pop = 33

Remaining stack = 66, 88

The original question specifies the 5 elements stack 3 pop operations

Linear search vs Binary search

Given: 10, 20, 30, 40, 50, 60, 70, 80

Search key: 70

The data is already sorted, So both searches can be demonstrated.

<u>Step</u>	<u>Element</u>	<u>Comparison</u>
1		10 $\neq$ 70
2	10	
3	20	20 $\neq$ 70
4	30	30 $\neq$ 70
5	40	40 $\neq$ 70
6	50	50 $\neq$ 70
7	60	60 $\neq$ 70
	70	70 $\neq$ 70 70 = 70 Found

$\therefore$ 7 Comparisons

Linear search complexity :-

- * Best case : $O(1)$
- * Avg case : $O(n)$
- * Worst case : $O(n)$

Binary Search

Step 1 :

low = 0, high = 7

$$\text{Mid} = (0 + 7) / 2 = 3$$

$$\text{arr}(3) = 40$$

40 $\neq$ 70, search right half

Step 2 :

Search

50 | 60 | 70 | 80

$$\text{Mid} = 5 \Rightarrow 60$$

70 > 60, search right half

Step 3 :

70 | 80

$$\text{Mid} = 60,$$

70 = 70, Element found

$\therefore$ 3 Comparisons

Binary Search

- Best case = $O(1)$
- Avg case = $O(\log n)$
- Worst case = $O(\log n)$

Efficiency Method: Binary search is more efficient

Linear search = 7 comparisons

Binary search = 3 comparisons

Justification

Binary search eliminates approximately half of the remaining search space after every comparison.

3) Post fix & Prefix

Expression: $(A+B) * (C-D) / (P-R)$


Step 1: $(C-D) (P-R)$

Step 2: 2 multiplication : $B * (C-D)$



Insert 5




Insert 6





Insert 7



Insert 8



Insert 9



Step 3 Division $[B * (C-D) / (P-R)]$

Step 4: Addition $A + [B * (C-D) / (P-R)]$

Convert: operators after this operations

$ABCD - * PR - / +$

$\therefore$ Postfix :- $ABCD - * PR - /$

Prefix: Convert operators before their operand
 $+ A$ to $B - CD - PR$

$\therefore = + A / + B - CD - PR$

$\therefore$ Exspecified $\Rightarrow A + B + (C-D) / (P-R)$

4)


AVL Tree

Elements 1, 2, 3, 4, 5, 6, 7, 8, 9, 10


Insert 1:




This is an RR notation at ①



Insert 10



$\Rightarrow$




Binary

Elements: 10, 15, 12, 23, 21, 1, 6, 43, 34, 56, 28, 23


Max Heap





Step 1:



Insert 56



Insert 78



Handwritten signature or mark.