In [1]:
```
# Assigning features and label variables
# First Feature
weather=['Sunny','Sunny','Overcast','Rainy','Rainy','Rainy','Overca
'Rainy','Sunny','Overcast','Overcast','Rainy']
# Second Feature
temp=['Hot','Hot','Hot','Mild','Cool','Cool','Cool','Mild','Cool','

# Label or target varible
play=['No','No','Yes','Yes','Yes','No','Yes','No','Yes','Yes','Yes'
```

In [2]:
```
# Import LabelEncoder
from sklearn import preprocessing
#creating labelEncoder
le = preprocessing.LabelEncoder()
# Converting string labels into numbers.
weather_encoded=le.fit_transform(weather)
print(weather_encoded)
```

```
[2 2 0 1 1 1 0 2 2 1 2 0 0 1]
```

In [3]:
```
# converting string labels into numbers
temp_encoded=le.fit_transform(temp)
label=le.fit_transform(play)
```

In [4]:
```
#combinig weather and temp into single listof tuples
features=list(zip(weather_encoded,temp_encoded))
```

In [5]:
```
from sklearn.neighbors import KNeighborsClassifier

model = KNeighborsClassifier(n_neighbors=3)

# Train the model using the training sets
model.fit(features,label)

#Predict Output
predicted= model.predict([[0,2]]) # 0:Overcast, 2:Mild
print(predicted)
```

```
[1]
```

In [6]:
```
#Import scikit-learn dataset library
from sklearn import datasets

#Load dataset
wine = datasets.load_wine()
```

In [7]:
```
# print the names of the features
print(wine.feature_names)
```

```
['alcohol', 'malic_acid', 'ash', 'alcalinity_of_ash', 'magnesium',
'total_phenols', 'flavanoids', 'nonflavanoid_phenols', 'proanthocy
anins', 'color_intensity', 'hue', 'od280/od315_of_diluted_wines',
'proline']
```

In [8]:
```
# print the label species(class_0, class_1, class_2)
print(wine.target_names)
```

```
['class_0' 'class_1' 'class_2']
```

In [9]:
```
# print the wine data (top 5 records)
print(wine.data[0:5])
```

```
[[1.423e+01 1.710e+00 2.430e+00 1.560e+01 1.270e+02 2.800e+00 3.06
0e+00
  2.800e-01 2.290e+00 5.640e+00 1.040e+00 3.920e+00 1.065e+03]
 [1.320e+01 1.780e+00 2.140e+00 1.120e+01 1.000e+02 2.650e+00 2.76
0e+00
  2.600e-01 1.280e+00 4.380e+00 1.050e+00 3.400e+00 1.050e+03]
 [1.316e+01 2.360e+00 2.670e+00 1.860e+01 1.010e+02 2.800e+00 3.24
0e+00
  3.000e-01 2.810e+00 5.680e+00 1.030e+00 3.170e+00 1.185e+03]
 [1.437e+01 1.950e+00 2.500e+00 1.680e+01 1.130e+02 3.850e+00 3.49
0e+00
  2.400e-01 2.180e+00 7.800e+00 8.600e-01 3.450e+00 1.480e+03]
 [1.324e+01 2.590e+00 2.870e+00 2.100e+01 1.180e+02 2.800e+00 2.69
0e+00
  3.900e-01 1.820e+00 4.320e+00 1.040e+00 2.930e+00 7.350e+02]]
```

In [10]:
```
# print the wine labels (0:Class_0, 1:Class_1, 2:Class_3)
print(wine.target)
```

```
[0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1
 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1
 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2
2 2 2 2
 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2]
```

In [11]:
```
# print data(feature)shape
print(wine.data.shape)
```

```
(178, 13)
```

In [12]:
```
# print target(or label)shape
print(wine.target.shape)
```

```
(178,)
```

In [13]:
```
# Import train_test_split function
from sklearn.model_selection import train_test_split

# Split dataset into training set and test set
X_train, X_test, y_train, y_test = train_test_split(wine.data, wine
```

In [14]:
```
#Import knearest neighbors Classifier model
from sklearn.neighbors import KNeighborsClassifier

#Create KNN Classifier
knn = KNeighborsClassifier(n_neighbors=5)

#Train the model using the training sets
knn.fit(X_train, y_train)

#Predict the response for test dataset
y_pred = knn.predict(X_test)
```

In [15]:
```
#Import scikit-learn metrics module for accuracy calculation
from sklearn import metrics
# Model Accuracy, how often is the classifier correct?
print("Accuracy:",metrics.accuracy_score(y_test, y_pred))
```

```
Accuracy: 0.7592592592592593
```