3.7 DEMONSTRATION

A. Provide training for Owner's maintenance personnel to adjust, operate, and maintain door hardware and door hardware finishes. Refer to Division 01 Section "Demonstration and Training."

3.8 DOOR HARDWARE SCHEDULE

A. Locksets, exit devices, and other hardware items are referenced in the following hardware sets for series, type and function. Refer to the above-specifications for special features, options, cylinders/keying, and other requirements.
B. Hardware Sets:

Hardware Group No. 01

For use on Door #(s):
117A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	PASSAGE SET	L9010 17A		626	SCH
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR64		GRY	IVE

Hardware Group No. 01A

For use on Door #(s):
134

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	PASSAGE SET	L9010 17A		626	SCH
2	EA	OH STOP	100S		630	GLY
2	EA	SURFACE CLOSER	4040XP		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER

Hardware Group No. 02

For use on Door #(s):
103 104 203 204

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	CLASSROOM DEAD LOCK W/ OUTSIDE INDICATOR	L463T OS-LOC		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	PUSH PLATE	8200 4" X 16"		630	IVE
1	EA	PULL PLATE	8302 6" 4" X 16"		630	IVE
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	MOP PLATE	8400 4" X 1" LDW B-CS		630	IVE
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR65		GRY	IVE

Hardware Group No. 03

For use on Door #(s):
120 157

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112XY		628	IVE
1	EA	CONT. HINGE	112XY EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON	✓	689	VON
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	ELEC OFFICE LOCK	AD-300-MS-50-MT-SPA-J (BY DIV. 28)	✓	626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP EDA		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
2	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER
2	EA	FLAT ASTRAGAL	905AA		AA	ZER
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 03B

For use on Door #(s):
118 137 138 184

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112XY		628	IVE
1	EA	CONT. HINGE	112XY EPT		628	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	ELEC OFFICE LOCK	AD-300-MS-50-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
2	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER			
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 03C

For use on Door #(s):
131 213 214A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC OFFICE LOCK	AD-300-MS-50-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER			
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 03D

For use on Door #(s):
210 211 212 214

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112XY		628	IVE
1	EA	CONT. HINGE	112XY EPT		628	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	ELEC OFFICE LOCK	AD-300-MS-50-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP EDA		689	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
2	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
2	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER			
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 04

For use on Door #(s):
102 202

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5	652	IVE
1	EA	PRIVACY LOCK W/ OUTSIDE INDICATOR	L9040 17A 09-544 OS-OCC	626	SCH
1	EA	MOP PLATE	8400 4" X 1" LDW B-CS	630	IVE
1	EA	KICK PLATE	8400 8" X 1" LDW B-CS	630	IVE
1	EA	WALL STOP	WS406/407CCV	626	IVE
1	EA	GASKETING	488FSBK PSA	BK	ZER
1	EA	DOOR SWEEP	8192AA	AA	ZER

Hardware Group No. 05

For use on Door #(s):

116	122	124	125	126	128
130	161	162	163	164	166
168	170	217	219	220	221

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	OFFICE/ENTRY LOCK	L9050T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER

Hardware Group No. 05A

For use on Door #(s):

150	180	181	182

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	OFFICE/ENTRY LOCK	L9050T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER

Hardware Group No. 05B

For use on Door #(s):

117

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	OFFICE/ENTRY LOCK	L9050T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	OH STOP	100S		630	GLY
1	EA	GASKETING	488FSBK PSA		BK	ZER

Hardware Group No. 06

For use on Door #(s):
137A 210A 212B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	DBL CYL STORE LOCK	L9066T 17A XL11-897		626	SCH
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR65		GRY	IVE

Hardware Group No. 08

For use on Door #(s):
118A 127A 218A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	OH STOP	100S		630	GLY
3	EA	SILENCER	SR65		GRY	IVE

Hardware Group No. 08A

For use on Door #(s):
155 183

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR65		GRY	IVE

Hardware Group No. 08B

For use on Door #(s):
120A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER

Hardware Group No. 08C

For use on Door #(s):
165

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR64		GRY	IVE

Hardware Group No. 08D

For use on Door #(s):
211A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 5 X 4.5		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR64		GRY	IVE

Hardware Group No. 08E

For use on Door #(s):
212A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 5 X 4.5		652	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	OH STOP	90S		630	GLY
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
3	EA	SILENCER	SR64		GRY	IVE

Hardware Group No. 09

For use on Door #(s):
100A 100C

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112XY		628	IVE
2	EA	DUMMY PUSH BAR	350		626	VON
2	EA	DOOR PULL	VR910 DT		630	IVE
1	EA	SURFACE CLOSER	4040XP CUSH		689	LCN
1	EA	SURF. AUTO OPERATOR	9542 HL/D AS REQ (120/240 VAC)		ANCL R	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
1	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	ROCKER SWITCH	8310-806R		689	LCN
2	EA	ACTUATOR, TOUCHLESS	8310-816S		630	LCN
2	EA	FLUSH MOUNT BOX	8310-867F		689	LCN
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER			
2	EA	DOOR SWEEP	39A		A	ZER
1	EA	THRESHOLD	545A		A	ZER

Hardware Group No. 10

For use on Door #(s):
101 113

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 10A

For use on Door #(s):
115 138A 152 153 154 184A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 10B

For use on Door #(s):
121 160 160A 185 215

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 10C

For use on Door #(s):
201B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	OH STOP	100S		630	GLY
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 10D

For use on Door #(s):
201A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
3	EA	HINGE	5BB1 4.5 X 4.5		652	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
3	EA	SILENCER	SR65		GRY	IVE

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 10E

For use on Door #(s):
201C

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
2	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	ELEC CLASSROOM LOCK	AD-300-MS-70-MT-SPA-J (BY DIV. 28)		626	SCE
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER
2	EA	SILENCER	SR64		GRY	IVE
1		POWER SUPPLY	(BY DIV. 28)			

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 11

For use on Door #(s):
300A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112XY EPT		628	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC PANIC HARDWARE	RX-QEL-98-EO-CON 24 VDC		626	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	DOOR PULL	VR910 NL		630	IVE
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
1	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	DOOR SWEEP	8192AA		AA	ZER
1	EA	MULTITECH READER	MTB11 (BY DIV. 28)		BLK	SCE
1	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 11A

For use on Door #(s):
105 112 200

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER			FINISH	MFR
2	EA	CONT. HINGE	112XY			628	IVE
1	EA	REMOVABLE MULLION	KR4954 STAB			689	VON
2	EA	PANIC HARDWARE	CDSI-98-EO			626	VON
1	EA	RIM CYLINDER	20-057 ICX			626	SCH
2	EA	MORTISE CYLINDER	20-061 ICX 36-083			626	SCH
3	EA	FSIC CORE	23-030 CKC EV29 T			626	SCH
1	EA	DOOR PULL	VR910 DT			630	IVE
1	EA	DOOR PULL	VR910 NL			630	IVE
2	EA	SURFACE CLOSER	4040XP EDA			689	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT			689	LCN
2	EA	BLADE STOP SPACER	4040XP-61 SRT			689	LCN
2	EA	MAGNET	SEM7820 12V/24V/120V			689	LCN
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER				
2	EA	DOOR SWEEP	8192AA			AA	ZER

FREE EGRESS AT ALL TIMES
ENTRY WITH KEY OVERRIDE OR MANUAL DOGGING
DOOR(S) MONITORED

Hardware Group No. 11B

For use on Door #(s):
120B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112XY EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
2	EA	ELEC PANIC HARDWARE	LD-RX-98-EO-CON		626	VON
2	EA	MORTISE CYLINDER	20-061 ICX 36-083		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
2	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	RAIN DRIP	142AA		AA	ZER
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	MULLION SEAL	8780NBK PSA		BK	ZER
1	EA	PERIMETER GASKETING	BY ALUMINUM DOOR MANUFACTURER			
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	566A-223		A	ZER
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

FREE EGRESS AT ALL TIMES
ENTRY WITH KEY OVERRIDE OR MANUAL DOGGING

Hardware Group No. 11C

For use on Door #(s):
100 100B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112XY EPT		628	IVE
2	EA	POWER TRANSFER	EPT10 CON	✓	689	VON
1	EA	REMOVABLE MULLION	KR4954 STAB		689	VON
2	EA	ELEC PANIC HARDWARE	RX-QEL-98-EO-CON 24 VDC	✓	626	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
1	EA	MORTISE CYLINDER	20-061 ICX 36-083		626	SCH
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	DOOR PULL	VR910 DT		630	IVE
1	EA	DOOR PULL	VR910 NL		630	IVE
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	SURF. AUTO OPERATOR	9542 HL/D AS REQ (120/240 VAC)	✓	ANCL R	LCN
2	EA	CUSH SHOE SUPPORT	4040XP-30 SRT		689	LCN
1	EA	BLADE STOP SPACER	4040XP-61 SRT		689	LCN
1	EA	WEATHER RING	8310-801		PLA	LCN
1	EA	ROCKER SWITCH	8310-806R	✓	689	LCN
2	EA	ACTUATOR, TOUCHLESS	8310-816S	✓	630	LCN
1	EA	RELAY/DOOR SEQUENCER	8310-845	✓	689	LCN
2	EA	FLUSH MOUNT BOX	8310-867F	✓	689	LCN
2	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	MULLION SEAL	8780NBK PSA		BK	ZER
2	EA	DOOR SWEEP	8197AA		AA	ZER
1	EA	THRESHOLD	566A-223		A	ZER
2	EA	WIRE HARNESS	CON-12	✓		SCH
2	EA	WIRE HARNESS	CON-6W	✓		SCH
1	EA	MULTITECH READER	MTB15 (BY DIV. 28)	✓	BLK	SCE
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)	✓	WHT	GEN

FREE EGRESS AT ALL TIMES
ENTRY WITH CREDENTIAL READER, KEY OVERRIDE OR ACCESS CONTROL TIME ZONE
UPON LOSS OF POWER OR FIRE ALARM ACTIVATION DOOR(S) REMAIN LOCKED
DOOR MONITORED
OUTSIDE ACTUATOR INACTIVE WITHOUT VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE
INSIDE ACTUATOR ALWAYS ACTIVE

Hardware Group No. 11D

For use on Door #(s):
300

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	CONT. HINGE	112XY EPT		628	IVE
1	EA	POWER TRANSFER	EPT10 CON		689	VON
1	EA	ELEC PANIC HARDWARE	RX-QEL-98-EO-CON 24 VDC		626	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	DOOR PULL	VR910 NL		630	IVE
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	KICK PLATE	8400 8" X 2" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	DOOR SWEEP	8192AA		AA	ZER
1	EA	MULTITECH READER	MTB15 (BY DIV. 28)		BLK	SCE
1	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

DOOR(S) NORMALLY LOCKED AND LATCHED.
ENTRY BY VALID CREDENTIAL OR ACCESS CONTROL TIME ZONE OR KEY OVERRIDE.
FREE EGRESS AT ALL TIMES.
UPON LOSS OF POWER, DOOR(S) REMAIN LOCKED.

Hardware Group No. 11E

For use on Door #(s):
140A 200A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	CONT. HINGE	112XY		628	IVE
1	EA	FIRE RATED REMOVABLE MULLION	KR9954		689	VON
1	EA	FIRE EXIT HARDWARE	98-EO-F-499F		626	VON
1	EA	FIRE EXIT HARDWARE	98-L-BE-F-17-499F		626	VON
1	EA	MORTISE CYLINDER	20-061 ICX 36-083		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
2	EA	MAGNET	SEM7820 12V/24V/120V		689	LCN
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER
1	EA	MULLION SEAL	8780NBK PSA		BK	ZER
2	EA	DOOR SWEEP	8192AA		AA	ZER

Hardware Group No. 18A

For use on Door #(s):
131A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
2	EA	OH STOP	100S		630	GLY
2	EA	SURFACE CLOSER	4040XP		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER

Hardware Group No. 18B

For use on Door #(s):
157A 185A

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1 4.5 X 4.5 NRP		652	IVE
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	SURFACE CLOSER	4040XP EDA		689	LCN
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER

Hardware Group No. 18C

For use on Door #(s):
212C

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
6	EA	HINGE	5BB1 4.5 X 4.5 NRP		630	IVE
1	EA	CONST LATCHING BOLT	FB51P		630	IVE
1	EA	DUST PROOF STRIKE	DP2		626	IVE
1	EA	STOREROOM LOCK	L9080T 17A		626	SCH
1	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
2	EA	KICK PLATE	8400 8" X 1" LDW B-CS		630	IVE
1	EA	RAIN DRIP	142AA		AA	ZER
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	WEATHERSTRIPPING	8217SBK PSA		BK	ZER
1	EA	ASTRAGAL	43SP		SP	ZER
2	EA	DOOR SWEEP	8198AA		AA	ZER
1	EA	THRESHOLD	566A-223		A	ZER
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

Hardware Group No. X01

For use on Door #(s):
140B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	COVER PLATE	DOGGING KIT-LDK-98		US28	VON
1	EA	RIM CYLINDER	20-057 ICX		626	SCH
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	RELAY/DOOR SEQUENCER	8310-845		689	LCN
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

REPLACE RIM CYLINDER
REPLACE KR MULLION IC CORE
REPLACE CD COVERPLATES WITH LD-LESS DOGGING
ENSURE AUTO OPERATOR IS PROPERLY COORDINATED WITH ACCESS CONTROL
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X02

For use on Door #(s):
001

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	MULTITECH READER	MTB15 (BY DIV. 28)		BLK	SCE
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE PULL IC CORE
REPLACE KR MULLION CYLINDER
REPLACE HEX DOGGING COVERPLATES WITH LD-LESS DOGGING
ADD DPS
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X03

For use on Door #(s):
136

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
1	EA	ELEC CLASSROOM LOCK	AD-300-CY-70-MT-SPA-J 12/24 VDC		626	SCE
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	RAIN DRIP	142AA		AA	ZER
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	ASTRAGAL	43SP		SP	ZER
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE CYLINDRICAL LOCK
ADD CR, DPS, DOOR LOOP, ELECTRIFIED CYLINDRICAL LOCK, SECURITY ASTRAGAL TO ACCESS CONTROL DOOR LEAF
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X03A

For use on Door #(s):
135

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
1	EA	ELEC CLASSROOM LOCK	AD-300-CY-70-MT-SPA-J 12/24 VDC		626	SCE
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
2	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	GASKETING	488FSBK PSA		BK	ZER
1	EA	ASTRAGAL	43SP		SP	ZER
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE CYLINDRICAL LOCK
ADD CR, DPS, DOOR LOOP, ELECTRIFIED CYLINDRICAL LOCK, SECURITY ASTRAGAL TO ACCESS CONTROL DOOR LEAF
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X03B

For use on Door #(s):
136A 205 207

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
1	EA	ELEC CLASSROOM LOCK	AD-300-CY-70-MT-SPA-J 12/24 VDC		626	SCE
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
1	EA	SURFACE CLOSER	4040XP SCUSH		689	LCN
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE CYLINDRICAL LOCK
ADD CR, DPS, DOOR LOOP, ELECTRIFIED CYLINDRICAL LOCK
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X03C

For use on Door #(s):
133

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
1	EA	ELEC CLASSROOM LOCK	AD-300-CY-70-MT-SPA-J 12/24 VDC		626	SCE
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
1	EA	SURFACE CLOSER	4040XP		689	LCN
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE CYLINDRICAL LOCK
ADD CR, DPS, DOOR LOOP, ELECTRIFIED CYLINDRICAL LOCK, SECURITY ASTRAGAL TO ACCESS CONTROL DOOR LEAF
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X03D

For use on Door #(s):
141 208

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	DOOR LOOP	DC-HD-16		689	LOC
1	EA	ELEC CLASSROOM LOCK	AD-300-CY-70-MT-SPA-J 12/24 VDC		626	SCE
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
1	EA	FSIC CORE	23-030 ICX		ORG	SCH
1	EA	GASKETING	488FSBK PSA		BK	ZER
1		POWER SUPPLY	(BY DIV. 28)			

REPLACE CYLINDRICAL LOCK
ADD CR, DPS, DOOR LOOP, ELECTRIFIED CYLINDRICAL LOCK
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X04

For use on Door #(s):
157B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	PANIC HARDWARE	LD-98-EO		626	VON
1	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

REPLACE EO PANIC HW
RE-USE REMAINING DOOR HW
ENSURE DOOR CLOSES & LATCHES PROPERLY

Hardware Group No. X05

For use on Door #(s):
131B

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
2	EA	COVER PLATE	DOGGING KIT-LDK-98		US28	VON
1	EA	MORTISE CYLINDER	20-061 ICX 36-083		626	SCH
2	EA	FSIC CORE	23-030 CKC EV29 T		626	SCH
2	EA	DOOR POSITION SWITCH-DPDT	GRI 19512W (BY DIV. 28)		WHT	GEN

REPLACE PULL IC CORE
REPLACE KR MULLION CYLINDER
REPLACE HEX DOGGING COVERPLATES WITH LD-LESS DOGGING
ADD DPS
RE-USE REMAINING DOOR HW
ENSURE DOORS CLOSE & LATCH PROPERLY

Hardware Group No. X06

For use on Door #(s):
132 132A 140

Each to have:

QTY		DESCRIPTION	CATALOG NUMBER		FINISH	MFR
1	EA	PASSAGE SET	ND10S SPA		626	SCH
1	EA	WALL STOP	WS406/407CCV		626	IVE
1	EA	GASKETING	488FSBK PSA		BK	ZER

RE-USE EXISTING HINGES, DOOR CLOSER (IF INSTALLED)

END OF SECTION