

## List of Tables

|                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------|-----|
| Table 2-1 Common Signals .....                                                                                       | 47  |
| Table 2-2 Request Channel Signals .....                                                                              | 50  |
| Table 2-3 Read, ReqAttr Usage .....                                                                                  | 53  |
| Table 2-4 Atomic Request ReqAttr Usage .....                                                                         | 53  |
| Table 2-5 Atomic OpSize Encoding .....                                                                               | 53  |
| Table 2-6 Commands .....                                                                                             | 54  |
| Table 2-7 UPLI Write Message Request Types.....                                                                      | 57  |
| Table 2-8 Read Response/Data Channel Signals.....                                                                    | 58  |
| Table 2-9 RdRspStatus [3:0] Encoding for Predefined Commands.....                                                    | 60  |
| Table 2-10 RdRspStatus[3:0] Encoding for Vendor Defined Command.....                                                 | 60  |
| Table 2-11 Write Response Channel Signals.....                                                                       | 62  |
| Table 2-12 WrRspStatus[3:0] Encoding for Predefined Commands .....                                                   | 64  |
| Table 2-13 WrRspStatus[3:0] Encoding for Vendor Defined Commands.....                                                | 64  |
| Table 2-14 Originator Data Channel Signals .....                                                                     | 65  |
| Table 5-1: TL Flit organization.....                                                                                 | 99  |
| Table 5-2: Control Half Flit Field Footprints and Sizes.....                                                         | 99  |
| Table 5-3: TL Flit with Message Indicator Bits.....                                                                  | 102 |
| Table 5-4: Message TL Half-Flit.....                                                                                 | 102 |
| Table 5-5: An 8-sector Request (Read) followed by a Mandatory NOP Half Flit. ....                                    | 103 |
| Table 5-6: A 4 sector Request (WriteFull 256 bytes) followed by a Control Half Flit with Flow Control. ....          | 103 |
| Table 5-7: A 4 sector Request (Write 192 bytes) followed by a Control Half Flit with Flow Control .....              | 104 |
| Table 5-8: A 2-sector Request (64 byte write), NOP, FC, and 4-sector AtomicR request.....                            | 104 |
| Table 5-9: A 2-sector Request (64 byte write), NOP, FC, and 4-sector AtomicR request.....                            | 105 |
| Table 5-10: A 2-sector Request (256 byte write), 2-sector Request (256-byte WriteFull), and a 4-sector AtomicNR..... | 105 |
| Table 5-11: Authentication mode example matching the prior example. ....                                             | 106 |
| Table 5-12: Read Requests and Associated Read Responses.....                                                         | 107 |
| Table 5-13: 256-byte WriteFull with corrupt second 64-byte beat. ....                                                | 108 |
| Table 5-14: An example illustrating corrupted Atomic Operand data. ....                                              | 108 |
| Table 5-15 A single 4-sector Request (WriteFull 256 bytes) and a 2-sector Write Response.....                        | 109 |
| Table 5-16 Three 4 sector WriteFull 256 byte Requests and three Compressed Write Responses.....                      | 110 |
| Table 5-17 Four 2 sector WriteFull 256-byte Requests and four Compressed Write Responses. ...                        | 111 |
| Table 5-18: Five 2 sector WriteFull 256-byte Requests and Five Compressed Write Responses... ..                      | 112 |
| Table 5-19: Two 2 sector WriteFull 256-byte Requests and Two Compressed Write Responses... ..                        | 113 |
| Table 5-20: Five 2 sector Read 256-byte Requests and Five Compressed Read Responses.....                             | 114 |
| Table 5-21: Two 2-sector Read 256-byte Requests and Two Compressed Read Responses. ....                              | 115 |
| Table 5-22 Three Write, Two Read Maximum Efficiency Example .....                                                    | 116 |
| Table 5-23 Address Cache Loading Request Availability.....                                                           | 121 |
| Table 5-24 Request Packing without Data Half-Flits.....                                                              | 123 |
| Table 5-25 Request Pacing with Data Half-Flits.....                                                                  | 123 |
| Table 5-26: Flow Control Field Signals.....                                                                          | 127 |
| Table 5-27: TL Control Half-Flit Message Type Values.....                                                            | 129 |
| Table 5-28: Legal TL Message Half-Flits .....                                                                        | 129 |
| Table 5-29 Uncompressed Request Field Signals .....                                                                  | 130 |
| Table 5-30 Uncompressed Response Field Signals .....                                                                 | 131 |

*List of Tables*

13

|                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------|-----|
| Table 5-31 Compressed Request Field Signals .....                                                                | 133 |
| Table 5-32 Compressed Request Usage Restrictions. ....                                                           | 134 |
| Table 5-33 Compressed Request Command Encoding.....                                                              | 134 |
| Table 5-34 Compressed Response for Single Beat Read Field Signals.....                                           | 135 |
| Table 5-35 Compressed Response for Single-Beat Read Response Usage Restrictions. ....                            | 135 |
| Table 5-36 Compressed Response for Write or Multi-Beat Read Field Signals.....                                   | 136 |
| Table 5-37 Compressed Response for Write or Multi-Beat Read Response Usage Restrictions. ....                    | 136 |
| Table 5-38 Flow Control/NOP Field .....                                                                          | 137 |
| Table 6-1 Sector Allocation per Segment .....                                                                    | 142 |
| Table 6-2 Segment Header .....                                                                                   | 144 |
| Table 6-3 DL Message Types.....                                                                                  | 150 |
| Table 6-4 TL Rate Notification .....                                                                             | 152 |
| Table 6-5 Device ID Request.....                                                                                 | 153 |
| Table 6-6 Port ID Request.....                                                                                   | 154 |
| Table 6-7 No-Op Message .....                                                                                    | 154 |
| Table 6-8 Channel Negotiation .....                                                                              | 159 |
| Table 6-9 Vendor Defined Packet Type Length (TL) DWord .....                                                     | 162 |
| Table 6-10 UART Stream Reset Request.....                                                                        | 162 |
| Table 6-11 UART Stream Reset Response.....                                                                       | 163 |
| Table 6-12 UART Stream transport message.....                                                                    | 163 |
| Table 6-13 UART Stream Credit Update .....                                                                       | 163 |
| Table 6-14 Explicit Sequence Number Flit Header .....                                                            | 167 |
| Table 6-15 Command Flit Header.....                                                                              | 167 |
| Table 7-1 100Gbps Serial Clauses.....                                                                            | 182 |
| Table 7-2 200Gbps Serial Clauses.....                                                                            | 182 |
| Table 7-3 Sequential Ordered Sets.....                                                                           | 186 |
| Table 7-4 Reduced Interleave FEC .....                                                                           | 189 |
| Table 9-1 Possible attack types .....                                                                            | 210 |
| Table 9-2 Threat model.....                                                                                      | 212 |
| Table 9-3 IV Format.....                                                                                         | 216 |
| Table 9-4 Request channel signals that are encrypted and authenticated.....                                      | 217 |
| Table 9-5 Read response channel signals that are authenticated and encrypted .....                               | 218 |
| Table 9-6 Write response channel signals that are authenticated and encrypted.....                               | 220 |
| Table 9-7 Originator data channel signals that are authenticated and encrypted.....                              | 220 |
| Table 9-8 Request Channel Fields for AAD and MSG - Non Write or UPLI Write Message Request                       | 237 |
| Table 9-9 Originator Data Channel Fields for AAD and MSG (partial-word write or UPLI Write Message Request)..... | 237 |
| Table 9-10 Originator Data Channel Fields for AAD and MSG (Full Write) .....                                     | 237 |
| Table 9-11 Read Response channel fields for AAD and MSG .....                                                    | 238 |
| Table 9-12 Write Response channel fields for AAD and MSG .....                                                   | 238 |
| Table 9-13 Mapping Request Channel AAD bits.....                                                                 | 238 |
| Table 9-14 Mapping Request Channel MSG bits for non write and non UPLI Write Message .....                       | 239 |
| Table 9-15 Mapping Request and Originator Data channels AAD bits for Wr Req or UPLI Write Message .....          | 239 |
| Table 9-16 Mapping MSG bits for Write Request w. Byte Enable or UPLI Write Message of the 1st beat.....          | 240 |
| Table 9-17 Mapping MSG bits for Full-word Wr Req (w/o Byte Enable) of the 1st beat.....                          | 241 |
| Table 9-18 Mapping AAD bits for Originator data non 1st beat .....                                               | 242 |
| Table 9-19 Mapping MSG bits for Full-word Wr Req (w. Byte Enable) non 1st beat.....                              | 242 |

Table 9-20 Mapping MSG bits for Full-word Wr Req (w/o Byte Enable) non 1st beat..... 243

Table 9-21 Mapping Read Response Channel AAD bits ..... 244

Table 9-22 Mapping MSG bits for Read Response ..... 244

Table 9-23 Mapping Read Response Channel AAD bits ..... 246

Table 9-24 Mapping Write Response Channel MSG bits..... 246

Evaluation Copy