

Report from 12 Aug 2025, 15:16:48

[Analyse](#)

Discover what your real users are experiencing

[This URL](#)[Origin](#)

Core Web Vitals assessment: Passed [?](#)

[Expand view](#)

- [Largest Contentful Paint \(LCP\)](#)

2.3 s



- [Interaction to Next Paint \(INP\)](#)

64 ms



- [Cumulative Layout Shift \(CLS\)](#)

0.02



OTHER NOTABLE METRICS

- [First Contentful Paint \(FCP\)](#)

1.1 s



- [Time to First Byte \(TTFB\)](#) [▲](#)

0.5 s



Latest 28-day period

[?](#) ([history](#))

Full visit durations

Various desktop devices

Many samples (

[Chrome UX Report](#))

All Chrome versions



Diagnose performance issues

61

Performance

80

Accessibility

56

Best Practices

77


SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Expand view](#)

● First Contentful Paint

0.7 s

▲ Largest Contentful Paint

3.7 s

■ Total Blocking Time

260 ms

● Cumulative Layout Shift

0.048

▲ Speed Index

3.9 s


 Captured at 12 Aug 2025, 15:16

GMT+5:30

 Emulated desktop with

Lighthouse 12.8.0

 Single-page session



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Go back to audits](#)

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

⚠ Use efficient cache lifetimes — Potential savings of 523 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#) [LCP](#) [FCP](#)

| gokwik.co | | 361 KiB | |
|---|------------------------|---------|---------|
| ...build/kp-main.js?id=kp-sso_v1 | (pdp.gokwik.co) | 10m | 154 KiB |
| ...icons/gokwik_gif.gif | (pdp.gokwik.co) | 10m | 64 KiB |
| ...build/kp-merchant-v2.js | (pdp.gokwik.co) | 10m | 58 KiB |
| /build/gokwik.js?build=0.1.0 | (pdp.gokwik.co) | 10m | 32 KiB |
| ...build/kp-sso.js | (pdp.gokwik.co) | 10m | 24 KiB |
| ...build/kwikpass.css | (pdp.gokwik.co) | 10m | 11 KiB |
| ...build/merchant.integration.js?v4 | (pdp.gokwik.co) | 10m | 8 KiB |
| /kwikpass/kwikpass-core-functions-min.js | (pdp.gokwik.co) | 10m | 4 KiB |
| ...images/upi-icons.svg | (cdn.gokwik.co) | None | 2 KiB |
| /analytics.js | (analytics.gokwik.co) | None | 2 KiB |
| ...plugin/global.css | (pdp.gokwik.co) | 10m | 1 KiB |
| ...images/right-arrow.svg | (cdn.gokwik.co) | None | 1 KiB |
| Facebook [Social] | | 101 KiB | |
| /en_US/fbevents.js | (connect.facebook.net) | 20m | 82 KiB |
| ...config/222...?v=... | (connect.facebook.net) | 20m | 19 KiB |
| /tr/?id=... | (www.facebook.com) | None | 0 KiB |
| risingsigma.com | | 59 KiB | |
| ..js/createScript.js?shop=nakodadairy.myshopify.com | (www.risingsigma.com) | None | 59 KiB |

 PageSpeed Insights

[Copy link](#) [Docs](#)

| Request | Cache TTL | Transfer size |
|---|-----------|---------------|
| ...nakodadairy/160...js?shop=nakodadairy.myshopify.com (cdn.secomapp.com) | 4h | 26 KiB |
| Hexton Utility | | 35 KiB |
| /js/eventpromotionbar.js?shop=nakodadairy.myshopify.com (cdn.hextom.com) | 1d | 35 KiB |
| 506.io | | 62 KiB |
| /eg/script.js?shop=nakodadairy.myshopify.com (cdn.506.io) | 7d | 62 KiB |
| Klaviyo Ad | | 5 KiB |
| ... | | |
| ..js/klaviyo.js? | | |
| company_id=VzsvrC&shop=nakodadairy.myshopify.com (static.klaviyo.com) | 1s | 2 KiB |
| Judge.me Marketing | | 1 KiB |
| /assets/installer.js?shop=nakodadairy.myshopify.com (cdn1.judge.me) | 7d | 1 KiB |

⚠️ Font display — Potential savings of 150 ms ^

Consider setting [font-display](#) to swap or optional to ensure that text is consistently visible. swap can be further optimised to mitigate layout shifts with [font metric overrides](#). [FCP](#)

| URL | Potential savings |
|------------------------|-------------------|
| nakpro.com First Party | 190 ms |

⚠️ Render blocking requests — Potential savings of 160 ms ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#)

| Request | Cache TTL | Transfer size |
|---|-----------|---------------|
| ...files/slick.min.js?v=169... (cdn.shopify.com) | 11.1 KiB | 220 ms |
| ...files/slick-theme.css?v=169... (cdn.shopify.com) | 2.1 KiB | 230 ms |
| ...files/slick.css?v=169... (cdn.shopify.com) | 1.8 KiB | 230 ms |
| gokwik.co | 9.9 KiB | 500 ms |



...puma/mechanicalintegration.js: 77 (pup.yourwir.com)

© TIND

כטבון

▲ Forced reflow

Many APIs, typically reading layout geometry, force the rendering engine to pause script execution in order to calculate the style and layout. Learn more about [forced reflow](#) and its mitigations.

| Top function call | Total reflow time | Duration | size |
|---|-------------------|----------|------|
| [unattributed] | 243 ms | | |
| ...wpm/b73b305c4w82c1918fpb7086179m603a4010m.js:1:110767 (nakpro.com) | 9 ms | | |
| /gtag/js?id=G-TGKX3Y50ZB:649:376 (www.googletagmanager.com) | 0 ms | | |
| ...assets/vendor-scripts-v11.js:14:13498 (nakpro.com) | 8 ms | | |
| ...assets/vendor-scripts-v11.js:31:843 (nakpro.com) | 2 ms | | |
| ...assets/vendor-scripts-v11.js:31:1000 (nakpro.com) | 5 ms | | |
| ...assets/vendor-scripts-v11.js:31:1162 (nakpro.com) | 2 ms | | |
| ...assets/theme.js?v=8394678...:12:60620 (nakpro.com) | 0 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:50335 (cdn.shopify.com) | 1 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:50393 (cdn.shopify.com) | 1 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:50457 (cdn.shopify.com) | 1 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:49637 (cdn.shopify.com) | 6 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:49615 (cdn.shopify.com) | 11 ms | | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:51395 (cdn.shopify.com) | 1 ms | | |
| ...dist/sp.min.js:13:17772 (cdn.jsdelivr.net) | 1 ms | | |
| Source | Total reflow time | time | |
| ...files/code.jquery.com_jquery-3.7.1.min.js?v=169...:2:85575 (cdn.shopify.com) | 1 ms | | |

▲ LCP request discovery

Optimise LCP by making the LCP image [discoverable](#) from the HTML immediately and [avoiding lazy loading](#) [LCP](#)

 lazy load not applied

 fetchpriority=high should be applied

PageSpeed Insights

[Copy link](#)
[Docs](#)


```
hide

```

⚠ Network dependency tree

Avoid chaining [critical requests](#) by reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **3,211 ms**

Initial Navigation

```

https://nakpro.com - 552 ms, 47.54 KiB
  ...files/slick.min.js?v=169... (cdn.shopify.com) - 700 ms, 11.06 KiB
  ...files/slick.css?v=169... (cdn.shopify.com) - 696 ms, 1.80 KiB
  ...files/slick-theme.css?v=169... (cdn.shopify.com) - 699 ms, 2.05 KiB
  ...build/merchant.integration.js?v4 (pdp.gokwik.co) - 567 ms, 8.08 KiB
  /analytics.js (analytics.gokwik.co) - 642 ms, 1.79 KiB
    ...v1/events (hits.gokwik.co) - 1,732 ms, 0.36 KiB
    ...v1/events (hits.gokwik.co) - 2,193 ms, 0.36 KiB
    ...rs=AN8SPfoMS.../m=el_main_css (www.gstatic.com) - 3,211 ms, 4.87 KiB
  ...files/code.jquery.com_jquery-3.7.1.min.js?v=169... (cdn.shopify.com) - 715 ms, 30.20 KiB
  ...v1/2821 (checkout-merchant.snapmint.com) - 1,140 ms, 1.27 KiB
```

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

| Origin | Source |
|-------------------------|---|
| https://cdn.shopify.com | <https://cdn.shopify.com>; rel="preconnect" |

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

| | |
|------------------------|-------|
| https://hits.gokwik.co | 80 ms |
|------------------------|-------|

 PageSpeed Insights
[Copy link](#)[Docs](#)

https://pap.gokwik.co

80 ms

https://sp-kf-collector-prod.gokwik.io

80 ms

Origin**Est LCP savings**
■ Improve image delivery — **Potential savings of 392 KiB**
^

Reducing the download time of images can improve the perceived load time of the page and LCP.

[Learn more about optimising image size](#) LCP FCP

| nakpro.com | First Party | 686.9 KiB | 391.9 KiB |
|--|--|-----------|-----------|
| ...files/Nakpro_we....jpg?v=173...&width=1920 | (nakpro.com) | 131.6 KiB | 66.8 KiB |
| This image file is larger than it needs to be (1920x600) for its displayed dimensions (1347x421). Use responsive images to reduce the image download size. | | 66.8 KiB | |
| ...files/banner_web-tablet.jpg?v=174...&width=1920 | (nakpro.com) | 129.5 KiB | 65.8 KiB |
| This image file is larger than it needs to be (1920x600) for its displayed dimensions (1347x421). Use responsive images to reduce the image download size. | | 65.8 KiB | |
| ...files/ALL_PROD...jpg?v=172...&width=1920 | (nakpro.com) | 128.6 KiB | 65.3 KiB |
| This image file is larger than it needs to be (1920x600) for its displayed dimensions (1347x421). Use responsive images to reduce the image download size. | | 65.3 KiB | |
| ...files/Impact_WE...jpg?v=173...&width=1920 | (nakpro.com) | 64.1 KiB | 32.6 KiB |
| This image file is larger than it needs to be (1920x600) for its displayed dimensions (1347x421). Use responsive images to reduce the image download size. | | 32.6 KiB | |
| ...files/STRAWBERRY.png?v=171...&width=360 | (nakpro.com) | 20.3 KiB | 16.7 KiB |
| This image file is larger than it needs to be (360x360) for its displayed dimensions (150x150). Use responsive images to reduce the image download size. | | 16.7 KiB | |
| ...files/BLUEBERRY.png?v=171...&width=360 | (nakpro.com) | 17.7 KiB | 14.6 KiB |
| This image file is larger than it needs to be (360x360) for its displayed dimensions (150x150). Use responsive images to reduce the image download size. | | 14.6 KiB | |
| ...files/WORKOUT_B....png?v=172... | (nakpro.com) | 28.6 KiB | 14.5 KiB |
| This image file is larger than it needs to be (480x485) for its displayed dimensions (337x340). Use responsive images to reduce the image download size. | | 14.5 KiB | |
| ...files/CHOCOLATE.png?v=171...&width=360 | (nakpro.com) | 16.5 KiB | 13.6 KiB |

 PageSpeed Insights
[Copy link](#)[Docs](#)

| URL | Resource size | Potential savings |
|--|---------------|-------------------|
| ...files/BANANA.png?v=171...&width=360 (nakpro.com) | 16.3 KiB | 13.5 KiB |
| This image file is larger than it needs to be (360x360) for its displayed dimensions (150x150). Use responsive images to reduce the image download size. | | |
| ...files/MANGO_804cf1e1-68a8-417e-b15b-ea19c07bd84b.png?v=... (nakpro.com) | 16.3 KiB | 13.4 KiB |
| This image file is larger than it needs to be (360x360) for its displayed dimensions (150x150). Use responsive images to reduce the image download size. | | |
| ...files/COFFEE.png?v=171...&width=360 (nakpro.com) | 15.6 KiB | 12.9 KiB |
| This image file is larger than it needs to be (360x360) for its displayed dimensions (150x150). Use responsive images to reduce the image download size. | | |
| ...files/clients_0....png?v=170... (nakpro.com) | 12.7 KiB | 10.6 KiB |
| Increasing the image compression factor could improve this image's download size. | | 8.1 KiB |
| ...files/4_300x.png?v=169... (nakpro.com) | 15.2 KiB | 10.0 KiB |
| Increasing the image compression factor could improve this image's download size. | | 10.0 KiB |
| ...files/WORKOUT_B....png?v=172... (nakpro.com) | 19.4 KiB | 9.8 KiB |
| size. | | |
| ...files/WORKOUT_B....png?v=172... (nakpro.com) | 16.9 KiB | 8.6 KiB |
| This image file is larger than it needs to be (480x485) for its displayed dimensions (337x340). Use responsive images to reduce the image download size. | | 8.6 KiB |
| ...files/1_79c73ff7-b67c-4b77-8f43-de44988fc940_300x.png?v=169... (nakpro.com) | 11.7 KiB | 6.9 KiB |
| Increasing the image compression factor could improve this image's download size. | | 6.9 KiB |
| ...files/WORKOUT_B....png?v=172... (nakpro.com) | 11.1 KiB | 5.6 KiB |
| This image file is larger than it needs to be (480x485) for its displayed dimensions (337x340). Use responsive images to reduce the image download size. | | 5.6 KiB |
| ...files/2_300x.png?v=169... (nakpro.com) | 9.0 KiB | 5.5 KiB |



| | |
|---|---------|
| Increasing the image compression factor could improve this image's download size. | 5.5 KiB |
| ...files/No_Amino_....png?v=173... (nakpro.com) | 6.0 KiB |
| Increasing the image compression factor could improve this image's download size. | 4.9 KiB |

Legacy JavaScript — Potential savings of 61 KiB



Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile **Baseline** features, unless you know that you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [LCP](#) [FCP](#)

| URL | Resource size | Potential savings |
|--|-------------------------------------|-------------------|
| /eg/script.js? shop=nakodadairy.myshopify.com:1:58367 (cdn.506.io) | @babel/plugin-transform-regenerator | 6.1 KiB |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:54591 (cdn.506.io) | @babel/plugin-transform-spread | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:39611 (cdn.506.io) | Array.from | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:40612 (cdn.506.io) | Array.isArray | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:203975 (cdn.506.io) | Array.prototype.every | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:39317 (cdn.506.io) | Array.prototype.filter | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:204215 (cdn.506.io) | Array.prototype.find | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:204465 (cdn.506.io) | Array.prototype.findIndex | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:204681 (cdn.506.io) | Array.prototype.flatMap | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:39498 (cdn.506.io) | Array.prototype.forEach | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:40407 (cdn.506.io) | Array.prototype.includes | |
| /eg/script.js? shop=nakodadairy.myshopify.com:1:205207 (cdn.506.io) | Array.prototype.indexOf | |



| | | |
|----------------|--|----------------------------------|
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:41092 (cdn.506.io) | Array.prototype.map |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:41383 (cdn.506.io) | Array.prototype.slice |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:206284 (cdn.506.io) | Array.prototype.some |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:210699 (cdn.506.io) | Object.assign |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:34878 (cdn.506.io) | Object.create |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:211588 (cdn.506.io) | Object.fromEntries |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:44290 (cdn.506.io) | Object.getOwnPropertyDescriptors |

URL

Resource size **Potential savings**

| | | |
|----------------|--|---------------------------|
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:211780 (cdn.506.io) | Object.getPrototypeOf |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:44732 (cdn.506.io) | Object.keys |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:211922 (cdn.506.io) | Object.setPrototypeOf |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:51072 (cdn.506.io) | String.prototype.includes |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:216026 (cdn.506.io) | String.prototype.link |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:217423 (cdn.506.io) | String.prototype.matchAll |
| /eg/script.js? | shop=nakodadairy.myshopify.com:1:52355 (cdn.506.io) | String.prototype.trim |

Klaviyo Ad

178 KiB

Wasted bytes

URL

| | |
|---|-----------------------------|
| ...js/sharedUtils.56095c0....js?cb=2:1:57151 (static.klaviyo.com) | Array.prototype.flat |
| ...js/sharedUtils.56095c0....js?cb=2:1:56895 (static.klaviyo.com) | Array.prototype.flatMap |
| ...js/sharedUtils.56095c0....js?cb=2:1:58239 (static.klaviyo.com) | Array.prototype.sort |
| ...js/sharedUtils.56095c0....js?cb=2:1:58746 (static.klaviyo.com) | Object.fromEntries |
| ...js/sharedUtils.56095c0....js?cb=2:1:58960 (static.klaviyo.com) | Promise.allSettled |
| ...js/sharedUtils.56095c0....js?cb=2:1:62387 (static.klaviyo.com) | String.prototype.replaceAll |

 PageSpeed Insights
[Copy link](#)[Docs](#)

Facebook [Social]

12.5 KiB

| | |
|---|---------------------------------|
| /en_US/fbevents.js (connect.facebook.net) | 12.5 KiB |
| /en_US/fbevents.js:24:3580 (connect.facebook.net) | @babel/plugin-transform-classes |
| /en_US/fbevents.js:24:4444 (connect.facebook.net) | @babel/plugin-transform-spread |
| /en_US/fbevents.js:248:22971 (connect.facebook.net) | Array.from |
| /en_US/fbevents.js:248:25544 (connect.facebook.net) | Array.prototype.filter |
| /en_US/fbevents.js:248:28561 (connect.facebook.net) | Array.prototype.find |
| /en_US/fbevents.js:248:25087 (connect.facebook.net) | Array.prototype.includes |
| /en_US/fbevents.js:248:28066 (connect.facebook.net) | Array.prototype.indexOf |
| /en_US/fbevents.js:248:15256 (connect.facebook.net) | Array.prototype.map |
| /en_US/fbevents.js:248:27003 (connect.facebook.net) | String.prototype.startsWith |

Secomapp [Utility]

9.8 KiB

URL

Wasted bytes

| | |
|---|-------------|
| ...nakodadairy/160...js? | Object.keys |
| shop=nakodadairy.myshopify.com:96:37 (cdn.secomapp.com) | |

| | |
|--|---------------------------|
| ...nakodadairy/160...js? | String.prototype.endsWith |
| shop=nakodadairy.myshopify.com:96:68559 (cdn.secomapp.com) | |

- Layout shift culprits
- Optimise DOM size
- LCP breakdown
- Third parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- ▲ Reduce JavaScript execution time — **1.4 s**

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT



| | | Total CPU Time | Script Evaluation | Script Parse |
|--|----------------------------|----------------|-------------------|---------------------|
| nakpro.com | First Party | 974 ms | 326 ms | 20 ms |
| https://nakpro.com | | 735 ms | 171 ms | 9 ms |
| ...assets/theme.js?v=8394678... | (nakpro.com) | 105 ms | 77 ms | 5 ms |
| ... | | | | |
| wpm/b73b305c4w82c1918fpb7086179m603a4010m.js | (nakpro.com) | 74 ms | 42 ms | 5 ms |
| ...web-pixel-257...@642ed32.../pixel.modern.js | (nakpro.com) | 60 ms | 37 ms | 0 ms |
| Unattributable | | 467 ms | 87 ms | 0 ms |
| Unattributable | | 467 ms | 87 ms | 0 ms |
| Google Tag Manager | Tag-Manager | 319 ms | 209 ms | 108 ms |
| /gtag/js?id=G-TGKX3Y50ZB | (www.googletagmanager.com) | 179 ms | 106 ms | 72 ms |
| URL | | | | Wasted bytes |
| /gtag/destination?id=... | (www.googletagmanager.com) | 66 ms | 55 ms | 11 ms |
| Secomapp | Utility | 306 ms | 165 ms | 3 ms |
| ...nakodadairy/160...js? | | | | |
| shop=nakodadairy.myshopify.com | (cdn.secomapp.com) | 306 ms | 165 ms | 3 ms |
| gokwik.co | | 291 ms | 238 ms | 35 ms |
| ...build/kp-merchant-v2.js | (pdp.gokwik.co) | 83 ms | 63 ms | 7 ms |
| ...build/merchant.integration.js?v4 | (pdp.gokwik.co) | 79 ms | 76 ms | 1 ms |
| ...build/kp-sso.js | (pdp.gokwik.co) | 77 ms | 72 ms | 4 ms |
| ...build/kp-main.js?id=kp-sso_v1 | (pdp.gokwik.co) | 51 ms | 27 ms | 23 ms |
| Other Google APIs/SDKs | Utility | 97 ms | 67 ms | 9 ms |
| ...rs=AN8SPfptc.../m=el_main | (translate.googleapis.com) | 97 ms | 67 ms | 9 ms |
| Shopify | Hosting | 90 ms | 73 ms | 3 ms |
| URL | | Total CPU Time | Script Evaluation | Script Parse |
| Klaviyo | Ad | 73 ms | 55 ms | 0 ms |



...js/signup_forms.9dfcc35....js?cb=2 (static.klaviyo.com)

73 ms

55 ms

0 ms

▲ Minimise main-thread work — 3.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimise main-thread work](#) TBT

Script Evaluation

1,629 ms

Other

644 ms

Style & Layout

408 ms

Script Parsing & Compilation

326 ms

Rendering

108 ms

Parse HTML & CSS

80 ms

Category

Time Spent

▲ Reduce unused JavaScript — Potential savings of 743 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#) LCP FCP

Show 3rd-party resources (12)

Google Tag Manager Tag-Manager

534.8 KiB 246.1 KiB

/gtag/js?id=G-TGKX3Y50ZB (www.googletagmanager.com)

150.7 KiB 99.4 KiB

/gtag/js?id=G-TGKX3Y50ZB (www.googletagmanager.com)

150.7 KiB 53.0 KiB

/gtag/destination?id=... (www.googletagmanager.com)

114.0 KiB 52.4 KiB

URL

Total CPU
TimeScript
EvaluationScript
Parse

...build/kp-main.js?id=kp-sso_v1 (pdp.gokwik.co)

152.9 KiB 109.3 KiB

/build/gokwik.js?build=0.1.0 (pdp.gokwik.co)

31.5 KiB 27.7 KiB



| | | |
|--|------------------|-------------------|
| ...build/kp-merchant-v2.js (pdp.gokwik.co) | 57.3 KiB | 26.0 KiB |
| nakpro.com First Party | 251.8 KiB | 134.1 KiB |
| ...shop-js/client.js (nakpro.com) | 180.2 KiB | 83.6 KiB |
| ...assets/theme.js?v=8394678... (nakpro.com) | 35.0 KiB | 26.6 KiB |
| ... | 35.0 KiB | 26.6 KiB |
| ...assets/vendor-scripts-v11.js (nakpro.com) | 36.6 KiB | 23.9 KiB |
| risingsigma.com | 59.2 KiB | 55.6 KiB |
| ...js/createScript.js?shop=nakodadairy.myshopify.com (www.risingsigma.com) | 59.2 KiB | 55.6 KiB |
| Other Google APIs/SDKs Utility | 74.9 KiB | 47.7 KiB |
| ...rs=AN8SPfptc.../m=el_main (translate.googleapis.com) | 74.9 KiB | 47.7 KiB |
| 506.io | 61.2 KiB | 44.4 KiB |
| /eg/script.js?shop=nakodadairy.myshopify.com (cdn.506.io) | 61.2 KiB | 44.4 KiB |
| URL | Transfer size | Potential savings |
| Facebook Social | 78.3 KiB | 24.9 KiB |
| /en_US/fbevents.js (connect.facebook.net) | 78.3 KiB | 24.9 KiB |

■ Does not use passive listeners to improve scrolling performance ▼

■ Defer off-screen images — **Potential savings of 1,015 KiB** ▲

Consider lazy loading offscreen and hidden images after all critical resources have finished loading to lower Time to Interactive. [Learn how to defer offscreen images.](#) LCP FCP

Show 3rd-party resources (3)

| URL | Transfer size | Potential savings |
|---|---------------|-------------------|
| div.slideshow__slide > ...files/Nakpro_We...jpg?v=173... div.hero__image-wrapper > &width=1920 (nakpro.com) image-element-aos-init > img.medium-up--hide | 220.0 KiB | 220.0 KiB |

 PageSpeed Insights[Copy link](#)[Docs](#)

| | | |
|---|--|-------------------|
| <pre></pre> | | |
| <pre>div.slideshow__slide > div.hero__image-wrapper > image-element-aos-init > img.medium-up--hide </pre> | ...files/ALL_PROD...jpg?v=172... &width=1200 (nakpro.com) | 76.2 KiB 76.2 KiB |
| <pre>div.slideshow__slide > div.hero__image-wrapper > image-element-aos-init > img.medium-up--hide <img src="https://nakpro.com/cdn /shop/files/Mobile- View_800x600_53cba1aa-fad2- 48d9-b..." alt="" srcset="//nakpro.com/cdn/sh op/files/Mobile- View_800x600_53cba1aa-fad2- 48d9-bcfa-39..." height="1200" class="medium-up--hide hero__image hero__image--</pre> | ...files/Mobile-View_800x600_53cba1aa- fad2-48d9-bcfa- 395534...jpg?... (nakpro.com) | 72.5 KiB 72.5 KiB |
| | | |



| | | | |
|---|---|----------|----------|
| <pre>titleaecc6-400a-40/c-a24t- 37d37db4b..." sizes="100vw"></pre> | | | |
| <pre>div.slideshow__slide > div.hero__image-wrapper > image-element-aos-init > img.medium-up--hide </pre> | ...files/Impact_Mob-800x600.jpg?v=173... &width=1200 (nakpro.com) | 48.3 KiB | 48.3 KiB |
| <pre>grass fed whey protein, whey protein concentrate, whey concentrate, WPC, Protei... <img src="https://nakpro.com/cdn /shop/products/01_10edf6d9- 2993-4867-a08a-69619637cd..."</pre> | ...products/01_10edf6d9-2993-4867-a08a- 69619637cdb0.png?v=... (nakpro.com) | 22.9 KiB | 22.9 KiB |
| <pre>alt="grass fed whey protein, whey protein concentrate, whey concentrate, WPC, P..." srcset="//nakpro.com/cdn/sh op/products/01_10edf6d9- 2993-4867-a08a- 69619637cdb0.png..." class="grid-product__image image-style-- image- element" sizes="(min-width: 769px) 25vw, 50vw"></pre> | | | |
| <pre>div.grid-product__image-mask > div.image-wrap > image- element-aos-init > img.grid- product__image <img src="https://nakpro.com/cdn /shop/files/perfrom_chocola</pre> | ...files/perfrom_chocolate_500g.png? v=174...&width=360 (nakpro.com) | 21.3 KiB | 21.3 KiB |



| | | | |
|--|--|--|--|
| <code>te_500g.png?</code> | | | |
| <code>v=1746927146&..." alt=""</code> | | | |
| <code>srcset="//nakpro.com/cdn/sh</code> | | | |
| <code>op/files/perfrom_chocolate_</code> | | | |
| <code>500g.png?</code> | | | |
| <code>v=1746927146&width=..."</code> | | | |
| <code>class="grid-product__image</code> | | | |
| <code>image-style-- image-</code> | | | |
| <code>element" sizes="(min-width:</code> | | | |
| <code>769px) 25vw, 50vw"></code> | | | |
| creatine | | | |
| <code><img</code> | | | |
| <code>src="https://nakpro.com/cdn</code> | | | |
| <code>/shop/files/creatine_bluebe</code> | | | |
| <code>rry_250g.png?v=1746927080..."</code> | | | |
| <code>alt="creatine"</code> | | | |
| <code>srcset="//nakpro.com/cdn/sh</code> | | | |
| <code>op/files/creatine_blueberry</code> | | | |
| <code>_250g.png?</code> | | | |
| <code>v=1746927080&width..."</code> | | | |
| <code>class="grid-product__image</code> | | | |
| <code>image-style-- image-</code> | | | |
| <code>element" sizes="(min-width:</code> | | | |
| <code>769px) 25vw, 50vw"></code> | | | |
| Nakpro chocolate flavor plant | | | |
| protein powder | | | |
| <code><img</code> | | | |
| <code>src="https://nakpro.com/cdn</code> | | | |
| <code>/shop/files/01.jpg_trust.jp</code> | | | |
| <code>g?"</code> | | | |
| <code>v=1746927033&width=360"</code> | | | |
| <code>alt="Nakpro chocolate</code> | | | |
| <code>flavor plant protein</code> | | | |
| <code>powder"</code> | | | |
| <code>srcset="//nakpro.com/cdn/sh</code> | | | |
| <code>op/files/01.jpg_trust.jpg?</code> | | | |
| <code>v=1746927033&width=360</code> | | | |
| <code>360w, ..." class="grid-</code> | | | |
| <code>product__image image-style-</code> | | | |
| <code>- image-element" sizes="</code> | | | |
| <code>(min-width: 769px) 25vw,</code> | | | |
| <code>50vw"></code> | | | |
| Nakpro coffee flavor gold mass | | | |
| gainer | | | |
| <code><img</code> | | | |
| <code>src="https://nakpro.com/cdn</code> | | | |
| <code>/shop/products/01_703438e8-</code> | | | |



```
90c2-4460-a01d-e75503a/24...
```

```
alt="Nakpro coffee flavor  
gold mass gainer"  
srcset="//nakpro.com/cdn/sh  
op/products/01_703438e8-  
90c2-4460-a01d-  
e75503d72463.jpg..."  
class="grid-product__image  
image-style-- image-  
element" sizes="(min-width:  
769px) 25vw, 50vw">
```

```
div.grid-product__image-mask >  
div.image-wrap > image-  
element-aos-init > img.grid-  
product__image  

```

Casein protein, Calcium Caseinate,
whey protein, whey protein
powder

```

```



...files/01_1f657bdd-834b-4024-a4e4-
05f61cf81da3.png?v=... (nakpro.com)

19.6 KiB 19.6 KiB


...files/01_eaf8ed0d-aad9-4516-8c1b-
65868191ffc2.png?v=... (nakpro.com)

19.6 KiB 19.6 KiB



| | | | |
|---|--|----------|----------|
| <pre>div.grid-product__image-mask > div.image-wrap > image- element-aos-init > img.grid- product__image  </pre> <p>Gold Premium whey protein powder chocolate</p> <pre></pre> | ...files/01_04bc84cf-5222-4638-aa12- bcd13c55166.jpg?v=... (nakpro.com) | 18.9 KiB | 18.9 KiB |
| <pre>div.grid-product__image-mask > div.image-wrap > image- element-aos-init > img.grid- product__image  </pre> | ...files/01_83a135ec-2867-4350-afae- 8df52ddc5bcb.jpg?v=... (nakpro.com) | 18.8 KiB | 18.8 KiB |
| <pre>div.grid-product__image-mask > div.image-wrap > image- element-aos-init > img.grid- product__image  </pre> | ...products/01_4c9b4378-bd56-4866-94e0- 88a2cccbcfc38.jpg?v=... (nakpro.com) | 18.5 KiB | 18.5 KiB |



| | | | | |
|--|---|---|----------|----------|
| <pre>class= grid-product__image image-style-- image- element" sizes="(min-width: 769px) 25vw, 50vw"></pre> | Nakpro chocolate flavor pea protein powder  A screenshot of a product listing for Nakpro chocolate flavor pea protein powder. The image shows a white container with a blue lid and a blue label that reads "Nakpro chocolate flavor pea protein powder". | ...files/01_7c47480e-dd36-45cc-916b-a6a9f9e6fc16.png?v=... (nakpro.com) | 18.1 KiB | 18.1 KiB |
| <pre>div.grid-product__image-mask > div.image-wrap > image- element.aos-init > img.grid- product__image A screenshot of a product listing for Nakpro chocolate flavor vegan protein powder. The image shows a white container with a blue lid and a blue label that reads "Nakpro chocolate flavor vegan protein powder".</pre> | div.grid-product__image-mask > div.image-wrap > image- element.aos-init > img.grid- product__image  A screenshot of a product listing for Nakpro chocolate flavor vegan protein powder. The image shows a white container with a blue lid and a blue label that reads "Nakpro chocolate flavor vegan protein powder". | ...files/01_f200a7a0-c69c-45bd-945c-4c8d7ab4655f.jpg?v=... (nakpro.com) | 17.6 KiB | 17.6 KiB |
| <pre>Nakpro chocolate flavor vegan protein powder A screenshot of a product listing for Nakpro chocolate flavor vegan protein powder. The image shows a white container with a blue lid and a blue label that reads "Nakpro chocolate flavor vegan protein powder".</pre> | Nakpro chocolate flavor vegan protein powder  A screenshot of a product listing for Nakpro chocolate flavor vegan protein powder. The image shows a white container with a blue lid and a blue label that reads "Nakpro chocolate flavor vegan protein powder". | ...products/001_37427bd9-3f55-4e64-9337-7c34cac373d2.png?v=... (nakpro.com) | 17.4 KiB | 17.4 KiB |



```
srcset= //nakpro.com/can/shop/products/001_37427bd9-3f55-4e64-9337-7c34cac373d2.pn..." class="grid-product__image image-style-- image-element" sizes="(min-width: 769px) 25vw, 50vw">
```

Banana hydrolyzed protein

```

```

...files/01_c8887f96-8398-4d05-9674-6009eab6948d.png?v=... (nakpro.com)

17.2 KiB 17.2 KiB

Whey protein concentrate, Whey protein, whey protein powder

```

```

...products/01_de3376b9-0fea-4f85-a610-de6fb1b8408d.jpg?v=... (nakpro.com)

17.1 KiB 17.1 KiB

Nakpro blueberry flavored Pre workout supplement

```
<img alt="Nakpro blueberry"
```

...products/01_8ff935e3-cb6c-4657-ae7ceb015....png?v=174...&width=360 (nakpro.com)

16.1 KiB 16.1 KiB

URL

Resource size Potential savings



```
flavored pre workout
supplement"
srcset="//nakpro.com/cdn/sh
op/products/01_8ff935e3-
```

URL

| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|

```
<div class="grid-product__image">
  <img alt="Flavored pre workout supplement" srcset="//nakpro.com/cdn/shop/files/GOLD_UNFLAVORED_500G_Reduced_7f6583ba-53..." sizes="(min-width: 769px) 25vw, 50vw"/>
```

```
whey protein concentrate
unflavored

```

...files/GOLD_UNFL....png?v=174...
&width=360 (nakpro.com)

| | |
|----------|----------|
| 16.0 KiB | 16.0 KiB |
|----------|----------|

```
div.grid-product__image-mask >
div.image-wrap > image-
element.aos-init > img.grid-
product__image

```

...files/01_f4b40583-9007-4a4f-ba59-8afdc9a71e8e.png?v=... (nakpro.com)

| | |
|----------|----------|
| 15.2 KiB | 15.2 KiB |
|----------|----------|



div ...files/4_300x.png?v=169... (nakpro.com)
.sli
ck
-

| | |
|----------|----------|
| 15.2 KiB | 15.2 KiB |
|----------|----------|



list
> div.slick-track > div.d-flx > img

...files/01_bc6fec89-6976-4c2e-b79a-
3fad45b5b430.png?v=... (nakpro.com)

15.1 KiB 15.1 KiB

Nakpro Dairy Whitener

...files/front.png?v=174...
&width=360 (nakpro.com)

14.6 KiB 14.6 KiB

Nakpro Fruit Punch flavored
Electrolyte powder

```

...files/front\_4fed7262-ca5a-4b37-8560-
5b925afc9d21.png?v=... (nakpro.com)

14.1 KiB 14.1 KiB

```
div.grid-product__image-mask >
div.image-wrap > image-
element-aos-init > img.grid-
product__image

```

...files/01\_bfd650bd-f4d3-426c-b0e6-
dc4d5a96877d.jpg?v=... (nakpro.com)

13.3 KiB 13.3 KiB

Nakpro Hot & Cold Chocolate

```

```

URL

| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|



```
div.slick-track > div.d-flx > img > div.slick-clck - list
```

[...files/clients\\_0....png?v=170...](#) (nakpro.com)

12.7 KiB

12.7 KiB

```

```

Micellar casein, Casein protein, Calcium Caseinate, whey protein, whey protein ...

```


```

```
div.slick-track > div.d-flx > img > div.slick-clck - list
```

[...files/1\\_79c73ff7-b67c-4b77-8f43-de44988fc940\\_300x.png?v=169...](#) (nakpro.com)

11.7 KiB

11.7 KiB



```
> div.slick-track > div.d-flx > img > div.slick-clck - list
```

```
](#)

Nakpro Fruit punch flavored

| URL | Resource size | Potential savings |
|--|---------------|-------------------|
| <pre>/shop/files/fruit_punch_fro nt.png? v=1746927035&width... alt="Nakpro Fruit punch flavored Caffeine Powder" srcset="//nakpro.com/cdn/sh op/files/fruit_punch_front. png? v=1746927035&width=360 3..." class="grid- product__image image-style- - image-element" sizes=" (min-width: 769px) 25vw, 50vw"> div.grid-product__image-mask > div.image-wrap > image- element-aos-init > img.grid- product__image </pre> | 11.2 KiB | 11.2 KiB |
| <pre>...files/fruit_punch_front.png?v=174... &width=360 (nakpro.com)</pre> | 11.1 KiB | 11.1 KiB |



| Resource size | Potential savings |
|---|---|
| div | |
| .sli | |
| ck | |
| URL | |
| | |
|  | |
| list | |
| ...files/BLENK_IT_300x.png? v=172... (nakpro.com) | 5.2 KiB 5.2 KiB |
| > div.slick-track > div.d-flx > img | |
| div.slick-list > div.slick-track > div.d-flx > img | ...files/HEALTH_KA....png? v=171... (nakpro.com) 5.1 KiB 5.1 KiB |
| h1.site-header__logo > a.site- header__logo-link > image- element-aos-init > img.medium- up--hide <img src="https://nakpro.com/cdn /shop/files/NAKPRO_LOGO_LEFT _SIDE_INCREASED.svg?v=17..." alt="" srcset="//nakpro.com/cdn/sh op/files/NAKPRO_LOGO_LEFT_S IDE_INCREASED.svg? v=17117835..." width="200" height="64.03385049365303" class="medium-up--hide image-element" sizes="200px" style="max- height: | ...files/NAKPRO_LO....svg?v=171... &width=200 (nakpro.com) 4.5 KiB 4.5 KiB |



```
64.03385049365303px;max-
width: 200px;">
```

```
div.slick-list > div.slick-track >
```

URL

| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|

```
files/Hyugalife_300x.svg?
v=1735382272">
```

```
div.slick-list > div.slick-track >
```

```
div.d-flx > img
```

```

```



```
div
.sli
ck
-
list
```

```
> div.slick-track > div.d-flx > img
```

```

```

```
div.slick-list > div.slick-track >
```

```
div.d-flx > img
```

```

```

...files/Zepto_300x.svg?v=173... (nakpro.com)

2.3 KiB 2.3 KiB

...files/Nutrabay_bc7c38ee-b7a8-40af-ad6b-
8e6b7debf4a_300x.svg?... (nakpro.com)

2.2 KiB 2.2 KiB

gokwik.co

66.0 KiB **66.0 KiB**

```
gokwik_loading_gif
```

```

```

...icons/gokwik_gif.gif (pdp.gokwik.co)

63.8 KiB 63.8 KiB

```
div.gokwik-checkout > button.btn
```

...images/upi-icons.svg (cdn.gokwik.co)

2.3 KiB 2.3 KiB

```
> span.pay-opt-icon > img
```



```

```

| URL | Resource size | Potential savings |
|--|---------------|-------------------|
| div.drawer__header > div.h2 > img.drawer-lgo | 3.6 KiB | 3.6 KiB |

■ Avoid serving legacy JavaScript to modern browsers — Potential savings of 61 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) [LCP](#) [FCP](#)

Show 3rd-party resources (9)

| nakpro.com | First Party | 0.3 KiB |
|------------------------------|-------------|-------------------|
| v11.js:14:11453 (nakpro.com) | classes | |
| URL | | Potential savings |

■ Reduce unused CSS — Potential savings of 41 KiB ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) [LCP](#) [FCP](#)

Show 3rd-party resources (1)

| nakpro.com | First Party | 36.0 KiB | 30.4 KiB |
|---|-------------|----------|-----------|
| ...assets/theme.css?v=2317961... (nakpro.com) | | 36.0 KiB | 30.4 KiB |
| | | Transfer | Potential |

 PageSpeed Insights
[Copy link](#)[Docs](#)

...build/kwikpass.css (pdp.gokwik.co)

10.5 KiB 10.5 KiB

■ Avoid enormous network payloads — Total size was 4,696 KiB

URL

Transfer size Potential savings

 Show 3rd-party resources (4)

nakpro.com First Party **927.4 KiB**

...files/Nakpro_We....jpg?v=173...&width=1920 (nakpro.com) 221.5 KiB

...shop-js/client.js (nakpro.com) 196.0 KiB

...files/Nakpro_we....jpg?v=173...&width=1920 (nakpro.com) 133.0 KiB

...files/banner_web-tablet.jpg?v=174...&width=1920 (nakpro.com) 131.0 KiB

...files/ALL_PRODUC....jpg?v=172...&width=1920 (nakpro.com) 130.1 KiB

...files/Arial.woff2?v=169... (nakpro.com) 115.8 KiB

Shopify Hosting **508.3 KiB**

...c1/app.DelmFtvb.js (cdn.shopify.com) 508.3 KiB

Google Tag Manager Tag-Manager **272.3 KiB**

/gtag/js?id=G-TGKX3Y50ZB (www.googletagmanager.com) 151.7 KiB

/gtag/js?id=AW-626... (www.googletagmanager.com) 120.6 KiB

URL
Transfer size
○ Avoid long main-thread tasks — 16 long tasks found

○ User Timing marks and measures — 23 user timings

More information about the performance of your application. These numbers don't [directly affect](#) the performance score.
PASSED AUDITS (8)[Show](#)



URL

Resource size Potential savings

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS


⚠ Image elements do not have [alt] attributes

Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).



```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```



```
div.col-flx > a > div.up-txt > img
```

PageSpeed Insights

[Copy link](#)[Docs](#)

V=1710849245 >

URL


Resource size Potential savings




a5a0-496a-9336...">



div.col-flx > a > div.up-txt > img




div.col-flx > a > div.up-txt > img



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img

 PageSpeed Insights
[Copy link](#)[Docs](#)

icons_block-img > img

URL

| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|






div.slick-list > div.slick-track > div.d-flx > img



div.slick-list > div.slick-track > div.d-flx > img



div.slick-list > div.slick-track > div.d-flx > img




Failing elements

⚠ Links do not have a discernible name

^

Link text (and alternative text for images, when used as links) that is discernible, unique and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)



div.header-layout > div.header-item > h1.site-header_logo > a.site-header_logo-link


 PageSpeed Insights
[Copy link](#)[Docs](#)

Failing elements


```
<a href="https://nakpro.com/collections/all-website-products?filter.v.option.flavor...">
```

URL


| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|



```
<a href="https://nakpro.com/collections/all-website-products?filter.v.option.flavor...">
```




```
div.flex-grid > div.flex-grid_item > div.promo-grid_container > a
<a href="https://nakpro.com/collections/sports-supplement?filter.v.option.flavor=Co...">
```




```
div.flex-grid > div.flex-grid_item > div.promo-grid_container > a
<a href="https://nakpro.com/collections/all-website-products?filter.v.option.flavor...">
```



```
div.flex-grid > div.flex-grid_item > div.promo-grid_container > a
<a href="https://nakpro.com/collections/all-website-products?filter.v.option.flavor...">
```



```
div.flex-grid > div.flex-grid_item > div.promo-grid_container > a
<a href="https://nakpro.com/collections/all-website-products?filter.v.option.flavor...">
```



```
div#shop-by-goal > div.row-flx > div.col-flx > a
<a href="">
```



```
div#shop-by-goal > div.row-flx > div.col-flx > a
<a href="">
```



```
div.custom_item > div.custom_item-inner > div-aos-animate > a
```

Failing elements






These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, such as a screen reader.

 PageSpeed Insights
[Copy link](#)[Docs](#)

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive

↳ Failing elements

| URL | Resource size | Potential savings |
|---|---|-------------------|
|  | <pre><div class="scrolling-text__inner scrolling-text__inner--left" aria-hidden="true" tabindex="0" style="gap: 40px;"><!--</pre> | |
|  | <pre>div#Slideshow-template--15374889680976_slideshow > div.flickity-viewport > div.flickity-slider > div.slideshow__slide <div class="slideshow__slide slideshow__slide--image_MLYgGX" data-index="0" data-id="image_MLYgGX" style="position: absolute; left: 0px; transform: translateX(-50%);"</pre> | |
|  | <pre>div.flickity-viewport > div.flickity-slider > div.slideshow__slide > a.hero__slide-link </pre> | |
|  | <pre>div#Slideshow-template--15374889680976_slideshow > div.flickity-viewport > div.flickity-slider > div.slideshow__slide <div class="slideshow__slide slideshow__slide--f11eaec6-400a-407c-a24f-37d37db4bf99 an..." data-index="1" data-id="f11eaec6-400a-407c-a24f-37d37db4bf99" style="position: absolute; left: 0px; transform: translateX(-50%);"</pre> | |
|  | <pre>div.flickity-viewport > div.flickity-slider > div.slideshow__slide > a.hero__slide-link </pre> | |
|  | <pre>div.flickity-viewport > div.flickity-slider > div.slideshow__slide > a.hero__slide-link </pre> | |
|  | <pre>div#Slideshow-template--15374889680976_slideshow > div.flickity-viewport > div.flickity-slider > div.slideshow__slide <div class="slideshow__slide slideshow__slide--image_JRMiiF" data-index="3" data-id="image_JRMiiF" aria-hidden="true" style="position: absolute; left: 0px; transform: translateX(-50%);"</pre> | |
| ↳ Failing elements | | |
|  | | |
| <pre>link" aria-hidden="true"></pre> | | |

CONTRAST



URL

| Resource size | Potential savings |
|---------------|-------------------|
|---------------|-------------------|

Low contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient colour contrast.](#)

| | |
|--|--|
| | Rs. 599.00 |
| | Apple Cider Vinegar Effervescent With Mother Regular price Rs. 599.00 Sale price... |
| | Rs. 599.00 |
| | Nakpro Multivitamin Tablet For Men Regular price Rs. 599.00 Sale price Rs. 299... |
| | Rs. 599.00 |
| | Nakpro Multivitamin Tablet For Women Regular price Rs. 599.00 Sale price Rs. 2... |
| | Rs. 699.00 |
| | Nakpro Magnesium Bisglycinate Tablet Regular price Rs. 699.00 Sale price Rs. 2... |
| | Rs. 1,099.00 |

PageSpeed Insights

[Copy link](#)[Docs](#)

Rs. 549.00
You Save Rs. 550.00

Failing elements

Rs. 549.00
You Save Rs. 550.00

```
<a href="/collections/new-arrival/products/nakpro-magnesium-bisglycinate-tablet-copy" class="grid-product__link" style="height: 149px;">
```

These are opportunities to improve the legibility of your content.

BEST PRACTICES

- ⚠ Touch targets do not have sufficient size or spacing. ▼

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (22)

[Show](#)

NOT APPLICABLE (30)

[Show](#)

Best Practices

Failing elements

GENERAL

- ⚠ Uses deprecated APIs — 1 warning found ^

nakpro.com First Party

Deprecation/Warning

detrimental effects on the end user's experience. For more help, check <https://xhr.spec.whatwg.org/>.

Source

r-
8675b082.js:1:6975 (nakpr
o.com)

▲ Uses third-party cookies — 3 cookies found ^

Chrome is moving towards a new experience that allows users to choose to browse without third-party cookies. [Learn more about third-party cookies.](#)

gokwik.co

| Name | URL |
|---------------------------------------|--|
| IS_WHATS_APP OTP_LESS_AUTO_LOAD_POPUP | /kwikpass/kwikpass.html?version=202... (pdp.gokwik.co) |
| kp_user_id | /kwikpass/kwikpass.html?version=202... (pdp.gokwik.co) |

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

snapmint.com

| Source | Description |
|---|--|
| ...v1/2821:1:0 (checkout-merchant.snapmint.com) | Failed to load resource: the server responded with a status of 403 (Forbidden) |
| Shopify Hosting | |
| ...files/ajax-loader.gif:1:0 (cdn.shopify.com) | Failed to load resource: the server responded with a status of 404 (Not Found) |
| mailerlite.com | |



Issues logged to the Issues panel in Chrome DevTools indicate unresolved problems. They can come from network request failures, insufficient security controls and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Cookie

Issue type

○ Detected JavaScript libraries

▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers to debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

Show 3rd-party resources (1)

nakpro.com First Party

...shop-js/client.js (nakpro.com)

...shop-js/client.js.map (nakpro.com)

Large JavaScript file is missing a source map

SyntaxError: Unexpected token '<', "<!DOCTYPE
"... is not valid JSON

...v0.1/consent-tracking-api.js (nakpro.com)

...v0.1/consent-tracking-
api.js.map (nakpro.com)

...assets/theme.js?v=8394678... (nakpro.com)

...assets/theme.js.map?

URL

Map URL

JSDelivr CDN Cdn

...dist/sp.min.js (cdn.jsdelivr.net)

...dist/sp.js.map (cdn.jsdelivr.net)

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

○ Use a strong HSTS policy



Mitigate DOM-based XSS with trusted types

PASSED AUDITS (9)

[Show](#)

NOT APPLICABLE (3)

[Show](#)

SEO

These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search essentials](#).

CONTENT BEST PRACTICES

⚠ Links do not have descriptive text — 1 link found [^](#)

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

nakpro.com [First Party](#)

Link destination

Link Text


⚠ Image elements do not have [alt] attributes [^](#)

Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).




```

```



```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```



```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```




```
div.col-flx > a > div.up-txt > img  

```



```
div.col-flx > a > div.up-txt > img  

```



```
div.col-flx > a > div.up-txt > img  

```



```
div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
```

 PageSpeed Insights[Copy link](#)[Docs](#)


v=169328606 / >



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
``



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
``



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
``



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
``



div.text-with-icons_blocks > div.text-with-icons_block > div.text-with-icons_block-img > img
``



div.slick-list > div.slick-track > div.d-flx > img
``



div.slick-list > div.slick-track > div.d-flx > img
``



div.slick-list > div.slick-track > div.d-flx > img
``


div.slick-list > div.slick-track > div.d-flx > img

PageSpeed Insights

[Copy link](#)[Docs](#)

V=1722600039 >

Failing elements



Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

⚠ Links are not crawlable

^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination so that more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable link

Log in ...

```
<a href="javascript:void(0);"
  class="mobile-nav__link"
  onclick="kpHandleLogin('/account');">
```

Order History

```
<a href="javascript:void(0);"
  onclick="event.preventDefault();handleShopifyLogin(event,'/account')"
  tabindex="0" style="display: flex">
```

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid

▼

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Show

[Copy link](#)[Docs](#)[What's new](#)[Updates](#)[Twitter](#)[Documentation](#) Failing elements[Learn about web performance](#)[Case studies](#)[Ask questions on Stack Overflow](#)[Podcasts](#)[Mailing list](#)[Google for Developers](#)[Chrome](#)[Firebase](#)[All products](#)[Terms and Privacy Policy](#)For details, see the [Google Developers site policies](#).