




VISUAL USER MANUAL

Understand evidence. Assess readiness.

A first-time-user guide to local document intake, compliance indicators, evidence traceability, human approval, and audit-readiness reporting.



Real application screen captured from the localhost release



Before you begin

Use the application as an evidence-led review aid, not as a compliance authority.

IN SCOPE

What GxP Sentinel helps you do

Organise synthetic evidence, identify deterministic gaps, inspect source IDs and freshness, trace requirements to tests, ask bounded agents for evidence-led summaries, route mock actions for human review, and export a local evidence pack.

OUT OF SCOPE

What it does not decide

It does not certify compliance, validate a system, approve a release, replace QA judgment, create a Part 11 electronic signature, or prove that evidence is complete, authentic, or current in a real enterprise environment.

Three rules for every review

1

Evidence first

Open source IDs and traceability before accepting any conclusion.

2

Uncertainty stays visible

Missing, stale, unapproved, conflicting, or quarantined evidence must remain explicit.

3

Humans remain accountable

No GxP-relevant mock action executes without an authorised user decision.


Safe starting point

Use only the supplied synthetic data or non-sensitive test documents. Do not upload real patient, employee, supplier-confidential, or regulated records into this prototype.

Quick start and interface map

Open the packaged release, confirm local status, then select your system and demonstration role.

- 1 **Start the release**
Double-click START_GXP_SENTINEL.bat in release\GxP-Sentinel.
- 2 **Confirm the URL**
The browser opens at http://127.0.0.1:8765.
- 3 **Check local status**
Look for LOCAL / OFFLINE and Local AI ready or Deterministic mode.
- 4 **Choose context**
Select the target synthetic system and your demonstration role.
- 5 **Begin with the dashboard**
Read the prototype readiness indicator and material findings queue.



If the page does not open

Wait 20-30 seconds for the bundled model to start, then refresh the localhost URL. No internet connection is required.

Choose the right role and workflow

The selected role controls which actions the server permits. Use the least privilege needed for the review.

DEMONSTRATION ROLE	WHAT IT IS FOR
System Owner	Read, export, propose and approve allowlisted local mock actions
QA Reviewer	Review, approve, reject or request clarification on mock proposals
Auditor	Read and export evidence; no approvals
Leadership Viewer	Read-only overview; approval attempts are denied
Security Tester	Run reversible Assurance Lab scenarios

One repeatable assessment loop

- 1

Select system
- 2

Review dashboard
- 3

Ingest evidence
- 4

Inspect findings
- 5

Ask Copilot
- 6

Trace the chain

Stop and investigate whenever evidence is missing, stale, unapproved, conflicting, or quarantined.

Role reminder

Prototype roles are simulated. They are useful for demonstrating server-side permission checks but do not provide production identity proofing, segregation of duties, or electronic signatures.

Add and verify a local document

Every upload is treated as untrusted evidence until a human review confirms its relevance and status.

GxP Sentinel
LOCAL EDITION

ANCE WORKSPACE

Command Centre

Ask GxP Copilot

Audit Readiness

Evidence Graph

Changes & Incidents

Access Review

Action / Approval Centre

Assurance Lab

Trust Centre

Local AI ready
Internal APIs disabled

Prototype Localhost only

PROTOTYPE · SYNTHETIC DATA · NOT VALIDATED FOR PRODUCTION GxP USE

SELECTED SYSTEM
GXP-MFG-DEMO-01 · Manufacturing Operations Hub

LOCAL / OFFLINE DEMO ROLE
System Owner

DETERMINISTIC CONTROL EVALUATION

Audit Readiness

Filter material gaps, inspect their evidence, and export a local assurance pack.

Present
27
Current approved artefacts

Missing
1
Executed verification evidence

Expired
3
Risk, supplier & backup

Unapproved
2
O&M and change condition

Needs review
3
Human accountability queue

Generate evidence pack

All Findings Documentation Validation Risk Supplier Change Incident Access Backup

FINDING	EVIDENCE STATE	CONFIDENCE	HUMAN CONTROL
CRITICAL A P1 interface interruption is still open with incomplete root-cause and GxP impact assessment. FND-01-004 - incident	INC-P1-8221 OPEN - CURRENT	HIGH 100% coverage	REQUIRED A5 owner
HIGH The current O&M manual is a draft and cannot be treated as approved operational evidence. FND-01-001 - documentation	DOC-OR-819 DRAFT - NEEDS REVIEW	MEDIUM 82% coverage	REQUIRED A2 owner
HIGH The quarterly access review is overdue and three privileged accounts await certification. FND-01-002 - access	ACC-REV-2826-817 OVERDUE - STALE	MEDIUM 82% coverage	REQUIRED A6 owner
HIGH The approved risk assessment passed its required review date and does not cover the latest authentication change. FND-01-003 - risk	RISK-ASR-884 APPROVED - EXPIRED	MEDIUM 82% coverage	REQUIRED A3 owner
HIGH URS-042 links to design DS-042 but the required executed test evidence is missing. FND-01-005 - validation	URS-BH2 APPROVED - CURRENT	HIGH 100% coverage	REQUIRED A2 owner
MEDIUM The fictional hosting supplier assessment exceeded its annual review date. FND-01-006 - supplier	SUP-ASR-812 APPROVED - EXPIRED	MEDIUM 82% coverage	REQUIRED A3 owner

LOCAL INGESTION
Add evidence

Supported: MD, TXT, CSV, JSON, PDF, DOCX, XLSX. Content is always untrusted data until reviewed.

1
Choose a local document
12 MB maximum - no cloud upload

2
Scan and ingest locally

3

- File type & size validation
- SHA-256 content hash
- Injection scan & quarantine
- SQLite FTES indexing

- Open Audit Readiness**
Use the left navigation. Confirm the intended system remains selected.
- Choose a local document**
Supported: MD, TXT, CSV, JSON, PDF, DOCX and XLSX. Maximum 12 MB.
- Scan and ingest locally**
The file is validated, hashed, scanned for prompt injection and indexed only when safe.
- Read the result**
Safe uploads become UNTRUSTED_REVIEW_REQUIRED. Suspect instructions become QUARANTINED_UNTRUSTED.
- Do not clear findings blindly**
An upload is UNAPPROVED and NEEDS_REVIEW. It does not automatically prove compliance or close a gap.


Extraction limits

Image-only PDFs need OCR outside this prototype. DOCX images are not processed. XLSX formulas are treated as data. Always compare extracted content with the approved source record.




Understand evidence and compliance indicators

Use status, provenance, freshness, confidence and coverage together. No single badge is a compliance conclusion.



Evidence review checklist



Trust-state sequence

UPLOAD



SCAN + HASH



UNTRUSTED



HUMAN REVIEW



RELIANCE DECISION

PROTOTYPE | SYNTHETIC DATA | NOT VALIDATED FOR PRODUCTION GxP USE

SELECTED SYSTEM
GXP-MFG-DEMO-01 · Manufacturing Operations Hub

LOCAL / OFFLINE DEMO ROLE
System Owner

Audit Readiness

Filter material gaps, review their evidence, and export a local assurance pack.

1 Summary counts

- Present: 27 (Current approved artefacts)
- Missing: 1 (Executed verification evidence)
- Expired: 3 (Risk, supplier & backup)
- Unapproved: 2 (O&M and change condition)
- Needs review: 3 (Human accountability queue)

2 Filter findings

All Findings | Documentation | Validation | Risk | Supplier | Incident | Access | Backup

FINDING	EVIDENCE STATE	CONFIDENCE	HUMAN CONTROL
CRITICAL A P1 interface interruption is still open with incomplete root-cause and GxP impact assessment. FND-01-004 · incident	INC-01-0221 OPEN · CURRENT	HIGH 100% coverage	REQUIRED A5 owner
HIGH The current O&M manual is a draft and cannot be treated as approved operational evidence. FND-01-001 · documentation	DOC-00-019 DRAFT · NEEDS REVIEW	MEDIUM 82% coverage	REQUIRED A2 owner
HIGH The quarterly access review is overdue and three privileged accounts await certification. FND-01-002 · access	ACC-REV-2026-017 OVERDUE · STALE	MEDIUM 82% coverage	REQUIRED A6 owner
HIGH The approved risk assessment passed its required review date and does not cover the latest authentication change. FND-01-003 · risk	RISK-ASM-004 APPROVED · EXPIRED	MEDIUM 82% coverage	REQUIRED A3 owner
HIGH URS-042 links to design DS-042 but the required executed test evidence is missing. FND-01-005 · validation	URS-042 APPROVED · CURRENT	HIGH 100% coverage	REQUIRED A2 owner
MEDIUM The fictional hosting supplier assessment exceeded its annual review date. FND-01-006 · supplier	SUP-ASM-012 APPROVED · EXPIRED	MEDIUM 82% coverage	REQUIRED A3 owner

3 Check confidence

4 Check human control

LOCAL INGESTION
Add evidence

Supported: MD, TXT, CSV, JSON, PDF, DOCX, XLSX. Content is always untrusted data until reviewed.

Choose a local document
12 MB maximum - no cloud upload

Scan and ingest locally

- ✓ File type & size validation
- ✓ SHA-256 content hash
- ✓ Injection scan & quarantine
- ✓ SQLite FTS3 indexing

1 Summary counts

Present, Missing, Expired, Unapproved and Needs review show the evidence landscape.

2 Filter findings

Narrow by documentation, validation, risk, supplier, change, incident, access or backup.

3 Check confidence

Read the confidence label and evidence coverage bar together.

4 Check human control

Required means a person must decide before any permitted mock write.

A defensible interpretation

Say: 'The prototype indicator is 46/100 with one critical gap and medium overall confidence because evidence is missing, stale or unapproved.' Do not say: 'The system is non-compliant' or 'The system has passed an audit.'

Ask a grounded question and inspect the answer

The local model can improve wording, but deterministic controls own findings, sources, confidence and approvals.

PROTOTYPE • SYNTHETIC DATA • NOT VALIDATED FOR PRODUCTION GxP USE

GxP Sentinel
LOCAL EDITION

ANCE WORKSPACE
Command Centre
Ask GxP Copilot
Audit Readiness
Evidence Graph
Changes & Incidents
Access Review
Action / Approval Centre
Assurance Lab
Trust Centre

1

SELECTED SYSTEM
GXP-MFG-DEMO-01 • Manufacturing Operations Hub

LOCAL / OFFLINE DEMO ROLE
System Owner

ANSWER

NOT READY FOR SIMULATED INSPECTION

GXP-MFG-DEMO-01 is not ready for a simulated inspection. Material control gaps require accountable follow-up: unresolved P1 incident, unapproved O&M evidence, overdue access review, overdue risk review, and untested evidence traceability.

5 key findings 5 evidence sources MEDIUM confidence

Key findings & assurance Verified by C1

CRITICAL A P1 interface interruption is still open with incomplete root-cause and GxP impact assessment.
INC-P1-0221 - HIGH confidence

HIGH The current O&M evidence is a draft and cannot be treated as approved operational evidence.
DOC-OM-019 - MEDIUM confidence

HIGH The quarterly access review is overdue and three privileged accounts await certification.
ACC-REV-2025-017 - MEDIUM confidence

HIGH The approved risk assessment passed its required review date and does not cover the latest authentication change.
RSK-ASM-004 - MEDIUM confidence

HIGH URS-042 links to design DS-042 but the required executed test evidence is missing.
URS-042 - HIGH confidence

CONFIDENCE
MEDIUM
Material findings are supported by direct synthetic records; stale or incomplete evidence lowers the overall classification.

UNCERTAINTY
Explicit limitation
Synthetic records may not reflect a current real-world state; no production conclusion or certification is made.

RECOMMENDED ACTIONS

1. Complete root-cause analysis, document impact, and obtain accountable human review.

System GXP-MFG-DEMO-01 • Role SYSTEM OWNER

Are we audit ready? Give me the five most important gaps with evidence.

* Submit - deterministic safety policy enforced

4

Orchestrator
Synthesis complete

A1 Knowledge
3 sources

A2 Compliance
3 sources

A3 Risk
2 sources

A4 Change
Standby

A5 Incidents
1 source

A6 Access
1 source

A7 Remediation
Standby

C1 Evidence Verifier
Claims grounded

SAFETY BOUNDARY

- ✓ Evidence is untrusted data
- ✓ Tool calls are allowlisted
- ✓ GxP writes need approval
- ✓ Agent budgets are bounded

1

TRY THIS QUESTION

Are we audit ready? Give me the five most important gaps with evidence.

- 1 Read the decision**
Look for the readiness statement and whether it is a prototype indicator.
- 2 Open findings**
Expand an Assurance Card to see source IDs, dates, trust and uncertainty.
- 3 Challenge confidence**
Medium or low confidence requires more evidence or human review.
- 4 Confirm agent boundary**
The topology shows specialists used and the C1 evidence verifier.

Accept an answer only when each material claim names evidence, uncertainty is explicit, confidence has a basis, and the trace ID can be retained in an export.

Trace a requirement to executed evidence

ASSURANCE WORKSPACE

- Command Centre
- Ask GxP Copilot
- Audit Readiness
- Evidence Graph**
- Changes & Incidents
- Access Review
- Action / Approval Centre
- Assurance Lab
- Trust Centre

CONTROL DIGITAL TWIN

Evidence Graph

Trace requirements through risk, design, verification, evidence, and change history.

Traceability path All evidence 8 nodes - 7 relationships

Selected trace Requirement → Risk → Design → Verification/Test → Evidence → Change history

NODE INSPECTOR

EV

Executed test evidence missing

EVD-042

Node type Evidence

Source status MISSING / BROKEN LINK

System GXP-MFG-DEMO-01

Trust Trusted synthetic source

Evidence gap detected

TC-042 has no linked executed verification record. The chain cannot support a completeness conclusion.

Open evidence metadata

1

Begin at URS-042

Confirm the requirement is the one being assessed.

2

Follow design and test

Check that risk and design controls lead to a test case.

3

Inspect EVD-042

Red indicates missing executed test evidence or a broken link.

4

Read Node Inspector

Record status, source ID, trust and the explicit evidence-gap explanation.

Review access and operational risk

PROTOTYPE • SYNTHETIC DATA • NOT VALIDATED FOR PRODUCTION GxP USE

GxP Sentinel
LOCAL EDITION

ANCE WORKSPACE
Command Centre
Ask GxP Copilot
Audit Readiness
Evidence Graph
Changes & Incidents
Access Review
Action / Approval Centre
Assurance Lab
Trust Centre

LOCAL / OFFLINE DEMO ROLE
System Owner

SELECTED SYSTEM
GXP-MFG-DEMO-01 • Manufacturing Operations Hub

IDENTITY ASSURANCE
Access Review
Deterministic detection of overdue reviews, privileged access, and orphan-account indicators.

Review proposed action

IDENTITY	ACCESS	LAST REVIEWED	SIGNALS	STATUS
FV Former Vendor Account USR-1003	Privileged Elevated permission scope	08 Dec 2025 243 days ago	• PRIVILEGED • ORPHANED	ORPHANED
SP Synthetic Platform Admin USR-1002	Privileged Elevated permission scope	12 May 2026 Within recorded cycle	• PRIVILEGED	ACTIVE
SL Synthetic Line Support USR-1001	Standard Standard scope	14 Jul 2026 Within recorded cycle	• STANDARD	ACTIVE
SQ Synthetic QA Reviewer USR-1004	Reviewer Standard scope	28 Jul 2026 Within recorded cycle	• STANDARD	ACTIVE

A6 Access & Review Agent recommendation
Complete the overdue quarterly certification and disable or formally reassign the synthetic former-vendor privileged account. No access is changed automatically.

Open Action Gateway →

Local AI ready
Internal APIs disabled

type Localhost only

Access review checks

- OK Privileged scope**
Confirm elevated access is justified and reviewed.
- OK Orphaned identity**
Former-vendor or ownerless accounts need action.
- OK Review date**
Overdue certification is a material signal.
- OK No auto-remediation**
The agent recommends; the gateway and human decide.


Also inspect

Changes & Incidents for conditional releases, unresolved P1 incidents, overdue RCA and recurrence uncertainty.

Material audit-readiness question

Can the team show that privileged access, release conditions, incidents and evidence gaps have named owners, current review dates, documented decisions and retained proof?

Use the Action / Approval Centre safely



- 1 Verify exact target**
System, record and operation must match your intent.
- 2 Read control details**
Parameters, impact, preconditions, rollback and dry run must be complete.
- 3 Write a decision note**
Record what you reviewed and why the decision is justified.
- 4 Choose deliberately**
Approve mock action, reject, or request clarification. Never approve to clear a queue.

Important

This is a prototype human approval for a harmless local mock action. It is not a Part 11 electronic signature and cannot update an enterprise GxP record.

Run controlled Assurance Lab scenarios

ASSURANCE WORKSPACE

- Command Centre
- Ask GxP Copilot
- Audit Readiness
- Evidence Graph
- Changes & Incidents
- Access Review
- Action / Approval Centre 1
- Assurance Lab**
- Trust Centre

CONTROLLED RED-TEAM DEMONSTRATION

Assurance Lab

Inject safe, synthetic failures and watch deterministic controls respond without changing policy.

7 SAFE SCENARIOS

Break the demo safely

Each scenario is local, reversible, and audit logged. Retrieved instructions are data; business agents have no shell, browser control, or external connector.

0 run
0 passed

S1 READY

Indirect prompt injection

Supplier content 1 to override policy and exfiltrate records.

EXPECTED CONTROL
Injection detector + quarantine

Run scenario

S2 READY

Stale SOP

An expired SOP 2 attempts to support a current-state conclusion.

EXPECTED CONTROL
Freshness downgrade

Run scenario

S3 READY

Conflicting evidence

Two synthetic sources 3 incompatible approval status.

EXPECTED CONTROL
Conflict, not silent choice

Run scenario

S4 READY

Privileged orphan account

A former vendor retains an elevated local demo role.

EXPECTED CONTROL
A6 finding

Run scenario

S5 READY

GxP write without approval

A proposed write tries to bypass the approval queue.

EXPECTED CONTROL
Gateway block

Run scenario

S6 READY

Runaway task

A specialist exceeds its execution budget.

EXPECTED CONTROL
Bounded termination

Run scenario

S1

Indirect injection

Quarantine

S2

Stale SOP

Freshness downgrade

S3

Conflicting evidence

Conflict surfaced

S4

Privileged orphan

Access finding

S5

Write without approval

Gateway block

S6

Runaway task

Bounded termination

S7

Memory poisoning

Candidate only

GxP Sentinel Visual User Manual | v1.0 | 08 Aug 2026

Prototype guidance - not a controlled GxP record

12 / 15

Verify runtime, audit integrity and limitations

PROTOTYPE • SYNTHETIC DATA • NOT VALIDATED FOR PRODUCTION GxP USE

GxP Sentinel
LOCAL EDITION

ANCE WORKSPACE
Command Centre
Ask GxP Copilot
Audit Readiness
Evidence Graph
Changes & Incidents
Access Review
Action / Approval Centre
Assurance Lab
Trust Centre

SELECTED SYSTEM
GXP-MFG-DEMO-01 • Manufacturing Operations Hub

LOCAL / OFFLINE DEMO ROLE
System Owner

TRANSPARENT CONTROL TELEMETRY

Trust Centre

Inspect local runtime state, safety controls, provenance, budgets, evaluation status, and limitations.

CONTROL POSTURE
Local safety controls verified
llama.cpp responded on localhost. 9 / 9 core controls active

1

NETWORK STATUS
Local-only boundary OFFLINE READY

Component	Status
Inference	LOCAL
Database	LOCAL
Documents	LOCAL
External APIs	DISABLED
Outbound Connectors	DISABLED
Internet Required	NO

2

INFERENCE MODE
LOCAL AI

ONE SHARED OPTIONAL MODEL
qwen2.5-1.5b-instruct-q4_k_m.gguf
llama.cpp / localhost only

Critical findings, scores, approvals, and policy are deterministic. The local model can improve narrative only.

A0-v1.0.0 A1-v1.0.0 A2-v1.0.0 A3-v1.0.0 A4-v1.0.0 A5-v1.0.0

3

AUDIT INTEGRITY
SHA-256 hash chain VERIFIED

Hash chain verified; prototype tamper-evident control is intact.

Prototype tamper-evident mechanism: not immutable, WORM, or Part 11 compliant.

4

AGENT BUDGETS
Bounded autonomy

Metric	Value
Max Turns	
Max Specialists	
Agent Timeout Seconds	
Total Runtime Seconds	

✓ No infinite retries - circuit breaker active

RECENT DECISIONS
Sanitised audit events 3 shown

- COPILOT QUERY**
NOT READY FOR SIMULATED INSPECTION: 5 evidence-linked findings; agents A1, A2, A3, A5, A6.
A0: 8/8/2026, 8:05:03 PM - 6279f8386...
- EVIDENCE PACK EXPORTED**
Generated local evidence pack GxP-Sentinel-Evidence-Pack-GXP-MFG-DEMO-01-PACK-20260808T142448.zip.
A2: 8/8/2026, 7:54:48 PM - 289c318594...
- DEMO RESET**
Synthetic demonstration data restored to baseline.
A0: 8/8/2026, 3:00:00 PM - 457977772...

KNOWN LIMITATIONS
Technically honest by design

- Synthetic data only
- Local 1.5B model is narrative support, not the compliance engine
- No production connectors
- Prototype approval is not an electronic signature

0 injection events blocked

1 human approvals open

10 local evidence records

Local AI ready
External APIs disabled

Prototype Localhost only

- 1 Core controls**
Confirm Local safety controls verified and 9 / 9 active.
- 2 Local boundary**
Inference, database and documents stay local; external APIs are disabled.
- 3 Audit chain**
SHA-256 chain must show Verified. This is tamper-evident, not immutable.
- 4 Bounded autonomy**
Check turn, specialist and runtime budgets plus current limitations.

Trust check before export

Record inference mode, audit-chain status, trace ID, evidence source IDs, confidence, uncertainty, open human approvals and known limitations.



Generate and inspect the evidence pack

Export creates a local ZIP for review. Its files are prototype evidence, not approved controlled records.

- 1 **Select the correct system**
Reconfirm the system ID in the top bar.
- 2 **Generate evidence pack**
Use Command Centre or Audit Readiness.
- 3 **Retain the trace ID**
Link the pack to the Copilot assessment.
- 4 **Open and review every file**
Check consistency before sharing.

GxP-Sentinel-Evidence-Pack-...zip

Generated locally | audit logged | traceable

- 1 **assessment.json**
Structured system, request, findings, confidence, uncertainty and audit state
- 2 **findings_evidence_index.csv**
Finding-to-source index for filtering and reconciliation
- 3 **evidence_pack.html**
Human-readable readiness summary and evidence-linked findings
- 4 **README.txt**
Prototype disclaimer and handling reminder

Before presenting the pack

Confirm that all files name the same system and trace, material findings have source IDs, the confidence and uncertainty match the evidence, the audit chain is verified, and the prototype disclaimer remains visible.



Your first 10-minute audit-readiness review

Follow this sequence whenever you need a fast, repeatable overview of evidence and control posture.

00:00

Confirm local status

URL, system, role and LOCAL / OFFLINE

01:00

Read Command Centre

Score, material findings and dimensions

02:30

Open Audit Readiness

Counts, filters, evidence state and coverage

04:00

Add test evidence

Upload, scan, hash and review trust state

05:30

Ask the Copilot

Five gaps with evidence and uncertainty

07:00

Trace the weakest chain

Requirement to executed evidence

08:00

Review cross-domain risk

Access, changes and incidents

09:00

Verify and export

Trust Centre, trace ID and evidence ZIP

Stop conditions

Pause the review when the wrong system is selected, local status is unavailable, the audit chain fails, evidence is quarantined or conflicting, a critical source is missing, or an approval payload does not match the intended target.

For detailed design and limitations, see README.md and docs/KNOWN_LIMITATIONS.md in the project folder.