
Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People PDF

Aditya Y. Bhargava



BooKey

More Free Book

Scan to Download

Listen It

Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People

Visualizing complex algorithms for intuitive understanding.

Written by Bookey

Check more about Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People Summary

Listen Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People Audiobook

More Free Book

Scan to Download

Listen It

About the book

"Grokking Algorithms" by Aditya Y. Bhargava presents a refreshing and accessible approach to understanding fundamental algorithms, making them approachable for both seasoned programmers and curious novices alike. Through engaging illustrations and clear explanations, this book demystifies complex concepts like sorting, searching, and graph algorithms, breaking them down into digestible parts that resonate with real-world applications. Bhargava's unique blend of visual storytelling and practical examples invites readers to not only grasp the intricacies of algorithms but also to appreciate their elegance and utility in solving everyday problems. Whether you're looking to enhance your programming skills or simply satisfy your curiosity about how technology works behind the scenes, this book is an invaluable resource that promises to inspire and enlighten.

More Free Book





Scan to Download

Listen It

About the author

Aditya Y. Bhargava is a skilled computer scientist and passionate advocate for making complex concepts accessible to a broader audience, particularly through visual storytelling. With a background in both programming and design, he combines his technical expertise with an artistic flair to create engaging educational materials. Bhargava is best known for his work in "Grokking Algorithms," where he employs illustrations and clear explanations to demystify fundamental algorithms, making them approachable for programmers and curious learners alike. His commitment to teaching and simplifying intricate topics has earned him recognition in the tech community, inspiring others to delve into the world of algorithms with confidence and enthusiasm.

More Free Book
Scan to Download
Listen It

Ad

Scan to Download

Try Bookey App to read 1000+ summary of world best books

Unlock 1000+ Titles, 80+ Topics

New titles added every week

Brand | Leadership & Collaboration | Time Management | Relationship & Communication

ness Strategy | Creativity | Public | Money & Investing | Know Yourself | Positive P

Entrepreneurship | World History | Parent-Child Communication | Self-care | Mind & Spi


Insights of world best books















Free Trial with Bookey

Summary Content List

Chapter 1 : Introduction to Algorithms

Chapter 2 : Selection Sort

Chapter 3 : Recursion

Chapter 4 : Quicksort

Chapter 5 : Hash Tables

Chapter 6 : Breadth-First Search

Chapter 7 : Dijkstra’s Algorithm

Chapter 8 : Greedy Algorithms

Chapter 9 : Dynamic Programming

Chapter 10 : K-nearestneighbors

Chapter 11 : Where to Go Next


More Free Book



Scan to Download

Listen It

Chapter 1 Summary : Introduction to Algorithms



Section	Summary
Overview	Establishes foundational knowledge, introduces binary search, discusses running time using Big O notation, and recursion as a design technique.
What is an Algorithm?	An algorithm is a set of instructions for completing a task, focusing on efficient solutions.
Binary Search Algorithm	A search strategy that quickly narrows down options in a sorted list, significantly faster than simple search.
Understanding Running Time	Explains efficiency differences between algorithms; binary search is O(log n) vs. simple search O(n).
Big O Notation	A notation describing algorithm complexity in relation to input size, with examples provided like O(log n) and O(n!).
Example of Performance Comparison	Illustrates inefficiency of simple search for large datasets, highlighting growth rates of O(n) vs. O(log n).
Conclusion	Algorithms are evaluated by growth rates of operations. Understanding efficiency is crucial for problem-solving.
Exercises	Problems on identifying Big O runtime complexities to reinforce understanding of algorithm efficiency.
Additional Notes	The traveling salesperson problem shows extreme inefficiency, highlighting limits of current computing approaches.

Chapter 1: Introduction to Algorithms

More Free Book

Scan to Download

Listen It

Overview

- Establishes foundational knowledge for the book.
- Introduces binary search as a first algorithm.
- Discusses the concept of running time through Big O notation.
- Introduces recursion as a design technique for algorithms.

What is an Algorithm?

- An algorithm is a set of instructions to accomplish a task.
- The book focuses on efficient algorithms that either solve interesting problems or are fast.

Binary Search Algorithm

- A search strategy that operates on a sorted list.
- Instead of sequentially checking each element (simple search), it eliminates half of the list with each guess.
- Example: Finding a number between 1 and 100 can be done in 7 guesses using binary search instead of potentially 100 guesses with simple search.

More Free Book
Scan to Download
Listen It

Understanding Running Time

- Different algorithms have varying efficiencies.
- Binary search operates in O(log n) time, while simple search operates in O(n) time.
- Binary search is significantly faster, especially with larger data sets.

Big O Notation

- A mathematical notation used to describe the performance or complexity of an algorithm in terms of time or space relative to the input size.
- Key examples include:
  - O(log n): Binary search
  - O(n): Simple search
  - O(n log n): Efficient sorting (e.g., quicksort)
  - O(n^2): Slow sorting (e.g., selection sort)
  - O(n!): Traveling salesperson problem, which is computationally intensive.

Example of Performance Comparison

More Free Book
Scan to Download
Listen It

- An example illustrates the inefficiency of simple search for large data sets (e.g., O(n) grows linearly vs. O(log n) grows logarithmically).

Conclusion

- Algorithms are measured not in seconds but in the growth rate of operations.
- Understanding Big O notation and the efficiency of algorithms is essential for effective problem-solving.
- Practical exercises are provided to reinforce concepts.

Exercises

- Problems focused on identifying the Big O runtime complexity for various searching scenarios, solidifying understanding of algorithm efficiency.

Additional Notes

- The travelling salesperson problem exemplifies extreme algorithm inefficiency and emphasizes the limits of current approaches in computer science.

More Free Book
Scan to Download
Listen It

This chapter serves as a foundational introduction to algorithms, their efficiency, and their impact on programming.

More Free Book

Scan to Download
Listen It

Example

Key Point:The importance of understanding algorithm efficiency through Big O notation.

Example:Imagine you’re searching for a friend's birthday in your phone contacts. If you scroll through a long list one by one, it could take ages to find it. But if you had your contacts sorted alphabetically and used a smart strategy, such as binary search, you'd be able to locate that birth date in just a few quick taps, demonstrating how efficient algorithms can save you time and streamline your task.


More Free Book



Scan to Download

Listen It

Chapter 2 Summary : Selection Sort



Chapter 2 Summary

Introduction to Data Structures

- This chapter focuses on two foundational data structures: arrays and linked lists.
- Arrays are utilized frequently in programming, while linked lists may be preferable in certain scenarios.
- Understanding the strengths and weaknesses of each structure assists in algorithm selection.

Sorting Algorithm

More Free Book
Scan to Download
Listen It

- The chapter introduces the first sorting algorithm: selection sort, which is crucial for learning future algorithms like quicksort.
- Sorting is essential for making certain algorithms, like binary search, functional.

Memory Concepts

- Memory in computers functions like a series of drawers, where each item has an address.
- When storing multiple items, two primary methods can be used: arrays and linked lists, each with its own advantages.

Arrays vs. Linked Lists

-
Arrays
:
  - Store elements contiguously in memory, making it easy to access items via calculated addresses.
  - Difficult to resize or insert new elements when there isn't contiguous free space.
-
Linked Lists

More Free Book
Scan to Download
Listen It

:

- Elements can reside anywhere in memory, with each element linking to the next.
- Easier to insert and delete elements without the need for contiguous space.

Performance Analysis

- Inserting and deleting elements in arrays can be time-consuming due to the need for shifting elements.
- Linked lists offer constant time complexity for insertions and deletions if accessed directly, while arrays excel in read efficiency.

Terminology and Operations

- Arrays number their elements starting from zero, referred to as indices.
- Provides a distinction between sequential access (linked lists) and random access (arrays).

Example Problems

- Exercises highlight the selection of data structures based on

More Free Book
Scan to Download
Listen It

use cases, such as maintaining an order queue or handling usernames for a login system.

Selection Sort Details

- The selection sort algorithm sorts a list by iteratively finding the smallest element and moving it to a new list.
- The complexity of selection sort is $O(n^2)$ due to the nested operations required for sorting.

Recap

- Computer memory resembles a set of drawers, utilizing either arrays or linked lists for storage.
- Arrays are suitable for quick reads, while linked lists streamline inserts and deletes.
- Both data structures play key roles in implementing larger algorithms and data systems.

More Free Book
Scan to Download
Listen It

Chapter 3 Summary : Recursion

Recap

- Computer memory is like a giant set of drawers.
- Arrays store elements next to each other; lists store elements scattered with pointers to the next item.
- Fast reads are possible with arrays; linked lists allow quick inserts and deletes.
- Arrays must have elements of the same type.

In this chapter

- The focus is on recursion, a coding technique vital for many algorithms.
- You'll learn to break down problems into base and recursive cases, which is foundational for understanding divide-and-conquer strategies in later chapters.

Recursion

- Recursion is an elegant coding approach where a function calls itself, often leading to clearer solutions compared to

More Free Book
Scan to Download
Listen It

looping.
- Two approaches to find a key in a nested set of boxes illustrate this: one uses loops, and the other uses recursion.

Base case and recursive case

- Recursive functions have two essential parts:
  -
Base case
: when the function stops calling itself.
  -
Recursive case
: the part where the function continues to call itself.
- For example, a countdown function must include a base case to terminate the recursion and prevent infinite loops.

The stack

Install Bookey App to Unlock Full Text and Audio

More Free Book

Scan to Download

Listen It

Ad

Scan to Download



Why Bookey is must have App for Book Lovers

30min Content
The deeper and clearer interpretation we provide, the better grasp of each title you have.

Text and Audio format
Absorb knowledge even in fragmented time.

Quiz
Check whether you have mastered what you just learned.

And more
Multiple Voices & fonts, Mind Map, Quotes, IdeaClips...

Free Trial with Bookey

Chapter 4 Summary : Quicksort

Recap of Recursion

- Recursion involves a function calling itself.
- Recursive functions consist of a base case and a recursive case.
- A stack utilizes push and pop operations, with all function calls occupying the call stack.
- Large call stacks may consume significant memory.

Introduction to Divide-and-Conquer

- This chapter introduces divide-and-conquer (D&C), a fundamental technique for problem-solving.
- D&C is applicable to problems that seem unsolvable with known algorithms.
- Quicksort, an efficient sorting algorithm utilizing D&C, will be covered.

Understanding Divide-and-Conquer

- D&C can be challenging to grasp, so three examples are

More Free Book
Scan to Download
Listen It

discussed:

1. Visual demonstration.
2. Code example.
3. Detailed exploration of quicksort.

Illustrative Example: Finding Largest Square Plot Size

1. Identify the base case (e.g., dimensions with one side as a multiple of the other).
2. Use the D&C approach to solve progressively smaller problems to find the largest square that fits.

Applying Euclid's Algorithm

- Reiterates the need for D&C and briefly mentions its mathematical background, prompting further research.

Recursive Sum Calculation

- Provides another example of D&C through a recursive function that sums array elements by isolating the base case (empty or single-element array).

More Free Book
Scan to Download
Listen It

Exercises for Practice

1. Implement a recursive function for summing an array.
2. Count list items recursively.
3. Determine the maximum in a list.
4. Identify base and recursive cases for binary search.

Introduction to Functional Programming

- Highlights recursion in functional programming contexts (e.g., Haskell) as an area of exploration for deeper understanding.

Quicksort Algorithm

- Quicksort is introduced as a quick, practical sorting method using D&C.
- Base cases for quicksort include empty arrays and single-element arrays.
- The process entails choosing a pivot, partitioning the array, and recursively sorting the sub-arrays.

Code Implementation of Quicksort

More Free Book
Scan to Download
Listen It

```python
def quicksort(array):
    if len(array) < 2:
        return array
    else:
        pivot = array[0]
        less = [i for i in array[1:] if i <= pivot]
        greater = [i for i in array[1:] if i > pivot]
        return quicksort(less) + [pivot] + quicksort(greater)
```

Inductive Proofs

- Introduces inductive proofs akin to proving algorithm functionality, involving base and inductive cases.

Big O Notation of Quicksort

- Discusses quicksort's performance, noting that the efficiency is contingent on pivot choice:
  - Worst case: $O(n^2)$.
  - Average and best case: $O(n \log n)$.

Comparing Quicksort and Merge Sort

More Free Book
Scan to Download
Listen It

- Analyzes performance differences, with quicksort being faster organizationally due to a smaller constant factor.

Average Case vs. Worst Case

- Details how pivot choice directly affects stack size and efficiency, reinforcing the average case as typically O(n log n) when using random pivots.

Exercises on Big O Notation

1. Analyze operational time complexity for various scenarios.

Chapter Recap

- D&C involves breaking problems into smaller parts.
- Efficient implementation of quicksort requires thoughtful pivot selection.
- Understanding constants in Big O notation can influence practical algorithm performance.

More Free Book
Scan to Download
Listen It

Example

Key Point:Understanding Divide-and-Conquer is essential for tackling complex problems effectively.

Example:Imagine you are organizing a huge conference with numerous sessions. At first, the task appears overwhelming, but if you break it down by dealing with one section at a time—like planning all the logistics for just the keynote speakers before moving to breakout sessions—you'll find the problem much easier to manage. This technique mirrors the principle of Divide-and-Conquer you explore in this chapter, where you reduce the complexity of a larger issue by focusing on manageable parts, ensuring every aspect gets the attention it requires.

More Free Book
Scan to Download
Listen It

Critical Thinking

Key Point:The Divide-and-Conquer strategy presented in the chapter is a fundamental technique in algorithm design.

Critical Interpretation:While the chapter emphasizes the efficacy of Divide-and-Conquer (D&C) and its prevalent use in algorithms like quicksort, it's crucial for readers to consider that D&C may not be universally applicable or the most efficient solution for all problems. In practice, D&C can lead to increased memory consumption and potential performance issues, especially when dealing with large datasets or poorly chosen pivots. Authors like 'Jon Kleinberg' and 'Éva Tardos' in their book 'Algorithm Design' discuss scenarios where other techniques, such as dynamic programming or greedy algorithms, could outperform D&C. Thus, readers are encouraged to question the presented viewpoint and explore algorithmic alternatives within context.

More Free Book
Scan to Download
Listen It

Chapter 5 Summary : Hash Tables

Section	Summary
Overview	Introduction to hash tables, including implementation, collision handling, and performance analysis.
The Need for Hash Tables	Demonstrates the efficiency of hash tables (O(1) time complexity) compared to O(n) and O(log n) in searching scenarios.
Hash Functions	Defines hash functions that convert strings to numeric indices, emphasizing consistency and uniqueness for effective storage and retrieval.
Creating a Hash Table	Describes combining an array with a hash function, illustrated with a Python example using dictionaries mapping produce names to prices.
Use Cases of Hash Tables	1. Lookups: Managing phone books.2. Duplicate Prevention: Ensuring single votes.3. Caching: Improving web application performance.
Collisions	Explains that collisions occur when keys map to the same index and suggests solutions like linked lists to manage them effectively.
Performance	Notes average case performance of O(1) and potential worst-case O(n), highlighting the significance of load factors and hash function quality in maintaining performance.
Recap	Summarizes the benefits of hash tables in quick lookups, their structure (hash function and array), and the importance of load factors and collisions for optimal performance.

Chapter 5: Hash Tables

Overview

- Introduction to hash tables as a fundamental and efficient data structure.
- Discussion on their implementation, collision handling, and hash functions for performance analysis.

More Free Book
Scan to Download
Listen It

The Need for Hash Tables

- Example: Searching for produce prices in an unalphabetized book with O(n) time complexity versus a sorted book with O(log n) time complexity using binary search.
- The ideal scenario is achieving O(1) time complexity for lookups, akin to having a friend who knows prices instantly.

Hash Functions

- A hash function converts a string input into a numeric index.
- Key requirements of a hash function:
  - Consistency: The same input should always yield the same output.
  - Uniqueness: Different inputs should ideally map to different outputs.
- Using hash functions, items are stored in an array based on their generated index, allowing for fast retrieval without searching.

Creating a Hash Table

- A hash table combines an array with a hash function.

More Free Book


Scan to Download
Listen It

- Example in Python demonstrates creating a hash table using dictionaries.
- Keys (produce names) map to values (prices).

Use Cases of Hash Tables

1.
Lookups
: Phone books mapping names to phone numbers can be easily managed with hash tables.
2.
Duplicate Prevention
: Useful in contexts like voting booths to prevent repeat votes.
3.
Caching
: Enhances performance in web applications by storing data for faster retrieval without recalculating.

Collisions

- A collision occurs when two keys map to the same index.
- Solutions can include linked lists at each index to handle multiple entries.

More Free Book
Scan to Download
Listen It

- Importance of a good hash function to minimize collisions and ensure faster performance.

Performance

- Average case performance for hash tables is O(1), while worst-case can degrade to O(n).
- A low load factor, well-distributed hash values, and timely resizing (when the load factor exceeds 0.7) are key for maintaining performance.
- A good hash function is crucial in distributing keys evenly across the hash table.

Recap

- Hash tables are efficient for quick lookups and are effective for various applications like caching and duplicate checking.
- They consist of a hash function and an array and maintain rapid search, insertion, and deletion capabilities.
- Understanding load factors and collisions ensures optimal performance in real-world implementations.

More Free Book
Scan to Download
Listen It

Chapter 6 Summary : Breadth-First Search

Chapter 6: Breadth-First Search

Main Concepts Covered

- Introduction to graphs as a data structure.
- Understanding breadth-first search (BFS) for shortest path determination.
- Differentiation between directed and undirected graphs.
- Introduction to topological sort for dependency representation.

What is a Graph?

- A graph models connections between entities using nodes and edges.
- Nodes represent entities, and edges represent connections.
- Example: financial relationships in a poker game.

More Free Book
Scan to Download
Listen It

Breadth-First Search (BFS)

- BFS can answer two key questions:
  1. Is there a path from node A to node B?
  2. What is the shortest path from node A to node B?
- BFS explores all neighbors at the present depth before moving on to nodes at the next depth level.

Methodology of BFS

1. Model the problem as a graph.
2. Utilize BFS to find paths.
3. Search queue mechanism ensures that the closest connections are evaluated first.
4. A queue is used to implement BFS, operating on a First In, First Out (FIFO) basis.

Implementing BFS

Install Bookey App to Unlock Full Text and Audio

More Free Book

Scan to Download

Listen It

Ad

Scan to Download

App Store
Editors' Choice

22k 5 star review

Positive feedback

Sara Scholz

tes after each book summary
erstanding but also make the
and engaging. Bookey has
ding for me.

Fantastic!!!

Masood El Toure

I'm amazed by the variety of books and languages Bookey supports. It's not just an app, it's a gateway to global knowledge. Plus, earning points for charity is a big plus!

Fi
Ab
bo
to
m

José Botín

ding habit
p's design
ual growth

Love it!

Wonnie Tappkx

Bookey offers me time to go through the important parts of a book. It also gives me enough idea whether or not I should purchase the whole book version or not! It is easy to use!

Time saver!

Bookey is my go-to app for
summaries are concise, ins
curated. It's like having acc
right at my fingertips!

Awesome app!

Rahul Malviya

I love audiobooks but don't always have time to listen to the entire book! bookey allows me to get a summary of the highlights of the book I'm interested in!!! What a great concept !!!highly recommended!

Beautiful App

Alex Walk

This app is a lifesaver for book lovers with busy schedules. The summaries are spot on, and the mind maps help reinforce wh I've learned. Highly recommend!

Free Trial with Bookey

Chapter 7 Summary : Dijkstra's Algorithm

Chapter 7: Dijkstra's Algorithm

Overview

- Introduction to weighted graphs and their significance.
- Explanation of Dijkstra's algorithm to find the shortest path in weighted graphs.
- Discussion on the limitations of Dijkstra's algorithm in the presence of cycles.

Understanding Dijkstra's Algorithm

- Dijkstra's algorithm is used for determining the fastest path based on travel times.
- Steps of Dijkstra's algorithm:
  1. Identify the "cheapest" node with the least travel time.
  2. Update the costs of the neighboring nodes based on the cheapest node.

More Free Book
Scan to Download
Listen It

3. Repeat the process until all nodes are evaluated.
4. Calculate the final path (elaborated in the next section).

Key Concepts

- The “shortest path” in Dijkstra's context refers to the path with the least total weight (time/cost) rather than the fewest segments.
- Explanation of terms:
  - Weighted graph (edges with weights) vs. unweighted graph.
  - Dijkstra’s algorithm is appropriate for weighted graphs, while breadth-first search is for unweighted graphs.

Cycle Handling

- Dijkstra’s algorithm only works with directed acyclic graphs (DAGs).
- Cycles can complicate the algorithm, as they can increase total weight.

Example: Trading for a Piano

- Detailed example showcasing Dijkstra's algorithm in a

More Free Book
Scan to Download
Listen It

trading context.
- Rama’s trades with costs represented as a graph.
- Step-by-step application of Dijkstra’s algorithm to determine the least expensive trading path.

Negative-Weight Edges

- Dijkstra's algorithm fails when negative-weight edges are present.
- Introduction of the Bellman-Ford algorithm as an alternative for graphs with negative weights.

Implementation

- Overview of how to implement Dijkstra’s algorithm using Python.
- Set up required: graph structure, costs, parents, and processed nodes.
- Code example demonstrating the algorithm steps in a Python context.

Recap

- Breadth-first search is used for unweighted graphs;

More Free Book
Scan to Download
Listen It

Dijkstra's algorithm for weighted graphs.

- Dijkstra’s is valid when weights are positive.
- Bellman-Ford is recommended for graphs with negative weights.

More Free Book





Scan to Download

Listen It

Chapter 8 Summary : Greedy Algorithms

Chapter 8: Greedy Algorithms

Overview

- Learn how to handle NP-complete problems that lack fast solutions.
- Understand how to recognize these problems to avoid futile efforts.
- Explore approximation algorithms for quickly finding near-optimal solutions.
- Discover the simplicity of the greedy strategy in problem-solving.

The Classroom Scheduling Problem

- Goal: Maximize the number of classes held without overlaps.
-

More Free Book
Scan to Download
Listen It

Greedy Approach:

1. Select the class that ends the earliest.
2. Continue selecting the next class that starts after the last selected class and ends the soonest.

- Result: This method leads to the optimal set of classes.

The Knapsack Problem

- Situation: A thief has a knapsack with weight capacity and wants to maximize the value of stolen items.
-

Greedy Approach:

1. Choose the most valuable item that fits in the knapsack.
2. Repeat this for subsequent items.

- Limitation: This strategy may not yield the optimal result; a better combination could provide higher total value.

The Set-Covering Problem

- Scenario: Select radio stations to cover all 50 states while minimizing costs.
- Direct approach: Finding all subsets of stations is

More Free Book
Scan to Download
Listen It

computationally intensive (O(2^n)).
-
Greedy Solution:

1. Choose the station covering the most uncovered states.
2. Repeat until all states are covered.

- This results in an efficient approximation algorithm, operating in O(n^2) time.

Approximation Algorithms

- Useful when exact solutions are impractical.
- Judged based on speed and closeness to optimality.
- Greedy algorithms are often effective as approximation strategies.

NP-Complete Problems

- Examples: Traveling salesperson and set-covering problems, difficult to solve quickly.
- Recognizing NP-completeness:
  - Algorithms slow down significantly as problem size increases.
  - Issues involving combinatorial solutions often hint at

More Free Book
Scan to Download
Listen It

NP-complexity.
  - Problems that require checking all combinations or involve complex sequences or sets can be NP-complete.

Key Takeaways

- Greedy algorithms focus on local optimizations to reach a global optimum.
- For NP-complete problems, approximation algorithms (like greedy) are typically the best approach.
- Understanding these concepts arms problem solvers with strategies to tackle difficult computational challenges.

More Free Book
Scan to Download
Listen It

Chapter 9 Summary : Dynamic Programming

Chapter 9: Dynamic Programming

Overview

- Introduction to dynamic programming as a technique for solving complex problems by breaking them into simpler subproblems.
- The chapter uses the knapsack problem to illustrate the application of dynamic programming.

The Knapsack Problem

- A scenario where a thief must decide which items to steal to maximize value without exceeding a weight limit (4 lb).
- The naive approach involves evaluating all possible combinations, which is computationally expensive (O(2^n)).

Dynamic Programming Approach

More Free Book
Scan to Download
Listen It

- Dynamic programming allows for a more efficient solution by solving smaller subproblems and building up to the main problem.
- The solution utilizes a grid where rows represent items and columns represent different weights of the knapsack.

Filling the Grid

- Each cell in the grid indicates the maximum value that can be achieved with the items considered up to that point and the specific knapsack capacity.
- Iteratively fill the grid:
  - Start with the first row (guitar) to establish base values for the knapsack capacities.
  - Continue filling in values for each subsequent item (stereo and laptop) while comparing current and previous maximum values.

Install Bookey App to Unlock Full Text and Audio

More Free Book

Scan to Download

Listen It



Ad

Scan to Download

Read, Share, Empower

Finish Your Reading Challenge, Donate Books to African Children.

The Concept

BOOKS FOR AFRICA × × 

This book donation activity is rolling out together with Books For Africa. We release this project because we share the same belief as BFA: For many children in Africa, the gift of books truly is a gift of hope.

The Rule

Earn 100 points **Redeem a book** **Donate to Africa**

Your learning not only brings knowledge but also allows you to earn points for charitable causes! For every 100 points you earn, a book will be donated to Africa.

Free Trial with Bookey

Chapter 10 Summary : K-nearestneighbors

Chapter 10: k-nearest neighbors

Overview

- Construct a classification system using the k-nearest neighbors (KNN) algorithm.
- Understand feature extraction.
- Explore regression for predicting numerical values.
- Discuss use cases and limitations of KNN.

Classifying Oranges vs. Grapefruits

- Use KNN to categorize fruits by comparing the size and color.
- An example illustrates how to identify whether a fruit is an orange or grapefruit based on its neighbors.

Building a Recommendations System

More Free Book
Scan to Download
Listen It

- Apply KNN to create a movie recommendations system for platforms like Netflix.
- Visualize users in a similarity graph and recommend movies based on likes from similar users.

Feature Extraction

- Define features (like size and color for fruits or genres for movies) to compare similarities effectively.
- Use the Pythagorean formula to calculate distances between user preferences represented in multidimensional space.

Regression

- Understand regression to predict ratings based on user preferences.
- Average ratings from the nearest neighbors to predict a user's likely response to a movie.

Cosine Similarity

- Introduce cosine similarity as an alternative to the distance formula to measure user similarity based on rating patterns.

More Free Book
Scan to Download
Listen It

Picking Good Features

- Emphasize the importance of selecting relevant and unbiased features for effective recommendations.
- Consider context-specific features for different applications, such as predicting bakery sales based on weather conditions.

Introduction to Machine Learning

- KNN serves as an entry point into machine learning.
- Explore applications like OCR (Optical Character Recognition) and spam filters, highlighting the need for training data.

Predicting the Stock Market

- Acknowledge the challenges of using machine learning to predict stock market trends due to numerous influencing variables.

Recap

- KNN can be applied for both classification and regression,

More Free Book


Scan to Download
Listen It

relying on the concept of nearest neighbors.
- Effective feature extraction and selection are crucial for successful implementation of KNN and other machine learning algorithms.

More Free Book

Scan to Download
Listen It

Chapter 11 Summary : Where to Go Next

Chapter 11: Trees and Beyond

Overview of Algorithms

This chapter explores ten algorithms not covered in the book, highlighting their usefulness and providing recommendations on further reading based on interests.

Binary Search Trees (BST)

Binary Search Trees (BST) improve upon sorted arrays, allowing for O(log n) average time complexity for search, insert, and delete operations. BSTs maintain order with left children smaller and right children larger. However, they can degrade to O(n) in performance when unbalanced, which is mitigated by self-balancing trees like red-black trees.

Inverted Indexes

More Free Book
Scan to Download
Listen It

Inverted indexes enhance search engine efficiency by mapping words to the documents they appear in, significantly speeding up queries compared to searching through entire documents.

Fourier Transform

The Fourier transform decomposes signals into their constituent frequencies, facilitating applications like audio processing, earthquake prediction, and image compression (e.g., JPEG and MP3 formats).

Parallel Algorithms

With advancements in multi-core processors, parallel algorithms enable the distribution of tasks across multiple cores, enhancing performance. Challenges include managing parallelism and load balancing.

MapReduce

MapReduce is a popular distributed algorithm facilitating large-scale data processing across numerous machines. By

More Free Book
Scan to Download
Listen It

implementing map and reduce functions, it can efficiently handle vast datasets and complex queries.

Probabilistic Algorithms: Bloom Filters and HyperLogLog

Bloom filters are space-efficient, probabilistic data structures that quickly test membership in a set, allowing false positives but no false negatives. HyperLogLog efficiently estimates unique counts in large datasets with minimal memory use.

SHA Algorithms

SHA (Secure Hash Algorithms) produce unique hashes for strings, valuable for checking file integrity and storing passwords securely. Weak versions like SHA-0 and SHA-1 should be avoided in favor of more secure constructs like bcrypt.

Locality-Sensitive Hashing (Simhash)

Simhash generates similar but distinct hashes for similar strings, useful for deduplication tasks such as identifying plagiarized content.

More Free Book

Scan to Download
Listen It

Diffie-Hellman Key Exchange

This algorithm allows secure communication by establishing a shared secret over an insecure channel through the use of public and private keys, which ensures that only designated parties can decrypt messages.

Linear Programming

Linear programming is a technique used to optimize a particular objective while adhering to certain constraints. It applies to various fields, including resource allocation and logistics, and can be solved using algorithms like the Simplex method.

Conclusion

The chapter encourages readers to explore more about the algorithms introduced, emphasizing the vast possibilities for extending their understanding and application of algorithms in real-world scenarios.


More Free Book
Scan to Download
Listen It

Critical Thinking

Key Point:The efficiency and usability of algorithms must be evaluated in specific contexts.

Critical Interpretation:While the chapter highlights the superiority of certain algorithms, such as Binary Search Trees (BSTs) in average scenarios, it fails to account for their potential inefficiencies in practical applications, especially when unbalanced. This illustrates that the effectiveness of chosen algorithms can greatly depend on the distribution of data and specific use cases, suggesting that algorithms should be evaluated with a critical eye tailored to particular problems rather than relying on general performance indicators. Research such as "Algorithms Unlocked" by Thomas H. Cormen supports the notion that understanding the context of use is crucial in algorithm selection.

More Free Book
Scan to Download
Listen It



World' best ideas unlock your potential

Free Trial with Bookey

Download on the App Store

GET IT ON Google Play

Scan to download

Best Quotes from Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People by Aditya Y. Bhargava with Page Numbers

View on Bookey Website and Generate Beautiful Quote Images

Chapter 1 | Quotes From Pages 20-39

1. In one example, the number of steps needed goes from 4 billion down to 32!
2. An algorithm is a set of instructions for accomplishing a task.
3. Binary search runs in logarithmic time (or log time, as the natives call it).
4. You'll learn techniques for solving problems that might have been out of your grasp until now.
5. Big O notation tells you how fast an algorithm is.

Chapter 2 | Quotes From Pages 40-56

1. Arrays allow fast reads.
2. Linked lists allow fast inserts and deletes.
3. Your computer's memory is like a giant set of drawers.

More Free Book





Scan to Download

Listen It

4.With an array, all your elements are stored right next to each other.

5.If linked lists are so much better at inserts, what are arrays good for?

6.Sorting algorithms are very useful.

Chapter 3 | Quotes From Pages 55-70

1.Recursion is where a function calls itself.

2.Loops may achieve a performance gain for your program. Recursion may achieve a performance gain for your programmer.

3.Every recursive function has two parts: the base case, and the recursive case.

4.Using the stack is convenient because you don’t have to keep track of a pile of boxes yourself—the stack does it for you.

5.Recursion is when a function calls itself.

More Free Book

Scan to Download

Listen It

Scan to Download

Download Bookey App to enjoy

1 Million+ Quotes

1000+ Book Summaries


Free Trial Available!

Download on the App Store

GET IT ON Google Play







Chapter 4 | Quotes From Pages 69-91

1. D&C gives you a new way to think about solving problems.
2. If you find the biggest box that will work for this size, that will be the biggest box that will work for the entire farm.
3. D&C isn't a simple algorithm that you can apply to a problem. Instead, it's a way to think about a problem.
4. When you're writing a recursive function involving an array, the base case is often an empty array or an array with one element.
5. Quicksort is unique because its speed depends on the pivot you choose.
6. The constant in Big O notation can matter sometimes.
7. Quicksort will complete in O(n log n) time on average.

Chapter 5 | Quotes From Pages 92-113

1. You really need a buddy who has all the names and prices memorized. Then you don't need to look up anything: you ask her, and she tells you the answer instantly.

More Free Book
Scan to Download
Listen It

2.A hash function is a function where you put in a string and you get back a number.

3.In the average case, hash tables take O(1) for everything. O(1) is called constant time.

4.Collisions are bad, and you need to work around them.

5.Hash tables are probably the most useful complex data structure you'll learn.

6.Hash tables are good for modeling relationships from one thing to another thing.

7.You might be thinking, 'This resizing business takes a lot of time!' And you're right.

8.Hash tables are used for caching data (for example, with a web server).

Chapter 6 | Quotes From Pages 114-133

1.Graph algorithms are some of the most useful algorithms I know.

2.To figure out how to get from Twin Peaks to the Golden Gate Bridge, there are two steps: 1. Model the problem as a graph. 2. Solve the problem using breadth-first search.

More Free Book
Scan to Download
Listen It

3.Breadth-first search not only finds a path from A to B, it also finds the shortest path.

4.A queue works exactly like it does in real life.

5.If you have a problem like 'find the shortest X,' try modeling your problem as a graph, and use breadth-first search to solve.

6.Graphs are a way to model how different things are connected to one another.

More Free Book





Scan to Download

Listen It

Scan to Download

Download Bookey App to enjoy

1 Million+ Quotes

1000+ Book Summaries


Free Trial Available!

Download on the App Store

GET IT ON Google Play







Chapter 7 | Quotes From Pages 134-159

1. Dijkstra’s algorithm has four steps: 1. Find the cheapest node. This is the node you can get to in the least amount of time. 2. Check whether there’s a cheaper path to the neighbors of this node. If so, update their costs. 3. Repeat until you’ve done this for every node in the graph. 4. Calculate the final path.
2. But in Dijkstra’s algorithm, you assign a number or weight to each segment. Then Dijkstra’s algorithm finds the path with the smallest total weight.
3. The shortest path doesn’t have to be about physical distance. It can be about minimizing something.

Chapter 8 | Quotes From Pages 160-179

1. A lot of people tell me that this algorithm seems easy. It’s too obvious, so it must be wrong. But that’s the beauty of greedy algorithms: they’re easy!
2. Here’s the takeaway from this second example: sometimes,

More Free Book
Scan to Download
Listen It

perfect is the enemy of good.

3. Greedy algorithms are a good choice because not only are they simple to come up with, but that simplicity means they usually run fast, too.
4. If you have an NP-complete problem, your best bet is to use an approximation algorithm.

Chapter 9 | Quotes From Pages 180-205

1. Dynamic programming starts by solving subproblems and builds up to solving the big problem.
2. Each dynamic-programming algorithm starts with a grid.
3. Dynamic programming is useful when you're trying to optimize something given a constraint.
4. You might have been wondering why you were calculating max values for smaller knapsacks. I hope now it makes sense!
5. At every iteration, you're storing the current max estimate. The estimate can never get worse than it was before!

More Free Book
Scan to Download
Listen It

Scan to Download

Download Bookey App to enjoy

1 Million+ Quotes

1000+ Book Summaries


Free Trial Available!

Download on the App Store

GET IT ON Google Play







Chapter 10 | Quotes From Pages 206-221

1. The KNN algorithm is simple but useful! If you're trying to classify something, you might want to try KNN first.
2. Once you have this graph, building a recommendations system is easy.
3. Picking the right features means features that directly correlate to the movies you're trying to recommend.
4. KNN is a really useful algorithm, and it's your introduction to the magical world of machine learning!
5. The more movies you rate, the more accurately Netflix can see what other users you're similar to.

Chapter 11 | Quotes From Pages 222-257

1. The Fourier transform is one of those rare algorithms: brilliant, elegant, and with a million use cases.
2. When you have a large dataset (billions of rows), MapReduce can give you an answer in minutes where a traditional database might take hours.

More Free Book
Scan to Download
Listen It

3. Bloom filters offer a solution. Bloom filters are probabilistic data structures. They give you an answer that could be wrong but is probably correct.
4. Linear programming is used to maximize something given some constraints.
5. The best way to learn is to find something you're interested in and dive in.

More Free Book
Scan to Download
Listen It

Scan to Download

Download Bookey App to enjoy

1 Million+ Quotes

1000+ Book Summaries


Free Trial Available!

Download on the App Store

GET IT ON Google Play







Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People Questions

View on Bookey Website

Chapter 1 | Introduction to Algorithms| Q&A

1.Question

What is an algorithm and why is it important for programmers?

Answer:An algorithm is a set of instructions for accomplishing a task. It is crucial for programmers as it lays the groundwork for developing efficient solutions to complex problems and helps in optimizing code.

2.Question

What does binary search do, and how does it differ from simple search?

Answer:Binary search is an algorithm used to find an item in a sorted list by repeatedly dividing the search interval in half, drastically reducing the number of comparisons. In contrast,

More Free Book

Scan to Download

Listen It

simple search checks each element sequentially, which can be very inefficient for large datasets.

3.Question

How does Big O notation help in understanding the performance of algorithms?

Answer:Big O notation provides a high-level understanding of an algorithm's efficiency by describing the relationship between the size of input and the number of operations required. It allows programmers to compare the scalability of different algorithms without needing to implement or benchmark them.

4.Question

Can you provide an example to illustrate the difference between O(log n) and O(n)?

Answer:For instance, searching through a list of 1 billion entries takes approximately 30 operations using binary search (O(log n)), while a simple search would require up to 1 billion operations (O(n)), illustrating how algorithm efficiency drastically affects performance with large datasets.

More Free Book
Scan to Download
Listen It

5.Question

Why is it important to consider the worst-case scenario in algorithm analysis?

Answer:The worst-case scenario provides a guarantee on the maximum amount of time an algorithm might take to run, ensuring that programmers understand the full range of an algorithm's performance capabilities. This can help in setting realistic expectations for response times under heavy load.

6.Question

What is recursion and how does it relate to algorithms discussed in this chapter?

Answer:Recursion is a programming technique where a function calls itself to solve smaller instances of the same problem. It is often used in algorithms, including those related to searching and sorting, and is connected to the topic of efficiency exemplified by binary search.

7.Question

How does understanding logarithms relate to binary search?

Answer:Logarithms represent the number of times a number

More Free Book
Scan to Download
Listen It

can be divided by a base (such as 2) until it reaches 1. In binary search, the maximum number of guesses needed is logarithmic relative to the number of elements in the list, highlighting its efficiency.

8.Question

What are some practical applications of mastering algorithms as mentioned in this chapter?

Answer:Mastering algorithms enables developers to create faster software, design effective AI systems for video games, build recommendation systems, and solve complex problems efficiently, enhancing their overall programming skills and job performance.

9.Question

Why is it critical for a sort operation to be fast in programming contexts?

Answer:Fast sort operations enable quicker data retrieval and manipulation, which is essential in environments like databases and applications where response times heavily influence user experience and system performance.

More Free Book
Scan to Download
Listen It

10.Question

How does the concept of trade-offs come into play when selecting algorithms?

Answer:Choosing an algorithm often involves trade-offs between speed, complexity, and resource usage. For instance, while binary search is faster, it requires sorted data, while simple search is more versatile but slower.

Chapter 2 | Selection Sort| Q&A

1.Question

What are the key differences between arrays and linked lists, and when should you use each data structure?

Answer:Arrays store elements contiguously, which provides fast random access to items by index, making them ideal for situations where you need to read elements quickly. However, inserting or deleting elements can be slow, especially if it requires moving other elements. Linked lists, on the other hand, allow for easy insertion and deletion because they don’t require elements to be stored

More Free Book
Scan to Download
Listen It

contiguously; instead, each element points to the next one. This makes linked lists a better choice when you need to frequently add or remove elements, particularly in a dynamic or unpredictable environment.

2.Question

How does the selection sort algorithm work and what is its time complexity?

Answer:Selection sort works by repeatedly finding the smallest element from the unsorted portion of the list and moving it to the sorted portion. It starts with the first element, searches the entire list for the smallest value, and swaps it with the first element. Then, it narrows the search to the remaining unsorted elements and repeats the process. The time complexity of selection sort is $O(n^2)$ because for n elements, it compares each element with every other element, resulting in roughly n * (n-1)/2 comparisons.

3.Question

Why is understanding Big O notation important when analyzing algorithms, especially for arrays and linked

More Free Book
Scan to Download
Listen It

lists?

Answer:Big O notation provides a high-level understanding of how the runtime of an algorithm grows relative to the input size. In the context of arrays and linked lists, knowing the time complexity helps programmers make informed decisions about which data structure to choose based on their specific needs. For example, if you need to perform frequent inserts and deletions, linked lists with O(1) complexity for these operations may be preferred. In contrast, if you require quick access to elements, arrays with O(1) access time are more appropriate.

4.Question

If you were developing an app to track daily expenses, which data structure would you choose—an array or a linked list—and why?

Answer:For tracking daily expenses where you have numerous inserts (adding new expenses) and fewer reads (totaling expenses at the end of the month), a linked list would be more suitable. This is because linked lists allow for

More Free Book
Scan to Download
Listen It

efficient insertions without the need to resize or shift elements, unlike arrays, which can be cumbersome when frequently adding data.

5.Question

What is a potential downside of using an array to store a list of usernames for a login system?

Answer:Using an array for storing usernames can lead to challenges when adding new usernames. If the array reaches its capacity, a new username would require the entire array to be resized, which involves copying all existing elements to a new larger array. This operation can be time-consuming and inefficient, especially when logins need to be processed quickly.

6.Question

How does the concept of sequential access in linked lists compare to random access in arrays as explained in the chapter?

Answer:Sequential access in linked lists means that you must visit each element in order to reach a specific position, which can slow down retrieval times as the list grows. In contrast,

More Free Book
Scan to Download
Listen It

random access in arrays allows immediate access to any element by its index, facilitating faster lookups. This significant difference in access methods makes arrays preferable for applications requiring frequent direct access to elements.

7.Question

What innovative data structure might combine elements of both arrays and linked lists, and for what use case could it be beneficial?

Answer:A hybrid data structure like an array of linked lists could be beneficial for applications like maintaining user accounts, where quick lookup is needed along with efficient insertions. Each array index could point to a linked list of users sharing a common prefix (such as first letters of usernames), allowing for fast access to a group of users while retaining the flexibility of linked lists for handling variable amounts of data without wasted space.

8.Question

How can the knowledge of selection sort prepare you for learning more advanced sorting algorithms such as

More Free Book
Scan to Download
Listen It

quicksort?

Answer:Understanding selection sort introduces fundamental sorting concepts, such as identifying the minimum value and reorganizing elements. This foundational knowledge is crucial for grasping more complex algorithms like quicksort, which also involves partitioning data and recursive operations. The comparative learning of efficiency between selection sort ($O(n^2)$) and quicksort ($O(n \log n)$) also sets a benchmark for understanding algorithm optimization.

9.Question

In your experience, what could be the psychological barriers to learning recursion, and how can they be overcome?

Answer:Recursion can initially be confusing because it involves functions calling themselves, which can lead to a mental loop of uncertainty about how the base case and recursive case interact. To overcome this, students can practice with simple examples like calculating factorials or Fibonacci numbers and draw out the recursive calls step by

More Free Book
Scan to Download
Listen It

step. Visual aids, such as call stacks, can also help clarify how recursion unwinds. Emphasizing that recursion is a natural way to solve problems by breaking them down into smaller, manageable pieces can make it more approachable.

Chapter 3 | Recursion| Q&A

1.Question

What is recursion and why is it significant in algorithms?

Answer:Recursion is a coding technique where a function calls itself to solve problems. It is significant because it provides an elegant way to break down complex problems into simpler ones, making the solution clearer. It is also a foundational concept that is used in many essential algorithms.

2.Question

How do you prevent infinite loops in recursive functions?

Answer:To prevent infinite loops in recursive functions, you must define a base case that specifies when the function should stop calling itself. The base case ensures that, eventually, the function will reach a condition where it no

More Free Book
Scan to Download
Listen It

longer makes another recursive call.

3.Question

How does the call stack support recursion?

Answer:The call stack supports recursion by keeping track of function calls and their state. Each recursive call is pushed onto the call stack, allowing the program to remember where it left off when another call is made. This means you don't need to track the state manually, but it can lead to memory issues if the stack becomes too deep.

4.Question

What are the benefits of using recursion over loops?

Answer:Using recursion can lead to clearer and more concise code, making it easier to understand complex problems. While loops may be more performance-efficient, recursion often requires less code and can be more intuitive for certain types of problems, especially those that are naturally recursive, like tree traversals.

5.Question

What is tail recursion, and why is it relevant?

More Free Book

Scan to Download
Listen It

Answer:Tail recursion is a form of recursion where the recursive call is the last operation in the function. It's relevant because some programming languages optimize tail recursive functions to avoid increasing the call stack depth, thus saving memory and reducing the risk of stack overflow.

6.Question

Can you provide an example of a problem where recursion is preferable?

Answer:A common example is calculating the factorial of a number. The factorial of a number is defined in terms of itself (n! = n * (n-1)!), which makes recursion a natural and simple solution. Compared to iterative approaches, a recursive factorial function is often shorter and more expressive, enhancing clarity.

7.Question

What challenges might arise from using recursion in programming?

Answer:Challenges include the potential for stack overflow if too many recursive calls are made, as each call consumes

More Free Book
Scan to Download
Listen It

memory on the call stack. Additionally, recursive functions can be more difficult to debug and can lead to performance issues compared to iterative solutions, especially for large inputs.

8.Question

Why might some developers initially dislike recursion?

Answer:Some developers might dislike recursion due to its complexity, particularly when tracing how the call stack evolves, which can be less intuitive than looping constructs. Initially, it may seem harder to understand than straightforward iterative solutions, leading to frustration until the concepts become clearer.

9.Question

How can you test and understand recursive functions better?

Answer:You can better understand recursive functions by running the code and tracing through the function manually with pen and paper, visualizing how the stack develops and how variables change with each call. This approach helps

More Free Book
Scan to Download
Listen It

clarify how recursion works, revealing the function's flow and logic.

10.Question

What should you keep in mind when defining a recursive function?

Answer:When defining a recursive function, always ensure that you have a base case to terminate recursion and that your recursive case progresses towards that base case. This ensures the function eventually stops calling itself and avoids infinite loops.

More Free Book





Scan to Download

Listen It

Ad

Scan to Download

Try Bookey App to read 1000+ summary of world best books

Unlock 1000+ Titles, 80+ Topics

New titles added every week

Brand | Leadership & Collaboration | Time Management | Relationship & Communication

ness Strategy | Creativity | Public | Money & Investing | Know Yourself | Positive P

Entrepreneurship | World History | Parent-Child Communication | Self-care | Mind & Spi


Insights of world best books















Free Trial with Bookey

Chapter 4 | Quicksort| Q&A

1.Question

What is the fundamental concept behind divide-and-conquer algorithms?

Answer:Divide-and-conquer algorithms work by breaking a problem down into smaller sub-problems, solving each sub-problem recursively, and combining their results. This approach allows for efficient problem-solving even for complex issues.

2.Question

How does quicksort utilize the divide-and-conquer technique in sorting arrays?

Answer:Quicksort works by selecting a pivot from the array, partitioning the other elements into two sub-arrays based on their comparisons with the pivot, and recursively applying the same process to those sub-arrays until the entire array is sorted.

3.Question

Why is identifying the base case crucial in recursive

More Free Book
Scan to Download
Listen It

problems?

Answer:The base case acts as the simplest instance of the problem that can be solved directly without recursion. It provides a stopping point for the recursion, preventing infinite loops and ensuring the algorithm can eventually terminate.

4.Question

In quicksort, what would happen if the first element consistently serves as the pivot for already sorted arrays?

Answer:If the first element is always chosen as the pivot for sorted arrays, quicksort can degrade to O(n^2) time complexity because it fails to effectively partition the array, leading to many recursive calls on large, unbalanced sub-arrays.

5.Question

What can you deduce about quicksort's average and worst-case performance regarding its pivot selection?

Answer:Quicksort's average-case performance is O(n log n), meaning it efficiently sorts most arrays. However, in the

More Free Book





Scan to Download

Listen It

worst-case scenario where poor pivot choices are made (like in sorted arrays), it can slow down to O(n^2). Choosing a good pivot (ideally a random element) helps maintain its efficiency.

6.Question

How is recursion a key concept in functional programming languages like Haskell, as mentioned in this chapter?

Answer:Functional programming languages often lack traditional loop constructs, making recursion essential for repeated calculations or operations on data. Understanding recursion is fundamental to effectively using these languages, as demonstrated by defining recursive functions like summing arrays in Haskell.

7.Question

What lesson can be learned about performance based on the constant in Big O notation, as illustrated in the comparisons of quicksort and merge sort?

Answer:While both quicksort and merge sort are O(n log n), quicksort is often faster in practice because it has a smaller

More Free Book
Scan to Download
Listen It

constant factor in its run time. This shows that Big O notation is not only about growth rates but also about the actual time algorithms take to perform operations, which can significantly affect performance in real-world applications.

8.Question

What are the two steps involved in applying divide-and-conquer to a problem?

Answer:The two steps are: 1) Identify the base case of the problem, which is the simplest version that can be solved directly, and 2) Reduce the problem systematically towards the base case through division or recursive calls.

Chapter 5 | Hash Tables| Q&A

1.Question

What are hash tables and why are they useful?

Answer:Hash tables are data structures that store key-value pairs, allowing for fast data retrieval. They use a hash function to map keys to indices in an array, enabling lookups in O(1) time, which is very efficient compared to other search methods.

More Free Book
Scan to Download
Listen It

2.Question

How does a hash function work in the context of hash tables?

Answer:A hash function takes a string (like an item's name) and generates a consistent numerical index for it, which determines where to store the corresponding value (like the price of that item) in the hash table. This ensures that even if the same string is input multiple times, it produces the same index.

3.Question

What is a collision in a hash table, and how can it be managed?

Answer:A collision occurs when multiple keys are hashed to the same index in the hash table. To manage collisions, one common approach is to use linked lists or other structures at each index to store multiple values, effectively chaining them together.

4.Question

Why is it important for a hash function to minimize collisions?

More Free Book





Scan to Download

Listen It

Answer:Minimizing collisions is crucial because frequent collisions can degrade the performance of the hash table, leading to O(n) lookup times. A well-designed hash function will distribute keys evenly across the available slots, reducing the chance of collisions.

5.Question

How do hash tables perform in terms of time complexity for different operations?

Answer:In average cases, hash tables provide O(1) time complexity for searching, inserting, and deleting items. However, in worst-case scenarios—often due to poor hash functions or excessive collisions—these operations can degrade to O(n) time.

6.Question

What is the load factor of a hash table, and why is it significant?

Answer:The load factor is the ratio of the number of stored items to the size of the array used in the hash table. It indicates how full the table is; a high load factor suggests a

More Free Book
Scan to Download
Listen It

need for resizing the table to maintain performance and minimize collisions.

7.Question

What role do hash tables play in web applications, such as caching?

Answer:Hash tables are used in caching mechanisms for web applications to store frequently requested data, allowing for quick access. When a user requests data, the application first checks the hash table. If the data is present, it can be retrieved instantly without recalculating it.

8.Question

What is the impact of using a good hash function versus a bad one?

Answer:A good hash function evenly distributes keys across the hash table, minimizing collisions and maintaining fast access times. In contrast, a bad hash function can cluster keys, resulting in longer chains of collisions and slower performance in data retrieval.

9.Question

How does resizing a hash table occur and why is it

More Free Book
Scan to Download
Listen It

necessary?

Answer:Resizing a hash table involves creating a larger array and rehashing the existing entries to fit into this new structure. It is necessary when the load factor exceeds a certain threshold (like 0.7) to ensure that the performance remains efficient.

10.Question

Can you provide an example of a real-world application of hash tables?

Answer:A common real-world application of hash tables is in Dictionary or Phone Book applications, where names are mapped to phone numbers. The hash table allows for quick retrieval of a phone number by entering a corresponding name.

Chapter 6 | Breadth-First Search| Q&A

1.Question

What defines a graph in the context of algorithms?

Answer:A graph is made up of nodes (or vertices) and edges, which are connections between the nodes.

More Free Book
Scan to Download
Listen It

It models a set of connections or relationships between different entities, allowing for various problems, such as finding paths or determining connections.

2.Question

What is breadth-first search (BFS) and what types of questions does it answer?

Answer:Breadth-first search is an algorithm used to explore a graph's nodes level by level. It answers two types of questions: 1) Is there a path from node A to node B? (e.g., 'Is there a mango seller in my network?') and 2) What is the shortest path from node A to node B? (e.g., 'Who is the closest mango seller?').

3.Question

How does BFS ensure finding the shortest path in a graph?

Answer:BFS explores the nodes nearest to the starting point first, checking first-degree connections before moving to second-degree connections and beyond. This method

More Free Book
Scan to Download
Listen It

guarantees that when the search reaches a target node, it is via the shortest path possible because it exhaustively checks all closer nodes first.

4.Question

Why is it important to use a queue in the BFS algorithm?

Answer:The queue is essential in BFS to maintain the order in which nodes are explored. It operates on a FIFO (First In, First Out) basis, ensuring that nodes added first are also explored first, which is critical for finding the shortest path.

5.Question

What could happen if you don’t mark nodes as visited during a BFS?

Answer:If nodes are not marked as visited, it could lead to infinite loops where the algorithm revisits the same nodes repeatedly without making progress. This would prevent the BFS from completing and could significantly worsen performance, leading to unnecessary computations.

6.Question

Can you illustrate how BFS can be applied in a real-world scenario?

More Free Book
Scan to Download
Listen It

Answer:Consider using BFS in a social networking site. If you're searching for a friend of a friend (say Alice wants to find out if any of her friends know a mango seller), BFS can systematically check all of Alice's friends and their connections in layers, ensuring that it finds the nearest seller efficiently.

7.Question

What is the distinction between directed and undirected graphs?

Answer:A directed graph has arrows indicating the relationship between nodes, meaning the connection goes one way (e.g., 'Alex owes Rama money'). In contrast, an undirected graph has no arrows, indicating a mutual relationship (e.g., 'Ross dated Rachel' means Rachel also dated Ross').

8.Question

What is topological sorting in the context of graphs?

Answer:Topological sorting is a method used to arrange the nodes of a directed graph in such a way that if there is a

More Free Book
Scan to Download
Listen It

directed edge from node A to node B, A appears before B in the ordering. This is useful for scheduling tasks that depend on other tasks, like planning the sequence of events for a wedding.

9.Question

Why is searching through friends on a network relevant to BFS?

Answer:Searching for friends in a social network is a practical application of BFS since it models the connections between users as a graph. BFS can quickly identify whether there is a connection to a target person (e.g., a mango seller) and determine the shortest path through friend links.

10.Question

What are the implications of the running time for BFS?

Answer:The running time for BFS is O(V + E), where V is the number of vertices (nodes) and E is the number of edges (connections). This complexity indicates that BFS is efficient and scales well with the size of the graph given that it reads edge and node data linearly.

More Free Book
Scan to Download
Listen It

Ad

Scan to Download



Why Bookey is must have App for Book Lovers

30min Content
The deeper and clearer interpretation we provide, the better grasp of each title you have.

Text and Audio format
Absorb knowledge even in fragmented time.

Quiz
Check whether you have mastered what you just learned.

And more
Multiple Voices & fonts, Mind Map, Quotes, IdeaClips...

Free Trial with Bookey

Chapter 7 | Dijkstra’s Algorithm| Q&A

1.Question

What is the primary use of Dijkstra's algorithm?

Answer:Dijkstra's algorithm is primarily used to find the shortest path from a starting node to a destination node in weighted graphs, where weights represent the cost or time associated with traveling along edges.

2.Question

Why is it important to distinguish between weighted and unweighted graphs?

Answer:It's important because the type of graph determines the algorithm used to find the shortest path: breadth-first search is optimal for unweighted graphs, while Dijkstra’s algorithm is necessary for weighted graphs.

3.Question

What are the four main steps of Dijkstra's algorithm?

Answer:1. Find the node with the lowest cost that has not yet been processed.

2. Update the costs of its neighboring nodes.

More Free Book





Scan to Download

Listen It

3. Repeat the process until all nodes have been processed.

4. Calculate the final path to the destination.

4.Question

What issue arises when using Dijkstra's algorithm with negative-weight edges?

Answer:Dijkstra's algorithm fails with negative-weight edges because it assumes that once a node has been processed, its shortest path has been found. If a shorter path to that node appears later due to a negative weight, Dijkstra's algorithm will not account for it.

5.Question

How can one represent the weights of edges in a graph in Python?

Answer:In Python, the weights of edges can be represented using a hash table (or dictionary), where the keys are nodes and the values are another hash table containing neighbors and their respective weights.

6.Question

Can you give an example of how to apply Dijkstra’s algorithm in a practical scenario?

More Free Book





Scan to Download

Listen It

Answer:Consider a situation where someone wants to trade items with minimal cost. Using Dijkstra's algorithm, they can map out trade options as a graph, where nodes represent items and edges represent the costs associated with trades. By applying the algorithm, they can determine the cheapest sequence of trades to achieve their goal.

7.Question

What alternative algorithm can find the shortest path in graphs with negative-weight edges?

Answer:The Bellman-Ford algorithm can be used to find the shortest paths in graphs that contain negative-weight edges, addressing the limitations of Dijkstra's algorithm.

8.Question

How do 'parent' nodes work within Dijkstra's algorithm?

Answer:Parent nodes in Dijkstra’s algorithm help trace back the path taken to reach a specific node. While updating costs, the algorithm tracks which node led to a lower cost, allowing for easy reconstruction of the shortest path once the algorithm completes.

More Free Book
Scan to Download
Listen It

9.Question

What would happen if you used Dijkstra's algorithm on a directed cyclic graph that contains negative weights?

Answer:Using Dijkstra's algorithm on a directed cyclic graph with negative weights would yield incorrect results, as the algorithm may mistakenly process nodes in a way that falsely assumes the shortest paths have been found, ultimately missing cheaper paths that could emerge due to the negative weights.

10.Question

What is the significance of cycles in graphs when using Dijkstra’s algorithm?

Answer:Cycles in graphs need to be approached cautiously when using Dijkstra’s algorithm, as they can introduce complexities, especially with negative weights that could otherwise reduce costs if revisited.

Chapter 8 | Greedy Algorithms| Q&A

1.Question

What is the greedy algorithm used for the classroom scheduling problem?

More Free Book
Scan to Download
Listen It

Answer:The greedy algorithm for the classroom scheduling problem involves selecting classes based on their end times. Start with the class that ends first, then continue choosing the next class that starts after the last selected class ends, prioritizing those that end the soonest.

2.Question

Why might some people doubt the effectiveness of greedy algorithms?

Answer:People might doubt greedy algorithms because they often seem too simple or obvious, leading to skepticism about whether they can yield optimal solutions. However, in certain problems, like the classroom scheduling example, they actually do lead to a globally optimal solution.

3.Question

In what situation might a greedy algorithm not provide an optimal solution, as illustrated in the knapsack problem?

Answer:In the knapsack problem, picking the most expensive item that fits in the knapsack does not always yield the best

More Free Book
Scan to Download
Listen It

outcome. For instance, selecting one high-cost item may prevent the inclusion of other items that together yield a greater total value.

4.Question

What strategy can be used for NP-complete problems when exact solutions are impractical?

Answer:For NP-complete problems, approximation algorithms, often utilizing greedy strategies, can provide solutions that are good enough, even if they are not the optimal ones. These algorithms are preferred when an exact solution would take too long to compute.

5.Question

What does NP-completeness indicate about a problem?

Answer:NP-completeness suggests that no known algorithm can solve the problem efficiently for all cases, particularly as the input size grows. It often indicates that the problem is computationally complex and may require approximate solutions instead.

6.Question

What is a key takeaway regarding the trade-off between

More Free Book
Scan to Download
Listen It

perfect and good solutions in algorithm design?

Answer:The key takeaway is that sometimes pursuing a perfect solution can be counterproductive or infeasible due to time constraints or computational limits; hence, achieving a 'good enough' solution through methods like greedy algorithms can be more practical.

7.Question

How can one identify if a problem may be NP-complete based on its characteristics?

Answer:Indicators that a problem may be NP-complete include: the algorithm runs efficiently with few items but slows significantly with many; it requires calculating all combinations of a set; or it can be rephrased as a known NP-complete problem such as the traveling salesperson or set-covering problem.

8.Question

How does the greedy algorithm for the set-covering problem work?

Answer:In the set-covering problem, the greedy algorithm

More Free Book

Scan to Download

Listen It

iteratively selects the station that covers the most uncovered states until all states are covered. This simplification allows for a faster, if not always optimal, solution than evaluating all possible combinations.

9.Question

What is an example of a common real-world situation that can be framed as the traveling salesperson problem?

Answer:A common real-world situation that can be framed as the traveling salesperson problem is the logistics of a delivery service that needs to determine the shortest route to deliver packages to multiple locations efficiently.

10.Question

What conclusion can you draw from the examples of both the knapsack problem and the set-covering problem?

Answer:Both examples illustrate the strengths and limitations of greedy algorithms. While they can provide efficient solutions, they may not always yield the best outcome; therefore, understanding when to apply them or seek approximate solutions is crucial in problem-solving.

More Free Book
Scan to Download
Listen It

Chapter 9 | Dynamic Programming| Q&A

1.Question

What is dynamic programming, and how is it applied in solving the knapsack problem?

Answer:Dynamic programming is a technique used to solve complex problems by breaking them down into simpler subproblems. In the context of the knapsack problem, dynamic programming allows us to systematically build up solutions for smaller knapsack capacities (sub-knapsacks) to eventually solve the problem for the full knapsack capacity. Instead of trying every possible combination of items (which has exponential time complexity), we solve for smaller capacities first and use those solutions to inform larger capacities, making the algorithm more efficient.

2.Question

Why is it important to fill in the dynamic programming grid in a specific order?

More Free Book
Scan to Download
Listen It

Answer:Filling in the dynamic programming grid in a specific order (typically row by row) is crucial because the value of each cell often depends on the values of cells that have already been filled in. By solving smaller subproblems first, we ensure that when calculating the value for a larger problem, all necessary previous solutions are available for use in the calculation.

3.Question

Can the dynamic programming solution ever produce worse values than previous estimates?

Answer:No, the value of a cell in the dynamic programming grid will never go down. At each step, we store the maximum value achievable at that capacity. This means that as we add items, we either maintain or increase the maximum obtainable value, ensuring that the dynamic programming approach is optimal.

4.Question

How does the introduction of new items affect the dynamic programming solution?

More Free Book
Scan to Download
Listen It

Answer:When a new item is introduced, we do not have to recalculate the entire solution from scratch. Instead, we simply add a new row to the grid corresponding to this new item and update the estimates based on the previous maximum values. This is one of the strengths of dynamic programming, as it allows for progressive building of solutions.

5.Question

What is the significance of the longest common substring and how is it calculated using dynamic programming?

Answer:The longest common substring refers to the longest sequence of characters that two strings share. This is calculated using dynamic programming by constructing a grid where each cell represents the length of the longest common substring at that point. If the characters match at specific indices of both strings, the value is derived from the previous diagonal cell plus one; if they don't match, it is set to zero. The maximum value found in the grid represents the length of the longest common substring.

More Free Book
Scan to Download
Listen It

6.Question

What happens if you can carry fractions of items instead of whole items?

Answer:If you’re allowed to take fractions of items, the problem changes from a dynamic programming approach to a greedy algorithm approach. In this case, you would prioritize items based on their value per weight ratio, taking as much of the most valuable item first until the capacity is full.

7.Question

How does dynamic programming relate to real-world applications, like DNA analysis or text comparison?

Answer:Dynamic programming is utilized in various practical applications where optimization and comparison of sequences are required. For example, biologists use algorithms based on dynamic programming to find similarities in DNA strands, which can aid in understanding genetic relationships or disease correlations. Tools like 'git diff' for comparing text files also employ dynamic

More Free Book

Scan to Download
Listen It

programming to efficiently determine changes between files.

8.Question

What are the key takeaways regarding the application of dynamic programming in problem-solving?

Answer:Key takeaways include: Dynamic programming is useful for optimizing solutions under constraints, it works well when a problem can be broken into discrete subproblems, every dynamic programming solution typically involves a grid, and the cell values represent the metrics we wish to optimize. Additionally, there isn’t always a single formula for all dynamic programming problems; creativity often plays a role in formulating the appropriate approach.

More Free Book

Scan to Download
Listen It

Ad

Scan to Download

App Store
Editors' Choice

22k 5 star review

Positive feedback

Sara Scholz

tes after each book summary
erstanding but also make the
and engaging. Bookey has
ding for me.

Fantastic!!!

Masood El Toure

I'm amazed by the variety of books and languages Bookey supports. It's not just an app, it's a gateway to global knowledge. Plus, earning points for charity is a big plus!

Fi
Ab
bo
to
m

José Botín

ding habit
p's design
ual growth

Love it!

Wonnie Tappkx

Bookey offers me time to go through the important parts of a book. It also gives me enough idea whether or not I should purchase the whole book version or not! It is easy to use!

Time saver!

Bookey is my go-to app for
summaries are concise, ins
curated. It's like having acc
right at my fingertips!

Awesome app!

Rahul Malviya

I love audiobooks but don't always have time to listen to the entire book! bookey allows me to get a summary of the highlights of the book I'm interested in!!! What a great concept !!!highly recommended!

Beautiful App

Alex Walk

This app is a lifesaver for book lovers with busy schedules. The summaries are spot on, and the mind maps help reinforce wh I've learned. Highly recommend!

Free Trial with Bookey

Chapter 10 | K-nearestneighbors| Q&A

1.Question

What is the essence of the k-nearest neighbors (KNN) algorithm, and how can it be applied in real-world scenarios?

Answer:The essence of the KNN algorithm is to classify or predict based on the closest data points (neighbors) in a feature space. In real-world scenarios, it can be applied in various domains, such as recommending movies on platforms like Netflix, where user taste similarity is determined by comparing ratings, or in optical character recognition (OCR), where image features of numbers are classified based on their proximity to known samples.

2.Question

How does feature extraction influence the effectiveness of the KNN algorithm?

Answer:Feature extraction is crucial for the KNN algorithm because the relevance of the features directly impacts the

More Free Book
Scan to Download
Listen It

accuracy of classification or prediction. If the features correlate well with the target variable (e.g., movie ratings or fruit characteristics), the algorithm will perform better. Conversely, poorly chosen features may lead to inaccurate results. For instance, asking users to rate categories unrelated to their movie preferences will not yield meaningful recommendations.

3.Question

What is regression in the context of KNN, and how is it different from classification?

Answer:Regression in the context of KNN refers to predicting a numerical value based on the averages of the nearest neighbors, such as predicting how many loaves of bread to bake based on past sales data. This contrasts with classification, where the goal is to categorize an item into predefined groups. In summary, regression deals with predicting quantities while classification focuses on categorization.

4.Question

More Free Book
Scan to Download
Listen It

What challenges do you face when selecting features for the KNN algorithm?

Answer:When selecting features for KNN, challenges can include identifying relevant features that truly represent the complexity of the data, avoiding bias by ensuring a diverse range of inputs, and ensuring that the features do not overfit or mischaracterize user preferences. For example, choosing only a few specific movies to rate could misrepresent a user's variety in taste.

5.Question

How does the KNN algorithm handle different user rating scales in movie recommendations?

Answer:The KNN algorithm can struggle with different rating scales among users, as two users with the same tastes may not be considered neighbors due to their distinct rating behaviors (e.g., one user rates more leniently). To address this, normalization techniques can be employed, ensuring that ratings are adjusted to a common scale, allowing for a more accurate assessment of user similarity.

More Free Book
Scan to Download
Listen It

6.Question

What does it mean when the distance between two users is calculated in the KNN context?

Answer:The distance calculated between two users in KNN represents how similar their tastes are based on the features extracted from their ratings. A smaller distance means the users have more similar preferences, while a larger distance indicates dissimilarity. This has direct implications on recommendations—users closer together are more likely to enjoy the same movies.

7.Question

Why is machine learning considered a significant evolution in programming?

Answer:Machine learning represents a significant evolution in programming because it equips computers with the ability to learn from data, identify patterns, and make predictions autonomously. This contrasts with traditional programming methods, where rules are explicitly coded by humans. The versatility of machine learning extends beyond basic tasks,

More Free Book
Scan to Download
Listen It

enabling applications in areas like image recognition, speech processing, and personalized recommendations.

8.Question

What are the limitations of using the KNN algorithm?

Answer:Limitations of KNN include its reliance on the quality and quantity of feature data, difficulty in handling high-dimensional data (the 'curse of dimensionality'), computational inefficiency with large datasets since all distances must be calculated, and sensitivity to irrelevant features or noise which can skew results.

9.Question

Can you give an example of how KNN can be used beyond movie recommendations?

Answer:Aside from movie recommendations, KNN is also employed in tasks such as OCR, where it helps classify characters by comparing the features of new images with those of known characters. For instance, when digitizing text, KNN can help identify numbers based on their visual features through training on labeled examples.

More Free Book


Scan to Download
Listen It

10.Question

How does measuring distance relate to user similarities in KNN?

Answer:Measuring distance in KNN relates directly to user similarities by quantifying how closely aligned their preferences are. By calculating distances based on features like movie ratings, the closest users can be identified, effectively grouping them and allowing for targeted recommendations based on what similar users have enjoyed.

Chapter 11 | Where to Go Next| Q&A

1.Question

What is the primary advantage of using binary search trees over sorted arrays for insertion and deletion operations?

Answer:Binary search trees allow for average O(log n) insertion and deletion time because they can directly insert elements into the right position without needing to re-sort the entire structure as is required for sorted arrays.

2.Question

More Free Book
Scan to Download
Listen It

Why is it important for a binary search tree to be balanced?

Answer:A balanced binary search tree ensures that the operations such as searches, insertions, and deletions maintain their average O(log n) time complexity. An imbalanced tree can lead to performance degradation, causing operations to take O(n) time in the worst case.

3.Question

How do specialized binary search trees like red-black trees improve performance?

Answer:Red-black trees self-balance during insertions and deletions, preventing the tree from becoming too imbalanced, thus maintaining efficient O(log n) operation times for searches, insertions, and deletions.

4.Question

What is the concept of an inverted index, and why is it useful for search engines?

Answer:An inverted index maps words to the documents they appear in, allowing for efficient retrieval of documents

More Free Book





Scan to Download

Listen It

containing specific terms. This structure significantly speeds up the search process, enabling quick access to relevant documents.

5.Question

What is the Fourier transform and how is it applied in signal processing?

Answer:The Fourier transform decomposes a signal into its constituent frequencies, allowing for various applications such as audio processing, music compression (like MP3), and even predicting seismic activities by breaking down complex signals into their frequency components.

6.Question

What are some challenges of designing parallel algorithms, and why might the speed gains not be linear with the addition of processing cores?

Answer:Designing parallel algorithms involves challenges such as managing overhead from dividing tasks and load balancing among processing cores. Consequently, adding more cores may not result in a proportionate decrease in processing time due to these complexities.

More Free Book
Scan to Download
Listen It

7.Question

What is MapReduce, and how does it benefit data processing?

Answer:MapReduce is an algorithm for processing large data sets with a distributed algorithm on clusters. It breaks tasks into 'map' tasks that process the data and 'reduce' tasks that aggregate the results, significantly speeding up processing times for large data volumes.

8.Question

Explain the concept of Bloom filters and how they are useful in reducing memory usage. What are their limitations?

Answer:Bloom filters are probabilistic data structures that tell whether an element is possibly in a set or definitely not. They save space by using multiple hash functions but can produce false positives (indicating an element is present when it is not) while ensuring no false negatives (if it indicates an absence, the element is truly absent).

9.Question

What is the key characteristic of locality-sensitive hashing

More Free Book
Scan to Download
Listen It

compared to traditional hash functions?

Answer:Locality-sensitive hashing generates similar hash values for similar inputs, allowing for the detection of pairs that are approximately the same, which is useful for applications like plagiarism detection, while traditional hashing offers no such guarantee.

10.Question

What role does linear programming play in optimization problems, and give an example of its application?

Answer:Linear programming is used to optimize a particular aspect (like profit or resource usage) while satisfying constraints (like budget or resources). An example would be maximizing profit from production subject to limits on material availability.

More Free Book





Scan to Download

Listen It



Ad

Scan to Download

Read, Share, Empower

Finish Your Reading Challenge, Donate Books to African Children.

The Concept

BOOKS FOR AFRICA × × 

This book donation activity is rolling out together with Books For Africa. We release this project because we share the same belief as BFA: For many children in Africa, the gift of books truly is a gift of hope.

The Rule

Earn 100 points **Redeem a book** **Donate to Africa**

Your learning not only brings knowledge but also allows you to earn points for charitable causes! For every 100 points you earn, a book will be donated to Africa.

Free Trial with Bookey

Grokking Algorithms An Illustrated Guide For Programmers and Other Curious People Quiz and Test

Check the Correct Answer on Bookey Website

Chapter 1 | Introduction to Algorithms| Quiz and Test

1. An algorithm is defined as a set of instructions to accomplish a task.
2. Binary search operates in O(n) time complexity.
3. Big O notation is used to describe the performance or complexity of an algorithm relative to the input size.

Chapter 2 | Selection Sort| Quiz and Test

1. Arrays offer constant time complexity for insertions and deletions.
2. Selection sort is an essential algorithm to understand before learning other sorting algorithms like quicksort.
3. Linked lists store elements contiguously in memory, making them easier to access while arrays do not.

Chapter 3 | Recursion| Quiz and Test

More Free Book





Scan to Download

Listen It

1. Recursion is a coding technique where a function calls itself to solve problems.
2. Arrays can contain elements of different types while linked lists can only contain elements of the same type.
3. The call stack helps manage function calls by maintaining state information for each function until it finishes execution.

More Free Book

Scan to Download
Listen It

Download Bookey App to enjoy


1000+ Book Summaries with Quizzes

Free Trial Available!


Scan to Download

Download on the App Store

GET IT ON Google Play







Chapter 4 | Quicksort| Quiz and Test

1. Recursion involves a function calling itself.
2. Divide-and-conquer (D&C) is only applicable to problems that can be solved with known algorithms.
3. In quicksort, the worst-case time complexity is O(n log n).

Chapter 5 | Hash Tables| Quiz and Test

1. Hash tables provide O(1) time complexity for lookups under average conditions.
2. A hash function should allow different inputs to yield the same output for effectiveness.
3. Hash tables can degrade to O(n) time complexity in the worst case due to collisions.

Chapter 6 | Breadth-First Search| Quiz and Test

1. Breadth-First Search (BFS) can determine the shortest path between two nodes in a graph.
2. In a directed graph, edges indicate mutual relationships between nodes.
3. BFS operates using a Last In, First Out (LIFO) mechanism to explore neighbors.

More Free Book
Scan to Download
Listen It

Download Bookey App to enjoy


1000+ Book Summaries with Quizzes

Free Trial Available!


Scan to Download

Download on the App Store

GET IT ON Google Play







Chapter 7 | Dijkstra’s Algorithm| Quiz and Test

1. Dijkstra's algorithm can be used to find the shortest path in weighted graphs.
2. Dijkstra's algorithm works effectively in graphs with negative-weight edges.
3. Dijkstra's algorithm only works with directed acyclic graphs (DAGs).

Chapter 8 | Greedy Algorithms| Quiz and Test

1. Greedy algorithms can yield optimal solutions for all NP-complete problems.
2. The greedy approach for the Classroom Scheduling Problem involves selecting classes that end the earliest to maximize the number held without overlap.
3. Approximation algorithms are impractical for solving NP-complete problems.

Chapter 9 | Dynamic Programming| Quiz and Test

1. Dynamic programming can solve complex problems by breaking them down into simpler subproblems.

More Free Book


Scan to Download
Listen It

2.The naive approach to the knapsack problem has a computational complexity of O(n), making it efficient.

3.Dynamic programming allows new items to be added without recalculating the entire grid.

More Free Book



Scan to Download

Listen It

Download Bookey App to enjoy


1000+ Book Summaries with Quizzes

Free Trial Available!


Scan to Download

Download on the App Store

GET IT ON Google Play







Chapter 10 | K-nearestneighbors| Quiz and Test

1. The k-nearest neighbors (KNN) algorithm can be used for both classification and regression tasks.
2. Feature extraction is unnecessary when applying the KNN algorithm to create a recommendations system.
3. KNN guarantees accurate predictions for stock market trends without considering influencing variables.

Chapter 11 | Where to Go Next| Quiz and Test

1. Binary Search Trees (BST) have an average time complexity of O(log n) for search, insert, and delete operations.
2. Inverted indexes slow down search efficiency by requiring full document searches.
3. SHA algorithms are beneficial for storing passwords securely, but weak versions such as SHA-0 and SHA-1 are recommended.

More Free Book
Scan to Download
Listen It

Download Bookey App to enjoy

1000+ Book Summaries with Quizzes

Free Trial Available!

Scan to Download

Download on the App Store

GET IT ON Google Play

