

Cucumber Report

08-Jul-2025, 4:30:10 pm

Start : Jul 08, 4:29:30.744 pm

End : Jul 08, 4:30:07.585 pm

Duration : 36.841 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 9
FAILED - 2
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Naukri Application Testing</u>	36.841 s	3	1	2	0	12	9	2	1

#	Feature Name	Scenario Name
1	<u>Naukri Application Testing</u>	<u>User Enter to Profile Details Page</u>
2		<u>User Upload Resume</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Naukri Application Testing</u>	3	1	2	0	36.841 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Naukri Application Testing</u>	<u>User Enters Valid Username and Password</u>	5	5	0	0	13.392 s
2		<u>User Enter to Profile Details Page</u>	4	3	1	0	11.736 s
3		<u>User Upload Resume</u>	3	1	1	1	11.404 s

Naukri Application Testing

FAILED	DURATION - 36.841 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 12 Pass - 9 Fail - 2 Skip - 1	
/ 4:29:30.744 pm // 4:30:07.585 pm /					

User Enters Valid Username and Password


PASSED	DURATION - 13.392 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:29:30.778 pm // 4:29:44.170 pm /				
Naukri Application Testing				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given User launch the Browser and NaukriUrl	PASSED	10.313 s
2	When User clicks the login button on homepage	PASSED	0.326 s
3	And User enters email "vasanth12345@gmail.com" in to email field	PASSED	0.341 s
4	And User enters password "Vasu@123" in to password field	PASSED	0.163 s
5	Then User clicks login button and should be navigated to profile page "VASANTH"	PASSED	1.767 s
	AFTER - com.hooks.HookMethods.afterHooks(io.cucumber.java.Scenario)	PASSED	0.447 s
	ispassed		
			



User Enter to Profile Details Page

<div>FAILED</div> <div>DURATION - 11.736 s</div>		<table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.002</td></tr><tr><td>2</td><td>0.345</td></tr><tr><td>3</td><td>1.094</td></tr><tr><td>4</td><td>10.106</td></tr></tbody></table>	Step	Duration (s)	1	0.002	2	0.345	3	1.094	4	10.106	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
Step	Duration (s)													
1	0.002													
2	0.345													
3	1.094													
4	10.106													
/ 4:29:44.206 pm // 4:29:55.942 pm /														
Naukri Application Testing														
@smoke														

#	Step / Hook Details	Status	Duration
1	Given User landed on Naukuri profile page	PASSED	0.002 s
2	When User clicks the three code symbol	PASSED	0.345 s
3	And User should view new pop up page and click	PASSED	1.094 s
4	Then User landed in to profile details page "Add 12 missing details" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Add 12 missing details']"} (Session info: chrome=135.0.7049.96) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9a5ad3474f2d59994e46c4ac18536f6, findElement {using=xpath, value=//a[text()='Add 12 missing details']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.96, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61877}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61877/devtoo..., se.cdpVersion: 135.0.7049.96, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f9a5ad3474f2d59994e46c4ac18536f6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	10.106 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at com.reusableMethodsd.BaseClass.Validation(BaseClass.java:363) at com.pageObjectModel.ProfilePageModel.getValidate(ProfilePageModel.java:39) at com.stepDefinition.NaukriStepDefinition.user_landed_in_to_profile_details_page(NaukriStepDefinition.java:64) at ?.User landed in to profile details page "Add 12 missing details"(file:///C:/Users/HP/eclipse-workspace/Naukri_Cucumber_Framework/src/test/resources/featurefile/Naukri.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.hooks.HookMethods.afterHooks(io.cucumber.java.Scenario)	PASSED	0.167 s
	isfailed		
			

User Upload Resume

FAILED		DURATION - 11.404 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:29:56.181 pm // 4:30:07.585 pm /						
Naukri Application Testing						
@smoke						

#	Step / Hook Details	Status	Duration
1	Given User should be on Naukri Profile details page	PASSED	0.004 s
2	When User clicks upload resume	FAILED	10.772 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Upload resume']"} (Session info: chrome=135.0.7049.96) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9a5ad3474f2d59994e46c4ac18536f6, findElement {using=xpath, value=//span[text()='Upload resume']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.96, chrome: {chromedriverVersion: 135.0.7049.114 (63fd8a7d9d0..., userDataDir: </pre>		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\HP\AppData\Local\T..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61877}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61877/devtoo..., se:cdpVersion: 135.0.7049.96, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f9a5ad3474f2d59994e46c4ac18536f6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.reusableMethodsd.BaseClass.elementClick(BaseClass.java:137) at com.pageObjectModel.ResumeUploadModel.getUpload(ResumeUploadModel.java:21) at com.stepDefinition.NaukriStepDefinition.user_clicks_upload_resume(NaukriStepDefinition.java:169) at ?.User clicks upload resume(file:///C:/Users/HP/eclipse-workspace/Naukri_Cucumber_Framework/src/test/resources/featurefile/Naukri.feature:48)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User successfully uploded resume in resume field	SKIPPED	0.002 s
	AFTER - com.hooks.HookMethods.afterHooks(io.cucumber.java.Scenario)	PASSED	0.617 s
	isfailed		
	