

Home Projects Qualys Free Trial

Contact

You are here: <u>Home</u> > <u>Projects</u> > <u>SSL Server Test</u> > www.comfyshoes.online

## SSL Report: www.comfyshoes.online (199.15.163.148)

Assessed on: Wed, 29 Jun 2022 03:21:09 UTC | Hide | Clear cache

Scan Another »

# Overall Rating Certificate Protocol Support Key Exchange Cipher Strength 0 20 40 60 80 100 Visit our documentation page for more information, configuration guides, and books. Known issues are documented here. This site works only in browsers with SNI support. This server supports TLS 1.3.

# Certificate #1: RSA 2048 bits (SHA256withRSA)



### Server Key and Certificate #1

Subject	comfyshoes.online Fingerprint SHA256: 9118e56cab2792a8c8404eeba0258ff10e3031a4b1b157901c9cf31cdd302b04 Pin SHA256: K4Ussjq3x+tmDz075XqCbv9X0qThKZpS00XkqvThsCA=
Common names	comfyshoes.online
Alternative names	comfyshoes.online www.comfyshoes.online
Serial Number	650f9c29173e6b2a300ea8e82a33c3f4
Valid from	Thu, 23 Jun 2022 00:00:00 UTC
Valid until	Wed, 21 Sep 2022 23:59:59 UTC (expires in 2 months and 23 days)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	Sectigo RSA Domain Validation Secure Server CA  AIA: http://crt.sectigo.com/SectigoRSADomainValidationSecureServerCA.crt
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	OCSP OCSP: http://ocsp.sectigo.com
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows



Additional Certificates (if supplied)

Certificates provided 3 (4457 bytes)

Additional Certificates (if supplied)	
Chain issues	None
#2	
Subject	Sectigo RSA Domain Validation Secure Server CA Fingerprint SHA256: 7fa4ff68ec04a99d7528d5095f94907f4d1dd1c5381bacdc832ed5c960214676 Pin SHA256: 4a6cPehl7OG6cuDZka5NDZ7FR8a60d3auda+sKfq4Nq=
Valid until	Tue, 31 Dec 2030 23:59:59 UTC (expires in 8 years and 6 months)
Key	RSA 2048 bits (e 65537)
Issuer	USERTrust RSA Certification Authority
Signature algorithm	SHA384withRSA
#3	
Subject	USERTrust RSA Certification Authority Fingerprint SHA256: 68b9c761219a5b1f0131784474665db61bbdb109e00f05ca9f74244ee5f5f52b Pin SHA256: x4QzPSC810K5/cMjb05Qm4k3Bw5zBn4lTdO/nEW/Td4=
Valid until	Sun, 31 Dec 2028 23:59:59 UTC (expires in 6 years and 6 months)
Key	RSA 4096 bits (e 65537)
Issuer	AAA Certificate Services
Signature algorithm	SHA384withRSA



**Certification Paths** 

### Mozilla Apple Android Java Windows Path #1: Trusted Fingerprint SHA256: 9118e56cab2792a8c8404eeba0258ff10e3031a4b1b157901c9cf31cdd302b04 Sent by server Pin SHA256: K4Ussjq3x+tmDz075XqCbv9X0gThKZpS00XkqvThsCA= RSA 2048 bits (e 65537) / SHA256withRSA Sectigo RSA Domain Validation Secure Server CA Fingerprint SHA256: 7fa4ff68ec04a99d7528d5085f94907f4d1dd1c5381bacdc832ed5c960214676 Sent by server Pin SHA256: 4a6cPehl7OG6cuDZka5NDZ7FR8a60d3auda+sKfg4Ng= RSA 2048 bits (e 65537) / SHA384withRSA USERTrust RSA Certification Authority Self-signed Fingerprint SHA256: e793c9b02fd8aa13e21c31228accb08119643b749c898964b1746d46c3d4cbd2 3 In trust store Pin SHA256: x4QzPSC810K5/cMjb05Qm4k3Bw5zBn4lTdO/nEW/Td4= RSA 4096 bits (e 65537) / SHA384withRSA Path #2: Trusted comfyshoes.online Fingerprint SHA256: 9118e56cab2792a8c8404eeba0258ff10e3031a4b1b157901c9cf31cdd302b04 1 Sent by server Pin SHA256: K4Ussjq3x+tmDz075XqCbv9X0gThKZpS00XkqvThsCA= RSA 2048 bits (e 65537) / SHA256withRSA Section RSA Domain Validation Secure Server CA Fingerprint SHA256: 7fa4ff68ec04a99d7528d5085f94907f4d1dd1c5381bacdc832ed5c960214676 Sent by server Pin SHA256: 4a6cPehl7OG6cuDZka5NDZ7FR8a60d3auda+sKfg4Ng= RSA 2048 bits (e 65537) / SHA384withRSA USERTrust RSA Certification Authority Fingerprint SHA256: 68b9c761219a5b1f0131784474665db61bbdb109e00f05ca9f74244ee5f5f52b 3 Sent by server Pin SHA256: x4QzPSC810K5/cMib05Qm4k3Bw5zBn4lTdO/nEW/Td4= RSA 4096 bits (e 65537) / SHA384withRSA AAA Certificate Services Self-signed Fingerprint SHA256: d7a7a0fb5d7e2731d771e9484ebcdef71d5f0c3e0a2948782bc83ee0ea699ef4 In trust store Pin SHA256: vRU+17BDT2iGsXvOi76E7TQMcTLXAqj0+jGPdW7L1vM= RSA 2048 bits (e 65537) / SHA1withRSA Weak or insecure signature, but no impact on root certificate

# Configuration

\_



### **Protocols**

TLS 1.3	Yes
TLS 1.2	Yes
TLS 1.1	No
TLS 1.0	No
SSL 3	No
SSL 2	No



### **Cipher Suites**

#TLS 1.3 (suites in server-preferred order)	
TLS_AES_128_GCM_SHA256 (0x1301) ECDH x25519 (eq. 3072 bits RSA) FS	128
TLS_CHACHA20_POLY1305_SHA256 (0x1303) ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_AES_256_GCM_SHA384 (0x1302) ECDH x25519 (eq. 3072 bits RSA) FS	256
# TLS 1.2 (suites in server-preferred order)	=
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f) ECDH x25519 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 (0xcca8) ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) ECDH x25519 (eq. 3072 bits RSA) FS WEAK	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) ECDH x25519 (eq. 3072 bits RSA) FS WEAK	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c) WEAK	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA (0x2f) WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA (0x35) WEAK	256
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (0xc012) ECDH x25519 (eq. 3072 bits RSA) FS WEAK	112
TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa) WEAK	112



### Handshake Simulation

Handshake Simulation				
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
Android 8.1	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS	
Android 9.0	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS	
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
<u>Chrome 70 / Win 10</u>	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS	
Chrome 80 / Win 10 R	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS	
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
Firefox 73 / Win 10 R	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS	
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH x25519 FS
<u>IE 11 / Win 7</u> R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECD	H secp256r1 FS
<u>IE 11 / Win 8.1</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECD	H secp256r1 FS
<u>IE 11 / Win Phone 8.1</u> R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECD	H secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECD	H secp256r1 FS
<u>IE 11 / Win 10</u> R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1 FS

Handshake Simulation			
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH x25519 FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH x25519 FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH x25519 FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
<u>Java 8u161</u>	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Java 11.0.3	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH secp256r1 FS
Java 12.0.1	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.0.1I R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH x25519 FS
OpenSSL 1.1.1c R	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS
<u>Safari 6 / iOS 6.0.1</u>	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
<u>Safari 7 / OS X 10.9</u> R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
<u>Safari 8 / OS X 10.10</u> R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
<u>Safari 9 / OS X 10.11</u> R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
<u>Safari 10 / OS X 10.12</u> R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
<u>Safari 12.1.2 / MacOS 10.14.6</u> <u>Beta</u> R	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS
Safari 12.1.1 / iOS 12.3.1 R	-	TLS 1.3	TLS_AES_128_GCM_SHA256 ECDH x25519 FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS

Click here to expand



- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
- $(2) \ No \ support \ for \ virtual \ SSL \ hosting \ (SNI). \ Connects \ to \ the \ default \ site \ if \ the \ server \ uses \ SNI.$
- (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
- (R) Denotes a reference browser or client, with which we expect better effective security.
- (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
- (All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



### **Protocol Details**

# Not simulated clients (Protocol mismatch)

DROWN	No, server keys and hostname not seen elsewhere with SSLv2  (1) For a better understanding of this test, please read this longer explanation  (2) Key usage data kindly provided by the Censys network search engine; original DROWN website here  (3) Censys data is only indicative of possible key and certificate reuse; possibly out-of-date and not complete
Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Mitigated server-side (more info)
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2: 0xc013
GOLDENDOODLE	No (more info) TLS 1.2: 0xc013
OpenSSL 0-Length	No (more info) TLS 1.2: 0xc013
Sleeping POODLE	No (more info) TLS 1.2: 0xc013
Downgrade attack prevention	Yes, TLS_FALLBACK_SCSV supported (more info)
SSL/TLS compression	No

Protocol Details	
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
ALPN	Yes h2 http/1.1
NPN	Yes h2 http/1.1
Session resumption (caching)	No (IDs assigned but not accepted)
Session resumption (tickets)	Yes
OCSP stapling	No
Strict Transport Security (HSTS)	Yes TOO SHORT (less than 180 days) max-age=3600
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No
Uses common DH primes	No, DHE suites not supported
DH public server param (Ys) reuse	No, DHE suites not supported
ECDH public server param reuse	No
Supported Named Groups	x25519, secp256r1, secp384r1, secp521r1 (server preferred order)
SSL 2 handshake compatibility	No
0-RTT enabled	No



### **HTTP Requests**

+

1 https://www.comfyshoes.online/ (HTTP/1.1 200 OK)



### Miscellaneous

Test date	Wed, 29 Jun 2022 03:17:24 UTC
Test duration	224.209 seconds
HTTP status code	200
HTTP server signature	-
Server hostname	

SSL Report v2.1.10

Copyright © 2009-2022 Qualys, Inc. All Rights Reserved.

Terms and Conditions

 $\underline{\textit{Try Qualys for free!}} \ \textit{Experience the award-winning } \underline{\textit{Qualys Cloud Platform}} \ \textit{and the entire collection of } \underline{\textit{Qualys Cloud Apps}}, \ \textit{including } \underline{\textit{certificate security}}. \ \textit{solutions}.$