Assignment Day 1

1)

Html
___

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="business development.css">
</head>
<body>

    <div class="box">
        <h2>Business <br> Development</h2>
        <p>Have an idea or inquiry for waze business development?</p>
        <button class="btn"><b> Share your ideas</b> </button>
    </div>
</body>
</html>
```

CSS
___

```css
.box{
    background-color: rgb(3, 249, 135);
    border: none;
    width: 800px;
    height: 600px;
    padding: 50px;
    margin: 10px;
    border-radius: 20px;
}

h2{
    font-size: 50px;
    padding-top: 60px;
```

```
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}

p{
    font-size: 25px;
}

.btn{
    background-color: white;
    border: none;
    border-radius: 60px;
    font-size: 25px;
    padding-left: 40px;
    padding-right: 40px;
    padding-top: 10px;
    padding-bottom: 10px;


}
```

Out put:-

2)

Html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="profil.css">
</head>
<body>


    <div class="profile">

        <h2 class="h2">Your profiles</h2>
        <p>see how your different profiles appar in google services</p>
        <img src="https://source.unsplash.com/1600x1000/?burger" class="user" alt="">
        <img src="https://source.unsplash.com/1600x1000/?burger" class="users" alt="">
        <div class="link">
            <a href="">see profiles</a>
        </div>
    </div>
</body>
</html>
```

Css

```css
.profile{
    width: 550px;
    margin: 80px auto;
    border: 1px solid lightgray;
    border-radius: 14px;
    padding: 10px;
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
.user{
    height:100px;
    width: 100px;
```

```css
    border-radius: 50%;
}
.users{
    height: 100px;
    width: 100px;
    border-radius: 50%;

}


.link a{
    font-size: 18px;
}
p{
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
    font-size: 26px;
    padding: 20px;
}

.h2{
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
    font-size: 32px


}
```

Output :

3)

Html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="getmorefuture.css" class="css">
</head>
<body>


    <div class="box">
        <img src="https://source.unsplash.com/1600x1000/?phone" alt=""
class="img">

        <div class="text">
            <h2>Get more features in Google Photos</h2>
            <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit.
Numquam doloribus optio tempore </p>
            <div class="vd">
```

```html
                    <a href="">View details</a>
                </div>
            </div>
        </div>
    </body>
</html>
```

Css

```css
.box{
    border: 1px solid lightgray;
    width: 560px;
    margin: 200px 700px;
    border-radius: 15px;
    align-items: center;
    padding-bottom: 15px;

}

img{
    width: 100%;
    border-top-left-radius: 14px;
    border-top-right-radius: 14px;
}

h2{
    font-size: 36px;
}
.text{
    padding-left: 20px;
}

.text p{
    font-size: 26px;
}

.vd{
    border: 1px solid lightgray;
    width: 110px;
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 08px;
    padding-bottom: 08px;
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
```

```css
.vd a{
    color: blue;
    font-size: 20px;
}
```

Output –

4)

Html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
```

```html
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="login.css" class="css">
</head>
<body>

    <div class="box">
        <h1>flodesk</h1>
        <h4>Welcome back!</h4>
        <input type="text" placeholder="Enter youe email" class="input"><br>
        <input type="password" placeholder="Enter your password"
class="input">
<br>
        <button class="btn">Log to Flodesk</button>
        <h3>Not a member?<a href="">Sign up</a></h3>
        <a href="">Forget your password?</a>
        <h5>By continuing you agree to Flodesks <a href="">term</a></h5>
        <h5>and acknowledge you've read our <a href="">privacy policy</a></h5>
    </div>

</body>
</html>
```

Css
_____

```css
.box{
    width: 380px;
    box-sizing: border-box;
    text-align: center;
    margin: 40px auto;
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
    padding: 10px;
}

.box input{
    border: 1px solid lightgray;
    border-radius: 12px;
    font-size: 17px;
    width: 100%;
    margin-bottom: 12px;
    padding: 16px;
    box-sizing: border-box;
```

```
}

.btn{
    background-color: black;
    color: white;
    border: none;
    border-radius: 19px;
    padding: 12px 55px;

}

h1{
    font-size: 56px;
}

h3{
    font-size: 14px;
}
```

Output-