

[Sign in](#)

VasaviDappili / Registration_Form

[Code](#)[Issues](#)[Pull requests](#)[Actions](#)[Projects](#)[Security and quality](#)[Insights](#)

Registration_Form

Public[Notifications](#)[Fork](#)0

About

No description, website, or topics provided.

[Readme](#)[Activity](#)

☆ 0 stars 👁 0 watching 🍴 0 forks

[Report repository](#)main[Go to file](#)[Code](#)

VasaviDappili Update README.md

918a513 · 1 minute ago



README.md

Update README.md

1 minute ago

README



Registration_Form

Code

```
import time
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import Select, WebDriverWait
from selenium.webdriver.support import expected_conditions as EC
driver = webdriver.Chrome()
```



```

driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    try:
        print("Executing TC01...")
        driver.get("https://demoqa.com/automation-practice-form")
        assert "DEMOQA" in driver.title
        print("TC01 Passed: Registration page opened successfully.\n")
    except Exception as e:
        print(f"TC01 Failed: {e}\n")
    try:
        print("Executing TC02...")
        username_field = driver.find_element(By.XPATH, "//input[@id='firstN
        username_field.clear()
        username_field.send_keys("John")
        print("TC02 Passed: Username field located using attribute XPath.\n")
    except Exception as e:
        print(f"TC02 Failed: {e}\n")
    try:
        print("Executing TC03...")
        email_field = driver.find_element(By.XPATH, "//input[@id='userEmail
        email_field.clear()
        email_field.send_keys("john.doe@example.com")
        print("TC03 Passed: Password/Email field entered using attribute XP
    except Exception as e:
        print(f"TC03 Failed: {e}\n")
    try:
        print("Executing TC04...")
        submit_btn = driver.find_element(By.XPATH, "//button[text()='Submit
        assert submit_btn.is_displayed()
        print("TC04 Passed: Submit button located using text().\n")
    except Exception as e:
        print(f"TC04 Failed: {e}\n")
    try:
        print("Executing TC05...")
        dynamic_textbox = driver.find_element(By.XPATH, "//input[contains(@
        assert dynamic_textbox.is_displayed()
        print("TC05 Passed: Dynamic textbox located using contains().\n")
    except Exception as e:
        print(f"TC05 Failed: {e}\n")
    try:
        print("Executing TC06...")
        mobile_field = driver.find_element(By.XPATH, "//input[starts-with(@
        mobile_field.clear()
        mobile_field.send_keys("9876543210")
        print("TC06 Passed: Element located using starts-with().\n")
    except Exception as e:
        print(f"TC06 Failed: {e}\n")
    try:
        print("Executing TC07...")

```

```

        input_two_attr = driver.find_element(By.XPATH, "//input[@type='text']")
        assert input_two_attr.is_displayed()
        print("TC07 Passed: Input located using 'and' operator.\n")
    except Exception as e:
        print(f"TC07 Failed: {e}\n")

    try:
        print("Executing TC08...")
        input_or_attr = driver.find_element(By.XPATH, "//input[@id='lastName']")
        assert input_or_attr.is_displayed()
        print("TC08 Passed: Element located using 'or' operator.\n")
    except Exception as e:
        print(f"TC08 Failed: {e}\n")

    try:
        print("Executing TC09...")
        parent_div = driver.find_element(By.XPATH, "//input[@id='firstName']")
        assert parent_div.tag_name == "div"
        print("TC09 Passed: Parent element located successfully.\n")
    except Exception as e:
        print(f"TC09 Failed: {e}\n")

    try:
        print("Executing TC10...")
        ancestor_form = driver.find_element(By.XPATH, "//input[@id='firstName']")
        assert ancestor_form.tag_name == "form"
        print("TC10 Passed: Ancestor form element located successfully.\n")
    except Exception as e:
        print(f"TC10 Failed: {e}\n")

    try:
        print("Executing TC11...")
        child_input = driver.find_element(By.XPATH, "//form[@id='userForm']")
        assert child_input.is_displayed()
        print("TC11 Passed: Child input located successfully.\n")
    except Exception as e:
        print(f"TC11 Failed: {e}\n")

    try:
        print("Executing TC12...")
        following_input = driver.find_element(By.XPATH, "//input[@id='firstName']")
        following_input.clear()
        following_input.send_keys("Doe")
        print("TC12 Passed: Following element located successfully.\n")
    except Exception as e:
        print(f"TC12 Failed: {e}\n")

    try:
        print("Executing TC13...")
        checkbox = driver.find_element(By.XPATH, "//label[@for='hobbies-checkbox1']")
        driver.execute_script("arguments[0].click();", checkbox)
        print("TC13 Passed: Checkbox located and selected.\n")
    except Exception as e:
        print(f"TC13 Failed: {e}\n")

```

```

try:
    print("Executing TC14...")
    radio_btn = driver.find_element(By.XPATH, "//label[@for='gender-rad
    driver.execute_script("arguments[0].click();", radio_btn)
    print("TC14 Passed: Radio button located and selected.\n")
except Exception as e:
    print(f"TC14 Failed: {e}\n")

try:
    print("Executing TC15...")
    # Temporary switch to dropdown practice URL for native select verific
    driver.switch_to.new_window('tab')
    driver.get("https://the-internet.herokuapp.com/dropdown")
    dropdown_element = driver.find_element(By.XPATH, "//select[@id='dro
    select = Select(dropdown_element)
    select.select_by_visible_text("Option 1")
    print("TC15 Passed: Dropdown option selected successfully.\n")
    driver.close()
    driver.switch_to.window(driver.window_handles[0])
except Exception as e:
    print(f"TC15 Failed: {e}\n")

try:
    print("Executing TC16...")
    second_textbox = driver.find_element(By.XPATH, "(//input[@type='tex
    assert second_textbox.is_displayed()
    print("TC16 Passed: Second textbox located via XPath index.\n")
except Exception as e:
    print(f"TC16 Failed: {e}\n")

try:
    print("Executing TC17...")
    driver.switch_to.new_window('tab')
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
    driver.find_element(By.XPATH, "//button[text()='Click for JS Alert'

    alert = wait.until(EC.alert_is_present())
    alert.accept()

    result_text = driver.find_element(By.XPATH, "//p[contains(text(), '"
    assert result_text.is_displayed()
    print("TC17 Passed: Submitted message verified using text().\n")
    driver.close()
    driver.switch_to.window(driver.window_handles[0])
except Exception as e:
    print(f"TC17 Failed: {e}\n")

try:
    print("Executing TC18...")
    inputs = driver.find_elements(By.XPATH, "//input")
    assert len(inputs) > 0
    print(f"TC18 Passed: Found {len(inputs)} input fields using find_el

```

```

except Exception as e:
    print(f"TC18 Failed: {e}\n")

try:
    print("Executing TC19...")
    dynamic_elem = driver.find_element(By.XPATH, "//div[contains(@id, 'TC19')]")
    assert dynamic_elem.is_displayed()
    print("TC19 Passed: Dynamic element located using contains().\n")
except Exception as e:
    print(f"TC19 Failed: {e}\n")

try:
    print("Executing TC20: Complete Registration Automation Flow...")
    driver.get("https://demoqa.com/automation-practice-form")

    driver.find_element(By.XPATH, "//input[@id='firstName']").send_keys("John")

    driver.find_element(By.XPATH, "(//input[@type='text'])[2]").send_keys("Doe")

    driver.find_element(By.XPATH, "//input[contains(@id, 'userEmail')]").send_keys("john.doe@example.com")
    gender_radio = driver.find_element(By.XPATH, "//label[@for='gender-male']")
    driver.execute_script("arguments[0].click();", gender_radio)

    driver.find_element(By.XPATH, "//input[starts-with(@id, 'userN')]").send_keys("1234567890")

    hobby_checkbox = driver.find_element(By.XPATH, "//label[@for='hobby-sports']")
    driver.execute_script("arguments[0].click();", hobby_checkbox)

    submit_btn = driver.find_element(By.XPATH, "//button[text()='Submit']")
    driver.execute_script("arguments[0].click();", submit_btn)

    modal_title = wait.until(EC.visibility_of_element_located((By.XPATH, "//h2[contains(@id, 'modal')]")))
    assert "Thanks for submitting" in modal_title.text


    print("TC20 Passed: Full student registration flow completed and verified")
except Exception as e:
    print(f"TC20 Failed: {e}\n")

finally:
    input("All 20 test cases executed! Press ENTER in the terminal to close the browser")
    driver.quit()

```

Output





Releases

No releases published

Contributors 1



VasaviDappili

