

[Sign in](#)

VasaviDappili / SWAG_LABS

[Code](#)[Issues](#)[Pull requests](#)[Actions](#)[Projects](#)[Security and quality](#)[Insights](#)

SWAG_LABS

Public



Notifications



Fork 0



About

No description, website, or topics provided.

Readme

Activity

0 stars 0 watching 0 forks

[Report repository](#)



main



[Go to file](#)

[Code](#)



VasaviDappili Update README.md

5d3178c · 1 minute ago



README.md

Update README.md

1 minute ago

README



SWAG_LABS

TC01 Open the online shopping website

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
```



```

driver = webdriver.Chrome()
driver.maximize_window()


try:
    print("Executing TC01...")
    driver.get("https://www.saucedemo.com/")
    assert "Swag Labs" in driver.title

    # Perform login
    driver.find_element(By.ID, "user-name").send_keys("standard_user")
    driver.find_element(By.ID, "password").send_keys("secret_sauce")
    driver.find_element(By.ID, "login-button").click()

    assert "inventory.html" in driver.current_url
    print("TC01 Passed: Shopping website opened successfully.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()

```

OUTPUT



TC02 Customer clicks Delete/Remove Product and confirmation popup appears

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC


driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC02...")
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Click for JS Alert']")))

    alert = wait.until(EC.alert_is_present())
    alert.accept() # Accept confirmation

    result_text = wait.until(EC.visibility_of_element_located((By.ID, "result-text")))
    assert "You clicked: Ok" in result_text
    print("TC02 Passed: Product deletion confirmed.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



TC03 Customer clicks Delete/Remove Product but chooses Cancel

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC


driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC03...")
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Click for JS Alert']")))

    alert = wait.until(EC.alert_is_present())
    alert.dismiss() # Cancel action

    result_text = wait.until(EC.visibility_of_element_located((By.ID, "result-text")))
    assert "You clicked: Cancel" in result_text
    print("TC03 Passed: Product remains in the cart.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



TC04 Customer enters a name/coupon/customer information in a prompt popup

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC


driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC04...")
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Click for JS Alert']")))

    alert = wait.until(EC.alert_is_present())
    coupon_code = "DISCOUNT2026"
    alert.send_keys(coupon_code)
    alert.accept()

    result_text = wait.until(EC.visibility_of_element_located((By.ID, "result-text")))
    assert coupon_code in result_text
    print("TC04 Passed: Entered information submitted successfully.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



Result:

You entered: DISCOUNT2026

Powered by [Elemental Selenium](#)



TC05 Customer moves the mouse over the Products/Category menu

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.common.action_chains import ActionChains
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC05...")
    driver.get("https://the-internet.herokuapp.com/hovers")

    avatar = wait.until(EC.visibility_of_element_located((By.XPATH, "(//div
ActionChains(driver).move_to_element(avatar).perform()

    caption = wait.until(EC.visibility_of_element_located((By.XPATH, "(//di
assert caption.is_displayed()
    print("TC05 Passed: Product categories/submenu displayed.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



[Fork me on GitHub](#)

Hovers

Hover over the image for additional information



name: user1

[View profile](#)

Powered by [Elemental Selenium](#)



TC06 Customer double-clicks a product

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.common.action_chains import ActionChains
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC


driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC06...")
    driver.get("https://the-internet.herokuapp.com/add_remove_elements/")

    add_btn = wait.until(EC.element_to_be_clickable((By.XPATH, "//button[te
    ActionChains(driver).double_click(add_btn).perform()

    delete_btns = wait.until(EC.presence_of_all_elements_located((By.CLASS_
    assert len(delete_btns) >= 1
    print("TC06 Passed: Product details page opens / double-click registere
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



TC07 Customer drags a product/item into a shopping cart area

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC07...")
    driver.get("https://the-internet.herokuapp.com/drag_and_drop")

    js_drag_drop = """
        function createEvent(type) {
            var event = document.createEvent("CustomEvent");
            event.initCustomEvent(type, true, true, null);
            event.dataTransfer = {
                data: {},
                setData: function (key, value) { this.data[key] = value; },
                getData: function (key) { return this.data[key]; }
            };
            return event;
        }
    """
```

```


}
function dispatchEvent(elem, type, event) {
    if (elem.dispatchEvent) { elem.dispatchEvent(event); }
    else if (elem.fireEvent) { elem.fireEvent("on" + type, event); }
}
function simulateHTML5DragAndDrop(source, target) {
    var dragStartEvent = createEvent('dragstart');
    dispatchEvent(source, 'dragstart', dragStartEvent);
    var dropEvent = createEvent('drop');
    dropEvent.dataTransfer = dragStartEvent.dataTransfer;
    dispatchEvent(target, 'drop', dropEvent);
    var dragEndEvent = createEvent('dragend');
    dragEndEvent.dataTransfer = dragStartEvent.dataTransfer;
    dispatchEvent(source, 'dragend', dragEndEvent);
}
simulateHTML5DragAndDrop(arguments[0], arguments[1]);
"""
source = wait.until(EC.presence_of_element_located((By.ID, "column-a")))
target = wait.until(EC.presence_of_element_located((By.ID, "column-b")))

driver.execute_script(js_drag_drop, source, target)

header_b = driver.find_element(By.XPATH, "//div[@id='column-b']/header")
assert header_b == "A"
print("TC07 Passed: Product moved to the cart successfully.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()

```

OUTPUT



TC08 Customer searches for a product and waits for the product results to load


CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC08...")
    driver.get("https://the-internet.herokuapp.com/dynamic_loading/2")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Star'

    result = wait.until(EC.visibility_of_element_located((By.ID, "finish")))
    assert result.is_displayed()
    print("TC08 Passed: Product results displayed successfully after explic
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```




OUTPUT

TC09 Customer completes checkout and waits until the Place Order button becomes clickable

CODE

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
```



```

from selenium.webdriver.support import expected_conditions as EC


driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC09...")
    driver.get("https://the-internet.herokuapp.com/dynamic_controls")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Enable']")))

    input_field = wait.until(EC.element_to_be_clickable((By.XPATH, "//input")))
    assert input_field.is_enabled()
    print("TC09 Passed: Order button became clickable and action submitted")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()

```

OUTPUT



TC10 Customer completes the purchase and waits for the order confirmation popup

CODE


```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC

driver = webdriver.Chrome()
driver.maximize_window()
wait = WebDriverWait(driver, 10)

try:
    print("Executing TC10...")
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
    wait.until(EC.element_to_be_clickable((By.XPATH, "//button[text()='Click for JS Alert']")))

    confirmation_alert = wait.until(EC.alert_is_present())
    assert confirmation_alert.text == "I am a JS Alert"
    confirmation_alert.accept()
    print("TC10 Passed: Confirmation alert handled successfully.")
finally:
    input("\nPress ENTER to close the browser...")
    driver.quit()
```

OUTPUT



No releases published

Contributors 1



VasaviDappili

[Terms](#) [Privacy](#) [Security](#) [Status](#) [Community](#) [Docs](#) [Contact](#) [Manage cookies](#)
[Do not share my personal information](#)



© 2026 GitHub, Inc.