

CRM API — All Endpoints

Base URL: `https://<host>/api/v1/`

Auth header: `Authorization: Bearer <access_token>`

Roles: **director** > **employee**

1. AUTH

Method	URL	Role	Notes
POST	auth/login/	public	Body: {username, password} → {access, refresh, user}
POST	auth/refresh/	public	Body: {refresh} → {access}
POST	auth/logout/	any	Body: {refresh} — blacklists token
POST	auth/password-reset/	public	Body: {email}
POST	auth/password-reset/confirm/	public	Body: {token, password}

Login response:

```
{ "access": "...", "refresh": "...",
  "user": { "id", "username", "first_name", "last_name", "email",
            "phone", "role", "position", "position_name",
            "avatar", "company", "company_name", "is_active" } }
```

2. EMPLOYEES

Method	URL	Role	Notes
GET	employees/	employee	Paginated: {total, page, data:[...]}
POST	employees/	director	Create employee
GET	employees/{id}/	employee	Single employee
PATCH	employees/{id}/	director	Update employee
DELETE	employees/{id}/	director	Delete employee
POST	employees/{id}/set-password/	director	Body: {password}

Employee object:

```
{ "id", "name", "email", "phone", "gender", "birthday", "fullAge",
  "position", "position_name", "level", "color", "initials",
  "onVacation", "isActive",
  "tasks": { "total", "done", "inProgress" } }
```

POST body:

```
{ "firstName", "lastName", "email", "phone", "position",
  "level", "gender", "birthday", "color", "password(optional) }
```

PATCH body (any subset):

```
{ "position", "level", "color", "phone", "gender", "birthday",
  "onVacation", "isActive", "first_name", "last_name", "email" }
```

3. USERS

Method	URL	Role	Notes
GET	users/me/	any	Current user profile
PATCH	users/me/	any	Update own profile
GET	users/	employee	List company users
POST	users/	director	Create user
GET	users/{id}/	employee	
PATCH	users/{id}/	director	
DELETE	users/{id}/	director	

POST	users/register-company/	public	Register new company + director
------	-------------------------	--------	---------------------------------

4. POSITIONS

Method	URL	Role	Notes
GET	positions/	employee	
POST	positions/	director	
GET	positions/{id}/	employee	
PATCH	positions/{id}/	director	
DELETE	positions/{id}/	director	

{ "id", "name", "user_count" }

5. COMPANY SETTINGS

Method	URL	Role	Notes
GET	company/settings/	director	Auto-created with defaults on first access
PATCH	company/settings/	director	

{ "advance_payment_percent": 30, "default_completion_days": 14 }

6. TASKS (Orders)

6.1 Lookup Tables

Method	URL	Role	Notes
GET	tasks/task-statuses/	employee	
POST	tasks/task-statuses/	director	
GET	tasks/task-statuses/{id}/	employee	
PATCH	tasks/task-statuses/{id}/	director	
DELETE	tasks/task-statuses/{id}/	director	Cannot delete if used by tasks
POST	tasks/task-statuses/{id}/assign-users/	director	Body: {userIds:[1,2,3]}
GET	tasks/fabric-types/	employee	
POST	tasks/fabric-types/	director	
PATCH	tasks/fabric-types/{id}/	director	
DELETE	tasks/fabric-types/{id}/	director	
GET	tasks/softness-levels/	employee	
POST	tasks/softness-levels/	director	
PATCH	tasks/softness-levels/{id}/	director	
DELETE	tasks/softness-levels/{id}/	director	

TaskStatus: {id, name, color, order, is_default, is_done, allowedUsers, isRestricted}

FabricType / Softness: {id, name, order}

6.2 Task CRUD

Method	URL	Role	Notes
GET	tasks/	employee	Filters: status, priority, section, assignee, client_link; Search: name, client, task_id
POST	tasks/	employee	Create task
GET	tasks/{id}/	employee	Full task with assignees, stages, comments

PATCH	tasks/{id}/	employee	Update task
DELETE	tasks/{id}/	director	Delete task
GET	tasks/my-tasks/	employee	Current user's tasks
GET	tasks/export/	director	?format=xlsx pdf
GET	tasks/salary-report/	director	?date_from=&date_to= → per-employee totals
GET	tasks/dashboard/	employee	KPI dashboard

POST body:

```
{ "name": "description", "statusId", "priority": "high|medium|low",
  "section": "active|archive",
  "assignees": [{"userId": 2, "salaryAmount": 50000}],
  "deadline", "estimate", "client", "phone",
  "acceptanceDate", "deliveryAddress", "model", "dimensions",
  "fabricTypeId", "softnessId",
  "price", "advancePayment", "advancePaymentDate", "advancePaymentMethod",
  "finalPayment", "finalPaymentDate", "finalPaymentMethod",
  "notes", "clientLinkId", "productId" }
```

Task response (key fields):

```
{ "id", "taskId": "PN0000001",
  "statusId", "statusName", "statusColor",
  "priority", "section", "assignees": [...],
  "reporterName", "deadline", "createdAt",
  "fabricTypeId", "fabricType", "softnessId", "softness",
  "price", "advancePayment", "finalPayment", "balanceDue",
  "clientLinkId", "clientLinkName", "productId", "productName",
  "attachments": [...], "stages": [...], "stagesProgress": {total, done, percent},
  "comments": [...] }
```

6.3 Task Actions

Method	URL	Role	Notes
POST	tasks/{id}/change-status/	employee	Body: {statusId}
GET	tasks/{id}/history/	employee	Status change log
GET	tasks/{id}/cost-summary/	employee	price, payments, salary_cost, profit
POST	tasks/{id}/record-payment/	director	Body: {payment_type: advance final other, amount, date, note, payment_method}
GET	tasks/{id}/invoice/	employee	Download PDF invoice

6.4 Assignees

Method	URL	Role	Notes
GET	tasks/{id}/assignees/	employee	List assignees
POST	tasks/{id}/assignees/	employee	Body: {userId, salaryAmount}
PATCH	tasks/{id}/assignees/{userId}/	employee	Body: {salaryAmount, isPaid}
DELETE	tasks/{id}/assignees/{userId}/	employee	Remove assignee
POST	tasks/{id}/assignees/{userId}/mark-done/	employee	Body: {isDone: true}
GET	tasks/{id}/assignees/{userId}/payments/	employee	List payments
POST	tasks/{id}/assignees/{userId}/payments/	employee	Body: {amount, paidAt, note, payment_method} → also creates Finance Transaction
DELETE	tasks/{id}/assignees/{userId}/payments/{payId}/	employee	Also deletes linked finance transaction

Assignee object:

```
{ "id", "userId", "name", "color", "initials",
  "salaryAmount", "isPaid", "paidAt", "isDone", "doneAt",
  "payments": [{id, amount, paidAt, note, payment_method, linkedTransactionId}],
  "totalPaid", "lastPaymentAmount", "lastPaymentAt" }
```

6.5 Comments

Method	URL	Role	Notes
GET	tasks/{id}/comments/	employee	List comments
POST	tasks/{id}/comments/	employee*	Body: {text} — assignees + directors only
PATCH	tasks/{id}/comments/{commentId}/	employee	Body: {text} — own author only
DELETE	tasks/{id}/comments/{commentId}/	employee	Author or director

Comment object:

```
{ "id", "text", "authorId", "authorName", "authorInitials",
  "authorColor", "createdAt",
  "taskStatus": {id, name, color} }
```

6.6 Attachments

Method	URL	Role	Notes
GET	tasks/{id}/attachments/	employee	List
POST	tasks/{id}/attachments/	employee	multipart/form-data — field: file
DELETE	tasks/{id}/attachments/{attachId}/	employee	Delete file

{id, url, name, fileType: 'image'|'video', uploadedAt}

6.7 Stages

Method	URL	Role	Notes
GET	tasks/{id}/stages/	employee	Position-filtered for non-directors
POST	tasks/{id}/stages/	director	Body: {name, description, assigneeId, order, allowedPositionIds:[]}
PATCH	tasks/{id}/stages/{stageId}/	employee	Body: {isDone, name*, order*, assigneeId, allowedPositionIds*} (*director only)
DELETE	tasks/{id}/stages/{stageId}/	director	

Stage object: {id, name, description, isDone, doneAt, order, assigneeId, assigneeName, allowedPositionIds, createdAt}

6.8 Dashboard

GET tasks/dashboard/

```
→ { "total_active_tasks", "overdue_tasks", "upcoming_calls_today",
    "revenue_this_month", "expenses_this_month", "balance_this_month",
    "upcoming_deadlines": [{taskId, name, deadline, assigneeName, priority, statusName}],
    "today_calls": [{id, first_name, last_name, phone}],
    "low_stock_count", "unpaid_assignees_count" }
```

7. FINANCE

7.1 Transactions

Method	URL	Role	Notes
GET	finance/transactions/	director	Filters: direction, category, supplier, task, date_from, date_to; Search: description, receipt_number
POST	finance/transactions/	director	Create
GET	finance/transactions/{id}/	director	
PATCH	finance/transactions/{id}/	director	
DELETE	finance/transactions/{id}/	director	
GET	finance/transactions/summary/	director	Totals by category
GET	finance/transactions/export/	employee	?file_format=xlsx pdf
GET	finance/transactions/{id}/attachments/	director	
POST	finance/transactions/{id}/attachments/	director	multipart file upload
DELETE	finance/transactions/{id}/attachments/{id}/	director	

Transaction object:

```
{ "id", "direction": "in|out", "direction_display",
"category": "salary|payment|payment_advance|payment_final|supplier_payment|...",
"category_display", "custom_category", "custom_category_name",
"amount", "description", "supplier", "task",
"transaction_date", "receipt_number",
"payment_method": "cash|card",
"created_by", "created_at" }
```

POST body:

```
{ "direction"*, "category"*, "custom_category", "amount"*,
"description", "supplier", "task",
"transaction_date"*, "receipt_number", "payment_method" }
```

Summary response:

```
{ "total_in", "total_out", "balance",
"by_category": { "<cat>": { "label", "total_in", "total_out" } } }
```

7.2 Custom Categories

Method	URL	Role	Notes
GET/POST/PATCH/DELETE	finance/categories/	director	{id, name, direction, color, created_at}
GET/PATCH/DELETE	finance/categories/{id}/	director	

7.3 Cash Transfers

Method	URL	Role	Notes
GET	finance/transfers/	director	Filters: direction, date_from, date_to
POST	finance/transfers/	director	
PATCH	finance/transfers/{id}/	director	
DELETE	finance/transfers/{id}/	director	

```
{ "id", "amount", "direction": "cash_to_card|card_to_cash",
"direction_display", "transferDate", "note",
"created_by", "created_by_name", "created_at" }
```

7.4 Recurring Expenses

Method	URL	Role	Notes
GET	finance/recurring/	director	Filters: is_active, category
POST	finance/recurring/	director	
PATCH	finance/recurring/{id}/	director	
DELETE	finance/recurring/{id}/	director	
POST	finance/recurring/generate-now/	director	Manually trigger today's generation

```
{ "id", "name", "amount", "category", "category_display",
"supplier", "supplier_name", "day_of_month",
"is_active", "last_generated", "created_by", "created_at" }
```

8. CLIENTS

Method	URL	Role	Notes
GET/POST/PATCH/DELETE	clients/sources/	employee	{id, name, is_active, created_at}
GET	clients/	employee	Search: first_name, last_name, phone, company_name
POST	clients/	employee	

GET	clients/{id}/	employee	
PATCH	clients/{id}/	employee	
DELETE	clients/{id}/	employee	
POST	clients/{id}/calls/	employee	Body: {note, date}
PATCH	clients/{id}/calls/{callId}/	employee	Body: {is_done: true}
DELETE	clients/{id}/calls/{callId}/	employee	

Client object:

```
{ "id", "client_type": "individual|company",
"first_name", "last_name", "company_name",
"phone", "phone_alt", "email", "address", "notes",
"id_document", "description",
"source": {id, name, is_active, created_at}, "source_id",
"next_call_date", "last_called_at", "created_at",
"calls": [{id, note, date, is_done, created_at}] }
```

9. CUSTOMERS (Leads)

Method	URL	Role	Notes
GET/POST/PATCH/DELETE	customers/sources/	employee	{id, name, is_active, created_at}
GET	customers/	employee	
POST	customers/	employee	
GET	customers/{id}/	employee	
PATCH	customers/{id}/	employee	
DELETE	customers/{id}/	employee	
POST	customers/{id}/convert-to-client/	employee	Body: {first_name, last_name, phone, email, address}
POST	customers/{id}/calls/	employee	Body: {note, date}
DELETE	customers/{id}/calls/{callId}/	employee	

```
{ "id", "client_id", "source": {id, name, ...}, "source_id",
"next_call_date", "last_called_at", "created_at",
"calls": [{id, note, date, created_at}] }
```

10. CATALOG

Method	URL	Role	Notes
GET	catalog/categories/	employee	
POST	catalog/categories/	director	{id, name, description, parent, created_at}
PATCH	catalog/categories/{id}/	director	
DELETE	catalog/categories/{id}/	director	
GET	catalog/products/	employee	Filters: category, is_active; Search: name, sku
POST	catalog/products/	director	
GET	catalog/products/{id}/	employee	
PATCH	catalog/products/{id}/	director	
DELETE	catalog/products/{id}/	director	
POST	catalog/products/{id}/images/	director	multipart: {image, order, is_primary}
DELETE	catalog/products/{id}/images/{imageId}/	director	

PATCH	catalog/products/{id}/images/{imageId}/reorder/	director	Body: {order, is_primary}
--------------	---	----------	---------------------------

Product object:

```
{ "id", "category", "category_name", "name", "sku",
"description", "image", "images": [{id, image, order, is_primary, created_at}],
"price", "cost_price",
"width_cm", "height_cm", "depth_cm", "weight_kg",
"is_active", "created_at" }
```

11. SUPPLIERS

11.1 Suppliers

Method	URL	Role	Notes
GET	suppliers/	employee	Search: name, contact_person
POST	suppliers/	employee	
GET	suppliers/{id}/	employee	
PATCH	suppliers/{id}/	employee	
DELETE	suppliers/{id}/	employee	
GET	suppliers/{id}/balance/	employee	Returns: {total_invoiced, total_paid, balance_owed, invoice_count, unpaid_count}

```
{ "id", "name", "contact_person", "phone", "email",
"address", "notes", "is_active", "created_at" }
```

11.2 Invoices

Method	URL	Role	Notes
GET	suppliers/invoices/	director	Filters: supplier, status=unpaid partial paid
POST	suppliers/invoices/	director	
GET	suppliers/invoices/{id}/	director	
PATCH	suppliers/invoices/{id}/	director	
DELETE	suppliers/invoices/{id}/	director	
POST	suppliers/invoices/{id}/pay/	director	Body: {amount, payment_method, note}
GET	suppliers/invoices/{id}/payments/	director	

```
{ "id", "supplier", "supplier_name", "invoice_number",
"amount", "paid_amount", "balance",
"status": "unpaid|partial|paid", "status_display",
"issue_date", "due_date", "description",
"created_by", "created_at" }
```

11.3 Supplier Debts

Method	URL	Role	Notes
GET	suppliers/debts/	employee	Filters: supplier, status
POST	suppliers/debts/	employee	
PATCH	suppliers/debts/{id}/	employee	
DELETE	suppliers/debts/{id}/	employee	
POST	suppliers/debts/{id}/pay/	employee	Body: {amount, paid_at, note, payment_method}
GET	suppliers/debts/{id}/payments/	employee	

```
{ "id", "supplier", "supplier_name",
"title", "amount", "paid_amount", "balance",
"status", "status_display", "due_date", "notes",
"created_by", "created_at" }
```

12. WAREHOUSE

Method	URL	Role	Notes
GET	warehouse/materials/	employee	Search: name
POST	warehouse/materials/	employee	
GET	warehouse/materials/{id}/	employee	
PATCH	warehouse/materials/{id}/	employee	
DELETE	warehouse/materials/{id}/	employee	
GET	warehouse/materials/low_stock/	employee	Materials at or below min_stock
GET	warehouse/movements/	employee	Filters: material, direction=in out, task
POST	warehouse/movements/	employee	Body: {material, direction, quantity, note, task}
GET	warehouse/movements/{id}/	employee	
PATCH	warehouse/movements/{id}/	employee	
DELETE	warehouse/movements/{id}/	employee	Auto-reverts stock on delete

Material: {id, supplier, name, unit, stock_quantity, min_stock, cost_per_unit, is_low_stock, created_at}

Movement: {id, material, material_name, direction, quantity, note, task, created_by, created_at}

13. ACCESS CONTROL

Method	URL	Role	Notes
GET	access/my-pages/	any	Pages this user can access
GET	access/pages/	employee	All system PageDefinitions
GET	access/company-settings/	director	All pages + enabled status
POST	access/company-settings/	director	Body: {page_slug, enabled: true false}
POST	access/company-settings/bulk/	director	Body: {pages: [{slug, enabled}]}
GET	access/position-settings/	director	All position accesses
GET	access/position-settings/{posId}/	director	Pages for one position
POST	access/position-settings/{posId}/bulk/	director	Body: {pages: [{slug, allowed}]}
DELETE	access/position-settings/{posId}/reset/	director	Clear all accesses for position

PageDefinition: {slug, label, icon, order, is_director_only}

14. CLIENT DEBTS

Method	URL	Role	Notes
GET	debts/clients/	employee	Filters: status=unpaid partial paid, client
POST	debts/clients/	employee	
GET	debts/clients/{id}/	employee	
PATCH	debts/clients/{id}/	employee	
DELETE	debts/clients/{id}/	employee	
POST	debts/clients/{id}/pay/	employee	Body: {amount, paid_at, note, payment_method}
GET	debts/clients/{id}/payments/	employee	
GET	debts/summary/	employee	Combined client + supplier totals

ClientDebt:

```
{ "id", "client", "client_name", "task", "task_id",  
  "title", "amount", "paid_amount", "balance",  
  "status", "status_display", "due_date", "notes",
```

```
"created_by", "created_at" }
```

Debt summary:

```
{ "clients": {total, paid, unpaid},  
  "suppliers": {total, paid, unpaid} }
```

15. NOTIFICATIONS

Method	URL	Role	Notes
GET	notifications/	any	Filters: is_read, event_type, channel
GET	notifications/{id}/	any	
DELETE	notifications/{id}/	any	
POST	notifications/{id}/read/	any	Mark as read
POST	notifications/read_all/	any	Mark all as read
GET	notifications/unread_count/	any	Returns: {unread: 5}
GET	notification-schedules/	director	
POST	notification-schedules/	director	
PATCH	notification-schedules/{id}/	director	
DELETE	notification-schedules/{id}/	director	

Notification:

```
{ "id", "event_type", "channel": "in_app|telegram",  
  "status": "pending|sent|failed",  
  "title", "message", "object_type", "object_id",  
  "scheduled_at", "sent_at", "is_read", "read_at", "created_at" }
```

NotificationSchedule:

```
{ "id", "name", "trigger_event",  
  "offset_value", "offset_unit",  
  "notify_assignees", "notify_reporter",  
  "specific_users", "channels": "in_app,telegram", "is_active" }
```

16. TELEGRAM

Method	URL	Role	Notes
GET	telegram/me/	any	Returns TelegramBinding or {linked: false}
POST	telegram/link/	any	Generate link token → {token, expires_at, link_url}
DELETE	telegram/unlink/	any	Returns {unlinked: true false}

TelegramBinding: {id, telegram_chat_id, telegram_username, is_active, linked_at}

Quick Reference — Query Parameters

Parameter	Endpoint(s)	Values
?status=	tasks/	any TaskStatus id
?priority=	tasks/	high medium low
?section=	tasks/	active archive
?assignee=	tasks/	user id
?client_link=	tasks/	client id
?search=	tasks/, employees/, clients/, suppliers/, catalog/products/, warehouse/materials/	string
?direction=	finance/transactions/, warehouse/movements/, finance/transfers/	in out
?category=	finance/transactions/, finance/recurring/	category value
?date_from= &date_to=	finance/transactions/, finance/transfers/, tasks/salary-report/	YYYY-MM-DD

?supplier=	suppliers/invoices/, suppliers/debts/	supplier id
?status=	suppliers/invoices/, suppliers/debts/, debts/clients/	unpaid partial paid
?material=	warehouse/movements/	material id
?task=	warehouse/movements/, finance/transactions/	task id
?category= &is_active=	catalog/products/	category id, true false
?is_read= &event_type= &channel=	notifications/	true false, string, in_app telegram
?file_format=	finance/transactions/export/	xlsx pdf
?format=	tasks/export/	xlsx pdf