LinksPlatform's Platform.Converters Class Library

./To.cs

```csharp
using System;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public static class To
    {
        public static readonly char UnknownCharacter = '';

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(ulong value) => value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static long Int64(ulong value) => unchecked(value > long.MaxValue ? long.MaxValue
            : (long)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static uint UInt32(ulong value) => unchecked(value > uint.MaxValue ?
            uint.MaxValue : (uint)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static int Int32(ulong value) => unchecked(value > int.MaxValue ? int.MaxValue :
            (int)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ushort UInt16(ulong value) => unchecked(value > ushort.MaxValue ?
            ushort.MaxValue : (ushort)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static short Int16(ulong value) => unchecked(value > (ulong)short.MaxValue ?
            short.MaxValue : (short)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static byte Byte(ulong value) => unchecked(value > byte.MaxValue ? byte.MaxValue
            : (byte)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static sbyte SByte(ulong value) => unchecked(value > (ulong)sbyte.MaxValue ?
            sbyte.MaxValue : (sbyte)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool Boolean(ulong value) => value > 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static char Char(ulong value) => unchecked(value > char.MaxValue ?
            UnknownCharacter : (char)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static DateTime DateTime(ulong value) => unchecked(value > long.MaxValue ?
            System.DateTime.MaxValue : new DateTime((long)value));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TimeSpan TimeSpan(ulong value) => unchecked(value > long.MaxValue ?
            System.TimeSpan.MaxValue : new TimeSpan((long)value));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(long value) => unchecked(value < (long)ulong.MinValue ?
            ulong.MinValue : (ulong)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(int value) => unchecked(value < (int)ulong.MinValue ?
            ulong.MinValue : (ulong)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(short value) => unchecked(value < (short)ulong.MinValue ?
            ulong.MinValue : (ulong)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(sbyte value) => unchecked(value < (sbyte)ulong.MinValue ?
            ulong.MinValue : (ulong)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(bool value) => value ? 1UL : 0UL;
```

```csharp
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong UInt64(char value) => value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static long Signed(ulong value) => unchecked((long)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static int Signed(uint value) => unchecked((int)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static short Signed(ushort value) => unchecked((short)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static sbyte Signed(byte value) => unchecked((sbyte)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static object Signed<T>(T value) => To<T>.Signed(value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong Unsigned(long value) => unchecked((ulong)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static uint Unsigned(int value) => unchecked((uint)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ushort Unsigned(short value) => unchecked((ushort)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static byte Unsigned(sbyte value) => unchecked((byte)value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static object Unsigned<T>(T value) => To<T>.Unsigned(value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static T UnsignedAs<T>(object value) => To<T>.UnsignedAs(value);
    }
}
```

./To[T].cs

```csharp
using System;
using System.Reflection;
using Platform.Exceptions;
using Platform.Reflection;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public static class To<T>
    {
        public static readonly Func<T, object> Signed;
        public static readonly Func<T, object> Unsigned;
        public static readonly Func<object, T> UnsignedAs;

        static To()
        {
            Signed = CompileSignedDelegate();
            Unsigned = CompileUnsignedDelegate();
            UnsignedAs = CompileUnsignedAsDelegate();
        }

        static private Func<T, object> CompileSignedDelegate()
        {
            return DelegateHelpers.Compile<Func<T, object>>(emiter =>
            {
                Ensure.Always.IsUnsignedInteger<T>();
                emiter.LoadArgument(0);
                var method = typeof(To).GetTypeInfo().GetMethod("Signed", Types<T>.Array);
                emiter.Call(method);
                emiter.Box(method.ReturnType);
                emiter.Return();
            });
        }

        static private Func<T, object> CompileUnsignedDelegate()
        {
            return DelegateHelpers.Compile<Func<T, object>>(emiter =>
            {
                Ensure.Always.IsSignedInteger<T>();
                emiter.LoadArgument(0);
```

```
42              var method = typeof(To).GetTypeInfo().GetMethod("Unsigned", Types<T>.Array);
43              emiter.Call(method);
44              emiter.Box(method.ReturnType);
45              emiter.Return();
46          });
47      }
48
49      static private Func<object, T> CompileUnsignedAsDelegate()
50      {
51          return DelegateHelpers.Compile<Func<object, T>>(emiter =>
52          {
53              Ensure.Always.IsUnsignedInteger<T>();
54              emiter.LoadArgument(0);
55              var signedVersion = NumericType<T>.SignedVersion;
56              emiter.UnboxValue(signedVersion);
57              var method = typeof(To).GetTypeInfo().GetMethod("Unsigned", new[] {
     ↪   signedVersion });
58              emiter.Call(method);
59              emiter.Return();
60          });
61      }
62  }
63 }
```

Index