# LinksPlatform's Platform.Converters Class Library

## 1.1 ./Platform.Converters/CachingConverterDecorator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public class CachingConverterDecorator<TSource, TTarget> : IConverter<TSource, TTarget>
    {
        private readonly IConverter<TSource, TTarget> _baseConverter;
        private readonly IDictionary<TSource, TTarget> _cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachingConverterDecorator(IConverter<TSource, TTarget> baseConverter,
        ↪  IDictionary<TSource, TTarget> cache) => (_baseConverter, _cache) = (baseConverter,
        ↪  cache);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachingConverterDecorator(IConverter<TSource, TTarget> baseConverter) :
        ↪  this(baseConverter, new Dictionary<TSource, TTarget>()) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TTarget Convert(TSource source) => _cache.GetOrAdd(source,
        ↪  _baseConverter.Convert);
    }
}
```

## 1.2 ./Platform.Converters/CheckedConverter.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Reflection;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public abstract class CheckedConverter<TSource, TTarget> : ConverterBase<TSource, TTarget>
    {
        public static CheckedConverter<TSource, TTarget> Default
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        } = CompileCheckedConverter();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static CheckedConverter<TSource, TTarget> CompileCheckedConverter()
        {
            var type = CreateTypeInheritedFrom<CheckedConverter<TSource, TTarget>>();
            EmitConvertMethod(type, il => il.CheckedConvert<TSource, TTarget>());
            return (CheckedConverter<TSource,
            ↪  TTarget>)Activator.CreateInstance(type.CreateTypeInfo());
        }
    }
}
```

## 1.3 ./Platform.Converters/ConverterBase.cs

```
using System;
using System.Reflection;
using System.Reflection.Emit;
using System.Runtime.CompilerServices;
using Platform.Reflection;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public abstract class ConverterBase<TSource, TTarget> : IConverter<TSource, TTarget>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public abstract TTarget Convert(TSource source);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected static void ConvertAndUnbox(ILGenerator il)
        {
            var typeContainer =
            ↪  typeof(NumericType<TTarget>).GetField(nameof(NumericType<TTarget>.Type),
            ↪  BindingFlags.Static | BindingFlags.Public);
```

```
            il.Emit(OpCodes.Ldsfld, typeContainer);
            il.Call(typeof(Convert).GetMethod(nameof(System.Convert.ChangeType), Types<object, Type>.Array));
            il.UnboxValue(typeof(TTarget));
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected static string GetNewName() => Guid.NewGuid().ToString("N");

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected static TypeBuilder CreateTypeInheritedFrom<TBaseClass>()
        {
            var assemblyName = new AssemblyName(GetNewName());
            var assembly = AssemblyBuilder.DefineDynamicAssembly(assemblyName, AssemblyBuilderAccess.Run);
            var module = assembly.DefineDynamicModule(GetNewName());
            var type = module.DefineType(GetNewName(), TypeAttributes.Public | TypeAttributes.Class | TypeAttributes.Sealed, typeof(TBaseClass));
            return type;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected static void EmitConvertMethod(TypeBuilder typeBuilder, Action<ILGenerator> emitConversion)
        {
            typeBuilder.EmitFinalVirtualMethod<Converter<TSource, TTarget>>(nameof(IConverter<TSource, TTarget>.Convert), il =>
            {
                il.LoadArgument(1);
                if (typeof(TSource) == typeof(object) && typeof(TTarget) != typeof(object))
                {
                    ConvertAndUnbox(il);
                }
                else if (typeof(TSource) != typeof(object) && typeof(TTarget) == typeof(object))
                {
                    il.Box(typeof(TSource));
                }
                else
                {
                    emitConversion(il);
                }
                il.Return();
            });
        }
    }
}
```

## 1.4 ./Platform.Converters/IConverter[TSource, TTarget].cs

```
namespace Platform.Converters
{
    /// <summary>
    /// <para>Defines a converter between two types (TSource and TTarget).</para>
    /// <para>Определяет конвертер между двумя типами (исходным TSource и целевым TTarget).</para>
    /// </summary>
    /// <typeparam name="TSource"><para>Source type of conversion.</para><para>Исходный тип конверсии.</para></typeparam>
    /// <typeparam name="TTarget"><para>Target type of conversion.</para><para>Целевой тип конверсии.</para></typeparam>
    public interface IConverter<in TSource, out TTarget>
    {
        /// <summary>
        /// <para>Converts the value of the source type (TSource) to the value of the target type.</para>
        /// <para>Конвертирует значение исходного типа (TSource) в значение целевого типа.</para>
        /// </summary>
        /// <param name="source"><para>The source type value (TSource).</para><para>Значение исходного типа (TSource).</para></param>
        /// <returns><para>The value is converted to the target type (TTarget).</para><para>Значение ковертированное в целевой тип (TTarget).</para></returns>
        TTarget Convert(TSource source);
    }
}
```

## 1.5 ./Platform.Converters/IConverter[T].cs

```
namespace Platform.Converters
{
```

```
    /// <summary>
    /// <para>Defines a converter between two values of the same type.</para>
    /// <para>Определяет конвертер между двумя значениями одного типа.</para>
    /// </summary>
    /// <typeparam name="T"><para>Type of value to convert.</para><para>Тип преобразуемого
    ↪ значения.</para></typeparam>
    public interface IConverter<T> : IConverter<T, T>
    {
    }
}
```

## 1.6 ./Platform.Converters/UncheckedConverter.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Reflection;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public abstract class UncheckedConverter<TSource, TTarget> : ConverterBase<TSource, TTarget>
    {
        public static UncheckedConverter<TSource, TTarget> Default
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        } = CompileUncheckedConverter();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static UncheckedConverter<TSource, TTarget> CompileUncheckedConverter()
        {
            var type = CreateTypeInheritedFrom<UncheckedConverter<TSource, TTarget>>();
            EmitConvertMethod(type, il => il.UncheckedConvert<TSource, TTarget>());
            return (UncheckedConverter<TSource,
            ↪ TTarget>)Activator.CreateInstance(type.CreateTypeInfo());
        }
    }
}
```

## 1.7 ./Platform.Converters/UncheckedSignExtendingConverter.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Reflection;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Converters
{
    public abstract class UncheckedSignExtendingConverter<TSource, TTarget> :
    ↪ ConverterBase<TSource, TTarget>
    {
        public static UncheckedSignExtendingConverter<TSource, TTarget> Default
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        } = CompileUncheckedConverter();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static UncheckedSignExtendingConverter<TSource, TTarget>
        ↪ CompileUncheckedConverter()
        {
            var type = CreateTypeInheritedFrom<UncheckedSignExtendingConverter<TSource,
            ↪ TTarget>>();
            EmitConvertMethod(type, il => il.UncheckedConvert<TSource, TTarget>(extendSign:
            ↪ true));
            return (UncheckedSignExtendingConverter<TSource,
            ↪ TTarget>)Activator.CreateInstance(type.CreateTypeInfo());
        }
    }
}
```

## 1.8 ./Platform.Converters.Tests/ConverterTests.cs

```
using Xunit;

namespace Platform.Converters.Tests
{
    public class ConverterTests
    {
        [Fact]
```

```
        public void SameTypeTest()
        {
            var result = UncheckedConverter<ulong, ulong>.Default.Convert(2UL);
            Assert.Equal(2UL, result);
            result = CheckedConverter<ulong, ulong>.Default.Convert(2UL);
            Assert.Equal(2UL, result);
        }

        [Fact]
        public void Int32ToUInt64Test()
        {
            var result = UncheckedConverter<int, ulong>.Default.Convert(2);
            Assert.Equal(2UL, result);
            result = CheckedConverter<int, ulong>.Default.Convert(2);
            Assert.Equal(2UL, result);
        }

        [Fact]
        public void SignExtensionTest()
        {
            var result = UncheckedSignExtendingConverter<byte, long>.Default.Convert(128);
            Assert.Equal(-128L, result);
            result = UncheckedConverter<byte, long>.Default.Convert(128);
            Assert.Equal(128L, result);
        }
    }
}
```

## Index