1

Assignment 3

ADEPU VASISHT

GATE 2019 Q.No 27

The function $p\left(x\right)$ is given by $p\left(x\right)=\frac{A}{x^{\mu}}$ where A and μ are constants with $\mu>1$ and $1\leq x<\infty$ and $p\left(x\right)=0$ for $-\infty< x<1$. For $p\left(x\right)$ to be a probability distribution function, the value of A should be equal to?

- (A) $\mu-1$
- (*B*) $\mu + 1$
- $(C) \quad \frac{1}{\mu 1}$
- $(D) \quad \frac{1}{\mu+1}$

SOLUTION

Given function p(x) is given by

$$p(x) = \begin{cases} 0 & \text{if } -\infty < x < 1 \\ \frac{A}{x^{\mu}} & \text{if } 1 \le x < \infty \end{cases}$$

For any function g(x) to be a probability distribution function the following conditions has to be to be satisfied.

- (1) q(x) > 0
- (2) $\int_{-\infty}^{\infty} g(x) dx = 1$

Since $p(x) = \frac{A}{x^{\mu}}$ for $x \ge 1$ we need A > 0 for the 1st condition to be satisfied.

Now we calculate the definite integral for the second condition

$$\int_{-\infty}^{\infty} p(x) dx = \int_{-\infty}^{1} p(x) dx + \int_{1}^{\infty} p(x) dx \qquad (1)$$

$$= 0 + \int_{1}^{\infty} \frac{A}{x^{\mu}} dx \quad (\because p(x) = 0 \text{ in } (-\infty, 1))$$
(2)

$$= \left[\frac{-A}{(\mu - 1) x^{\mu - 1}}\right]_{1}^{\infty} \quad (\because \mu > 1)$$
(3)

$$=0+\frac{A}{\mu-1} \quad (:: \mu > 1)$$
 (4)

$$\int_{-\infty}^{\infty} p(x) = \frac{A}{\mu - 1} \tag{5}$$

From (2) the above equality should also be equal to 1.

$$\frac{A}{\mu - 1} = 1\tag{6}$$

$$\implies A = \mu - 1$$

Hence option (A) is the correct answer.

GRAPHS USING PYTHON

Using matplotlib in python we plot graphs of pdf by taking various values of μ the resulting graph looks something like this

