Test Run Report




Test Run Overview

Started 03 Jan 2019, 18:45:56 Ended 03 Jan 2019, 18:58:13

Duration (mm:ss) 12:17.020

Test Results Summary

Passed 0 Failed 1 Skipped 0



Test Case Summary

Config

□ C1409_C1410-

🔞 failed

Same Activity Can Be Re Used On Different SRType Versions Of The Same SRType. test case

failed

The control was not found. Locator: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Version Code')]/following-sibling::td[1] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]//div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Version Code')]/following-sibling::td[1])

C1409_C1410-

SameActivityCanBeReUsedOnDifferentSRTypeVersionsOfTheSameSRType.testcase

Summary

Started 03 Jan 2019, 18:45:56 Ended 03 Jan 2019, 18:58:13

Output


	nput			
8	Part 1	18:45:56(00:00.035)		
	Salesforce Connect: QA (GroupStep)	0 18:45:56(00:00.064)		
	Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: GroupStep			
	Call CreateSRT	18:46:02(00:05.648)		
	CreateSRT.testcase	0 18:46:02(00:05.649)		
	Salesforce Connect: Internal311Qa (Test)	0 18:46:02(00:05.649)		
	Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa,	resultScope: Test		
	Set Values: uniqueAlpha	18:46:05(00:08.584)		
	On SF Service Type New screen	① 18:46:05(00:08.594)		
	Set the Service Name field to : MTEVV	0 18:46:23(00:27.314)		
	Set the Service Type Code field to : MTEVV	0 18:46:24(00:27.701)		
	Set the Service Description field to : MTEVV	0 18:46:24(00:27.990)		
	Set the External Name field to : MTEVV	• 18:46:24(00:28.237)		
	Set the External Description field to : MTEVV	18:46:25(00:28.498)		
	Set the Contact Status picklist to Available	① 18:46:25(00:28.796)		
	If: {LocationRequiredFlag = "y"}	0 18:46:25(00:29.035)		
	Then	18:46:25(00:29.037)		
	Check the Service Location Required field	① 18:46:25(00:29.037)		
	Click the Save button	0 18:46:25(00:29.233)		
	Storing created Salesforce Object ID. Result Name: incap311_Service_Type_cld, created ID: a0hf200000jE7G incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7GY	Y, location: https://		
	On SF Service Type View screen	18:46:29(00:33.172)		
	UI Assert	0 18:46:30(00:33.465)		
	Set Values: SRTName Salesforce Connection closed successfully. Name: Internal311Qa	0 18:46:32(00:35.812)		
	Call FillSRTV	18:46:41(00:44.920)		
	☑ FillSRTV.testcase	① 18:46:41(00:44.921)		
	Salesforce Connect: Internal311Qa (Test)	① 18:46:41(00:44.921)		
	Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa,	, ,		
	On SF Service Type Version New screen	18:46:44(00:48.246)		
	Set the Version Code field to {SRTName}_V{Version}	① 18:47:01(01:04.499)		
	Set the Version Name field to {SRTName} V{Version}	① 18:47:01(01:04.868)		
	Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Versioncld, created ID: null, local incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	ation: https://		
	On SRTV page	18:47:05(01:09.344)		
	Set the Version Number to : 1	18:47:06(01:09.396)		
	On SF Service Type Version New screen	① 18:47:08(01:11.873)		
	Set the Service Type reference to : SRT-00000985	18:47:08(01:11.907)		
	Lookup the Service Type reference	① 18:47:08(01:12.200)		
	On SF Service Type Lookup screen	0 18:47:35(01:38.447)		
	Click the Service Type Id button	0 18:47:35(01:38.568)		
	•			

The row locator matched 1 row.


_	
Set the Service Name field to : SRT-00000985	0 18:47:59(02:02.970)
Set the Start Date field to : 11/28/2017	0 18:47:59(02:03.338)
Set the Stop Date field to: 11/28/2099	0 18:48:00(02:03.721)
Set the Default Priority picklist to: Standard	0 18:48:00(02:04.048)
Set the Default Method picklist to : Phone	0 18:48:00(02:04.315)
Set the Default Status picklist to : Open	0 18:48:01(02:04.504)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	① 18:48:01(02:04.822)
Set the Duplicate Threshold Period (days) field to : 10	0 18:48:01(02:05.028)
Set the Duplicate Radius (feet) field to : 10	① 18:48:01(02:05.240)
Set the Duplicate Detection Method picklist to: Standard	① 18:48:02(02:05.410)
Set the SLA Type picklist to: Business Days	① 18:48:02(02:05.612)
Set the SLA field to: 10	18:48:02(02:05.800)
On SF Service Type Version New screen	0 18:48:02(02:05.969)
Click the Save button	① 18:48:02(02:06.012)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0	· · · · · · · · · · · · · · · · · · ·
location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkx5s	g,
On SF Service Type Version View screen	0 18:48:06(02:10.120)
UI Assert	0 18:48:06(02:10.366)
Set Values: SRTVName	0 18:48:09(02:12.652)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0gf200https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkx5s	0000Bkx5s, location:
Salesforce Connection closed successfully. Name: Internal311Qa	
♠ Call SaveSRTV	18:48:18(02:21.846)
Call CreateActivity	① 18:48:18(02:21.846)
CreateActivity.testcase	18:48:18(02:21.846)
Salesforce Connect: QA (Test)	0 18:48:18(02:21.846)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScop	, ,
Set Values: uniqueAlpha	0 18:48:21(02:24.981)
© Create Activity	18:48:21(02:24.985)
On SF Activity New screen	18:48:21(02:24.987)
Set the Activity Code field to test	18:48:37(02:41.134)
Set the Activity Code field to df	© 18:48:37(02:41.370)
_	•
Set the Activity Code field to : NAYPU	0 18:48:38(02:41.505)
Set the Activity Name field to : NAYPU	0 18:48:38(02:41.654)
Click the Save button	0 18:48:38(02:41.836)
Storing created Salesforce Object ID. Result Name: incap311_Activity_cld, created ID: a07f200000RfwSe incapsulate311-sat-dev-ed.my.salesforce.com/a07f200000RfwSe	e, location: https://
On SF Activity View screen	0 18:48:42(02:45.654)
UI Assert	0 18:48:42(02:45.717)
Set Values: ActivityName	0 18:48:42(02:46.065)
Salesforce Connection closed successfully. Name: QA	
Call CreateOutcome	0 18:48:51(02:54.637)
CreateOutcome.testcase	0 18:48:51(02:54.637)
Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa.	18:48:51(02:54.637)resultScope: Test
Set Values: uniqueAlpha	• 18:48:56(02:59.719)
© CreateOutcome	18:48:56(02:59.724)
On SF Outcome New screen	18:48:56(02:59.725)
Set the Outcome Code field to : NCXZW	© 18:49:11(03:15.211)
Set the Outcome Detail field to : NCXZW	① 18:49:12(03:15.467)
Click the Save button Storing created Salesforce Object ID. Result Name: incap311_Outcome_cld, created ID: a0Nf200000BpS	① 18:49:12(03:15.707)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Nf200000BpS4f	-π, ιουαιίση. πιφ <i>5.//</i>

On SF Outcome View screen	0 18:49:16(03:19.376)
UI Assert	0 18:49:16(03:19.454)
Set Values: OutcomeName Salesforce Connection closed successfully. Name: Internal311Qa	① 18:49:16(03:19.701)
Call CreateServiceTypeVersionActivityToNonCurrentVersion	① 18:49:24(03:28.136)
CreateServiceTypeVersionActivityToNonCurrentVersion.testcase	0 18:49:24(03:28.136)
Salesforce Connect: Internal311Qa (Test)	0 18:49:24(03:28.136)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa,	resultScope: Test
Set Values: uniqueAlpha	0 18:49:29(03:32.591)
SOQL Query: select Id from Incap311Service_Typec where Incap311Service_Namec = '{SRName}'=>SRTId	0 18:49:29(03:32.596)
SOQL Query: select Id from Incap311Service_Type_Versionc where	
Incap311Service_Typec = '{SRTId.Id}' and	0 18:49:29(03:33.325)
Incap311Version_Numberc = {SRTVVersion}=>SRTVId	
Edit Service Type Version Activity	0 18:49:30(03:34.181)
On SF Service Type Version View screen	0 18:49:30(03:34.183)
Click the Service Type Version Activities New button	0 18:49:46(03:50.344)
On SF Service Type Version Activity New screen	0 18:49:49(03:53.346)
Set the Order field to: 1	• 18:49:50(03:53.403)
Set the Activity reference to : ACT-00000144	0 18:49:50(03:53.586)
Lookup the Activity reference	0 18:49:50(03:53.982)
On SF Activity Lookup screen	0 18:49:50(03:54.178)
Check the Search All Fields radio	① 18:49:57(04:00.431)
6 Click the Go! button	0 18:49:57(04:00.431)
Click the Activity Id button	0 18:49:57(04:00.431)
The row locator matched 1 row.	
Click the Save button	0 18:50:00(04:03.668)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Version_Activitycld, created ID: a0gf200000Bkx5sAAB, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkx5sAAI newid=a0df200000Po2qR	d 3?
Salesforce Connection closed successfully. Name: Internal311Qa	
Call CreateActivityOutcomeToNonCurrentVersion	0 18:50:10(04:14.092)
CreateActivityOutcomeToNonCurrentVersion.testcase	0 18:50:10(04:14.092)
Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa,	18:50:10(04:14.092)resultScope: Test
Set Values: uniqueAlpha	① 18:50:13(04:17.135)
_	
SOUL OHERV SELECTION INCANTIL SERVICE LVDE C	
SOQL Query: select Id from Incap311Service_Typec where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from	© 18:50:13(04:17.141)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and	18:50:13(04:17.141)18:50:14(04:17.885)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId	
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity	© 18:50:14(04:17.885)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex}	0 18:50:14(04:17.885)0 18:50:15(04:18.619)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row.	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763) 18:50:37(04:40.619)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen Click the Activity Outcomes New button	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763) 18:50:37(04:40.619)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Version_c where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen Click the Activity Outcomes New button On SF Activity Outcome New screen	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763) 18:50:37(04:40.619) 18:50:39(04:42.843)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Version_c where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Number_c = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen Click the Activity Outcomes New button On SF Activity Outcome New screen Set the Activity Outcome Name field to: NHINL	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763) 18:50:37(04:40.619) 18:50:39(04:42.843) 18:50:39(04:42.962)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Versionc where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Numberc = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen Click the Activity Outcomes New button On SF Activity Outcome New screen Set the Activity Outcome Name field to: NHINL Set the Activity reference to: ACT-00000144	© 18:50:14(04:17.885) © 18:50:15(04:18.619) © 18:50:15(04:18.621) © 18:50:31(04:34.763) © 18:50:37(04:40.619) © 18:50:39(04:42.843) © 18:50:39(04:42.962) © 18:50:41(04:45.126)
where Incap311Service_Namec = '{SRName}'=>SRTId SOQL Query: select Id from Incap311Service_Type_Version_c where Incap311Service_Typec = '{SRTId.Id}' and Incap311Version_Number_c = {SRTVVersion}=>SRTVId Edit Service Type Version Activity On SF Service Type Version View screen With Incap311Service_Type_Version_Activitiesr rows {ActivityIndex} The row locator matched 1 row. Click the Service Type Version Activity Id field On SF Service Type Version Activity View screen Click the Activity Outcomes New button On SF Activity Outcome New screen Set the Activity Outcome Name field to: NHINL	 18:50:14(04:17.885) 18:50:15(04:18.619) 18:50:15(04:18.621) 18:50:31(04:34.763) 18:50:37(04:40.619) 18:50:39(04:42.843) 18:50:39(04:42.962) 18:50:41(04:45.126) 18:50:41(04:45.186)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3




https://incapsulate311-sat-dev-ed.my.salesforce.com/a05f200000oKYOZ



UI Assert


0 18:51:22(05:25.801



Before Screenshot : 2019/01/03 18:51:22

Before Screenshot : 2019/01/03 18:51:25

0 18:51:28(05:32.273)



After Screenshot : 2019/01/03 18:51:29

Set Values: SRTVAName Salesforce Connection closed successfully. Name: Internal311Qa	18:51:32(05:35.742)	
Set Values: FirstSRTVName		
Call MakeSRTVCurrentVersion	① 18:51:40(05:44.346)	
MakeSRTVCurrentVersion.testcase	0 18:51:40(05:44.346)	
Salesforce Connect: Internal311Qa (Test)	0 18:51:40(05:44.347)	
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa,	resultScope: Test	
SOQL Query: select ld from		
Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	① 18:51:44(05:47.464)	
On SF Service Type Version View screen	0 18:51:44(05:48.286)	
Activate inline edit the Is Draft field	0 18:52:00(06:03.510)	
Uncheck the Is Draft field	0 18:52:11(06:14.825)	
Click the SaveEdit button	0 18:52:23(06:26.956)	
Click the Make Version Current button	0 18:52:43(06:47.080)	
Handle UI Alerts	① 18:52:44(06:48.002)	
Handle UI Alerts	① 18:52:48(06:52.186)	
Salesforce Connection closed successfully. Name: Internal311Qa		
CreateSR	18:53:02(07:05.955)	
Set Values: FirstName	0 18:53:02(07:05.959)	
Set Values: LastName	① 18:53:02(07:05.970)	
Set Values: Email	① 18:53:02(07:05.998)	
Set Values: Phone	① 18:53:02(07:06.017)	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan	18:53:02(07:06.029)	
On SF Cases tab (Code Compliance Administration)	0 18:53:36(07:39.409)	
Click the New Case button	0 18:53:50(07:53.412)	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan	18:53:52(07:55.634)	
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 2.926	0 18:53:59(08:03.009)	
Background activity wait successful. Actual duration(seconds): 7.917		
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	© 18:54:13(08:16.640)	
Set the Text Box_search Service Type field to {StringReplace(SRTName, "SRT-", "")} Background activity wait successful. Actual duration(seconds): 0.263	() 18:54:13(08:17.009)	
, ,		
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	0 18:54:17(08:20.694)	
Click the Button_ Select SR Type field Background activity wait successful. Actual duration(seconds): 0.275	© 18:54:17(08:20.945)	
Background activity wait successful. Actual duration(seconds): 0.785		
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	18:54:21(08:24.727)	
Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.255	0 18:54:21(08:24.880)	
Background activity wait successful. Actual duration(seconds): 0.906		
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Service Type Tab_ Contact Info	① 18:54:25(08:28.394)	
Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	① 18:54:25(08:28.533)	
Click the Location Pop Up Icon Back field	① 18:54:35(08:38.535)	
Sleep for (5) seconds	© 18:54:35(08:38.833)	
Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	, ,	
Set the Search For A Location field to 943 Young St	① 18:54:40(08:43.836)	

Ø	Sleep for {5} seconds Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	① 18:54:40(08:44.343)
	Click the Boston St button	0 18:54:45(08:49.346)
_	Sleep for {5} seconds	0 18:54:46(08:49.642)
	Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	
	UI Assert	0 18:54:51(08:54.646)
	If: {Values.fields.DuplicatePopUpBoxShown.visible = true}	0 18:55:01(09:04.846)
On	SF Incap311SCAgentConsole page with pageobject Incap c Agent Console_ Narayan_ Contact Information Tab	() 18:55:03(09:06.880)
_	Click the Contact Information Tab Link button Background activity wait successful. Actual duration(seconds): 0.261	0 18:55:03(09:07.104)
	Background activity wait successful. Actual duration(seconds): 1.010	
	SF Incap311SCAgentConsole page with pageobject Incap c Agent Console_ Aadil_ Service Type Tab_ Contact Info	18:55:07(09:10.748)
	SF Incap311SCAgentConsole page with pageobject Incap c Agent Console_ Aadil_ Service Type Tab_ Contact Info	() 18:55:07(09:10.748)
	Set the Search Contact field to Test vasu	18:55:07(09:10.912)
	Click the Search Contact Results field	0 18:55:08(09:11.387)
	SF Incap311SCAgentConsole page with pageobject Incap c Agent Console_ Narayan_ Details Tab	© 18:55:11(09:14.785)
②	Click the Link_ Details button Background activity wait successful. Actual duration(seconds): 0.253	0 18:55:11(09:14.952)
	Background activity wait successful. Actual duration(seconds): 1.269	
A	With Condition Picklist rows {PicklistValue = "Rings"}	① 18:55:13(09:16.788)
	Call the OperateOnElement method	① 18:55:13(09:16.788)
	Call the OperateOnElement method	① 18:55:13(09:16.788)
	Call the OperateOnElement method	0 18:55:13(09:16.788)
On	SF Incap311SCAgentConsole page with pageobject Incap C Agent Console_ Aadil_ Service Type Tab_ Case Submi	① 18:55:15(09:18.888)
	Click the Submit 1 button	0 18:55:15(09:19.038)
On	SF Service Request View screen	0 18:55:17(09:21.335)
	Sleep for {5} seconds	0 18:55:23(09:27.114)
	Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	
	UI Assert	0 18:55:28(09:32.116)
	UI Assert	0 18:55:29(09:32.653)
	UI Assert	0 18:55:29(09:33.181)
②	With Incap311Service_Activitiesr rows {1} The row locator matched 1 row.	0 18:55:30(09:33.610)
	UI Assert	0 18:55:35(09:38.716)
	Assert: {SRTVAName} EqualTo {SRTVAName}	0 18:55:35(09:38.850)
	UI Assert	0 18:55:35(09:38.885)
A	Assert:	
	alues.fields.Incap311Service_Request_Numberc.value} ontains 18-	0 18:55:36(09:39.387)
Call Fi	IISRTV	0 18:55:38(09:41.430)
-	SRTV.testcase	0 18:55:38(09:41.430)
②	Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, I	18:55:38(09:41.430) resultScope: Test
8	On SF Service Type Version New screen	0 18:55:41(09:44.698)
	Set the Version Code field to {SRTName}_V{Version}	© 18:56:05(10:08.800)

Error Screenshot

8

The control was not found. Locator: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Version Code')]/ following-sibling::td[1] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]// div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Version Code')]/following-sibling::td[1])

Set the Version Name field to {SRTName} V{Version} Output Description:	18:56:18(10:21.895)
One or more Sub-Test Steps failed. Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID:	null, location: https://
incapsulate311-sat-dev-ed.lightning.force.com/lightning/_classic/%2Fa0g%2Fe	
♠ On SRTV page	0 18:56:22(10:26.011)
On SF Service Type Version New screen	0 18:56:22(10:26.011)
Salesforce Connection closed successfully. Name: Internal311Qa	
Call SaveSRTV	0 18:56:30(10:34.327)
Call CreateServiceTypeVersionActivityToNonCurrentVersion	0 18:56:30(10:34.327)
Call CreateActivityOutcomeToNonCurrentVersion	0 18:56:30(10:34.327)
Set Values: SecondSRTVName	0 18:56:30(10:34.327)
Call MakeSRTVCurrentVersion	0 18:56:30(10:34.327)
Salesforce Connection closed successfully. Name: QA	
♠ CreateSR	0 18:56:37(10:41.303)
Finally: CleanUp	0 18:56:37(10:41.303)
Call DeleteOutcome	0 18:56:37(10:41.308)
DeleteOutcome.testcase	0 18:56:37(10:41.308)
Set Values: OutcomeName	0 18:56:37(10:41.308)
Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal	0 18:56:37(10:41.315)311Qa, resultScope: Test
SOQL Query: select Id from Incap311_Outcome_c where Name = '{OutcomeName}'=>OutcomeId	① 18:56:41(10:44.544)
DeleteOutcome	0 18:56:41(10:45.276)
On SF Outcome View screen	0 18:56:41(10:45.279)
Click the Delete button	0 18:56:58(11:01.378)
On SRDetailsPage page	0 18:57:00(11:03.569)
Handle UI Alerts	0 18:57:00(11:03.630)
Sleep for {10} seconds	0 18:57:06(11:10.017)
Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	
Salesforce Connection closed successfully. Name: Internal311Qa	
Call DeleteActivity	0 18:57:27(11:30.383)
DeleteActivity.testcase	0 18:57:27(11:30.384)
Salesforce Connect: Internal311Qa (Test)	0 18:57:27(11:30.384)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal	311Qa, resultScope: Test
SOQL Query: select Id from Incap311Activityc where Name = '{ActivityName}'=>ActivityId	0 18:57:30(11:34.111)
DeleteActivity	0 18:57:31(11:34.846)
On SF Activity View screen	0 18:57:31(11:34.850)
Click the Delete button	0 18:57:46(11:49.850)
On SRDetailsPage page	0 18:57:48(11:52.110)
Handle UI Alerts	0 18:57:48(11:52.223)
Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	18:57:54(11:58.094)

Salesforce Connection closed successfully. Name: Internal311Qa