Test Run Report




Test Run Overview

Started 04 Jan 2019, 12:53:15 **Ended** 04 Jan 2019, 13:35:15

Duration (mm:ss) 41:59.963

Test Results Summary



Test Case Summary

Schedule

failed

C2511 - Can create SR with schedules verify that schedule is created on SR details and capacity is reduced by one in config-schedule.testcase

successful

C2528 - If multiple schedules are defined user would be able to see multiple buttons, create sr with schedule which is a distant one2.testcase

failed

Error doing interaction. Connection Name: SAT_Dev_Admin_311, cause: [NoSuchElementException: No elements matched the field locator. Field name: selectScheduleDate For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-FH6FHVE', ip: 10.0.0.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]

C2529 - if the capacity monthly is hit user is not able to create sr schedule on console should not be seen.testcase

successful

If schedule is not defined, user would not see the buttons.testcase

successful

If the item is specified within limit then sr is saved.testcase

successful

If the item limit specified is less specified - error message is shown.testcase

failed

Failed to switch focus to the enclosing frame. Frame Selector: resultsFrame

C2511 - Can create SR with schedules verify that schedule is created on SR details and capacity is reduced by one in config-schedule.testcase

Summary

Started 04 Jan 2019, 12:53:15 Ended 04 Jan 2019, 12:59:32

Duration (mm:ss) 06:17.117
Outcome successful

Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope	© 12:53:15(00:00.016) e: Test
Set Values: SetCountSchedule	0 12:53:19(00:03.977)
Set Values: uniqueNumeric3	0 12:53:19(00:03.983)
Set Values: uniqueNumeric4	0 12:53:19(00:03.991)
Set Values: uniqueAlpha	① 12:53:19(00:03.997)
Call CreateSRT	0 12:53:19(00:04.013)
CreateSRT.testcase	① 12:53:19(00:04.014)
Salesforce Connect: Internal311Qa (Test)	0 12:53:19(00:04.015)
Set Values: uniqueAlpha	0 12:53:19(00:04.033)
On SF Service Type New screen	0 12:53:19(00:04.042)
Set the Service Name field to : ZMTSF	0 12:53:37(00:21.886)
Set the Service Type Code field to : ZMTSF	0 12:53:37(00:22.159)
Set the Service Description field to : ZMTSF	0 12:53:38(00:22.360)
Set the External Name field to : ZMTSF	0 12:53:38(00:22.575)
Set the External Description field to: ZMTSF	0 12:53:38(00:22.804)
Set the Contact Status picklist to Available	0 12:53:38(00:23.013)
If: {LocationRequiredFlag = "y"}	0 12:53:39(00:23.241)
Click the Save button	0 12:53:39(00:23.243)
Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf200000jE7Kk, incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7Kk	location: https://
On SF Service Type View screen	0 12:53:44(00:28.338)
UI Assert	0 12:53:44(00:28.583)
Set Values: SRTName	0 12:53:46(00:30.863)
Set Values: SRTName	0 12:53:46(00:30.866)
Call FillSRTV	0 12:53:46(00:30.870)
FillSRTV.testcase	0 12:53:46(00:30.870)
Salesforce Connect: Internal311Qa (Test)	0 12:53:46(00:30.870)
On SF Service Type Version New screen	0 12:53:46(00:30.875)
Set the Version Code field to {SRTName}_V{Version}	0 12:53:52(00:36.864)
Set the Version Name field to {SRTName} V{Version}	0 12:53:52(00:37.126)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, locati incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	on: https://
On SRTV page	0 12:53:57(00:41.506)
Set the Version Number to : 1	0 12:53:57(00:41.558)
On SF Service Type Version New screen	0 12:53:59(00:43.987)
Set the Service Type reference to: SRT-00001001	0 12:53:59(00:44.020)
Lookup the Service Type reference	0 12:54:00(00:44.254)
On SF Service Type Lookup screen	0 12:54:26(01:10.470)
Click the Service Type Id button The row locator matched 1 row.	0 12:54:26(01:10.579)

Set the Service Name field to : SRT-00001001	① 12:54:50(01:34.848)
Set the Start Date field to : 11/28/2017	① 12:54:50(01:35.067)
Set the Stop Date field to: 11/28/2099	0 12:54:51(01:35.301)
Set the Default Priority picklist to: Standard	0 12:54:51(01:35.512)
Set the Default Method picklist to : Phone	0 12:54:51(01:35.767)
Set the Default Status picklist to : Open	0 12:54:51(01:35.958)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	0 12:54:52(01:36.284)
Set the Duplicate Threshold Period (days) field to: 10	0 12:54:52(01:36.445)
Set the Duplicate Radius (feet) field to : 10	0 12:54:52(01:36.616)
Set the Duplicate Detection Method picklist to : Standard	① 12:54:52(01:36.784)
Set the SLA Type picklist to : Business Days	0 12:54:52(01:36.953)
Set the SLA field to : 10	① 12:54:52(01:37.184)
On SF Service Type Version New screen	0 12:54:53(01:37.343)
Click the Save button	① 12:54:53(01:37.370)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDJ	ed ID: a0gf200000BkxDJ, location:
On SF Service Type Version View screen	① 12:54:56(01:40.988)
UI Assert	① 12:54:56(01:41.216)
Set Values: SRTVName	0 12:54:59(01:43.558)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDJ	: a0gf200000BkxDJ, location:
♠ Call SaveSRTV	() 12:55:01(01:45.656)
Call MakeSRTVCurrentVersion	() 12:55:01(01:45.656)
MakeSRTVCurrentVersion.testcase	12:55:01(01:45.657)
Salesforce Connect: Internal311Qa (Test)	12:55:01(01:45.657)
SOQL Query: select Id from	
Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	① 12:55:01(01:45.661)
On SF Service Type Version View screen	① 12:55:02(01:46.498)
Activate inline edit the Is Draft field	
Uncheck the Is Draft field	0 12:55:19(02:03.886)
Click the SaveEdit button	12:55:31(02:16.075)
Click the Make Version Current button	0 12:55:51(02:36.219)
Handle UI Alerts	0 12:55:53(02:37.602)
Handle UI Alerts	
Call AddingScedulingINSRRT	0 12:56:03(02:47.736)
AddingScedulingINSRRT.testcase	12:56:03(02:47.737)
Salesforce Connect: InternalQA (Test)	12:56:03(02:47.737)
SOQL Query: select Id from Incap311Service_Typec where Name ='{SRTName}'=>SRTId	① 12:56:03(02:47.748)
On SF Service Type View screen	0 12:56:04(02:48.559)
Activate inline edit the Schedule Type picklist	① 12:56:10(02:54.962)
If: {PicklistScheduleType != "n"}	① 12:56:12(02:56.693)
☑ Then	① 12:56:12(02:56.694)
Set the Schedule Type picklist to: Requests	① 12:56:12(02:56.694)
Activate inline edit the Schedulable Requests Limit/Month field	① 12:56:12(02:56.897)
If: {NumberScheduleRequestLimit_month != "n"}	0 12:56:13(02:58.147)
Then	① 12:56:13(02:58.150)
Activate inline edit the Schedulable Requests Limit/Month field	0 12:56:13(02:58.151)
Set the Schedulable Requests Limit/Month field to : 50	0 12:56:15(02:59.271)
Activate inline edit the Set Expected Date field	0 12:56:15(02:59.456)
If: {CheckBoxSetExpectedDate != "n"}	0 12:56:16(03:00.636)
Then	12:56:16(03:00.643)

2 2 1 4 2 1 5 1 1 5 1 5 1 1	0.40.50.40(00.00.040)
Check the Set Expected Date field	0 12:56:16(03:00.643)
Activate inline edit the Schedulable Requests Limit/Year field	0 12:56:16(03:00.776)
If: {NumberScheduleRequestLimit_year != "n"}	0 12:56:17(03:01.978)
Then	<u>0</u> 12:56:17(03:01.980)
Set the Schedulable Requests Limit/Year field to {NumberScheduleRequestLimit_year}	① 12:56:17(03:01.980)
Activate inline edit the Schedule Duplicate Detection field	© 12:56:17(03:02.118)
If: {CheckBoxDuplicationDetection_field != "n"}	© 12:56:19(03:03.314)
Else	© 12:56:19(03:03.319)
Uncheck the Schedule Duplicate Detection field	© 12:56:19(03:03.319)
Activate inline edit the Show Schedule Calendar field	© 12:56:19(03:03.412)
If: {CheckboxShowScheduleCalendar_field != "n"}	0 12:56:20(03:04.582)
Then	© 12:56:20(03:04.587)
Check the Show Schedule Calendar field	© 12:56:20(03:04.588)
Activate inline edit the Item Limit field	12:56:20(03:04.765)
If: {SetNumberItemLimit_field != "n"}	() 12:56:21(03:05.971)
Else	0 12:56:21(03:05.972)
Clear the Item Limit field	① 12:56:21(03:05.973)
Activate inline edit the Daily Request Limit field	0 12:56:21(03:06.110)
If: {NumberSetDailyRequestLimit_field != "n"}	0 12:56:23(03:07.359)
Else	0 12:56:23(03:07.361)
Clear the Daily Request Limit field	0 12:56:23(03:07.361)
Activate inline edit the Schedule Matching field	© 12:56:23(03:07.489)
If: {TextAreaScheduleMatching_field != "n"}	0 12:56:24(03:08.723)
Then	0 12:56:24(03:08.728)
Set the Schedule Matching field to : {"zone": {"layer_name":"Mailing Neighborhoods", "layer_value":"value"}}	12:56:24(03:08.729)
Click the Inline Edit OK button	(1) 12:56:24(03:09.044)
Activate inline edit the Schedule After (Days) field	0 12:56:24(03:09.140)
If: {NumberScheduleAfterDays_Field != "n"}	(1) 12:56:26(03:10.359)
Else	0 12:56:26(03:10.369)
Clear the Schedule After (Days) field	0 12:56:26(03:10.369)
Activate inline edit the Is Schedule Type field	0 12:56:26(03:10.482)
If: {CheckIsScheduleType != "n"}	0 12:56:27(03:11.668)
Then	① 12:56:27(03:11.673)
Check the Is Schedule Type field	0 12:56:27(03:11.673)
Activate inline edit the Enable Scheduling Hours field	© 12:56:27(03:11.822)
If: {CheckboxSchedulingHours != "n"}	0 12:56:28(03:13.046)
Else	① 12:56:28(03:13.052)
Uncheck the Enable Scheduling Hours field	0 12:56:28(03:13.052)
Activate inline edit the Schedule Range field	① 12:56:28(03:13.144)
If: {NumberScheduleRange != "n"}	① 12:56:30(03:14.359)
Then	0 12:56:30(03:14.364)
Set the Schedule Range field to : 3	① 12:56:30(03:14.364)
Activate inline edit the Number Of Schedules field	0 12:56:30(03:14.504)
If: {NumberBoxNumberOfSchedules != "n"}	0 12:56:31(03:15.740)
Then	0 12:56:31(03:15.753)
Set the Number Of Schedules field to: 3	0 12:56:31(03:15.753)
Click the SaveEdit button	0 12:56:31(03:15.901)
Call CreateZoneForSchedule2	© 12:56:43(03:28.081)
CreateZoneForSchedule2.testcase	0 12:56:43(03:28.083)
Salesforce Connect: Internal311Qa (Test)	0 12:56:43(03:28.083)
On SF Schedule New screen	0 12:56:43(03:28.089)
On SRTV page	© 12:56:50(03:34.242)
- 011 0111 1 page	, ,

Set the Service Type Number to {ServiceTypeNumber}	0 12:56:50(03:34.295)
Lookup the Service Type reference	0 12:56:52(03:36.459)
On SF Service Type Lookup screen	0 12:56:52(03:36.598)
Click the Service Type Id button The row locator matched 1 row.	① 12:56:58(03:42.770)
Set the Zone field to: North Dallas	0 12:57:01(03:45.995)
Set the Capacity field to: 50	0 12:57:01(03:46.199)
6 Today link the Schedule Date field	0 12:57:02(03:46.362)
If: {SetOverRideDate != "n"}	0 12:57:02(03:46.362)
Set the Count field to: 0	0 12:57:02(03:46.374)
Set the Schedule Date field to: 1/4/2019	0 12:57:02(03:46.512)
If: {ChecktheNoServiceField != "n"}	0 12:57:02(03:46.680)
Click the Save button	0 12:57:02(03:46.683)
Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubqx, loca incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubqx	ation: https://
On SRTV page	12:57:06(03:50.440)
UI Assert	0 12:57:06(03:50.470)
Set Values: ScheduleName	0 12:57:06(03:50.736)
✓ Work	0 12:57:08(03:52.766)
Salesforce Connect: QA (Test)	0 12:57:08(03:52.768)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test	
On SF Cases tab (Code Compliance Administration)	0 12:57:11(03:56.171)
Click the New Case button	0 12:57:45(04:30.044)
On SF Incap311SC_AgentConsole page with pageobject Incap 311sc_ Agent Console_Narayan	12:57:48(04:32.275)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.276	0 12:57:50(04:35.177)
Background activity wait successful. Actual duration(seconds): 3.906	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	① 12:57:57(04:41.720)
Set the Text Box_search Service Type field to SRT Background activity wait successful. Actual duration(seconds): 0.258	0 12:57:57(04:41.842)
	© 12:57:58(04:42.665)
Call the selectSRType method	① 12:58:00(04:44.954)
Call putLocationAndHandleDuplicates	① 12:58:00(04:44.954) ② 12:58:00(04:44.954)
putLocationAndHandleDuplicates.testcase	① 12:58:00(04:44.954)
Salesforce Connect: QA (Test)	
Set Values: InitialSRIdToBeMarkedDuplicate	① 12:58:00(04:44.966)
Set Values: InitialDuplicatesPopupAction	① 12:58:00(04:44.971)
Set Values: LocationOption	① 12:58:00(04:44.975)
Set Values: DuplicatesChoice	0 12:58:00(04:44.979)
Set Values: LocationToBeSelected	0 12:58:00(04:44.983)
Set Values: SRIdToBeMarkedDuplicate	① 12:58:00(04:44.986)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	0 12:58:00(04:44.989)
Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.264	① 12:58:00(04:45.162)
Background activity wait successful. Actual duration(seconds): 0.264	
Sleep for {20} seconds Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	0 12:58:01(04:46.000)
Click the Location Pop Up Icon Back field	12:58:21(05:06.005)
Initial Duplicates Popup action on trf or update	© 12:58:22(05:06.252)
Duplicates Popup action selection or change of address	12:58:22(05:06.252)
☑ If: {LocationOption = "NoSelection"}	© 12:58:22(05:06.254)
If: {LocationOption = "SelectLocation"}	o 12:58:22(05:06.256)

Then	① 12:58:22(05:06.257)
Set the Search For A Location field to : 505 MAIN ST	© 12:58:22(05:06.257)
Background activity wait successful. Actual duration(seconds): 0.259	12.30.22(03.00.231)
Background activity wait successful. Actual duration(seconds): 0.263	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.772	① 12:58:22(05:07.224)
Background activity wait successful. Actual duration(seconds): 1.791	
UI Assert	0 12:58:25(05:10.074)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Pop Ups	© 12:58:26(05:10.513)
Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	0 12:58:26(05:10.669)
UI Assert	0 12:58:29(05:13.675)
If: {DuplicatesChoice = "MarkAsDuplicate"}	0 12:58:49(05:33.824)
☑ If: {DuplicatesChoice = "ClosePopup"}	0 12:58:49(05:33.828)
☑ If: {DuplicatesChoice = "NewCase"}	0 12:58:49(05:33.830)
Then	0 12:58:49(05:33.832)
🚨 If:	
{NewCase.fields.continueWithoutDuplicate.visible = "true"}	0 12:58:49(05:33.832)
<pre>If: {LocationOption = "RemoveLocation"}</pre>	0 12:58:51(05:35.903)
If: {LocationOption = "ChangeLocation"}	0 12:58:51(05:35.907)
On Service Request View Screen page	0 12:58:53(05:38.080)
Click the Selected_ Location	0 12:58:53(05:38.235)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 12:58:56(05:40.478)
Click the Schedule 1 button	0 12:58:56(05:40.615)
On SF Incap311SCAgentConsole page with pageobject Incap	
311sc Agent Console_ Aadil_ Schedule Page	① 12:58:58(05:42.896)
Click the Select Schedule Date button	0 12:58:58(05:43.057)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 12:59:01(05:45.326)
UI Assert	① 12:59:01(05:45.485)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	12:59:03(05:47.983)
UI Assert	0 12:59:03(05:48.109)
Assert: {Values.fields.ScheduleTabData.value} Contains {DateFormat(DateAdd(TODAY), "EEE, MMM dd, YYYY")}	0 12:59:04(05:48.639)
Call SubmitSR	0 12:59:06(05:50.678)
SubmitSR.testcase	0 12:59:06(05:50.678)
Salesforce Connect: QA (Test)	0 12:59:06(05:50.678)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 12:59:06(05:50.690)
Click the Submit button	0 12:59:06(05:50.947)
Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	0 12:59:08(05:53.231)
On SF Service Request View screen	0 12:59:18(06:03.235)
UI Assert	0 12:59:20(06:04.772)
Set Values: SRCode	0 12:59:22(06:07.089)
On SF Service Request View screen	0 12:59:22(06:07.105)
On SF Service Request Schedule View screen	0 12:59:22(06:07.105)
On SF Case View screen	0 12:59:22(06:07.105)
With View/Incap311Service_Request_Schedulesr/ Incap311Service_Request_SchedulesrTable {1} The row locator matched 1 row.	© 12:59:23(06:07.332)

≜ △

Click the Service Request Schedule Name field	0 12:59:28(06:12.410)
On SF Service Request Schedule View screen	0 12:59:30(06:14.600)
[♠] UI Assert	0 12:59:30(06:14.816)
UI Assert	0 12:59:30(06:14.816)
Assert: {Values.fields.Incap311Schedulec.value} EqualTo {ScheduleName}	① 12:59:30(06:15.088)
SOQL Query: select Id from Incap311Service_Typec where Name ='{SRTName}'=>SRTId	① 12:59:32(06:17.116)
6 On SF Service Type View screen	0 12:59:32(06:17.116)

☐ C2528 - If multiple schedules are defined user would be able to see multiple buttons, create sr with schedule which is a distant one2.testcase

Summary

Started 04 Jan 2019, 13:00:01 Ended 04 Jan 2019, 13:07:12

Duration (mm:ss) 07:10.719
Outcome Sailed

Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test	3:00:01(06:46.204)
Cat Values: Cat Count Cabadula	
Set Values: SetCountSchedule 0 13	3:00:05(06:49.624)
Set Values: uniqueNumeric3	3:00:05(06:49.630)
Set Values: uniqueNumeric4 0 13	3:00:05(06:49.639)
Set Values: uniqueAlpha 0 13	3:00:05(06:49.645)
Call CreateSRT	3:00:05(06:49.650)
	3:00:05(06:49.650)
Salesforce Connect: Internal311Qa (Test)	3:00:05(06:49.650)
Set Values: uniqueAlpha 0 13	3:00:05(06:49.655)
On SF Service Type New screen	3:00:05(06:49.659)
Set the Service Name field to : AJVTA © 13	3:00:21(07:06.220)
Set the Service Type Code field to : AJVTA 0 13	3:00:22(07:06.457)
Set the Service Description field to : AJVTA 0 13	3:00:22(07:06.617)
Set the External Name field to : AJVTA 0 13	3:00:22(07:06.789)
Set the External Description field to : AJVTA 0 13	3:00:22(07:06.956)
Set the Contact Status picklist to Available © 13	3:00:22(07:07.142)
If: {LocationRequiredFlag = "y"} © 13	3:00:23(07:07.343)
- Chok the Gave battern	3:00:23(07:07.345)
Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf200000jE7Kp, location incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7Kp	n: https://
On SF Service Type View screen	3:00:27(07:11.390)
UI Assert 0 13	3:00:27(07:11.419)
Set Values: SRTName 0 13	3:00:29(07:13.698)
Set Values: Today 0 13	3:00:29(07:13.708)
Set Values: Tommorrow 0 13	3:00:29(07:13.720)
Set Values: DayAfterTomorrow © 13	3:00:29(07:13.727)
Set Values: CurrentMonthYear © 13	3:00:29(07:13.733)
	3:00:29(07:13.738)
Set Values: CurrentMonthYear1 0 13	3:00:29(07:13.740)
Set Values: CurrentMonthYear1 Set Values: SRTName 13	3:00:29(07:13.740) 3:00:29(07:13.742)
Set Values: CurrentMonthYear1 013 Set Values: SRTName 013 Call FillSRTV 013	

On SF Service Type Version New screen	() 13:00:29(07:13.745)
Set the Version Code field to {SRTName}_V{Version}	0 13:00:37(07:21.345)
Set the Version Name field to {SRTName} V{Version}	13:00:37(07:21.576)
Set the Version Name field to (SKTName) v(Version) Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Versioncld, created ID: nu incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	· · · · · ·
On SRTV page	0 13:00:41(07:25.954)
Set the Version Number to : 1	0 13:00:41(07:26.007)
On SF Service Type Version New screen	0 13:00:44(07:28.421)
Set the Service Type reference to : SRT-00001002	0 13:00:44(07:28.447)
Lookup the Service Type reference	© 13:00:44(07:28.636)
On SF Service Type Lookup screen	0 13:01:10(07:54.865)
Click the Service Type Id button The row locator matched 1 row.	0 13:01:10(07:55.012)
Set the Service Name field to : SRT-00001002	0 13:01:34(08:18.254)
Set the Start Date field to: 11/28/2017	0 13:01:34(08:18.488)
Set the Stop Date field to: 11/28/2099	0 13:01:34(08:18.715)
Set the Default Priority picklist to : Standard	0 13:01:34(08:18.925)
Set the Default Method picklist to : Phone	0 13:01:34(08:19.216)
Set the Default Status picklist to : Open	0 13:01:35(08:19.392)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	13:01:35(08:19.685)
Set the Duplicate Threshold Period (days) field to: 10	0 13:01:35(08:19.837)
Set the Duplicate Radius (feet) field to : 10	0 13:01:35(08:20.007)
Set the Duplicate Detection Method picklist to: Standard	0 13:01:35(08:20.173)
Set the SLA Type picklist to : Business Days	0 13:01:36(08:20.380)
Set the SLA field to: 10	0 13:01:36(08:20.568)
On SF Service Type Version New screen	0 13:01:36(08:20.721)
Click the Save button	0 13:01:36(08:20.753)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO	
Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Versioncld, created ID	
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO	D: a0gf200000BkxDO, location:
 ■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen 	0: a0gf200000BkxDO, location:
 Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert 	0: a0gf200000BkxDO, location:
 Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: a0 	0: a0gf200000BkxDO, location:
 Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO 	0: a0gf200000BkxDO, location:
■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen Ul Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO	0: a0gf200000BkxDO, location:
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion	0: a0gf200000BkxDO, location:
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name =	0: a0gf200000BkxDO, location:
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	0: a0gf200000BkxDO, location:
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen	0: a0gf200000BkxDO, location:
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO ② On SF Service Type Version View screen ② UI Assert ② Set Values: SRTVName ③ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO ③ Call SaveSRTV ② Call MakeSRTVCurrentVersion ② MakeSRTVCurrentVersion.testcase ② Salesforce Connect: Internal311Qa (Test) ② SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId ② On SF Service Type Version View screen ② Activate inline edit the Is Draft field	0: a0gf200000BkxDO, location:
■ Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311_Service_Type_Version_c where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:47(08:32.078) 0: 13:01:54(08:38.841)
■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:54(08:32.078) 0: 13:01:54(08:38.841) 0: 13:02:05(08:50.071)
■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen Ul Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button Click the Make Version Current button	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:47(08:32.078) 0: 13:01:54(08:38.841) 0: 13:02:05(08:50.071) 0: 13:02:17(09:02.225)
■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:54(08:38.841) 0: 13:02:05(08:50.071) 0: 13:02:17(09:02.225) 0: 13:02:38(09:22.370)
■ Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase SoQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button Click the Make Version Current button Handle UI Alerts Handle UI Alerts	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:47(08:32.078) 0: 13:02:05(08:50.071) 0: 13:02:17(09:02.225) 0: 13:02:38(09:22.370) 0: 13:02:39(09:24.076)
Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311_Service_Type_Version_c where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button Click the Make Version Current button Handle UI Alerts Handle UI Alerts Handle UI Alerts Call AddingScedulingINSRRT	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:47(08:32.078) 0: 13:02:05(08:50.071) 0: 13:02:17(09:02.225) 0: 13:02:38(09:22.370) 0: 13:02:39(09:24.076) 0: 13:02:43(09:28.105)
III Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}}=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button Click the Make Version Current button Handle UI Alerts Handle UI Alerts AddingScedulingINSRRT.testcase	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.068) 0: 13:01:47(08:32.078) 0: 13:01:54(08:38.841) 0: 13:02:05(08:50.071) 0: 13:02:17(09:02.225) 0: 13:02:38(09:22.370) 0: 13:02:43(09:28.105) 0: 13:02:49(09:34.198)
Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO On SF Service Type Version View screen UI Assert Set Values: SRTVName Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: a0 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDO Call SaveSRTV Call MakeSRTVCurrentVersion MakeSRTVCurrentVersion.testcase Salesforce Connect: Internal311Qa (Test) SOQL Query: select Id from Incap311_Service_Type_Version_c where Name = '{SRTVName}'=>SRTVId On SF Service Type Version View screen Activate inline edit the Is Draft field Uncheck the Is Draft field Click the SaveEdit button Click the Make Version Current button Handle UI Alerts Handle UI Alerts Handle UI Alerts Call AddingScedulingINSRRT	0: a0gf200000BkxDO, location: 0: 13:01:40(08:24.549) 0: 13:01:40(08:24.623) 0: 13:01:42(08:26.998) gf200000BkxDO, location: 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:44(08:29.064) 0: 13:01:47(08:32.078) 0: 13:02:50(08:50.071) 0: 13:02:17(09:02.225) 0: 13:02:38(09:22.370) 0: 13:02:39(09:24.076) 0: 13:02:49(09:34.198) 0: 13:02:49(09:34.198)

	0.40:00:57(00:44.570)
Activate inline edit the Schedule Type picklist	(i) 13:02:57(09:41.579)
If: {PicklistScheduleType != "n"}	0 13:02:59(09:43.332)
Then	(i) 13:02:59(09:43.342)
Set the Schedule Type picklist to: Requests	① 13:02:59(09:43.342)
Activate inline edit the Schedulable Requests Limit/Month field	13:02:59(09:43.577)13:03:00(09:44.812)
If: {NumberScheduleRequestLimit_month != "n"} Then	① 13:03:00(09:44.817)
Activate inline edit the Schedulable Requests Limit/Month	0 13.03.00(09.44.817)
field	0 13:03:00(09:44.817)
Set the Schedulable Requests Limit/Month field to : 50	0 13:03:01(09:45.982)
Activate inline edit the Set Expected Date field	0 13:03:01(09:46.145)
☐ If: {CheckBoxSetExpectedDate != "n"}	13:03:03(09:47.372)
Then	① 13:03:03(09:47.374)
Check the Set Expected Date field	0 13:03:03(09:47.375)
Activate inline edit the Schedulable Requests Limit/Year field	13:03:03(09:47.560)
If: {NumberScheduleRequestLimit_year != "n"}	0 13:03:04(09:48.734)
Then	0 13:03:04(09:48.737)
Set the Schedulable Requests Limit/Year field to	① 13:03:04(09:48.737)
{NumberScheduleRequestLimit_year}	0.00.04(00.40.707)
Activate inline edit the Schedule Duplicate Detection field	• 13:03:04(09:48.880)
If: {CheckBoxDuplicationDetection_field != "n"}	① 13:03:05(09:50.051)
Else	0 13:03:05(09:50.055)
Uncheck the Schedule Duplicate Detection field	0 13:03:05(09:50.055)
Activate inline edit the Show Schedule Calendar field	0 13:03:05(09:50.135)
If: {CheckboxShowScheduleCalendar_field != "n"}	0 13:03:07(09:51.291)
Then	0 13:03:07(09:51.292)
Check the Show Schedule Calendar field	0 13:03:07(09:51.292)
Activate inline edit the Item Limit field	(i) 13:03:07(09:51.411)
If: {SetNumberItemLimit_field != "n"}	13:03:08(09:52.577)13:03:08(09:52.585)
ElseClear the Item Limit field	① 13:03:08(09:52.585) ② 13:03:08(09:52.585)
	① 13:03:08(09:52.702)
Activate inline edit the Daily Request Limit fieldIf: {NumberSetDailyRequestLimit_field != "n"}	13:03:09(09:53.880)
Else	© 13:03:09(09:53.883)
Clear the Daily Request Limit field	© 13:03:09(09:53.883)
Activate inline edit the Schedule Matching field	13:03:09(09:53.989)
If: {TextAreaScheduleMatching_field != "n"}	① 13:03:10(09:55.228)
Then	① 13:03:11(09:55.240)
Set the Schedule Matching field to : {"zone":	
{"layer_name":"BI Districts", "layer_value":"value"}}	0 13:03:11(09:55.240)
Click the Inline Edit OK button	0 13:03:11(09:55.497)
Activate inline edit the Schedule After (Days) field	0 13:03:11(09:55.626)
If: {NumberScheduleAfterDays_Field != "n"}	0 13:03:12(09:56.805)
	0 13:03:12(09:56.810)
Clear the Schedule After (Days) field	0 13:03:12(09:56.810)
Activate inline edit the Is Schedule Type field	0 13:03:12(09:56.924)
If: {CheckIsScheduleType != "n"}	• 13:03:13(09:58.109)
Then	① 13:03:13(09:58.122)
Check the Is Schedule Type field	0 13:03:13(09:58.123)
Activate inline edit the Enable Scheduling Hours field	0 13:03:14(09:58.256)
If: {CheckboxSchedulingHours != "n"}	0 13:03:15(09:59.430)
© Else	0 13:03:15(09:59.432)
Uncheck the Enable Scheduling Hours field	0 13:03:15(09:59.432)
Activate inline edit the Schedule Range field	① 13:03:15(09:59.554)
If: {NumberScheduleRange != "n"}	① 13:03:16(10:00.758)

Then	0 13:03:16(10:00.760)
Set the Schedule Range field to : 3	0 13:03:16(10:00.760)
Activate inline edit the Number Of Schedules field	0 13:03:16(10:00.945)
If: {NumberBoxNumberOfSchedules != "n"}	0 13:03:17(10:02.112)
Then	0 13:03:17(10:02.115)
Set the Number Of Schedules field to : 3	0 13:03:17(10:02.115)
Click the SaveEdit button	0 13:03:18(10:02.273)
Set Values: SRName	0 13:03:30(10:14.416)
Call CreateZoneForSchedule2	0 13:03:30(10:14.422)
© CreateZoneForSchedule2.testcase	0 13:03:30(10:14.425)
Salesforce Connect: Internal311Qa (Test)	0 13:03:30(10:14.425)
On SF Schedule New screen	0 13:03:30(10:14.432)
On SRTV page	0 13:03:36(10:21.152)
Set the Service Type Number to : SRT-00001002	0 13:03:36(10:21.211)
Lookup the Service Type reference	0 13:03:39(10:23.408)
On SF Service Type Lookup screen	0 13:03:39(10:23.562)
Click the Service Type Id button The row locator matched 1 row.	0 13:03:45(10:29.765)
The row locator matched 1 row.	
Set the Zone field to : North Dallas	0 13:03:47(10:32.009)
Set the Capacity field to: 50	0 13:03:47(10:32.188)
Today link the Schedule Date field	0 13:03:48(10:32.330)
If: {SetOverRideDate != "n"}	0 13:03:48(10:32.330)
Set the Count field to: 0	0 13:03:48(10:32.334)
Set the Schedule Date field to: 1/4/2019	0 13:03:48(10:32.487)
If: {ChecktheNoServiceField != "n"}	0 13:03:48(10:32.657)
Click the Save button	0 13:03:48(10:32.662)
	0 1 11 111 11
Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mub incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2	r2, location: https://
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2	
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page	
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert	0 13:03:51(10:35.938)0 13:03:51(10:35.976)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName	0 13:03:51(10:35.938)0 13:03:51(10:35.976)0 13:03:51(10:36.221)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2	 0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255) 13:03:54(10:38.261) 13:03:54(10:38.268)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 Salesforce Connect: Internal311Qa (Test)	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255) 13:03:54(10:38.261) 13:03:54(10:38.268) 13:03:54(10:38.268)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255) 13:03:54(10:38.261) 13:03:54(10:38.268) 13:03:54(10:38.268) 13:03:54(10:38.274)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255) 13:03:54(10:38.261) 13:03:54(10:38.268) 13:03:54(10:38.268) 13:03:54(10:38.274) 13:04:00(10:44.414)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to: SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row.	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:08(10:52.993)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Zone field to : North Dallas	 13:03:51(10:35.938) 13:03:51(10:35.976) 13:03:51(10:36.221) 13:03:54(10:38.255) 13:03:54(10:38.261) 13:03:54(10:38.268) 13:03:54(10:38.268) 13:03:54(10:38.274) 13:04:00(10:44.414) 13:04:00(10:44.447) 13:04:02(10:46.646) 13:04:02(10:46.782) 13:04:08(10:52.993) 13:04:11(10:56.213)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Zone field to : North Dallas Set the Capacity field to : 50	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to: SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Capacity field to: 50 Today link the Schedule Date field	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.414) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Capacity field to : 50 Today link the Schedule Date field If: {SetOverRideDate != "n"}	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:04(10:38.274) 0 13:04:00(10:44.414) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.535)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Capacity field to : 50 Today link the Schedule Date field If: {SetOverRideDate != "n"} Set the Count field to : 0	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.535)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Zone field to : North Dallas Set the Capacity field to : 50 Today link the Schedule Date field If: {SetOverRideDate != "n"} Set the Count field to : 0 Set the Schedule Date field to : 1/5/2019	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.535) 0 13:04:12(10:56.537) 0 13:04:12(10:56.694)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UI Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Zone field to : North Dallas Set the Capacity field to : 50 Today link the Schedule Date field If: {SetOverRideDate != "n"} Set the Schedule Date field to : 1/5/2019 If: {ChecktheNoServiceField != "n"}	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.414) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.537) 0 13:04:12(10:56.694) 0 13:04:12(10:56.857) 0 13:04:12(10:56.860)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UII Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to: SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Capacity field to: 50 Today link the Schedule Date field If: {SetOverRideDate!= "n"} Set the Count field to: 0 Set the Schedule Date field to: 1/5/2019 If: {ChecktheNoServiceField!= "n"} Click the Save button Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubincapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr7	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.447) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:11(10:56.213) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.535) 0 13:04:12(10:56.537) 0 13:04:12(10:56.694) 0 13:04:12(10:56.857) 0 13:04:12(10:56.857) 0 13:04:12(10:56.860)
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000Mubr2 On SRTV page UII Assert Set Values: ScheduleName Set Values: ScheduleName1 Call CreateZoneForSchedule2 CreateZoneForSchedule2.testcase Salesforce Connect: Internal311Qa (Test) On SF Schedule New screen On SRTV page Set the Service Type Number to : SRT-00001002 Lookup the Service Type reference On SF Service Type Lookup screen Click the Service Type Id button The row locator matched 1 row. Set the Zone field to : North Dallas Set the Capacity field to : 50 Today link the Schedule Date field If: {SetOverRideDate!= "n"} Set the Schedule Date field to : 1/5/2019 If: {ChecktheNoServiceField!= "n"} Click the Save button Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000Mubles Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf2000000Mubles Storing	0 13:03:51(10:35.938) 0 13:03:51(10:35.976) 0 13:03:51(10:36.221) 0 13:03:54(10:38.255) 0 13:03:54(10:38.261) 0 13:03:54(10:38.268) 0 13:03:54(10:38.268) 0 13:03:54(10:38.274) 0 13:04:00(10:44.414) 0 13:04:00(10:44.414) 0 13:04:02(10:46.646) 0 13:04:02(10:46.782) 0 13:04:12(10:56.387) 0 13:04:12(10:56.535) 0 13:04:12(10:56.537) 0 13:04:12(10:56.694) 0 13:04:12(10:56.857) 0 13:04:12(10:56.860)

Set Values: ScheduleName	0 13:04:16(11:01.052)
Set Values: ScheduleName2	0 13:04:18(11:03.082)
Call CreateZoneForSchedule2	0 13:04:18(11:03.086)
☐ CreateZoneForSchedule2.testcase	0 13:04:18(11:03.091)
Salesforce Connect: Internal311Qa (Test)	0 13:04:18(11:03.091)
On SF Schedule New screen	0 13:04:18(11:03.096)
On SRTV page	0 13:04:25(11:09.359)
Set the Service Type Number to: SRT-00001002	0 13:04:25(11:09.395)
Lookup the Service Type reference	0 13:04:27(11:11.604)
On SF Service Type Lookup screen	① 13:04:27(11:11.740)
Click the Service Type Id button The row locator matched 1 row.	0 13:04:33(11:17.980)
Set the Zone field to: North Dallas	0 13:04:36(11:20.261)
Set the Capacity field to: 50	0 13:04:36(11:20.474)
Today link the Schedule Date field	0 13:04:36(11:20.660)
If: {SetOverRideDate != "n"}	0 13:04:36(11:20.660)
Set the Count field to: 0	0 13:04:36(11:20.663)
Set the Schedule Date field to: 1/6/2019	0 13:04:36(11:20.821)
If: {ChecktheNoServiceField != "n"}	0 13:04:36(11:21.038)
Click the Save button	0 13:04:36(11:21.041)
Storing created Salesforce Object ID. Result Name: incap311Schedulecld, created ID: a0Sf200000MubrC, location	on: https://
incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000MubrC	
On SRTV page	0 13:04:40(11:24.261)
UI Assert	0 13:04:40(11:24.309)
Set Values: ScheduleName	0 13:04:40(11:24.585)
Set Values: ScheduleName3	0 13:04:42(11:26.611)
Call CreateZoneForSchedule2	0 13:04:42(11:26.613)
CreateZoneForSchedule2.testcase	0 13:04:42(11:26.616)
Salesforce Connect: Internal311Qa (Test)	0 13:04:42(11:26.616)
On SF Schedule New screen	0 13:04:42(11:26.620)
On SRTV page	0 13:04:48(11:32.359)
Set the Service Type Number to : SRT-00001002	0 13:04:48(11:32.389)
Lookup the Service Type reference	0 13:04:50(11:34.590)
On SF Service Type Lookup screen	① 13:04:50(11:34.720)
Click the Service Type Id button The row locator matched 1 row.	0 13:04:56(11:40.936)
Set the Zone field to : North Dallas	() 13:04:58(11:43.164)
Set the Capacity field to : 50	0 13:04:59(11:43.356)
Today link the Schedule Date field	0 13:04:59(11:43.530)
If: {SetOverRideDate != "n"}	0 13:04:59(11:43.530)
Set the Count field to : 0	0 13:04:59(11:43.532)
Set the Schedule Date field to: 1/7/2019	13:04:59(11:43.680)
☑ If: {ChecktheNoServiceField != "n"}	0 13:04:59(11:43.889)
Click the Save button	0 13:04:59(11:43.892)
Storing created Salesforce Object ID. Result Name: incap311Schedulecld, created ID: a0Sf200000MubrH, locatic incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000MubrH	on: https://
On SRTV page	0 13:05:03(11:47.411)
UI Assert	0 13:05:03(11:47.442)
Set Values: ScheduleName	0 13:05:03(11:47.734)
Set Values: ScheduleName4	() 13:05:05(11:49.783)
⊗ Work	① 13:05:05(11:49.787)
Salesforce Connect: QA (Test)	() 13:05:05(11:49.790)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test	
On SF Cases tab (Code Compliance Administration)	0 13:05:08(11:53.189)

On SF Cases tab (Code		0 13:05:08(11:5
Click the New Case b		0 13:05:43(12:20 13:05:45(12:3
On SF Incap 311SC Ag On SF Incap 311SC Ag	entConsole page with pageobject Incap	0 13.00.43(12.0
311sc Agent Console_ Na	arayan	0 13:05:45(12:3
Click the Link_submit Background activity wait su	Request button uccessful. Actual duration(seconds): 0.257	© 13:05:49(12:3
Background activity wait su	uccessful. Actual duration(seconds): 2.473	
On SF Incap311SCAg	entConsole page with pageobject Incap arayan_ Service Type Tab	0 13:05:55(12:3
	arch Service Type field to SRT uccessful. Actual duration(seconds): 0.257	0 13:05:55(12:3
Call the selectSRType	e method	0 13:05:56(12:4
Call putLocationAndHand		0 13:05:58(12:4
putLocationAndHandl	leDuplicates.testcase	0 13:05:58(12:4
Salesforce Conne	·	0 13:05:58(12:4
	SRIdToBeMarkedDuplicate	0 13:05:58(12:4
Set Values: Initiall	DuplicatesPopupAction	0 13:05:58(12:4
Set Values: Locat	•	0 13:05:58(12:4
Set Values: Duplic	catesChoice	0 13:05:58(12:4
Set Values: Locat	ionToBeSelected	0 13:05:58(12:4
Set Values: SRId?	ToBeMarkedDuplicate	0 13:05:58(12:4
	CAgentConsole page with pageobject t Console_ Narayan_ Location Tab	0 13:05:58(12:4
Click the Loca	tion Tab Link button ity wait successful. Actual duration(seconds): 0.262	0 13:05:58(12:4
Background activi	ity wait successful. Actual duration(seconds): 0.353	
Sleep for {20} Timed sleep succ	seconds cessful. Requested duration(seconds): 20, Actual duration(seconds): 20	() 13:05:59(12:4
Click the Loca	tion Pop Up Icon Back field	© 13:06:19(13:0
	es Popup action on trf or update	0 13:06:19(13:0
	pup action selection or change of address	0 13:06:19(13:0
	nOption = "NoSelection"}	0 13:06:19(13:0
_ `	nOption = "SelectLocation"}	0 13:06:19(13:0
Then	Topion - Goldsteddaton y	© 13:06:19(13:0
Set	the Search For A Location field to : 505 MAIN ST	0 13:06:19(13:0
	skground activity wait successful. Actual duration(seconds): 0.258 skground activity wait successful. Actual duration(seconds): 0.256	
Dau	oxyround activity wait successful. Actual duration(seconds). 0.256	
	ck the Selected Location From Search button ckground activity wait successful. Actual duration(seconds): 0.772	© 13:06:20(13:0
Bac	ekground activity wait successful. Actual duration(seconds): 1.784	
UI A	Assert	0 13:06:23(13:0
On pageol	SF Incap311SCAgentConsole page with bject Incap 311sc Agent Console_ Narayan_	13:06:24(13:0
Pop U _l	ps Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	13:06:24(13:0
	UI Assert	0 13:06:27(13:1
_	If: {DuplicatesChoice = "MarkAsDuplicate"}	0 13:06:47(13:3
	If: {DuplicatesChoice = "ClosePopup"}	0 13:06:47(13:3
_	If: {DuplicatesChoice = "NewCase"}	0 13:06:47(13:3
•	II. {Duplicates Choice = New Case }	© 13:06:47(13:3
	□ If:	€ 13.00.47(13.3
	{NewCase.fields.continueWithoutDuplicate.visible = "true"}	0 13:06:47(13:3

- If: {LocationOption = "RemoveLocation"} 0 13:06:49(13:33.580) If: {LocationOption = "ChangeLocation"} 0 13:06:49(13:33.583) On Service Request View Screen page 0 13:06:51(13:35.615) 0 13:06:51(13:35.740) Click the Selected_ Location On SF Incap311SC__AgentConsole page with pageobject Incap 0 13:06:53(13:37.976) 311sc__ Agent Console_ Aadil_ Schedule Page 0 13:06:53(13:38.133) Click the Schedule 1 button On SF Incap311SC__AgentConsole page with pageobject Incap 0 13:06:56(13:40.387) 311sc__ Agent Console_ Aadil_ Schedule Page
 - Click the Select Schedule Date button



0 13:06:56(13:40.504)

Error Screenshot

- Error doing interaction. Connection Name: SAT_Dev_Admin_311, cause: [NoSuchElementException: No elements matched the field locator. Field name: selectScheduleDate For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-FH6FHVE', ip: '10.0.0.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: driver.version: ProvarSeleniumDriver]
- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: selectScheduleDate
- ³ For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html
- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- System info: host: 'DESKTOP-FH6FHVE', ip: '10.0.0.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191'
- Oriver info: driver.version: ProvarSeleniumDriver
- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:90)
- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
- at com.sun.proxy.\$Proxy106.getWrappedElement(Unknown Source)
- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)
- at com.google.common.collect.lterators\$7.transform(lterators.java:750)
- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)
- ® at com.google.common.collect.Iterators.addAll(Iterators.java:367)
- 8 at com.google.common.collect.Lists.newArrayList(Lists.java:165)
- at com.google.common.collect.Lists.newArrayList(Lists.java:150)
- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)
- at com.provar.core.testapi.ProvarSeleniumDriver.getAttributes(ProvarSeleniumDriver.java:1004)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.getWebElementAttributes(SeleniumUiHandler.java:3154)
- @ at com.provar.plugins.forcedotcom.core.ui. Selenium UiHandler.perform Action Interaction (Selenium UiHandler.java: 3619)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2095)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4050)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1886)
- 3 at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:4014)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:393)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:354)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:343)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:813)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:167)

- at sun.reflect.GeneratedMethodAccessor70.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:644) com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:617) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access \$9(LocalTestExecutionContainerRunner.java:563) $\textbf{@} \ \, \text{at com.provar.core.test execution.container.java.Local Test Execution Container Runner}$ \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1166) 6 Click the Select 2nd Date Schedule button 0 13:07:10(13:54.879) Click the Select 3rd Date Schedule button 0 13:07:10(13:54.879) One or more Sub-Test Steps failed. On SF Incap311SC__AgentConsole page with pageobject Incap 0 13:07:12(13:56.906) 311sc__ Agent Console_ Aadil_ Schedule Page 6 On SF Incap311SC__AgentConsole page with pageobject Incap 0 13:07:12(13:56.906) 311sc__ Agent Console_ Aadil_ Schedule Page Call SubmitSR 0 13:07:12(13:56.906) 0 13:07:12(13:56.908) On SF Case View screen 0 13:07:12(13:56.908) On SF Service Request Schedule View screen On SF Service Request View screen 0 13:07:12(13:56.908)
- C2529 if the capacity monthly is hit user is not able to create sr schedule on console should not be seen.testcase

0 13:07:12(13:56.908)

Summary

Started 04 Jan 2019, 13:07:25 Ended 04 Jan 2019, 13:15:01

6 On SF Service Request Schedule View screen

Duration (mm:ss) 07:35.898
Outcome successful

Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope:	© 13:07:25(14:09.994) Test
Set Values: Today	0 13:07:29(14:13.554)
Set Values: SetCountSchedule	0 13:07:29(14:13.559)
Set Values: uniqueNumeric3	0 13:07:29(14:13.561)
Set Values: uniqueNumeric4	0 13:07:29(14:13.565)
Set Values: uniqueAlpha	0 13:07:29(14:13.569)
Call CreateSRT	0 13:07:29(14:13.580)
CreateSRT.testcase	0 13:07:29(14:13.581)
Salesforce Connect: Internal311Qa (Test)	0 13:07:29(14:13.581)
Set Values: uniqueAlpha	0 13:07:29(14:13.586)
On SF Service Type New screen	0 13:07:29(14:13.590)
Set the Service Name field to : BJCLH	• 13:07:43(14:28.101)
Set the Service Type Code field to: BJCLH	0 13:07:44(14:28.319)
Set the Service Description field to: BJCLH	0 13:07:44(14:28.484)
Set the External Name field to : BJCLH	0 13:07:44(14:28.651)
Set the External Description field to: BJCLH	0 13:07:44(14:28.808)
Set the Contact Status picklist to Available	0 13:07:44(14:29.025)
If: {LocationRequiredFlag = "y"}	0 13:07:44(14:29.198)

	0.42:07:44(44:20.200)
Click the Save button Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf20000 incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7Ku	© 13:07:44(14:29.200) 00jE7Ku, location: https://
On SF Service Type View screen	13:07:48(14:32.731)
UI Assert	13:07:48(14:32.754)
Set Values: SRTName	0 13:07:50(14:34.975)
Call FillSRTV	13:07:50(14:34.979)
FillSRTV.testcase	0 13:07:50(14:34.979)
Salesforce Connect: Internal311Qa (Test)	13:07:50(14:34.979)
On SF Service Type Version New screen	0 13:07:50(14:34.985)
Set the Version Code field to {SRTName}_V{Version}	13:07:56(14:40.846)
Set the Version Name field to {SRTName} V{Version}	13:07:56(14:41.125)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: r incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	null, location: https://
On SRTV page	0 13:08:01(14:45.408)
Set the Version Number to : 1	0 13:08:01(14:45.453)
On SF Service Type Version New screen	0 13:08:03(14:47.841)
Set the Service Type reference to: SRT-00001003	0 13:08:03(14:47.876)
Lookup the Service Type reference	0 13:08:03(14:48.080)
On SF Service Type Lookup screen	0 13:08:30(15:14.327)
Click the Service Type Id button The row locator matched 1 row.	13:08:30(15:14.428)
Set the Service Name field to : SRT-00001003	0 13:08:53(15:37.650)
Set the Start Date field to: 11/28/2017	© 13:08:53(15:37.883)
Set the Stop Date field to: 11/28/2099	0 13:08:53(15:38.093)
Set the Default Priority picklist to : Standard	0 13:08:54(15:38.285)
Set the Default Method picklist to : Phone	0 13:08:54(15:38.576)
Set the Default Status picklist to : Open	0 13:08:54(15:38.768)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	
Set the Duplicate Threshold Period (days) field to : 10	0 13:08:54(15:39.176)
Set the Duplicate Radius (feet) field to : 10	0 13:08:55(15:39.324)
Set the Duplicate Detection Method picklist to : Standard	0 13:08:55(15:39.470)
Set the SLA Type picklist to : Business Days	0 13:08:55(15:39.638)
Set the SLA field to: 10	0 13:08:55(15:39.836)
On SF Service Type Version New screen	0 13:08:55(15:40.028)
Click the Save button	0 13:08:55(15:40.061)
Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDT	ID: a0gf200000BkxDT, location:
On SF Service Type Version View screen	0 13:08:59(15:44.022)
UI Assert	0 13:08:59(15:44.065)
Set Values: SRTVName	0 13:09:02(15:46.631)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDT	a0gf200000BkxDT, location:
Call SaveSRTV	0 13:09:04(15:48.705)
Set Values: SRTName	0 13:09:04(15:48.705)
Call MakeSRTVCurrentVersion	0 13:09:04(15:48.709)
MakeSRTVCurrentVersion.testcase	0 13:09:04(15:48.709)
Salesforce Connect: Internal311Qa (Test)SOQL Query: select ld from	
Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	① 13:09:04(15:48.714)
On SF Service Type Version View screen	0 13:09:05(15:49.507)
Activate inline edit the Is Draft field	0 13:09:11(15:55.746)
Uncheck the Is Draft field	① 13:09:22(16:06.958)

Click the SaveEdit button	(i) 13:09:34(16:19.090)
Click the Make Version Current button	13:09:55(16:39.239)13:09:55(16:39.925)
Handle UI Alerts	© 13:09:59(16:43.972)
☐ Handle UI Alerts ☐ Call AddingScedulingINSRRT	© 13:10:05(16:50.037)
AddingScedulingINSRRT.testcase	© 13:10:05(16:50.038)
Salesforce Connect: InternalQA (Test)	© 13:10:05(16:50.038)
Solestorce Connect: InternalQA (Test) Solestorce Connect: InternalQA (Test) Solestorce Connect: InternalQA (Test)	(10.10.05(10.50.050)
Name ='{SRTName}'=>SRTId	© 13:10:05(16:50.050)
On SF Service Type View screen	0 13:10:06(16:50.814)
Activate inline edit the Schedule Type picklist	0 13:10:12(16:56.873)
<pre>If: {PicklistScheduleType != "n"}</pre>	0 13:10:14(16:58.609)
Then	0 13:10:14(16:58.623)
Set the Schedule Type picklist to : Requests	0 13:10:14(16:58.623)
Activate inline edit the Schedulable Requests Limit/Month field	0 13:10:14(16:58.832)
If: {NumberScheduleRequestLimit_month != "n"}	① 13:10:15(17:00.004)
Then	() 13:10:15(17:00.007)
Activate inline edit the Schedulable Requests Limit/Month field	③ 13:10:15(17:00.007)
Set the Schedulable Requests Limit/Month field to : 1	0 13:10:16(17:01.135)
Activate inline edit the Set Expected Date field	0 13:10:17(17:01.298)
If: {CheckBoxSetExpectedDate != "n"}	13:10:18(17:02.472)
Then	① 13:10:18(17:02.477)
Check the Set Expected Date field	13:10:18(17:02.477)
Activate inline edit the Schedulable Requests Limit/Year field	0 13:10:18(17:02.611)
If: {NumberScheduleRequestLimit_year != "n"}	0 13:10:19(17:03.753)
Then	0 13:10:19(17:03.757)
Set the Schedulable Requests Limit/Year field to {NumberScheduleRequestLimit_year}	① 13:10:19(17:03.757)
Activate inline edit the Schedule Duplicate Detection field	0 13:10:19(17:03.879)
If: {CheckBoxDuplicationDetection_field != "n"}	① 13:10:20(17:05.045)
Else	0 13:10:20(17:05.047)
Uncheck the Schedule Duplicate Detection field	() 13:10:20(17:05.047)
Activate inline edit the Show Schedule Calendar field	() 13:10:20(17:05.121)
If: {CheckboxShowScheduleCalendar_field != "n"}	() 13:10:22(17:06.316)
Then	0 13:10:22(17:06.324)
Check the Show Schedule Calendar field	0 13:10:22(17:06.324)
Activate inline edit the Item Limit field	① 13:10:22(17:06.449)
If: {SetNumberItemLimit_field != "n"}	0 13:10:23(17:07.623)
Else	0 13:10:23(17:07.626)
Clear the Item Limit field	① 13:10:23(17:07.626)
Activate inline edit the Daily Request Limit field	0 13:10:23(17:07.741)
If: {NumberSetDailyRequestLimit_field != "n"}	0 13:10:24(17:08.929)
☑ Else	0 13:10:24(17:08.936)
Clear the Daily Request Limit field	0 13:10:24(17:08.936)
Activate inline edit the Schedule Matching field	0 13:10:24(17:09.050)
If: {TextAreaScheduleMatching_field != "n"}	0 13:10:26(17:10.240)
Then	① 13:10:26(17:10.244)
Set the Schedule Matching field to: {"zone": {"layer_name":"Mailing Neighborhoods", "layer_value":"value"}}	© 13:10:26(17:10.244)
Click the Inline Edit OK button	0 13:10:26(17:10.536)
Activate inline edit the Schedule After (Days) field	0 13:10:26(17:10.630)
If: {NumberScheduleAfterDays_Field != "n"}	① 13:10:27(17:11.824)
Then	0 13:10:27(17:11.828)

Set the Schedule After (Days) field to: 0	0 13:10:27(17:11.828)
Activate inline edit the Is Schedule Type field	() 13:10:27(17:11.963)
<pre>If: {CheckIsScheduleType != "n"}</pre>	() 13:10:28(17:13.160)
Then	() 13:10:28(17:13.165)
Check the Is Schedule Type field	() 13:10:28(17:13.165)
Activate inline edit the Enable Scheduling Hours field	() 13:10:29(17:13.308)
If: {CheckboxSchedulingHours != "n"}	0 13:10:30(17:14.498)
☑ Else	① 13:10:30(17:14.501)
Uncheck the Enable Scheduling Hours field	() 13:10:30(17:14.501)
Activate inline edit the Schedule Range field	① 13:10:30(17:14.597)
If: {NumberScheduleRange != "n"}	() 13:10:31(17:15.777)
Then	① 13:10:31(17:15.780)
Set the Schedule Range field to : 3	① 13:10:31(17:15.780)
Activate inline edit the Number Of Schedules field	① 13:10:31(17:15.938)
If: {NumberBoxNumberOfSchedules != "n"}	① 13:10:32(17:17.127)
Then	① 13:10:32(17:17.129)
Set the Number Of Schedules field to : 3	① 13:10:32(17:17.129)
Click the SaveEdit button	(a) 13:10:33(17:17.260)
Call CreateZoneForSchedule2	(i) 13:10:45(17:29.409)
CreateZoneForSchedule2.testcase	0 13:10:45(17:29.412)
Salesforce Connect: Internal311Qa (Test)	0 13:10:45(17:29.412)
On SF Schedule New screen	0 13:10:45(17:29.418)
On SRTV page	0 13:10:50(17:35.220)
Set the Service Type Number to {ServiceTypeNumber}	0 13:10:51(17:35.262)
Lookup the Service Type reference	0 13:10:53(17:37.434)
On SF Service Type Lookup screen	0 13:10:53(17:37.589)
Click the Service Type Id button The row locator matched 1 row.	© 13:10:59(17:43.810)
Set the Zone field to : South Boston	0 13:11:02(17:47.047)
Set the Capacity field to: 50	0 13:11:03(17:47.264)
Today link the Schedule Date field	0 13:11:03(17:47.435)
If: {SetOverRideDate != "n"}	0 13:11:03(17:47.435)
Set the Count field to: 0	0 13:11:03(17:47.442)
Set the Schedule Date field to: 1/4/2019	① 13:11:03(17:47.699)
If: {ChecktheNoServiceField != "n"}	() 13:11:03(17:47.887)
Click the Save button	() 13:11:03(17:47.891)
Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000MubrM, locat incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000MubrM	on: https://
On SRTV page	() 13:11:07(17:51.280)
UI Assert	() 13:11:07(17:51.319)
Set Values: ScheduleName	() 13:11:07(17:51.573)
	() 13:11:09(17:53.600)
Salesforce Connect: QA (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test	() 13:11:09(17:53.606)
On SF Cases tab (Code Compliance Administration)	() 13:11:12(17:56.740)
Click the New Case button	(http://doi.org/10.1011/10.101
On SF Incap311SCAgentConsole page with pageobject Incap	,
311sc Agent Console_ Narayan	(i) 13:11:53(18:37.936)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.258	© 13:11:55(18:40.111)
Background activity wait successful. Actual duration(seconds): 2.613	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	① 13:12:01(18:45.311)
Set the Text Box_search Service Type field to SRT	0 13:12:01(18:45.440)

Background activity wait successful. Actual duration(seconds): 0.258

Call the calcatCDT upo method	13:12:01(18:46.179)
Call the selectSRType method	13.12:01(18:48.437)13:12:04(18:48.437)
Call putLocationAndHandleDuplicates	© 13:12:04(18:48.438)
putLocationAndHandleDuplicates.testcase	, ,
Salesforce Connect: QA (Test)	0 13:12:04(18:48.438)
Set Values: InitialSRIdToBeMarkedDuplicate	0 13:12:04(18:48.447)
Set Values: InitialDuplicatesPopupAction	0 13:12:04(18:48.453)
Set Values: LocationOption	0 13:12:04(18:48.457)
Set Values: DuplicatesChoice	0 13:12:04(18:48.461)
Set Values: LocationToBeSelected	0 13:12:04(18:48.464)
Set Values: SRIdToBeMarkedDuplicate	0 13:12:04(18:48.467)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	0 13:12:04(18:48.470)
Click the Location Tab Link button	0 13:12:04(18:48.593)
Background activity wait successful. Actual duration(seconds): 0.258	
Background activity wait successful. Actual duration(seconds): 0.261	
Sleep for {20} seconds Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	13:12:05(18:49.436)
Click the Location Pop Up Icon Back field	© 13:12:25(19:09.439)
Initial Duplicates Popup action on trf or update	① 13:12:25(19:09.716)
Duplicates Popup action selection or change of address	0 13:12:25(19:09.716)
☑ If: {LocationOption = "NoSelection"}	© 13:12:25(19:09.718)
If: {LocationOption = "Noselection"}	13:12:25(19:09.720)
Then	
_	0 13:12:25(19:09.722)
Set the Search For A Location field to: 505 MAIN ST Background activity wait successful. Actual duration(seconds): 0.261	© 13:12:25(19:09.722)
Background activity wait successful. Actual duration(seconds): 0.257	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.762	0 13:12:26(19:10.720)
Background activity wait successful. Actual duration(seconds): 1.295	
UI Assert	13:12:28(19:13.062)
On SF Incap311SCAgentConsole page with	
pageobject Incap 311sc Agent Console_ Narayan_ Pop Ups	0 13:12:29(19:13.512)
Sleep for {3} seconds	0 13:12:29(19:13.819)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	
UI Assert	() 13:12:32(19:16.824)
If: {DuplicatesChoice = "MarkAsDuplicate"}	0 13:12:52(19:36.959)
If: {DuplicatesChoice = "ClosePopup"}	0 13:12:52(19:36.963)
If: {DuplicatesChoice = "NewCase"}	0 13:12:52(19:36.965)
☑ Then	0 13:12:52(19:36.967)
☑ If:	
{NewCase.fields.continueWithoutDuplicate.visible = "true"}	0 13:12:52(19:36.967)
If: {LocationOption = "RemoveLocation"}	0 13:12:54(19:39.026)
<pre>If: {LocationOption = "ChangeLocation"}</pre>	0 13:12:54(19:39.030)
On Service Request View Screen page	() 13:12:56(19:41.059)
Click the Selected_ Location	① 13:12:56(19:41.171)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:12:59(19:43.412)
☑ Click the Schedule 1 button	0 13:12:59(19:43.555)
On SF Incap311SCAgentConsole page with pageobject Incap	
311sc Agent Console_ Aadil_ Schedule Page	© 13:13:01(19:45.807)
Click the Select Schedule Date button	0 13:13:01(19:45.969)

On SF Incap311SC_AgentConsole page with pageobject Incap 311sc_Agent Console_ Aadil_ Schedule Page	0 13:13:03(19:48.236)
STISC Agent Console_ Aduli_ Schedule Fage ☑ UI Assert	13:13:04(19:48.405)
On SF Incap311SCAgentConsole page with pageobject Incap	
311sc Agent Console_ Aadil_ Schedule Page	0 13:13:06(19:50.787)
UI Assert	0 13:13:06(19:50.911)
Assert: {Values.fields.ScheduleTabData.value} Contains {Today}	0 13:13:07(19:51.460)
Call SubmitSR	0 13:13:09(19:53.497)
SubmitSR.testcase	0 13:13:09(19:53.497)
Salesforce Connect: QA (Test)	0 13:13:09(19:53.497)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	① 13:13:09(19:53.506)
Click the Submit button	0 13:13:09(19:53.633)
Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	① 13:13:11(19:55.862)
On SF Service Request View screen	0 13:13:21(20:05.867)
UI Assert	0 13:13:22(20:07.177)
Set Values: SRCode	0 13:13:25(20:09.531)
On SF Case View screen	0 13:13:25(20:09.546)
With View/Incap311Service_Request_Schedulesr/ Incap311Service_Request_SchedulesrTable {1} The row locator matched 1 row.	① 13:13:25(20:09.816)
Click the Service Request Schedule Name field	① 13:13:30(20:14.887)
On SF Service Request Schedule View screen	0 13:13:32(20:17.215)
6 UI Assert	0 13:13:33(20:17.384)
UI Assert	0 13:13:33(20:17.384)
Assert: {Values.fields.Incap311Schedulec.value} EqualTo {ScheduleName}	0 13:13:33(20:17.642)
6 On SF Service Request View screen	0 13:13:35(20:19.668)
6 On SF Service Request Schedule View screen	0 13:13:35(20:19.668)
	0 13:13:35(20:19.668)
Salesforce Connect: QA1 (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA1, resultScope: Test	0 13:13:35(20:19.671)
On SF Cases tab (Code Compliance Administration)	0 13:13:38(20:22.838)
Click the New Case button	0 13:14:10(20:54.577)
On SF Incap311SCAgentConsole page with pageobject Incap	13:14:12(20:56.764)
311sc Agent Console_ Narayan	0 1011 1112(2010011011)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.260	0 13:14:14(20:59.014)
Background activity wait successful. Actual duration(seconds): 2.723	
On SF Incap311SC_AgentConsole page with pageobject Incap 311sc_ Agent Console_ Narayan_ Service Type Tab	0 13:14:20(21:04.352)
Set the Text Box_search Service Type field to SRT Background activity wait successful. Actual duration(seconds): 0.259	① 13:14:20(21:04.495)
Call the selectSRType method	0 13:14:20(21:05.231)
Call putLocationAndHandleDuplicates	0 13:14:23(21:07.506)
putLocationAndHandleDuplicates.testcase	0 13:14:23(21:07.506)
Salesforce Connect: QA (Test)	0 13:14:23(21:07.506)
Set Values: InitialSRIdToBeMarkedDuplicate	0 13:14:23(21:07.511)
Set Values: InitialDuplicatesPopupAction	0 13:14:23(21:07.513)
Set Values: LocationOption	0 13:14:23(21:07.515)
Set Values: DuplicatesChoice	① 13:14:23(21:07.518)
Set Values: LocationToBeSelected	0 13:14:23(21:07.521)
Set Values: SRIdToBeMarkedDuplicate	0 13:14:23(21:07.523)

On SF Incap311SCAgentConsole page with pageobject	
Incap 311sc Agent Console_ Narayan_ Location Tab	0 13:14:23(21:07.526)
Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.257	0 13:14:23(21:07.645)
Background activity wait successful. Actual duration(seconds): 0.279	
Sleep for {20} seconds Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	① 13:14:24(21:08.483)
Click the Location Pop Up Icon Back field	① 13:14:44(21:28.487)
Initial Duplicates Popup action on trf or update	0 13:14:44(21:28.718)
Duplicates Popup action selection or change of address	0 13:14:44(21:28.718)
If: {LocationOption = "NoSelection"}	0 13:14:44(21:28.721)
If: {LocationOption = "SelectLocation"}	0 13:14:44(21:28.724)
Then	0 13:14:44(21:28.727)
Set the Search For A Location field to: 505 MAIN ST Background activity wait successful. Actual duration(seconds): 0.258	0 13:14:44(21:28.727)
Background activity wait successful. Actual duration(seconds): 0.255	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.772	0 13:14:45(21:29.693)
Background activity wait successful. Actual duration(seconds): 1.290	
UI Assert	0 13:14:47(21:32.008)
On SF Incap311SCAgentConsole page with	0 10.1 1 (2 1.02.000)
pageobject Incap 311sc Agent Console_ Narayan_ Pop Ups	() 13:14:48(21:32.505)
Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	0 13:14:48(21:32.637)
UI Assert	0 13:14:51(21:35.641)
If: {DuplicatesChoice = "MarkAsDuplicate"}	① 13:14:51(21:36.014)
✓ If: {DuplicatesChoice = "ClosePopup"}	0 13:14:51(21:36.019)
✓ If: {DuplicatesChoice = "NewCase"}	0 13:14:51(21:36.023)
☑ Then	0 13:14:51(21:36.026)
🙆 lf:	
<pre>{NewCase.fields.continueWithoutDuplicate.visible = "true"}</pre>	0 13:14:51(21:36.026)
Then	0 13:14:51(21:36.028)
Click the Continue Without Duplicate button Background activity wait successful. Actual duration(seconds): 0.258	0 13:14:51(21:36.028)
Background activity wait successful. Actual duration(seconds): 0.266	
If: {LocationOption = "RemoveLocation"}	0 13:14:54(21:38.847)
If: {LocationOption = "ChangeLocation"}	0 13:14:54(21:38.850)
On Service Request View Screen page	0 13:14:56(21:40.893)
Click the Selected_ Location	① 13:14:56(21:41.024)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	(1) 13:14:59(21:43.281)
UI Assert	0 13:14:59(21:43.424)
Assert: {Values.fields.schedule1.value} EqualTo Schedule 0 available	0 13:14:59(21:43.841)

[If schedule is not defined, user would not see the buttons.testcase

Summary

Started 04 Jan 2019, 13:15:23 Ended 04 Jan 2019, 13:20:41

Duration (mm:ss) 05:18.029

Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope:	© 13:15:23(22:07.375)
Set Values: SetCountSchedule	① 13:15:26(22:10.898)
Set Values: uniqueNumeric3	0 13:15:26(22:10.904)0 13:15:26(22:10.915)
Set Values: uniqueNumeric4	, ,
Set Values: uniqueAlpha	① 13:15:26(22:10.923)
Call CreateSRT	0 13:15:26(22:10.935)
© CreateSRT.testcase	① 13:15:26(22:10.935)
Salesforce Connect: Internal311Qa (Test)	0 13:15:26(22:10.935)
Set Values: uniqueAlpha	0 13:15:26(22:10.944)
On SF Service Type New screen	0 13:15:26(22:10.959)
Set the Service Name field to: CKGPH	0 13:15:41(22:25.587)
Set the Service Type Code field to: CKGPH	0 13:15:41(22:25.788)
Set the Service Description field to : CKGPH	0 13:15:41(22:25.961)
Set the External Name field to: CKGPH	0 13:15:41(22:26.153)
Set the External Description field to: CKGPH	0 13:15:42(22:26.324)
Set the Contact Status picklist to Available	0 13:15:42(22:26.495)
If: {LocationRequiredFlag = "y"}	0 13:15:42(22:26.671)
Click the Save button	(h) 13:15:42(22:26.674)
Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf200000jE7Kz, loc incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7Kz	cation: https://
On SF Service Type View screen	() 13:15:46(22:30.249)
UI Assert	0 13:15:46(22:30.278)
Set Values: SRTName	0 13:15:48(22:32.528)
Call FillSRTV	0 13:15:48(22:32.537)
FillSRTV.testcase	0 13:15:48(22:32.537)
Salesforce Connect: Internal311Qa (Test)	0 13:15:48(22:32.537)
On SF Service Type Version New screen	0 13:15:48(22:32.549)
Set the Version Code field to {SRTName}_V{Version}	0 13:15:54(22:38.443)
Set the Version Name field to {SRTName} V{Version}	0 13:15:54(22:38.638)
Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	: https://
On SRTV page	① 13:15:58(22:42.944)
Set the Version Number to : 1	13:15:58(22:42.992)
On SF Service Type Version New screen	13:16:01(22:45.416)
Set the Service Type reference to : SRT-00001004	13:16:01(22:45.447)
 ✓ Set the Service Type reference to : Six1-00001004 ✓ Lookup the Service Type reference 	13:16:01(22:45.677)
On SF Service Type Lookup screen	© 13:16:27(23:11.921)
Click the Service Type Id button	© 13:16:27(23:12.011)
The row locator matched 1 row.	0 10110121(201121011)
Set the Service Name field to : SRT-00001004	0 13:16:50(23:35.226)
Set the Start Date field to : 11/28/2017	0 13:16:51(23:35.467)
Set the Stop Date field to: 11/28/2099	0 13:16:51(23:35.667)
Set the Default Priority picklist to: Standard	0 13:16:51(23:35.858)
Set the Default Method picklist to : Phone	0 13:16:51(23:36.098)
Set the Default Status picklist to : Open	0 13:16:52(23:36.261)
Set the Duplicate Threshold Period (hours) field to	① 13:16:52(23:36.565)
{DuplicatePeriodHours}	0.10.10.02(20.00.000)
Set the Duplicate Threshold Period (days) field to: 10	0 13:16:52(23:36.703)
Set the Duplicate Radius (feet) field to: 10	0 13:16:52(23:36.865)
Set the Duplicate Detection Method picklist to : Standard	0 13:16:52(23:37.004)

Set the SLA Type picklist to: Business Days	0 13:16:52(23:37.168)
Set the SLA field to : 10	0 13:16:53(23:37.331)
On SF Service Type Version New screen	① 13:16:53(23:37.479)
Click the Save button	1 3:16:53(23:37.504)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, creat https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDY	ed ID: a0gf200000BkxDY, location:
On SF Service Type Version View screen	0 13:16:57(23:41.454)
UI Assert	0 13:16:57(23:41.483)
Set Values: SRTVName	0 13:16:59(23:43.718)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID. https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDY	D: a0gf200000BkxDY, location:
∆ Call SaveSRTV	0 13:17:01(23:45.782)
Call MakeSRTVCurrentVersion	0 13:17:01(23:45.782)
MakeSRTVCurrentVersion.testcase	0 13:17:01(23:45.782)
Salesforce Connect: Internal311Qa (Test)	0 13:17:01(23:45.782)
SOQL Query: select Id from	
Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	© 13:17:01(23:45.787)
On SF Service Type Version View screen	① 13:17:02(23:46.730)
Activate inline edit the Is Draft field	① 13:17:08(23:53.123)
Uncheck the Is Draft field	0 13:17:20(24:04.335)
Click the SaveEdit button	0 13:17:32(24:16.485)
Click the Make Version Current button	() 13:17:52(24:36.596)
Handle UI Alerts	0 13:17:54(24:38.271)
Handle UI Alerts	0 13:17:58(24:42.324)
Call AddingScedulingINSRRT	① 13:18:04(24:48.406)
AddingScedulingINSRRT.testcase	13:18:04(24:48.406)
Salesforce Connect: InternalQA (Test)	① 13:18:04(24:48.406)
SOQL Query: select Id from Incap311Service_Typec where Name ='{SRTName}'=>SRTId	© 13:18:04(24:48.413)
On SF Service Type View screen	① 13:18:07(24:51.280)
Activate inline edit the Schedule Type picklist	0 13:18:13(24:57.393)
If: {PicklistScheduleType != "n"}	0 13:18:14(24:58.603)
Then	① 13:18:14(24:58.606)
Set the Schedule Type picklist to : Requests	0 13:18:14(24:58.606)
Activate inline edit the Schedulable Requests Limit/Month field	① 13:18:14(24:58.805)
If: {NumberScheduleRequestLimit_month != "n"}	0 13:18:15(24:59.994)
Then	0 13:18:15(25:00.009)
Activate inline edit the Schedulable Requests Limit/Month field	© 13:18:15(25:00.009)
Set the Schedulable Requests Limit/Month field to: 50	0 13:18:16(25:01.142)
Activate inline edit the Set Expected Date field	0 13:18:17(25:01.266)
If: {CheckBoxSetExpectedDate != "n"}	0 13:18:18(25:02.434)
Then	0 13:18:18(25:02.436)
Check the Set Expected Date field	0 13:18:18(25:02.436)
Activate inline edit the Schedulable Requests Limit/Year field	0 13:18:18(25:02.547)
If: {NumberScheduleRequestLimit_year != "n"}	0 13:18:19(25:03.716)
Then	① 13:18:19(25:03.725)
Set the Schedulable Requests Limit/Year field to {NumberScheduleRequestLimit_year}	© 13:18:19(25:03.726)
Activate inline edit the Schedule Duplicate Detection field	① 13:18:19(25:03.868)
If: {CheckBoxDuplicationDetection_field != "n"}	① 13:18:20(25:05.028)
Else	0 13:18:20(25:05.031)
Uncheck the Schedule Duplicate Detection field	0 13:18:20(25:05.031)
Activate inline edit the Show Schedule Calendar field	0 13:18:20(25:05.111)

If: {CheckboxShowScheduleCalendar_field != "n"}	0 13:18:22(25:06.267)
Then	0 13:18:22(25:06.276)
Check the Show Schedule Calendar field	0 13:18:22(25:06.276)
Activate inline edit the Item Limit field	0 13:18:22(25:06.411)
If: {SetNumberItemLimit_field != "n"}	0 13:18:23(25:07.621)
Else	0 13:18:23(25:07.631)
Clear the Item Limit field	0 13:18:23(25:07.632)
Activate inline edit the Daily Request Limit field	0 13:18:23(25:07.737)
If: {NumberSetDailyRequestLimit_field != "n"}	0 13:18:24(25:08.919)
Else	0 13:18:24(25:08.922)
Clear the Daily Request Limit field	0 13:18:24(25:08.922)
Activate inline edit the Schedule Matching field	0 13:18:24(25:09.022)
If: {TextAreaScheduleMatching_field != "n"}	0 13:18:25(25:10.224)
Then	0 13:18:25(25:10.231)
Set the Schedule Matching field to : {"zone":	
{"layer_name":"Mailing Neighborhoods",	0 13:18:25(25:10.231)
"layer_value":"value"}}	
Click the Inline Edit OK button	0 13:18:26(25:10.497)
Activate inline edit the Schedule After (Days) field	0 13:18:26(25:10.599)
If: {NumberScheduleAfterDays_Field != "n"}	0 13:18:27(25:11.824)
Then	0 13:18:27(25:11.831)
Set the Schedule After (Days) field to: 0	0 13:18:27(25:11.831)
Activate inline edit the Is Schedule Type field	0 13:18:27(25:11.991)
If: {CheckIsScheduleType != "n"}	0 13:18:28(25:13.143)
Then	0 13:18:28(25:13.147)
Check the Is Schedule Type field	0 13:18:28(25:13.147)
Activate inline edit the Enable Scheduling Hours field	0 13:18:29(25:13.288)
If: {CheckboxSchedulingHours != "n"}	0 13:18:30(25:14.466)
Else	0 13:18:30(25:14.469)
Uncheck the Enable Scheduling Hours field	0 13:18:30(25:14.469)
Activate inline edit the Schedule Range field	0 13:18:30(25:14.550)
If: {NumberScheduleRange != "n"}	0 13:18:31(25:15.724)
Then	0 13:18:31(25:15.727)
Set the Schedule Range field to : 3	0 13:18:31(25:15.727)
Activate inline edit the Number Of Schedules field	0 13:18:31(25:15.852)
If: {NumberBoxNumberOfSchedules != "n"}	0 13:18:32(25:17.017)
Then	0 13:18:32(25:17.024)
Set the Number Of Schedules field to: 3	0 13:18:32(25:17.024)
Click the SaveEdit button	0 13:18:32(25:17.185)
Work	0 13:18:45(25:29.348)
Salesforce Connect: QA (Test)	0 13:18:45(25:29.359)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test	
On SF Cases tab (Code Compliance Administration)	0 13:18:48(25:32.653)
Click the New Case button	0 13:19:22(26:06.705)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan	0 13:19:24(26:08.923)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.268	0 13:19:27(26:11.622)
Background activity wait successful. Actual duration(seconds): 2.691	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	13:19:33(26:17.452)
Set the Text Box_search Service Type field to SRT	0 13:19:33(26:17.652)
Background activity wait successful. Actual duration(seconds): 0.258	
Call the selectSRType method	0 13:19:34(26:18.438)
Call putLocationAndHandleDuplicates	0 13:19:36(26:20.692)

 putLocationAndHandleDuplicates.testcase Salesforce Connect: QA (Test) Set Values: InitialSRIdToBeMarkedDuplicate Set Values: InitialDuplicatesPopupAction 	
Set Values: InitialSRIdToBeMarkedDuplicate	① 13:19:36(26:20.692)
	0 13:19:36(26:20.692)
Set Values: InitialDuplicatesPopupAction	0 13:19:36(26:20.702)
t t	0 13:19:36(26:20.708)
Set Values: LocationOption	0 13:19:36(26:20.712)
Set Values: DuplicatesChoice	0 13:19:36(26:20.716)
Set Values: LocationToBeSelected	0 13:19:36(26:20.720)
Set Values: SRIdToBeMarkedDuplicate	0 13:19:36(26:20.724)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	0 13:19:36(26:20.727)
Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.266	① 13:19:36(26:20.857)
Background activity wait successful. Actual duration(seconds): 0.306	
Sleep for {20} seconds Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	() 13:19:37(26:21.695)
Click the Location Pop Up Icon Back field	0 13:19:57(26:41.700)
Initial Duplicates Popup action on trf or update	© 13:19:57(26:41.945)
Duplicates Popup action or thange of address	© 13:19:57(26:41.945)
Duplicates Popula action selection of change of address If: {LocationOption = "NoSelection"}	© 13:19:57(26:41.950)
If: {LocationOption = "SelectLocation"}	© 13:19:57(26:41.955)
Then	© 13:19:57(26:41.962)
Set the Search For A Location field to : 505 MAIN ST	© 13:19:57(26:41.962)
Background activity wait successful. Actual duration(seconds): 0.267	10.10.07(20.41.002)
Background activity wait successful. Actual duration(seconds): 0.256	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.764	① 13:19:58(26:43.012)
Background activity wait successful. Actual duration(seconds): 2.320	
UI Assert	0 13:20:02(26:46.376)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_	13:20:02(26:46.772)
Pop Ups	① 13:20:02(26:46.900)
Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	(13.20.02(26.46.900)
UI Assert	0 13:20:05(26:49.905)
If: {DuplicatesChoice = "MarkAsDuplicate"}	0 13:20:25(27:10.000)
If: {DuplicatesChoice = "ClosePopup"}	0 13:20:25(27:10.004)
<pre>If: {DuplicatesChoice = "NewCase"}</pre>	0 13:20:25(27:10.007)
Then	0 13:20:25(27:10.010)
	① 13:20:25(27:10.010)
<pre>If: {NewCase.fields.continueWithoutDuplicate.visible = "true"}</pre>	
{NewCase.fields.continueWithoutDuplicate.visible = "true"}	① 13:20:27(27:12.066)
{NewCase.fields.continueWithoutDuplicate.visible = "true"} If: {LocationOption = "RemoveLocation"}	
{NewCase.fields.continueWithoutDuplicate.visible = "true"} If: {LocationOption = "RemoveLocation"} If: {LocationOption = "ChangeLocation"}	(13:20:27(27:12.069)
{NewCase.fields.continueWithoutDuplicate.visible = "true"} If: {LocationOption = "RemoveLocation"} If: {LocationOption = "ChangeLocation"} On Service Request View Screen page	13:20:27(27:12.069)13:20:29(27:14.098)
{NewCase.fields.continueWithoutDuplicate.visible	0 13:20:27(27:12.069)
{NewCase.fields.continueWithoutDuplicate.visible = "true"} If: {LocationOption = "RemoveLocation"} If: {LocationOption = "ChangeLocation"} On Service Request View Screen page Click the Selected_ Location On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab Click the Link_ Details button	13:20:27(27:12.069)13:20:29(27:14.098)13:20:29(27:14.212)
{NewCase.fields.continueWithoutDuplicate.visible	 13:20:27(27:12.069) 13:20:29(27:14.098) 13:20:29(27:14.212) 13:20:32(27:16.444)
{NewCase.fields.continueWithoutDuplicate.visible	 13:20:27(27:12.069) 13:20:29(27:14.098) 13:20:29(27:14.212) 13:20:32(27:16.444)
{NewCase.fields.continueWithoutDuplicate.visible	 13:20:27(27:12.069) 13:20:29(27:14.098) 13:20:29(27:14.212) 13:20:32(27:16.444)
{NewCase.fields.continueWithoutDuplicate.visible = "true"} If: {LocationOption = "RemoveLocation"} If: {LocationOption = "ChangeLocation"} On Service Request View Screen page Click the Selected_ Location On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab Click the Link_ Details button Background activity wait successful. Actual duration(seconds): 0.264 Background activity wait successful. Actual duration(seconds): 1.290 On SF Incap311SCAgentConsole page with pageobject Incap	 13:20:27(27:12.069) 13:20:29(27:14.098) 13:20:29(27:14.212) 13:20:32(27:16.444) 13:20:32(27:16.560)

© UI Assert

[If the item is specified within limit then sr is saved.testcase

Summary

Started 04 Jan 2019, 13:20:54 Ended 04 Jan 2019, 13:30:25

Duration (mm:ss) 09:31.335
Outcome successful

Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope	© 13:20:54(27:38.485) e: Test
Set Values: Today	0 13:20:57(27:41.750)
Set Values: SetCountSchedule	0 13:20:57(27:41.758)
Set Values: uniqueNumeric3	0 13:20:57(27:41.762)
Set Values: uniqueNumeric4	0 13:20:57(27:41.768)
Set Values: uniqueAlpha	0 13:20:57(27:41.775)
Call CreateSRT	0 13:20:57(27:41.782)
CreateSRT.testcase	0 13:20:57(27:41.783)
Salesforce Connect: Internal311Qa (Test)	0 13:20:57(27:41.783)
Set Values: uniqueAlpha	① 13:20:57(27:41.789)
On SF Service Type New screen	0 13:20:57(27:41.797)
Set the Service Name field to : DDCAC	0 13:21:12(27:56.406)
Set the Service Type Code field to : DDCAC	0 13:21:12(27:56.654)
Set the Service Description field to : DDCAC	0 13:21:12(27:56.812)
Set the External Name field to : DDCAC	0 13:21:12(27:56.972)
Set the External Description field to : DDCAC	0 13:21:12(27:57.153)
Set the Contact Status picklist to Available	0 13:21:13(27:57.299)
If: {LocationRequiredFlag = "y"}	0 13:21:13(27:57.461)
Click the Save button	0 13:21:13(27:57.464)
Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf200000jE7L4, lincapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE7L4	ocation: https://
On SF Service Type View screen	0 13:21:17(28:01.506)
UI Assert	0 13:21:17(28:01.530)
Set Values: SRTName	0 13:21:19(28:03.766)
Call FillSRTV	(a) 13:31:10(30:03 776)
	0 13:21:19(28:03.776)
FillSRTV.testcase	© 13:21:19(28:03.777)
FillSRTV.testcaseSalesforce Connect: Internal311Qa (Test)	
	0 13:21:19(28:03.777)
Salesforce Connect: Internal311Qa (Test)	13:21:19(28:03.777)13:21:19(28:03.777)
Salesforce Connect: Internal311Qa (Test)On SF Service Type Version New screen	13:21:19(28:03.777)13:21:19(28:03.777)13:21:19(28:03.784)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} 	 13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, location 	 13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e 	13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293) on: https://
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e On SRTV page 	13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293) on: https:// 13:21:30(28:14.671)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311_Service_Type_Version_cld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e On SRTV page Set the Version Number to: 1 	13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293) 20n: https:// 13:21:30(28:14.671) 13:21:30(28:14.719)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, locatic incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e On SRTV page Set the Version Number to : 1 On SF Service Type Version New screen 	13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293) https:// 13:21:30(28:14.671) 13:21:30(28:14.719) 13:21:32(28:17.149)
 Salesforce Connect: Internal311Qa (Test) On SF Service Type Version New screen Set the Version Code field to {SRTName}_V{Version} Set the Version Name field to {SRTName} V{Version} Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e On SRTV page Set the Version Number to: 1 On SF Service Type Version New screen Set the Service Type reference to: SRT-00001005 	13:21:19(28:03.777) 13:21:19(28:03.777) 13:21:19(28:03.784) 13:21:25(28:10.091) 13:21:26(28:10.293) on: https:// 13:21:30(28:14.671) 13:21:30(28:14.719) 13:21:32(28:17.149) 13:21:32(28:17.177)

Set the Service Name field to : SRT-00001005	0 13:22:22(29:06.999)
Set the Start Date field to: 11/28/2017	0 13:22:22(29:07.215)
Set the Stop Date field to: 11/28/2099	0 13:22:23(29:07.417)
Set the Default Priority picklist to: Standard	0 13:22:23(29:07.601)
Set the Default Method picklist to : Phone	0 13:22:23(29:07.850)
Set the Default Status picklist to : Open	0 13:22:23(29:08.064)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	0 13:22:24(29:08.321)
Set the Duplicate Threshold Period (days) field to : 10	① 13:22:24(29:08.465)
Set the Duplicate Radius (feet) field to : 10	13:22:24(29:08.604)
Set the Duplicate Radius (leet) field to . To	13:22:24(29:08.745)
Set the SLA Type picklist to: Business Days	© 13:22:24(29:08.900)
Set the SLA Type picklist to . Business Days Set the SLA field to : 10	13:22:24(29:09.076)
	① 13:22:24(29:09.233)
On SF Service Type Version New screen	① 13:22:25(29:09.270)
Click the Save button Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0gf200	, ,
https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDd	ocobraba, location.
On SF Service Type Version View screen	① 13:22:28(29:13.158)
UI Assert	0 13:22:28(29:13.181)
Set Values: SRTVName	0 13:22:31(29:15.421)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0gf200000Ehttps://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDd	3kxDd, location:
· · · · · · · · · · · · · · · · · · ·	0.40,00,00/20,47.400\
6 Call SaveSRTV	0 13:22:33(29:17.486)
Set Values: SRTName	0 13:22:33(29:17.486)
Set Values: SRTVName	0 13:22:33(29:17.491)
Call MakeSRTVCurrentVersion	0 13:22:33(29:17.495)
MakeSRTVCurrentVersion.testcase	0 13:22:33(29:17.495)
Salesforce Connect: Internal311Qa (Test)	0 13:22:33(29:17.495)
SOQL Query: select Id from Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	0 13:22:33(29:17.502)
On SF Service Type Version View screen	0 13:22:34(29:18.533)
Activate inline edit the Is Draft field	0 13:22:40(29:24.656)
Uncheck the Is Draft field	0 13:22:51(29:35.898)
Click the SaveEdit button	0 13:23:03(29:48.037)
Click the Make Version Current button	0 13:23:23(30:08.170)
Handle UI Alerts	0 13:23:26(30:10.265)
Handle UI Alerts	0 13:23:30(30:14.295)
Call CreateFlexQuestionsToMakeItActive	0 13:23:36(30:20.357)
CreateFlexQuestionsToMakeItActive.testcase	0 13:23:36(30:20.357)
Salesforce Connect: InternalQA (Test)	0 13:23:36(30:20.357)
Set Values: random_question_code	0 13:23:36(30:20.372)
Set Values: random_question	0 13:23:36(30:20.393)
Set Values: random_answer_values	0 13:23:36(30:20.403)
On SF Flex Question Home screen	0 13:23:36(30:20.414)
Click the New button	0 13:23:42(30:26.318)
On SF Flex Question New screen	0 13:23:45(30:29.547)
Set the Flex Question Code field to: PRO-DMCPN16144	0 13:23:46(30:30.337)
Switch: {question_type}	0 13:23:46(30:30.503)
Case: Phone	13:23:46(30:30.508)
≜ Case: Text	13:23:46(30:30.511)
Case: Picklist	13:23:46(30:30.514)
Case: MultiPicklist	0 13:23:46(30:30.517)
Case: Date	© 13:23:46(30:30.520)
Case: Date/Time	© 13:23:46(30:30.524)
	•

Case: Number	0 13:23:46(30:30.526)
Set the Data Type picklist to Number	0 13:23:46(30:30.529)
Case: Informational	0 13:23:46(30:30.898)
	0 13:23:46(30:30.901)
	0 13:23:46(30:30.905)
	0 13:23:46(30:30.910)
Case: Currency	0 13:23:46(30:30.914)
Set the Order field to 1	0 13:23:46(30:30.923)
Set the Question field to: This is a Number question with code PRO-DMCPN16144	0 13:23:46(30:31.084)
Set the Hint Text field to Hint for question code {random_question_code}	0 13:23:47(30:31.325)
If: {CheckIsActive != n}	0 13:23:47(30:31.546)
Then	0 13:23:47(30:31.549)
Activate inline edit the Active field	0 13:23:47(30:31.549)
Check the Active field	0 13:23:58(30:43.066)
Click the Save button	0 13:23:58(30:43.204)
Storing created Salesforce Object ID. Result Name: incap311_Question_cld, created ID: a00f200000CLRLE, loca incapsulate311-sat-dev-ed.my.salesforce.com/a00f200000CLRLE	tion: https://
On SF Flex Question View screen	0 13:24:02(30:46.723)
UI Assert-Question Type	0 13:24:02(30:46.794)
UI Assert-Question	0 13:24:02(30:47.013)
UI Assert	0 13:24:02(30:47.208)
Set Values: fq_name	0 13:24:03(30:47.410)
SOQL Query: select Id from Incap311Questionc where Name='{fq_name}'=>q_id	0 13:24:03(30:47.414)
Set Values: fq_id	0 13:24:04(30:48.339)
Call CreateSRTQuestions	0 13:24:06(30:50.374)
CreateSRTQuestions.testcase	0 13:24:06(30:50.374)
Salesforce Connect: InternalQA (Test)	0 13:24:06(30:50.374)
On SF Service Type Version Question New screen	① 13:24:06(30:50.381)
SOQL Query: select Name, Id from	
Incap311Service_Type_Versionc where Name = '{ServiceTypeVersionName}'=>Incap311Rows	0 13:24:12(30:56.262)
Set Values: ServiceTypeVersionId	0 13:24:12(30:57.095)
On NewServiceTypeVersionQuestion page	0 13:24:12(30:57.099)
Set the Incap 311 Service_ Type_ Versionc to : SRTV-00001308	0 13:24:12(30:57.131)
Lookup the Service Type Version Id reference	0 13:24:15(30:59.323)
On SF Service Type Version Lookup screen	0 13:24:15(30:59.449)
Click the Service Type Version Id button The row locator matched 1 row.	0 13:24:21(31:05.655)
On NewServiceTypeVersionQuestion page	0 13:24:23(31:07.894)
Set the Incap 311 Questionc to : FQ-00002556	0 13:24:23(31:07.944)
Lookup the Question reference	0 13:24:25(31:10.216)
On SF Flex Question Lookup screen	0 13:24:26(31:10.330)
Check the Search All Fields radio	0 13:24:32(31:16.560)
Click the Go! button	0 13:24:32(31:16.844)
Click the Flex Question Id button The row locator matched 1 row.	0 13:24:34(31:19.000)
<pre>If: {EnterOverideStopDate != "n"}</pre>	0 13:24:37(31:21.250)
☑ Else	13:24:37(31:21.255)
Clear the Override Stop Date field	0 13:24:37(31:21.255)
✓ If: {EnterOverideStartDate != "n"}	13:24:37(31:21.368)
☑ Else	© 13:24:37(31:21.370)
_ 2.00	- (

Clear the Override Start Date field	0 13:24:37(31:21.370)
If: {CheckAllowCitizenWebIntake != "n"}	0 13:24:37(31:21.493)
Else	0 13:24:37(31:21.497)
Uncheck the Allow Citizen Web Intake field	0 13:24:37(31:21.497)
If: {SetValidationField != "n"}	0 13:24:37(31:21.582)
© Else	① 13:24:37(31:21.585)
Clear the Validations field	① 13:24:37(31:21.585)
If: {CheckIsDependent != "n"}	① 13:24:37(31:21.701)
☑ Else	0 13:24:37(31:21.704)
Uncheck the Is Dependent field	0 13:24:37(31:21.704)
If: {SetDependencies != "n"}	0 13:24:37(31:21.800)
Else	0 13:24:37(31:21.803)
Clear the Dependencies field	0 13:24:37(31:21.803)
if: {CheckReadOnly != "n"}	0 13:24:37(31:21.916)
If: {CheckIsControling != "n"}	0 13:24:37(31:21.916)
© Else	0 13:24:37(31:21.918)
Uncheck the Is Controlling field	0 13:24:37(31:21.919)
If: {CheckIsRequired != "n"}	0 13:24:37(31:22.011)
Then	0 13:24:37(31:22.014)
Check the Is Required field	0 13:24:37(31:22.014)
Click the Save button	© 13:24:37(31:22.186)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Version_Questioncld, created ID: a location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0ff200000ERhAf	iolizooooekhal,
If: {CheckIsDependent != "n"}	0 13:24:42(31:26.340)
On NewServiceTypeVersionQuestion page	0 13:24:42(31:26.343)
UI Assert	0 13:24:42(31:26.372)
Set Values: ServiceTypeQuestionId	① 13:24:42(31:26.636)
Call AddingScedulingINSRRT	0 13:24:44(31:28.671)
AddingScedulingINSRRT.testcase	0 13:24:44(31:28.671)
Salesforce Connect: InternalQA (Test)	0 13:24:44(31:28.671)
SOQL Query: select Id from Incap311Service_Typec where Name ='{SRTName}'=>SRTId	0 13:24:44(31:28.677)
On SF Service Type View screen	① 13:24:45(31:29.465)
Activate inline edit the Schedule Type picklist	0 13:24:51(31:35.389)
If: {PicklistScheduleType != "n"}	0 13:24:52(31:37.138)
☑ Then	0 13:24:52(31:37.142)
Set the Schedule Type picklist to: Items	0 13:24:52(31:37.142)
Activate inline edit the Schedulable Requests Limit/Month field	0 13:24:53(31:37.334)
If: {NumberScheduleRequestLimit_month != "n"}	0 13:24:54(31:38.539)
Else	0 13:24:54(31:38.545)
Clear the Schedulable Requests Limit/Month field	0 13:24:54(31:38.545)
Activate inline edit the Set Expected Date field	13:24:54(31:38.661)13:24:55(31:39.863)
If: {CheckBoxSetExpectedDate != "n"} Then	,
_	13:24:55(31:39.868)13:24:55(31:39.868)
Check the Set Expected Date field Activate inline edit the Schedulable Requests Limit/Year field	① 13:24:55(31:39.990)
☑ If: {NumberScheduleRequestLimit_year != "n"}	(a) 13:24:56(31:41.154)
■ II. {NumberSchedulerkequestLimit_year != 11 }☑ Then	0 13:24:56(31:41.165)
Set the Schedulable Requests Limit/Year field to {NumberScheduleRequestLimit_year}	0 13:24:56(31:41.165)
Activate inline edit the Schedule Duplicate Detection field	0 13:24:57(31:41.289)
☑ If: {CheckBoxDuplicationDetection_field != "n"}	13:24:58(31:42.467)
Else	0 13:24:58(31:42.473)
Uncheck the Schedule Duplicate Detection field	① 13:24:58(31:42.473)
Activate inline edit the Show Schedule Calendar field	
Activate itilite edit the ottom ortherdie caletidal tield	① 13:24:58(31:42.543)

If: {CheckboxShowScheduleCalendar_field != "n"}	0 13:24:59(31:43.699)
Then	0 13:24:59(31:43.704)
Check the Show Schedule Calendar field Activate inline edit the Item Limit field	13:24:59(31:43.704)13:24:59(31:43.843)
If: {SetNumberItemLimit_field != "n"}	① 13:25:00(31:45.064)
Then	① 13:25:00(31:45.068)
Set the Item Limit field to : 1	① 13:25:00(31:45.068)
Activate inline edit the Daily Request Limit field	© 13:25:00(31:45.193)
✓ If: {NumberSetDailyRequestLimit_field != "n"}	© 13:25:02(31:46.359)
Else	© 13:25:02(31:46.368)
Clear the Daily Request Limit field	() 13:25:02(31:46.368)
Activate inline edit the Schedule Matching field	① 13:25:02(31:46.487)
If: {TextAreaScheduleMatching_field != "n"}	① 13:25:03(31:47.715)
☑ Then	0 13:25:03(31:47.719)
Set the Schedule Matching field to : {"zone":	
{"layer_name":"Mailing Neighborhoods", "layer_value":"value"}}	
Click the Inline Edit OK button	① 13:25:03(31:48.082)
Activate inline edit the Schedule After (Days) field	0 13:25:03(31:48.203)
If: {NumberScheduleAfterDays_Field != "n"}	0 13:25:05(31:49.395)
Then	0 13:25:05(31:49.403)
Set the Schedule After (Days) field to : 0	0 13:25:05(31:49.403)
Activate inline edit the Is Schedule Type field	0 13:25:05(31:49.554)
If: {CheckIsScheduleType != "n"}	① 13:25:06(31:50.742)
Then	① 13:25:06(31:50.748)
Check the Is Schedule Type field	13:25:06(31:50.748)
Activate inline edit the Enable Scheduling Hours field	0 13:25:06(31:50.863)
If: {CheckboxSchedulingHours != "n"}	0 13:25:07(31:52.052)
© Else	0 13:25:07(31:52.066)
Uncheck the Enable Scheduling Hours field	0 13:25:07(31:52.066)
Activate inline edit the Schedule Range field	13:25:07(31:52.157)13:25:09(31:53.325)
If: {NumberScheduleRange != "n"} Then	© 13:25:09(31:53.333)
Set the Schedule Range field to : 3	© 13:25:09(31:53.333)
	© 13:25:09(31:53.471)
Activate inline edit the Number Of Schedules field If: {NumberBoxNumberOfSchedules != "n"}	① 13:25:10(31:54.656)
☑ Then	① 13:25:10(31:54.664)
Set the Number Of Schedules field to : 3	(i) 13:25:10(31:54.664)
Click the SaveEdit button	① 13:25:10(31:54.823)
Call CreateZoneForSchedule2	© 13:25:22(32:06.990)
CreateZoneForSchedule2.testcase	© 13:25:22(32:06.996)
Salesforce Connect: Internal311Qa (Test)	© 13:25:22(32:06.996)
On SF Schedule New screen	① 13:25:22(32:07.004)
On SRTV page	① 13:25:28(32:12.999)
Set the Service Type Number to {ServiceTypeNumber}	0 13:25:28(32:13.038)
Lookup the Service Type reference	0 13:25:31(32:15.249)
On SF Service Type Lookup screen	0 13:25:31(32:15.363)
Click the Service Type Id button	0 13:25:37(32:21.535)
The row locator matched 1 row.	
Set the Zone field to : South Boston	0 13:25:39(32:23.750)
Set the Capacity field to: 50	0 13:25:39(32:23.945)
Today link the Schedule Date field	0 13:25:39(32:24.088)
If: {SetOverRideDate != "n"}	0 13:25:39(32:24.088)
Set the Count field to: 0	0 13:25:39(32:24.092)

Set the Schedule Date field to : 1/4/2019	0 13:25:40(32:24.249)
If: {ChecktheNoServiceField != "n"}	0 13:25:40(32:24.414)
Click the Save button	0 13:25:40(32:24.417)
Storing created Salesforce Object ID. Result Name: incap311_Schedule_cld, created ID: a0Sf200000MubrR, locat incapsulate311-sat-dev-ed.my.salesforce.com/a0Sf200000MubrR	ion: https://
On SRTV page	0 13:25:43(32:28.006)
UI Assert	0 13:25:43(32:28.051)
Set Values: ScheduleName	① 13:25:44(32:28.290)
	0 13:25:46(32:30.332)
Salesforce Connect: QA (Test)	0 13:25:46(32:30.339)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test	
On SF Cases tab (Code Compliance Administration)	0 13:25:49(32:33.574)
Click the New Case button	0 13:26:22(33:06.298)
On SF Incap311SCAgentConsole page with pageobject Incap	① 13:26:24(33:08.487)
311sc Agent Console_ Narayan	0 10.20.2 1(00.00.101)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.257	0 13:26:26(33:10.920)
Background activity wait successful. Actual duration(seconds): 2.374	
On SF Incap311SCAgentConsole page with pageobject Incap	
311sc Agent Console_ Narayan_ Service Type Tab	0 13:26:31(33:15.924)
Set the Text Box_search Service Type field to SRT	0 13:26:31(33:16.072)
Background activity wait successful. Actual duration(seconds): 0.257	
Call the selectSRType method	0 13:26:32(33:16.934)
Call putLocationAndHandleDuplicates	0 13:26:34(33:19.178)
putLocationAndHandleDuplicates.testcase	0 13:26:34(33:19.178)
Salesforce Connect: QA (Test)	0 13:26:34(33:19.178)
Set Values: InitialSRIdToBeMarkedDuplicate	0 13:26:34(33:19.184)
Set Values: InitialDuplicatesPopupAction	0 13:26:34(33:19.188)
Set Values: LocationOption	0 13:26:34(33:19.192)
Set Values: DuplicatesChoice	0 13:26:34(33:19.195)
Set Values: LocationToBeSelected	0 13:26:34(33:19.199)
Set Values: SRIdToBeMarkedDuplicate	0 13:26:34(33:19.203)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	0 13:26:34(33:19.206)
Click the Location Tab Link button	0 13:26:35(33:19.335)
Background activity wait successful. Actual duration(seconds): 0.261	
Background activity wait successful. Actual duration(seconds): 0.829	
Sleep for {20} seconds	0 13:26:36(33:20.717)
Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	
Click the Location Pop Up Icon Back field	0 13:26:56(33:40.722)
Initial Duplicates Popup action on trf or update	0 13:26:56(33:40.965)
Duplicates Popup action selection or change of address	0 13:26:56(33:40.965)
If: {LocationOption = "NoSelection"}	0 13:26:56(33:40.971)
If: {LocationOption = "SelectLocation"}	0 13:26:56(33:40.976)
Then	0 13:26:56(33:40.985)
Set the Search For A Location field to: 505 MAIN ST Background activity wait successful. Actual duration(seconds): 0.258	0 13:26:56(33:40.985)
Background activity wait successful. Actual duration(seconds): 0.259	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.768	0 13:26:57(33:42.093)
Background activity wait successful. Actual duration(seconds): 1.309	
UI Assert	13:27:00(33:44.435)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_	
Pop Ups	

Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	① 13:27:00(33:45.178)
UI Assert	0 13:27:03(33:48.183)
If: {DuplicatesChoice = "MarkAsDuplicate"}	0 13:27:24(34:08.316)
If: {DuplicatesChoice = "ClosePopup"}	0 13:27:24(34:08.351)
If: {DuplicatesChoice = "NewCase"}	0 13:27:24(34:08.369)
Then	0 13:27:24(34:08.381)
🚨 If:	
{NewCase.fields.continueWithoutDuplicate.visible = "true"}	0 13:27:24(34:08.381)
If: {LocationOption = "RemoveLocation"}	0 13:27:26(34:10.495)
If: {LocationOption = "ChangeLocation"}	0 13:27:26(34:10.500)
On Service Request View Screen page	0 13:27:28(34:12.543)
Click the Selected_ Location	0 13:27:28(34:12.675)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:27:30(34:14.928)
Click the Link_ Details button	0 13:27:30(34:15.061)
Background activity wait successful. Actual duration(seconds): 0.256	
Background activity wait successful. Actual duration(seconds): 0.993	
On SF Incap311SCAgentConsole page with pageobject Incap	① 13:27:34(34:18.625)
311sc Agent Console_ Aadil_ Service Type Tab_ Details Tab	0 10.27.04(04.10.020)
UI Assert	0 13:27:34(34:18.787)
Assert: {Values.fields.RequestDetailsText1.value} Contains {random_question}	o 13:27:35(34:19.375)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:27:37(34:21.404)
Call the OperateOnElement method	0 13:27:37(34:21.535)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:27:39(34:23.744)
Click the Schedule 1 button	0 13:27:39(34:23.901)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:27:41(34:26.139)
Click the Select Schedule Date button	0 13:27:42(34:26.264)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:27:44(34:28.494)
UI Assert	0 13:27:44(34:28.639)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:27:46(34:31.031)
UI Assert	0 13:27:46(34:31.206)
Assert: {Values.fields.ScheduleTabData.value} Contains {Today}	0 13:27:47(34:31.722)
Call SubmitSR	0 13:27:49(34:33.769)
SubmitSR.testcase	0 13:27:49(34:33.769)
Salesforce Connect: QA (Test)	0 13:27:49(34:33.769)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:27:49(34:33.780)
Click the Submit button	0 13:27:49(34:33.901)
Sleep for {10} seconds	0 13:27:51(34:36.145)
Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	
On SF Service Request View screen	0 13:28:01(34:46.156)
UI Assert	0 13:28:03(34:47.519)
Set Values: SRCode	0 13:28:05(34:49.891)
On SF Case View screen	© 13:28:05(34:49.902)
With View/Incap311Service_Request_Schedulesr/	0 13:28:05(34:50.138)
Incap311Service_Request_SchedulesrTable {1} The row locator matched 1 row.	
Click the Service Request Schedule Name field	0 13:28:10(34:55.229)

On SF Service Request Schedule View screen	0 13:28:13(34:57.444)
UI Assert	0 13:28:13(34:57.597)
Assert: {Values.fields.Incap311Schedulec.value} EqualTo {ScheduleName}	0 13:28:13(34:57.844)
On SF Service Request View screen	0 13:28:15(34:59.873)
On SF Service Request Schedule View screen	0 13:28:15(34:59.873)
	0 13:28:15(34:59.873)
Salesforce Connect: QA1 (Test)	0 13:28:15(34:59.877)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA1, resultScope: Test	
On SF Cases tab (Code Compliance Administration)	0 13:28:18(35:03.164)
Click the New Case button	0 13:28:51(35:36.032)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan	0 13:28:53(35:38.226)
Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.257	0 13:28:56(35:40.528)
Background activity wait successful. Actual duration(seconds): 2.423	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Service Type Tab	0 13:29:01(35:45.601)
Set the Text Box_search Service Type field to SRT	0 13:29:01(35:45.726)
Background activity wait successful. Actual duration(seconds): 0.258	
Call the selectSRType method	0 13:29:02(35:46.513)
Call putLocationAndHandleDuplicates	0 13:29:04(35:48.801)
putLocationAndHandleDuplicates.testcase	0 13:29:04(35:48.801)
Salesforce Connect: QA (Test)	0 13:29:04(35:48.801)
Set Values: InitialSRIdToBeMarkedDuplicate	0 13:29:04(35:48.807)
Set Values: InitialDuplicatesPopupAction	0 13:29:04(35:48.811)
Set Values: LocationOption	0 13:29:04(35:48.818)
Set Values: DuplicatesChoice	0 13:29:04(35:48.822)
Set Values: LocationToBeSelected	0 13:29:04(35:48.827)
Set Values: SRIdToBeMarkedDuplicate	0 13:29:04(35:48.831)
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Location Tab	0 13:29:04(35:48.835)
Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.258	0 13:29:04(35:48.959)
Background activity wait successful. Actual duration(seconds): 0.421	
Sleep for {20} seconds Timed sleep successful. Requested duration(seconds): 20, Actual duration(seconds): 20	① 13:29:05(35:49.914)
Click the Location Pop Up Icon Back field	0 13:29:25(36:09.928)
Initial Duplicates Popup action on trf or update	0 13:29:25(36:10.154)
Duplicates Popup action selection or change of address	0 13:29:25(36:10.154)
☑ If: {LocationOption = "NoSelection"}	© 13:29:25(36:10.157)
☑ If: {LocationOption = "SelectLocation"}	0 13:29:25(36:10.161)
Then	13:29:25(36:10.165)
Set the Search For A Location field to : 505 MAIN ST	0 13:29:25(36:10.165)
Background activity wait successful. Actual duration(seconds): 0.257	,
Background activity wait successful. Actual duration(seconds): 0.257	
Click the Selected Location From Search button Background activity wait successful. Actual duration(seconds): 0.778	0 13:29:27(36:11.266)
Background activity wait successful. Actual duration(seconds): 1.515	
UI Assert	0 13:29:29(36:13.894)
On SF Incap311SCAgentConsole page with	
pageobject Incap 311sc Agent Console_ Narayan_ Pop Ups	0 13:29:30(36:14.294)
Sleep for {3} seconds Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3	0 13:29:30(36:14.449)

UI Assert	0 13:29:33(36:17.45
☑ If: {DuplicatesChoice = "MarkAsDuplicate"}	0 13:29:33(36:17.85
If: {DuplicatesChoice = "ClosePopup"}	0 13:29:33(36:17.86
☑ If: {DuplicatesChoice = "NewCase"}	0 13:29:33(36:17.86
Then	0 13:29:33(36:17.86
☑ If:	
{NewCase.fields.continueWithoutDuplicate.visible = "true"}	0 13:29:33(36:17.86
□ Then	0 13:29:33(36:17.87
Click the Continue Without Duplicate button Background activity wait successful. Actual duration(seconds): 0.255	0 13:29:33(36:17.87
Background activity wait successful. Actual duration(seconds): 0.257	
If: {LocationOption = "RemoveLocation"}	0 13:29:36(36:20.66
If: {LocationOption = "ChangeLocation"}	0 13:29:36(36:20.66
On Service Request View Screen page	0 13:29:38(36:22.70
Click the Selected_ Location	0 13:29:38(36:22.83
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:29:40(36:25.08
Click the Link_ Details button	① 13:29:40(36:25.22
Background activity wait successful. Actual duration(seconds): 0.264	•
Background activity wait successful. Actual duration(seconds): 0.871	
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Service Type Tab_ Details Tab	0 13:29:44(36:28.63
☑ UI Assert	0 13:29:44(36:28.77
Assert: {Values.fields.RequestDetailsText1.value} Contains {random_question}	0 13:29:44(36:29.19
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:29:46(36:31.22
Call the OperateOnElement method	0 13:29:47(36:31.35
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:29:49(36:33.54
Click the Schedule 1 button	0 13:29:49(36:33.75
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:29:51(36:36.01
Click the Select Schedule Date button	0 13:29:51(36:36.16
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:29:54(36:38.40
☑ UI Assert	0 13:29:54(36:38.53
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Aadil_ Schedule Page	0 13:29:56(36:40.91
□ UI Assert	0 13:29:56(36:41.02
Assert: {Values.fields.ScheduleTabData.value} Contains {Today}	0 13:29:57(36:41.51
Call SubmitSR	0 13:29:59(36:43.54
SubmitSR.testcase	0 13:29:59(36:43.54
Salesforce Connect: QA (Test)	0 13:29:59(36:43.54
On SF Incap311SCAgentConsole page with pageobject Incap 311sc Agent Console_ Narayan_ Details Tab	0 13:29:59(36:43.55
Click the Submit button	0 13:29:59(36:43.69
Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	0 13:30:01(36:45.93
	@ 12-20-11/20-EE 0.1
On SF Service Request View screen	0 13:30:11(36:55.94
UI Assert	0 13:30:13(36:57.32
Set Values: SRCode	0 13:30:15(36:59.72
On SF Case View screen With Incom 211 Service Request Schedules revue (1)	0 13:30:15(36:59.74
With Incap311Service_Request_Schedulesr rows {1} The row locator matched 1 row.	0 13:30:15(36:59.97

Click the Service Request Schedule Name field	0 13:30:20(37:05.072)
On SF Service Request Schedule View screen	0 13:30:23(37:07.281)
UI Assert	① 13:30:23(37:07.405)
Assert: {Values.fields.Incap311Schedulec.value} EqualTo {ScheduleName}	① 13:30:23(37:07.759)
6 On SF Service Request View screen	① 13:30:25(37:09.810)
On SF Service Request Schedule View screen	0 13:30:25(37:09.810)

[If the item limit specified is less specified - error message is shown.testcase


Summary

Started 04 Jan 2019, 13:30:47 Ended 04 Jan 2019, 13:35:05

Salesforce Connect: Internal311Qa (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope:	© 13:30:47(37:31.758) Test
Set Values: Today	0 13:30:50(37:35.073)
Set Values: SetCountSchedule	0 13:30:50(37:35.083)
Set Values: uniqueNumeric3	0 13:30:50(37:35.088)
Set Values: uniqueNumeric4	0 13:30:50(37:35.095)
Set Values: uniqueAlpha	0 13:30:50(37:35.102)
Call CreateSRT	0 13:30:50(37:35.109)
CreateSRT.testcase	0 13:30:50(37:35.109)
Salesforce Connect: Internal311Qa (Test)	0 13:30:50(37:35.109)
Set Values: uniqueAlpha	0 13:30:50(37:35.115)
On SF Service Type New screen	0 13:30:50(37:35.122)
Set the Service Name field to : EKVSH	0 13:31:05(37:50.149)
Set the Service Type Code field to : EKVSH	0 13:31:06(37:50.581)
Set the Service Description field to : EKVSH	0 13:31:06(37:50.750)
Set the External Name field to : EKVSH	0 13:31:06(37:50.919)
Set the External Description field to : EKVSH	0 13:31:06(37:51.120)
Set the Contact Status picklist to Available	0 13:31:07(37:51.344)
If: {LocationRequiredFlag = "y"}	0 13:31:07(37:51.542)
Click the Save button	0 13:31:07(37:51.546)
Storing created Salesforce Object ID. Result Name: incap311Service_Typecld, created ID: a0hf200000jE7L9, loincapsulate311-sat-dev-ed.my.salesforce.com//a0h/e	cation: https://
On SF Service Type View screen	0 13:31:11(37:56.168)
UI Assert	0 13:31:11(37:56.200)
Set Values: SRTName	0 13:31:14(37:58.560)
Call FillSRTV	0 13:31:14(37:58.575)
FillSRTV.testcase	0 13:31:14(37:58.576)
Salesforce Connect: Internal311Qa (Test)	0 13:31:14(37:58.576)
On SF Service Type Version New screen	0 13:31:14(37:58.590)
Set the Version Code field to {SRTName}_V{Version}	0 13:31:20(38:04.883)
Set the Version Name field to {SRTName} V{Version}	0 13:31:20(38:05.096)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: null, location incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	n: https://
On SRTV page	0 13:31:25(38:09.360)
Set the Version Number to : 1	0 13:31:25(38:09.437)
On SF Service Type Version New screen	() 13:31:27(38:11.894)
••	

Set the Service Type reference to : SRT-00001006	0 13:31:27(38:11.930)
Lookup the Service Type reference	0 13:31:27(38:12.147)
On SF Service Type Lookup screen	0 13:31:54(38:38.323)
Click the Service Type Id button The row locator matched 1 row.	① 13:31:54(38:38.450)
Set the Service Name field to : SRT-00001006	0 13:32:17(39:01.876)
Set the Start Date field to: 11/28/2017	0 13:32:17(39:02.083)
Set the Stop Date field to: 11/28/2099	0 13:32:18(39:02.303)
Set the Default Priority picklist to: Standard	0 13:32:18(39:02.575)
Set the Default Method picklist to : Phone	0 13:32:18(39:02.882)
Set the Default Status picklist to : Open	0 13:32:18(39:03.057)
Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}	0 13:32:19(39:03.312)
Set the Duplicate Threshold Period (days) field to : 10	0 13:32:19(39:03.455)
Set the Duplicate Radius (feet) field to : 10	0 13:32:19(39:03.605)
Set the Duplicate Detection Method picklist to : Standard	0 13:32:19(39:03.748)
Set the SLA Type picklist to : Business Days	0 13:32:19(39:03.907)
Set the SLA field to : 10	0 13:32:19(39:04.069)
On SF Service Type Version New screen	0 13:32:19(39:04.215)
Click the Save button	0 13:32:20(39:04.241)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0gf26https://incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e	00000BkxDn, location:
On SF Service Type Version View screen	0 13:32:24(39:08.441)
UI Assert	13:32:24(39:08.465)
Set Values: SRTVName	0 13:32:26(39:10.692)
Storing created Salesforce Object ID. Result Name: incap311Service_Type_Versioncld, created ID: a0gf20000 https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkxDn	0BkxDn, location:
≜ Call SaveSRTV	① 13:32:28(39:12.772)
Set Values: SRTName	13:32:28(39:12.772)
Set Values: SRTVName	0 13:32:28(39:12.778)
Call MakeSRTVCurrentVersion	0 13:32:28(39:12.783)
MakeSRTVCurrentVersion.testcase	0 13:32:28(39:12.783)
Salesforce Connect: Internal311Qa (Test)	0 13:32:28(39:12.783)
SOQL Query: select Id from	
Incap311Service_Type_Versionc where Name = '{SRTVName}'=>SRTVId	① 13:32:28(39:12.789)
On SF Service Type Version View screen	0 13:32:29(39:13.621)
Activate inline edit the Is Draft field	0 13:32:35(39:19.497)
Uncheck the Is Draft field	0 13:32:56(39:40.703)
Click the SaveEdit button	0 13:33:08(39:52.850)
Click the Make Version Current button	0 13:33:28(40:12.988)
Handle UI Alerts	• 13:33:30(40:15.197)
Handle UI Alerts	0 13:33:35(40:19.445)
Call CreateFlexQuestionsToMakeItActive	• 13:33:41(40:25.619)
CreateFlexQuestionsToMakeItActive.testcase	• 13:33:41(40:25.620)
Salesforce Connect: InternalQA (Test)	0 13:33:41(40:25.620)
Set Values: random_question_code	• 13:33:41(40:25.633)
Set Values: random_question	① 13:33:41(40:25.645)
Set Values: random_answer_values	0 13:33:41(40:25.651)
On SF Flex Question Home screen	0 13:33:41(40:25.662)
Click the New button	0 13:33:47(40:31.455)
On SF Flex Question New screen	0 13:34:05(40:50.134)
Set the Flex Question Code field to: PRO-EUNYS21401	
	① 13:34:05(40:50.167)
Switch: {question_type}	13:34:05(40:50.167)13:34:06(40:50.327)
Switch: {question_type}	

	0 13:34:06(40:50.336)
Case: Picklist	0 13:34:06(40:50.340)
Case: MultiPicklist	0 13:34:06(40:50.345)
6 Case: Date	0 13:34:06(40:50.353)
6 Case: Date/Time	0 13:34:06(40:50.356)
Case: Number	0 13:34:06(40:50.360)
Set the Data Type picklist to Number	0 13:34:06(40:50.364)
Case: Informational	0 13:34:06(40:50.769)
6 Case: Boolean	0 13:34:06(40:50.775)
Case: TextArea	0 13:34:06(40:50.782)
6 Case: Time	0 13:34:06(40:50.787)
Case: Currency	0 13:34:06(40:50.794)
Set the Order field to 1	0 13:34:06(40:50.812)
Set the Question field to: This is a Number question with code PRO-EUNYS21401	0 13:34:06(40:50.971)
Set the Hint Text field to Hint for question code {random_question_code}	0 13:34:06(40:51.169)
If: {CheckIsActive != n}	0 13:34:07(40:51.366)
Then	0 13:34:07(40:51.369)
Activate inline edit the Active field	0 13:34:07(40:51.369)
Check the Active field	0 13:34:28(41:12.895)
Click the Save button	0 13:34:28(41:13.028)
Storing created Salesforce Object ID. Result Name: incap311_Question_cld, created ID: a0Of200000CLRLO, lo incapsulate311-sat-dev-ed.my.salesforce.com/a0O/e?retURL=%2Fa0O%2Fo	ocation: https://
On SF Flex Question View screen	0 13:34:32(41:17.206)
UI Assert-Question Type	0 13:34:32(41:17.231)
UI Assert-Question	0 13:34:33(41:17.437)
UI Assert	0 13:34:33(41:17.646)
Set Values: fq_name	0 13:34:33(41:17.885)
SOQL Query: select Id from Incap311Questionc where Name='{fq_name}'=>q_id	0 13:34:33(41:17.889)
Set Values: fq_id	0 13:34:34(41:18.682)
Call CreateSRTQuestions	0 13:34:36(41:20.723)
CreateSRTQuestions.testcase	0 13:34:36(41:20.723)
Salesforce Connect: InternalQA (Test)	0 13:34:36(41:20.723)
On SF Service Type Version Question New screen	0 13:34:36(41:20.739)
SOQL Query: select Name, Id from Incap311Service_Type_Versionc where Name = '{ServiceTypeVersionName}'=>Incap311Rows	0 13:34:42(41:26.394)
Set Values: ServiceTypeVersionId	0 13:34:42(41:27.233)
On NewServiceTypeVersionQuestion page	0 13:34:43(41:27.248)
Set the Incap 311 Service_ Type_ Versionc to : SRTV-00001309	0 13:34:43(41:27.288)
Lookup the Service Type Version Id reference	0 13:34:45(41:29.539)
On SF Service Type Version Lookup screen	0 13:34:45(41:29.652)
The Salesforce Lookup window was not found. The preceeding step should have clicked its look up button (vi	a a Lookup interaction).
Click the Service Type Version Id button	© 13:34:45(41:30.034)
	•



Error Screenshot

- Separation Frame Selector: resultsFrame
 Selector: resultsFrame
- Failed to resolve the field to a WebElement.
- One or more Sub-Test Steps failed.

On NewServiceTypeVersionQuestion page	0 13:35:01(41:45.977)
6 Lookup the Question reference	0 13:35:01(41:45.977)
On SF Flex Question Lookup screen	① 13:35:01(41:45.977)
If: {EnterOverideStopDate != "n"}	0 13:35:01(41:45.977)
If: {EnterOverideStartDate != "n"}	13:35:01(41:45.977)
If: {CheckAllowCitizenWebIntake != "n"}	① 13:35:01(41:45.977)
4 If: {SetValidationField != "n"}	0 13:35:01(41:45.977)
if: {CheckIsDependent != "n"}	① 13:35:01(41:45.977)
If: {SetDependencies != "n"}	0 13:35:01(41:45.977)
If: {CheckReadOnly != "n"}	13:35:01(41:45.977)
if: {CheckIsControling != "n"}	0 13:35:01(41:45.977)
6 If: {CheckIsRequired != "n"}	13:35:01(41:45.977)
6 Click the Save button	① 13:35:01(41:45.977)
One or more Sub-Test Steps failed.	

■ Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version_Question__cld, created ID: null, location: https://incapsulate311-sat-dev-ed.my.salesforce.com//a0f/e

- If: {CheckIsDependent != "n"}
- On NewServiceTypeVersionQuestion page
- Call AddingScedulingINSRRT
- Call CreateZoneForSchedule2
- Work

- 0 13:35:05(41:50.076)
- 0 13:35:05(41:50.076)
- 0 13:35:05(41:50.077)
- 0 13:35:05(41:50.077)
- 0 13:35:05(41:50.077)