Test Run Report

Test Run Overview

Started	29 Dec 2018, 12:25:06
Ended	29 Dec 2018, 12:53:30
Duration (mm:ss)	28:24.720

Test Results Summary

Passed	2
Failed	3
Skipped	0

3 Failed (60%)
0 Skipped (0%)
2 Passed (40%)

● Passed ● Failed ○ Skipped

Test Case Summary

📂 CaseOwner   ⊗ failed

  📄 c1493-
TestQueueCanBeChangedAndOnSRListScreenCaseIsShownWhenFilteredWithQueue.testcase   ⊗ failed

⊗ Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement
pageobjects.incap311sc__AgentConsole_Aadil_ServiceTypeTab_ContactInfo.SearchContact]

📂 Config   ⊗ failed

  📄 C1399-QuestionReusedForDiffSRs.testcase   ✓ successful

  📄 C1408_C1516-ActivitiesCanBeAddedToSRTypeVersions.testcase   ✓ successful

  📄 C1409_C1410-
SameActivityCanBeReUsedOnDifferentSRTypeVersionsOfTheSameSRType.testcase   ⊗ failed

⊗ Failed to set value. Cause: The control is not currently editable. You can use the Activate inline edit interaction to make it editable.

  📄 C1412-SameActivityCanBeReUsedOnDifferentSRTypes.testcase   ⊗ failed

⊗ Failed to set value. Cause: The control is not currently editable. You can use the Activate inline edit interaction to make it editable.

📂 Deleleted   🛈 pending

c1493-TestQueueCanBeChangedAndOnSRListScreenCaseIsShownWhenFilteredWithQueue.testcase

Summary

Started	29 Dec 2018, 12:25:06
Ended	29 Dec 2018, 12:27:06
Duration (mm:ss)	02:00.151
Outcome	❌ failed

Output

✅ Salesforce Connect: InternalQA (Test) Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: InternalQA, resultScope: Test	🕐 12:25:06(00:00.011)
❌ saveanSR	🕐 12:25:10(00:04.369)
✅ Set Values: FirstName	🕐 12:25:10(00:04.371)
✅ Set Values: LastName	🕐 12:25:10(00:04.377)
✅ Set Values: Email	🕐 12:25:10(00:04.381)
✅ Set Values: Phone	🕐 12:25:10(00:04.387)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan	🕐 12:25:10(00:04.390)
✅ On SF Cases tab (Code Compliance Administration)	🕐 12:25:33(00:27.346)
✅ Click the New Case button	🕐 12:25:46(00:40.589)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan	🕐 12:25:49(00:42.890)
✅ Click the Link_submit Request button Background activity wait successful. Actual duration(seconds): 0.273 Background activity wait successful. Actual duration(seconds): 0.270	🕐 12:25:51(00:45.800)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan_ Service Type Tab	🕐 12:25:55(00:49.236)
✅ Set the Text Box_search Service Type field to Provar Regression Test SR Background activity wait successful. Actual duration(seconds): 0.269	🕐 12:25:55(00:49.420)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan_ Service Type Tab	🕐 12:25:58(00:52.223)
✅ Click the Button_ Select SR Type field Background activity wait successful. Actual duration(seconds): 0.258 Background activity wait successful. Actual duration(seconds): 0.259	🕐 12:25:58(00:52.372)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan_ Location Tab	🕐 12:26:01(00:55.231)
✅ Click the Location Tab Link button Background activity wait successful. Actual duration(seconds): 0.258 Background activity wait successful. Actual duration(seconds): 0.270	🕐 12:26:01(00:55.457)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info	🕐 12:26:04(00:58.306)
✅ Sleep for {10} seconds Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	🕐 12:26:04(00:58.537)
✅ Click the Location Pop Up Icon Back field	🕐 12:26:14(01:08.545)
✅ Sleep for {5} seconds Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	🕐 12:26:14(01:08.816)
✅ Set the Search For A Location field to 599 S Lamar st	🕐 12:26:19(01:13.820)
✅ Sleep for {5} seconds Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	🕐 12:26:22(01:16.682)
✅ Click the Boston St button	🕐 12:26:27(01:21.684)

✅ Sleep for {5} seconds	⏱ 12:26:28(01:21.959)
Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5	
✅ UI Assert	⏱ 12:26:33(01:26.962)
✅ If: {Values.fields.DuplicatePopUpBoxShown.visible = true}	⏱ 12:26:43(01:37.072)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan_ Contact Information Tab	⏱ 12:26:45(01:39.115)
✅ Click the Contact Information Tab Link button	⏱ 12:26:45(01:39.277)
Background activity wait successful. Actual duration(seconds): 0.267	
Background activity wait successful. Actual duration(seconds): 0.268	
⚠ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info	⏱ 12:26:48(01:42.125)
❌ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info	⏱ 12:26:48(01:42.125)
❌ Set the Search Contact field to Test vasu	⏱ 12:26:48(01:42.256)

Error Screenshot

❌ Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.incap311sc__AgentConsole_Aadil_ServiceTypeTab_ContactInfo.SearchContact]

⚠ Click the Search Contact Results field	⏱ 12:27:04(01:58.114)
❌ One or more Sub-Test Steps failed.	
⚠ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan_ Details Tab	⏱ 12:27:06(02:00.145)
⚠ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Aadil_ Service Type Tab_ Case Submi	⏱ 12:27:06(02:00.145)
⚠ Sleep for {10} seconds	⏱ 12:27:06(02:00.145)
⚠ On SF Service Request View screen	⏱ 12:27:06(02:00.145)
⚠ On SF Service Request View screen	⏱ 12:27:06(02:00.148)
⚠ On SRTV page	⏱ 12:27:06(02:00.148)
⚠ On SF Service Request Change Owner screen	⏱ 12:27:06(02:00.148)
⚠ On SF Service Request View screen	⏱ 12:27:06(02:00.149)
⚠ On SF Service Requests tab (All Open Service Requests)	⏱ 12:27:06(02:00.149)
⚠ Set Values: bool	⏱ 12:27:06(02:00.149)
⚠ On SF Cases tab (Code Compliance Administration)	⏱ 12:27:06(02:00.149)
⚠ If: {bool = "false"}	⏱ 12:27:06(02:00.149)

🗎 C1399-QuestionReusedForDiffSRs.testcase

Summary

Started	29 Dec 2018, 12:27:12
Ended	29 Dec 2018, 12:30:07
Duration (mm:ss)	02:55.498
Outcome	✅ successful

Output

✅ Salesforce Connect: InternalQA (Test)	⏱ 12:27:12(02:05.935)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: InternalQA, resultScope: Test	
✅ Create two SRs	⏱ 12:27:15(02:09.854)
✅ Call callableCreateSRTV	⏱ 12:27:15(02:09.860)

- ✅ callableCreateSRTV.testcase   ⓘ 12:27:15(02:09.861)
  - ⚠️ Salesforce Connect: InternalQA (Test)   ⓘ 12:27:15(02:09.861)
  - ✅ Salesforce Connect: InternalQA (Test)   ⓘ 12:27:15(02:09.861)
  - ✅ Set Values: random_code   ⓘ 12:27:16(02:09.874)
  - ✅ Set Values: sr_name   ⓘ 12:27:16(02:09.887)
  - ✅ Create Object: Incap311__Service_Type__c=>ServiceTypeId   ⓘ 12:27:16(02:09.893)
    - 📄 Service Type created successfully. Object Id: a0hf200000jE6vKAAS, Result Name: ServiceTypeId
  - ✅ Set Values: sr_id   ⓘ 12:27:18(02:12.691)
  - ✅ SOQL Query: select Name from Incap311__Service_Type__c where Id ='{sr_id}'=>name   ⓘ 12:27:18(02:12.693)
  - ✅ Set Values: srtype_name   ⓘ 12:27:19(02:13.518)
  - ✅ Create Object: Incap311__Service_Type_Version__c=>ServiceTypeVersionId   ⓘ 12:27:19(02:13.521)
    - 📄 Service Type Version created successfully. Object Id: a0gf200000BkwhYAAR, Result Name: ServiceTypeVersionId
  - ✅ Set Values: srtv_id   ⓘ 12:27:21(02:15.504)
  - ✅ SOQL Query: select Name from Incap311__Service_Type_Version__c where Id='{srtv_id}'=>srtvname   ⓘ 12:27:21(02:15.510)
  - ✅ Set Values: srtv_name   ⓘ 12:27:22(02:16.351)
  - ✅ On SF Service Type Version View screen   ⓘ 12:27:22(02:16.362)
    - ✅ Double Click the Is Draft field   ⓘ 12:27:38(02:32.041)
    - ✅ Uncheck the Is Draft field   ⓘ 12:27:38(02:32.197)
    - ✅ Click the SaveEdit button   ⓘ 12:27:38(02:32.362)
    - ✅ Click the Make Version Current button   ⓘ 12:27:58(02:52.491)
    - ✅ Handle UI Alerts   ⓘ 12:27:58(02:52.615)
    - ✅ Handle UI Alerts   ⓘ 12:28:02(02:56.656)
- ✅ Set Values: srtv_one_id   ⓘ 12:28:08(03:02.719)
- ✅ Set Values: srtv_one_name   ⓘ 12:28:08(03:02.721)
- ✅ Call callableCreateSRTV   ⓘ 12:28:08(03:02.723)
  - ✅ callableCreateSRTV.testcase   ⓘ 12:28:08(03:02.723)
    - ⚠️ Salesforce Connect: InternalQA (Test)   ⓘ 12:28:08(03:02.723)
    - ✅ Salesforce Connect: InternalQA (Test)   ⓘ 12:28:08(03:02.723)
    - ✅ Set Values: random_code   ⓘ 12:28:08(03:02.727)
    - ✅ Set Values: sr_name   ⓘ 12:28:08(03:02.731)
    - ✅ Create Object: Incap311__Service_Type__c=>ServiceTypeId   ⓘ 12:28:08(03:02.732)
      - 📄 Service Type created successfully. Object Id: a0hf200000jE6vPAAS, Result Name: ServiceTypeId
    - ✅ Set Values: sr_id   ⓘ 12:28:11(03:05.027)
    - ✅ SOQL Query: select Name from Incap311__Service_Type__c where Id ='{sr_id}'=>name   ⓘ 12:28:11(03:05.028)
    - ✅ Set Values: srtype_name   ⓘ 12:28:11(03:05.853)
    - ✅ Create Object: Incap311__Service_Type_Version__c=>ServiceTypeVersionId   ⓘ 12:28:11(03:05.856)
      - 📄 Service Type Version created successfully. Object Id: a0gf200000BkwhdAAB, Result Name: ServiceTypeVersionId
    - ✅ Set Values: srtv_id   ⓘ 12:28:13(03:07.743)
    - ✅ SOQL Query: select Name from Incap311__Service_Type_Version__c where Id='{srtv_id}'=>srtvname   ⓘ 12:28:13(03:07.745)
    - ✅ Set Values: srtv_name   ⓘ 12:28:14(03:08.566)
    - ✅ On SF Service Type Version View screen   ⓘ 12:28:14(03:08.567)
      - ✅ Double Click the Is Draft field   ⓘ 12:28:20(03:14.497)
      - ✅ Uncheck the Is Draft field   ⓘ 12:28:20(03:14.614)
      - ✅ Click the SaveEdit button   ⓘ 12:28:20(03:14.759)
      - ✅ Click the Make Version Current button   ⓘ 12:28:41(03:34.883)
      - ✅ Handle UI Alerts   ⓘ 12:28:41(03:35.023)
      - ✅ Handle UI Alerts   ⓘ 12:28:45(03:39.082)

Set Values: srtv_two_id — 12:28:51(03:45.166)
Set Values: srtv_two_name — 12:28:51(03:45.170)
Create one Flex Question — 12:28:51(03:45.175)
Call callableCreateFlexQuestion — 12:28:51(03:45.177)
callableCreateFlexQuestion.testcase — 12:28:51(03:45.177)
Salesforce Connect: InternalQA (Test) — 12:28:51(03:45.177)
Salesforce Connect: InternalQA (Test) — 12:28:51(03:45.181)
Set Values: random_question_code — 12:28:51(03:45.181)
Set Values: random_question — 12:28:51(03:45.185)
Set Values: random_answer_values — 12:28:51(03:45.187)
On SF Flex Question Home screen — 12:28:51(03:45.190)
Click the New button — 12:28:57(03:51.036)
On SF Flex Question New screen — 12:29:00(03:54.130)
Set the Flex Question Code field to : PRO-FWLMU31321 — 12:29:05(03:58.898)
Switch: {question_type} — 12:29:05(03:59.103)
Case: Phone — 12:29:05(03:59.106)
Case: Text — 12:29:05(03:59.108)
Set the Data Type picklist to Text — 12:29:05(03:59.110)
Case: Picklist — 12:29:05(03:59.374)
Case: MultiPicklist — 12:29:05(03:59.376)
Case: Date — 12:29:05(03:59.377)
Case: Date/Time — 12:29:05(03:59.378)
Case: Number — 12:29:05(03:59.380)
Case: Informational — 12:29:05(03:59.381)
Case: Boolean — 12:29:05(03:59.382)
Case: TextArea — 12:29:05(03:59.384)
Case: Time — 12:29:05(03:59.386)
Case: Currency — 12:29:05(03:59.388)
Set the Order field to 1 — 12:29:05(03:59.391)
Set the Question field to : This is a Text question with code PRO-FWLMU31321 — 12:29:05(03:59.530)
Set the Hint Text field to Hint for question code {random_question_code} — 12:29:05(03:59.775)
Click the Save button — 12:29:06(04:00.023)
Storing created Salesforce Object ID. Result Name: incap311__Question__cId, created ID: a0Of200000CLPiu, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0Of200000CLPiu
On SF Flex Question View screen — 12:29:10(04:04.313)
UI Assert-Question Type — 12:29:10(04:04.382)
UI Assert-Question — 12:29:10(04:04.644)
UI Assert — 12:29:10(04:04.861)
Set Values: fq_name — 12:29:11(04:05.092)
SOQL Query: select Id from Incap311__Question__c where Name='{fq_name}'=>q_id — 12:29:11(04:05.093)
Set Values: fq_id — 12:29:12(04:05.903)
Call callableCreateFlexQuestion — 12:29:14(04:07.936)
callableCreateFlexQuestion.testcase — 12:29:14(04:07.936)
Salesforce Connect: InternalQA (Test) — 12:29:14(04:07.936)
Salesforce Connect: InternalQA (Test) — 12:29:14(04:07.945)
Set Values: random_question_code — 12:29:14(04:07.945)
Set Values: random_question — 12:29:14(04:07.951)
Set Values: random_answer_values — 12:29:14(04:07.953)
On SF Flex Question Home screen — 12:29:14(04:07.957)
Click the New button — 12:29:19(04:13.682)
On SF Flex Question New screen — 12:29:22(04:16.499)
Set the Flex Question Code field to : PRO-FXTEI54086 — 12:29:22(04:16.529)

● Switch: {question_type}	ⓘ 12:29:22(04:16.714)
⚠ Case: Phone	ⓘ 12:29:22(04:16.718)
● Case: Text	ⓘ 12:29:22(04:16.720)
● Set the Data Type picklist to Text	ⓘ 12:29:22(04:16.723)
⚠ Case: Picklist	ⓘ 12:29:23(04:16.935)
⚠ Case: MultiPicklist	ⓘ 12:29:23(04:16.936)
⚠ Case: Date	ⓘ 12:29:23(04:16.938)
⚠ Case: Date/Time	ⓘ 12:29:23(04:16.940)
⚠ Case: Number	ⓘ 12:29:23(04:16.941)
⚠ Case: Informational	ⓘ 12:29:23(04:16.942)
⚠ Case: Boolean	ⓘ 12:29:23(04:16.944)
⚠ Case: TextArea	ⓘ 12:29:23(04:16.945)
⚠ Case: Time	ⓘ 12:29:23(04:16.946)
⚠ Case: Currency	ⓘ 12:29:23(04:16.948)
● Set the Order field to 1	ⓘ 12:29:23(04:16.952)
● Set the Question field to : This is a Text question with code PRO-FXTEI54086	ⓘ 12:29:23(04:17.095)
● Set the Hint Text field to Hint for question code {random_question_code}	ⓘ 12:29:23(04:17.348)
● Click the Save button	ⓘ 12:29:23(04:17.582)
▤ Storing created Salesforce Object ID. Result Name: incap311__Question__cId, created ID: a0Of200000CLPiz, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0Of200000CLPiz	
● On SF Flex Question View screen	ⓘ 12:29:26(04:20.847)
● UI Assert-Question Type	ⓘ 12:29:27(04:20.885)
● UI Assert-Question	ⓘ 12:29:27(04:21.087)
● UI Assert	ⓘ 12:29:27(04:21.297)
● Set Values: fq_name	ⓘ 12:29:27(04:21.503)
● SOQL Query: select Id from Incap311__Question__c where Name='{fq_name}'=>q_id	ⓘ 12:29:27(04:21.507)
● Set Values: fq_id	ⓘ 12:29:28(04:22.344)
● Create Service Type Version Questions With Both The Srs	ⓘ 12:29:30(04:24.371)
● Call callableCreateServiceTypeVersionQuestion	ⓘ 12:29:30(04:24.373)
● callableCreateServiceTypeVersionQuestion.testcase	ⓘ 12:29:30(04:24.373)
⚠ Salesforce Connect: InternalQA (Test)	ⓘ 12:29:30(04:24.373)
● Salesforce Connect: InternalQA (Test)	ⓘ 12:29:30(04:24.373)
● Create Object: Incap311__Service_Type_Version_Question__c=>srtvq	ⓘ 12:29:30(04:24.378)
▤ Service Type Version Question created successfully. Object Id: a0ff200000ERNsqAAH, Result Name: srtvq	
● SOQL Query: select COUNT() from Incap311__Service_Type_Version_Question__c where Incap311__Service_Type_Version__c='{Incap311__Service_Type_Version__c}'=>total_questions	ⓘ 12:29:33(04:27.031)
● Set Values: count_questions	ⓘ 12:29:33(04:27.832)
● Set Values: service_type_version_question_id	ⓘ 12:29:33(04:27.834)
● Update Object: Incap311__Service_Type_Version_Question__c = {service_type_version_question_id}	ⓘ 12:29:33(04:27.835)
▤ Service Type Version Question updated successfully. Object Id: a0ff200000ERNsqAAH	
● Set Values: srtvq_id1	ⓘ 12:29:34(04:28.767)
● Call callableCreateServiceTypeVersionQuestion	ⓘ 12:29:34(04:28.770)
● callableCreateServiceTypeVersionQuestion.testcase	ⓘ 12:29:34(04:28.770)
⚠ Salesforce Connect: InternalQA (Test)	ⓘ 12:29:34(04:28.770)
● Salesforce Connect: InternalQA (Test)	ⓘ 12:29:34(04:28.770)
● Create Object: Incap311__Service_Type_Version_Question__c=>srtvq	ⓘ 12:29:34(04:28.773)
▤ Service Type Version Question created successfully. Object Id: a0ff200000ERNsvAAH, Result Name: srtvq	

- ✅ SOQL Query: select COUNT() from Incap311__Service_Type_Version_Question__c where Incap311__Service_Type_Version__c='{Incap311__Service_Type_Version__c}'=>total_questions — ⓘ 12:29:37(04:30.931)
  - ✅ Set Values: count_questions — ⓘ 12:29:37(04:31.719)
  - ✅ Set Values: service_type_version_question_id — ⓘ 12:29:37(04:31.722)
  - ✅ Update Object: Incap311__Service_Type_Version_Question__c = {service_type_version_question_id} — ⓘ 12:29:37(04:31.726)
    - 📄 Service Type Version Question updated successfully. Object Id: a0ff200000ERNsvAAH
- ✅ Set Values: srtvq_id2 — ⓘ 12:29:38(04:32.635)
- ✅ Check if the same question is present in both active SRTV — ⓘ 12:29:38(04:32.638)
  - ✅ On SF Service Type Version View screen — ⓘ 12:29:38(04:32.639)
    - ✅ With Incap311__Service_Type_Version_Questions__r rows {1} — ⓘ 12:29:44(04:38.575)
      The row locator matched 1 row.
      - ✅ UI Assert — ⓘ 12:29:49(04:43.647)
      - ✅ SOQL Query: select Id from Incap311__Service_Type_Version_Question__c where Name='{Values.fields.NAME.value}'=>question_id — ⓘ 12:29:49(04:43.831)
      - ✅ Assert: {question_id.Id} EqualTo {srtvq_id1} — ⓘ 12:29:50(04:44.663)
  - ✅ On SF Service Type Version View screen — ⓘ 12:29:52(04:46.751)
    - ✅ With Incap311__Service_Type_Version_Questions__r rows {1} — ⓘ 12:29:58(04:52.655)
      The row locator matched 1 row.
      - ✅ UI Assert — ⓘ 12:30:03(04:57.741)
      - ✅ SOQL Query: select Id from Incap311__Service_Type_Version_Question__c where Name='{Values.fields.NAME.value}'=>question_id — ⓘ 12:30:04(04:57.931)
      - ✅ Assert: {question_id.Id} EqualTo {srtvq_id2} — ⓘ 12:30:05(04:59.343)

📑 C1408_C1516-ActivitiesCanBeAddedToSRTypeVersions.testcase

Summary

Description	
Started	29 Dec 2018, 12:30:19
Ended	29 Dec 2018, 12:40:55
Duration (mm:ss)	10:36.294
Outcome	✅ successful

Output

- ✅ Salesforce Connect: QA (Test) — ⓘ 12:30:19(05:12.970)
  Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test
- ⚠️ Salesforce Connect: ConfigInternal311Qa (Test) — ⓘ 12:30:22(05:16.808)
- ✅ Call CreateSRT — ⓘ 12:30:22(05:16.808)
  - ✅ CreateSRT.testcase — ⓘ 12:30:22(05:16.810)
    - ✅ Salesforce Connect: Internal311Qa (Test) — ⓘ 12:30:22(05:16.810)
      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test
    - ✅ Set Values: uniqueAlpha — ⓘ 12:30:26(05:19.957)
    - ✅ On SF Service Type New screen — ⓘ 12:30:26(05:19.968)
      - ✅ Set the Service Name field to : GBVSC — ⓘ 12:30:54(05:48.525)
      - ✅ Set the Service Type Code field to : GBVSC — ⓘ 12:30:55(05:49.066)
      - ✅ Set the Service Description field to : GBVSC — ⓘ 12:30:55(05:49.241)
      - ✅ Set the External Name field to : GBVSC — ⓘ 12:30:55(05:49.522)
      - ✅ Set the External Description field to : GBVSC — ⓘ 12:30:55(05:49.737)
      - ✅ Set the Contact Status picklist to Available — ⓘ 12:30:56(05:49.895)

- If: {LocationRequiredFlag = "y"}   ⓘ 12:30:56(05:50.071)
  - Then   ⓘ 12:30:56(05:50.075)
    - Check the Service Location Required field   ⓘ 12:30:56(05:50.075)
- Click the Save button   ⓘ 12:30:56(05:50.211)

  Storing created Salesforce Object ID. Result Name: incap311__Service_Type__cId, created ID: a0hf200000jE6vU, location: https://
  incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE6vU

- On SF Service Type View screen   ⓘ 12:31:00(05:54.344)
  - UI Assert   ⓘ 12:31:04(05:58.394)
- Set Values: SRTName   ⓘ 12:31:06(06:00.634)

  Salesforce Connection closed successfully. Name: Internal311Qa

- Call FillSRTV   ⓘ 12:31:12(06:06.426)
  - FillSRTV.testcase   ⓘ 12:31:12(06:06.427)
    - Salesforce Connect: Internal311Qa (Test)   ⓘ 12:31:12(06:06.427)

      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

    - On SF Service Type Version New screen   ⓘ 12:31:16(06:10.630)
      - Set the Version Code field to {SRTName}_V{Version}   ⓘ 12:31:32(06:26.832)
      - Set the Version Name field to {SRTName} V{Version}   ⓘ 12:31:33(06:27.154)

      Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: null, location: https://
      incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e

    - On SRTV page   ⓘ 12:31:37(06:31.473)
      - Set the Version Number to : 1   ⓘ 12:31:37(06:31.513)
    - On SF Service Type Version New screen   ⓘ 12:31:40(06:33.911)
      - Set the Service Type reference to : SRT-00000930   ⓘ 12:31:40(06:33.944)
      - Lookup the Service Type reference   ⓘ 12:31:40(06:34.176)
      - On SF Service Type Lookup screen   ⓘ 12:32:06(07:00.411)
        - Click the Service Type Id button   ⓘ 12:32:06(07:00.520)
          The row locator matched 1 row.

      - Set the Service Name field to : SRT-00000930   ⓘ 12:32:29(07:23.808)
      - Set the Start Date field to : 11/28/2017   ⓘ 12:32:30(07:24.027)
      - Set the Stop Date field to : 11/28/2099   ⓘ 12:32:30(07:24.235)
      - Set the Default Priority picklist to : Standard   ⓘ 12:32:30(07:24.434)
      - Set the Default Method picklist to : Phone   ⓘ 12:32:30(07:24.665)
      - Set the Default Status picklist to : Open   ⓘ 12:32:30(07:24.847)
      - Set the Duplicate Threshold Period (hours) field to   ⓘ 12:32:31(07:25.115)
        {DuplicatePeriodHours}
      - Set the Duplicate Threshold Period (days) field to : 10   ⓘ 12:32:31(07:25.260)
      - Set the Duplicate Radius (feet) field to : 10   ⓘ 12:32:31(07:25.427)
      - Set the Duplicate Detection Method picklist to : Standard   ⓘ 12:32:31(07:25.580)
      - Set the SLA Type picklist to : Business Days   ⓘ 12:32:31(07:25.744)
      - Set the SLA field to : 10   ⓘ 12:32:32(07:25.929)
      - On SF Service Type Version New screen   ⓘ 12:32:32(07:26.082)
        - Click the Save button   ⓘ 12:32:32(07:26.104)

        Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhi, location:
        https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhi

      - On SF Service Type Version View screen   ⓘ 12:32:35(07:29.726)
        - UI Assert   ⓘ 12:32:35(07:29.764)
      - Set Values: SRTVName   ⓘ 12:32:38(07:32.049)

      Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhi, location:
      https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhi

  Salesforce Connection closed successfully. Name: Internal311Qa

- ⚠ Call SaveSRTV   ⓘ 12:32:45(07:39.404)
- Call CreateActivity   ⓘ 12:32:45(07:39.404)
  - CreateActivity.testcase   ⓘ 12:32:45(07:39.404)
    - Salesforce Connect: QA (Test)   ⓘ 12:32:45(07:39.404)

      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test

✅ Set Values: uniqueAlpha   🕐 12:32:49(07:43.410)

✅ Create Activity   🕐 12:32:49(07:43.414)

  ✅ On SF Activity New screen   🕐 12:32:49(07:43.416)

    ✅ Set the Activity Code field to test   🕐 12:33:04(07:58.479)

    ✅ Set the Activity Code field to df   🕐 12:33:04(07:58.680)

    ✅ Set the Activity Code field to : GJZXM   🕐 12:33:04(07:58.790)

    ✅ Set the Activity Name field to : GJZXM   🕐 12:33:05(07:58.897)

    ✅ Click the Save button   🕐 12:33:05(07:59.050)

    📄 Storing created Salesforce Object ID. Result Name: incap311__Activity__cId, created ID: a07f200000Rfjvp, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a07f200000Rfjvp

  ✅ On SF Activity View screen   🕐 12:33:08(08:02.478)

  ✅ UI Assert   🕐 12:33:08(08:02.553)

  ✅ Set Values: ActivityName   🕐 12:33:08(08:02.754)

Salesforce Connection closed successfully. Name: QA

✅ Call CreateOutcome   🕐 12:33:16(08:09.934)

  ✅ CreateOutcome.testcase   🕐 12:33:16(08:09.934)

    ✅ Salesforce Connect: Internal311Qa (Test)   🕐 12:33:16(08:09.934)

    Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

  ✅ Set Values: uniqueAlpha   🕐 12:33:20(08:14.029)

  ✅ CreateOutcome   🕐 12:33:20(08:14.034)

    ✅ On SF Outcome New screen   🕐 12:33:20(08:14.036)

      ✅ Set the Outcome Code field to : GLTFD   🕐 12:33:34(08:28.857)

      ✅ Set the Outcome Detail field to : GLTFD   🕐 12:33:35(08:29.095)

      ✅ Click the Save button   🕐 12:33:35(08:29.243)

      📄 Storing created Salesforce Object ID. Result Name: incap311__Outcome__cId, created ID: a0Nf200000BoxoQ, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0Nf200000BoxoQ

    ✅ On SF Outcome View screen   🕐 12:33:38(08:32.436)

    ✅ UI Assert   🕐 12:33:38(08:32.484)

    ✅ Set Values: OutcomeName   🕐 12:33:38(08:32.700)

Salesforce Connection closed successfully. Name: Internal311Qa

✅ Call CreateServiceTypeVersionActivityToNonCurrentVersion   🕐 12:33:46(08:39.979)

  ✅ CreateServiceTypeVersionActivityToNonCurrentVersion.testcase   🕐 12:33:46(08:39.979)

    ✅ Salesforce Connect: Internal311Qa (Test)   🕐 12:33:46(08:39.979)

    Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

  ✅ Set Values: uniqueAlpha   🕐 12:33:51(08:45.560)

  ✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId   🕐 12:33:51(08:45.572)

  ✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId   🕐 12:33:52(08:46.371)

  ✅ Edit Service Type Version Activity   🕐 12:33:53(08:47.164)

    ✅ On SF Service Type Version View screen   🕐 12:33:53(08:47.166)

      ✅ Click the Service Type Version Activities New button   🕐 12:34:08(09:02.157)

    ✅ On SF Service Type Version Activity New screen   🕐 12:34:11(09:05.178)

      ✅ Set the Order field to : 1   🕐 12:34:11(09:05.253)

      ✅ Set the Activity reference to : ACT-00000118   🕐 12:34:11(09:05.408)

      ✅ Lookup the Activity reference   🕐 12:34:11(09:05.572)

      ✅ On SF Activity Lookup screen   🕐 12:34:11(09:05.688)

        ⚠️ Check the Search All Fields radio   🕐 12:34:18(09:11.903)

        ⚠️ Click the Go! button   🕐 12:34:18(09:11.903)

        ✅ Click the Activity Id button   🕐 12:34:18(09:11.903)

        The row locator matched 1 row.

      ✅ Click the Save button   🕐 12:34:20(09:14.114)

Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version_Activity__cId, created ID: a0gf200000BkwhiAAB, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkwhiAAB?newid=a0df200000Po1sL

Salesforce Connection closed successfully. Name: Internal311Qa

✅ Call CreateActivityOutcomeToNonCurrentVersion	⏱ 12:34:32(09:25.937)
✅ CreateActivityOutcomeToNonCurrentVersion.testcase	⏱ 12:34:32(09:25.937)
✅ Salesforce Connect: Internal311Qa (Test)	⏱ 12:34:32(09:25.937)

Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

✅ Set Values: uniqueAlpha	⏱ 12:34:36(09:30.008)
✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId	⏱ 12:34:36(09:30.016)
✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId	⏱ 12:34:36(09:30.800)
✅ Edit Service Type Version Activity	⏱ 12:34:37(09:31.624)
✅ On SF Service Type Version View screen	⏱ 12:34:37(09:31.629)
✅ With Incap311__Service_Type_Version_Activities__r rows {ActivityIndex}	⏱ 12:34:52(09:46.248)

The row locator matched 1 row.

✅ Click the Service Type Version Activity Id field	⏱ 12:34:58(09:52.169)
✅ On SF Service Type Version Activity View screen	⏱ 12:35:00(09:54.364)
✅ Click the Activity Outcomes New button	⏱ 12:35:00(09:54.458)
✅ On SF Activity Outcome New screen	⏱ 12:35:02(09:56.601)
✅ Set the Activity Outcome Name field to : GQBPL	⏱ 12:35:02(09:56.678)
✅ Set the Activity reference to : ACT-00000118	⏱ 12:35:02(09:56.844)
✅ Lookup the Activity reference	⏱ 12:35:03(09:57.035)
✅ Sleep for {3} seconds	⏱ 12:35:03(09:57.153)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ On SF Activity Lookup screen	⏱ 12:35:06(10:00.159)
✅ Sleep for {3} seconds	⏱ 12:35:12(10:06.325)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Click the Activity Id button	⏱ 12:35:15(10:09.330)

The row locator matched 1 row.

✅ Sleep for {3} seconds	⏱ 12:35:17(10:11.586)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

|	
✅ Set the Outcome reference to : OC-00000177	⏱ 12:35:20(10:14.592)
✅ Lookup the Outcome reference	⏱ 12:35:20(10:14.833)
✅ Sleep for {3} seconds	⏱ 12:35:27(10:21.111)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ On SF Outcome Lookup screen	⏱ 12:35:30(10:24.115)
✅ Sleep for {3} seconds	⏱ 12:35:30(10:24.233)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Click the Outcome Id button	⏱ 12:35:33(10:27.238)

The row locator matched 1 row.

✅ Sleep for {3} seconds	⏱ 12:35:35(10:29.496)

Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Set the Order field to : 1	⏱ 12:35:38(10:32.502)
✅ Click the Save button	⏱ 12:35:38(10:32.682)

Storing created Salesforce Object ID. Result Name: incap311__Activity_Outcome__cId, created ID: a05f200000oKQM8, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a05f200000oKQM8

✅ On SF Activity Outcome View screen	⏱ 12:35:42(10:36.117)

Before Screenshot : 2018/12/29 12:35:42   Before Screenshot : 2018/12/29 12:35:45

✅ UI Assert

⏱ 12:35:48(10:42.485)

After Screenshot : 2018/12/29 12:35:48

✅ Set Values: SRTVAName	⏱ 12:35:52(10:45.886)

Salesforce Connection closed successfully. Name: Internal311Qa

✅ Call MakeSRTVCurrentVersion	⏱ 12:35:59(10:53.180)
✅ MakeSRTVCurrentVersion.testcase	⏱ 12:35:59(10:53.180)
✅ Salesforce Connect: Internal311Qa (Test)	⏱ 12:35:59(10:53.180)

Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Name = '{SRTVName}'=>SRTVId	⏱ 12:36:03(10:57.397)
✅ On SF Service Type Version View screen	⏱ 12:36:04(10:58.200)
✅ Activate inline edit the Is Draft field	⏱ 12:36:18(11:12.516)
✅ Uncheck the Is Draft field	⏱ 12:36:29(11:23.791)
✅ Click the SaveEdit button	⏱ 12:36:42(11:35.968)
✅ Click the Make Version Current button	⏱ 12:37:02(11:56.094)
✅ Handle UI Alerts	⏱ 12:37:03(11:56.897)
✅ Handle UI Alerts	⏱ 12:37:07(12:00.944)

Salesforce Connection closed successfully. Name: Internal311Qa

✅ CreateSR	⏱ 12:37:18(12:12.085)
✅ Set Values: FirstName	⏱ 12:37:18(12:12.088)
✅ Set Values: LastName	⏱ 12:37:18(12:12.092)
✅ Set Values: Email	⏱ 12:37:18(12:12.096)
✅ Set Values: Phone	⏱ 12:37:18(12:12.102)
✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Narayan	⏱ 12:37:18(12:12.106)

On SF Cases tab (Code Compliance Administration)   ⓘ 12:37:38(12:32.351)
   Click the New Case button   ⓘ 12:37:52(12:46.685)
On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:37:54(12:48.856)
311sc__ Agent Console_ Narayan
   Click the Link_submit Request button   ⓘ 12:37:58(12:52.183)
    Background activity wait successful. Actual duration(seconds): 0.270

    Background activity wait successful. Actual duration(seconds): 2.547

On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:03(12:57.378)
311sc__ Agent Console_ Narayan_ Service Type Tab
   Set the Text Box_search Service Type field to   ⓘ 12:38:03(12:57.519)
{StringReplace(SRTName, "SRT-", null)}
    Background activity wait successful. Actual duration(seconds): 0.260

On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:06(13:00.335)
311sc__ Agent Console_ Narayan_ Service Type Tab
   Click the Button_ Select SR Type field   ⓘ 12:38:06(13:00.511)
    Background activity wait successful. Actual duration(seconds): 0.255

    Background activity wait successful. Actual duration(seconds): 0.776

On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:09(13:03.845)
311sc__ Agent Console_ Narayan_ Location Tab
   Click the Location Tab Link button   ⓘ 12:38:10(13:03.978)
    Background activity wait successful. Actual duration(seconds): 0.263

    Background activity wait successful. Actual duration(seconds): 0.329

On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:13(13:06.896)
311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info
   Sleep for {10} seconds   ⓘ 12:38:13(13:07.040)
    Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

   Click the Location Pop Up Icon Back field   ⓘ 12:38:23(13:17.044)
   Sleep for {5} seconds   ⓘ 12:38:23(13:17.263)
    Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5

   Set the Search For A Location field to 942 YOUNG ST   ⓘ 12:38:28(13:22.268)
   Sleep for {5} seconds   ⓘ 12:38:28(13:22.722)
    Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5

   Click the Boston St button   ⓘ 12:38:33(13:27.728)
   Sleep for {5} seconds   ⓘ 12:38:34(13:27.964)
    Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5

   UI Assert   ⓘ 12:38:39(13:32.969)
   If: {Values.fields.DuplicatePopUpBoxShown.visible = true}   ⓘ 12:38:49(13:43.100)
On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:51(13:45.136)
311sc__ Agent Console_ Narayan_ Contact Information Tab
   Click the Contact Information Tab Link button   ⓘ 12:38:51(13:45.268)
    Background activity wait successful. Actual duration(seconds): 0.265

    Background activity wait successful. Actual duration(seconds): 0.764

⚠ On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:54(13:48.575)
311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info
On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:54(13:48.575)
311sc__ Agent Console_ Aadil_ Service Type Tab_ Contact Info
   Set the Search Contact field to Test vasu   ⓘ 12:38:54(13:48.763)
   Click the Search Contact Results field   ⓘ 12:38:55(13:49.170)
On SF Incap311SC__AgentConsole page with pageobject Incap   ⓘ 12:38:58(13:52.469)
311sc__ Agent Console_ Narayan_ Details Tab
   Click the Link_ Details button   ⓘ 12:38:58(13:52.596)
    Background activity wait successful. Actual duration(seconds): 0.267

    Background activity wait successful. Actual duration(seconds): 0.764

   ⚠ With Condition Picklist rows {PicklistValue = "Rings"}   ⓘ 12:39:00(13:53.894)
   ⚠ Call the OperateOnElement method   ⓘ 12:39:00(13:53.894)

⚠ Call the OperateOnElement method   ⓘ 12:39:00(13:53.894)

✅ Call the OperateOnElement method   ⓘ 12:39:00(13:53.894)

✅ On SF Incap311SC__AgentConsole page with pageobject Incap 311sc__ Agent Console_ Aadil_ Service Type Tab_ Case Submi   ⓘ 12:39:02(13:55.984)

   ✅ Click the Submit 1 button   ⓘ 12:39:02(13:56.129)

✅ On SF Service Request View screen   ⓘ 12:39:04(13:58.357)

   ✅ Sleep for {5} seconds   ⓘ 12:39:11(14:04.982)
      Timed sleep successful. Requested duration(seconds): 5, Actual duration(seconds): 5

   ✅ UI Assert   ⓘ 12:39:16(14:09.986)

   ✅ UI Assert   ⓘ 12:39:16(14:10.261)

   ✅ UI Assert   ⓘ 12:39:16(14:10.519)

   ✅ With Incap311__Service_Activities__r rows {1}   ⓘ 12:39:16(14:10.815)
      The row locator matched 1 row.

      ✅ UI Assert   ⓘ 12:39:22(14:15.916)

      ✅ Assert: {SRTVAName} EqualTo {SRTVAName}   ⓘ 12:39:22(14:16.006)

   ✅ UI Assert   ⓘ 12:39:22(14:16.024)

   ⚠ Assert: {Values.fields.Incap311__Service_Request_Number__c.value} Contains 18-   ⓘ 12:39:22(14:16.312)

✅ Finally: CleanUp   ⓘ 12:39:24(14:18.343)

  ✅ Call DeleteOutcome   ⓘ 12:39:24(14:18.348)

    ✅ DeleteOutcome.testcase   ⓘ 12:39:24(14:18.348)

      ✅ Set Values: OutcomeName   ⓘ 12:39:24(14:18.348)

      ✅ Salesforce Connect: Internal311Qa (Test)   ⓘ 12:39:24(14:18.352)
         Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

      ✅ SOQL Query: select Id from Incap311__Outcome__c where Name = '{OutcomeName}'=>OutcomeId   ⓘ 12:39:29(14:22.878)

      ✅ DeleteOutcome   ⓘ 12:39:29(14:23.686)

        ✅ On SF Outcome View screen   ⓘ 12:39:29(14:23.691)

          ✅ Click the Delete button   ⓘ 12:39:44(14:38.566)

        ✅ On SRDetailsPage page   ⓘ 12:39:46(14:40.749)

          ✅ Handle UI Alerts   ⓘ 12:39:46(14:40.789)

          ✅ Sleep for {10} seconds   ⓘ 12:39:52(14:45.971)
            Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

    Salesforce Connection closed successfully. Name: Internal311Qa

  ✅ Call DeleteActivity   ⓘ 12:40:11(15:04.900)

    ✅ DeleteActivity.testcase   ⓘ 12:40:11(15:04.900)

      ✅ Salesforce Connect: Internal311Qa (Test)   ⓘ 12:40:11(15:04.900)
         Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

      ✅ SOQL Query: select Id from Incap311__Activity__c where Name = '{ActivityName}'=>ActivityId   ⓘ 12:40:15(15:09.200)

      ✅ DeleteActivity   ⓘ 12:40:16(15:10.007)

        ✅ On SF Activity View screen   ⓘ 12:40:16(15:10.014)

          ✅ Click the Delete button   ⓘ 12:40:30(15:24.601)

        ✅ On SRDetailsPage page   ⓘ 12:40:32(15:26.800)

          ✅ Handle UI Alerts   ⓘ 12:40:32(15:26.849)

          ✅ Sleep for {10} seconds   ⓘ 12:40:38(15:32.031)
            Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10

    Salesforce Connection closed successfully. Name: Internal311Qa

🖥 C1409_C1410-
SameActivityCanBeReUsedOnDifferentSRTypeVersionsOfTheSameSRType.testcase

Summary

Output

❌ Part 1   ⊙ 12:41:00(15:54.739)

  ✅ Salesforce Connect: QA (GroupStep)   ⊙ 12:41:00(15:54.743)
    Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: GroupStep

  ✅ Call CreateSRT   ⊙ 12:41:05(15:58.880)

    ✅ CreateSRT.testcase   ⊙ 12:41:05(15:58.881)

      ✅ Salesforce Connect: Internal311Qa (Test)   ⊙ 12:41:05(15:58.881)
        Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

      ✅ Set Values: uniqueAlpha   ⊙ 12:41:07(16:01.827)

      ✅ On SF Service Type New screen   ⊙ 12:41:07(16:01.833)

        ✅ Set the Service Name field to : HMJFJ   ⊙ 12:41:22(16:16.166)

        ✅ Set the Service Type Code field to : HMJFJ   ⊙ 12:41:22(16:16.410)

        ✅ Set the Service Description field to : HMJFJ   ⊙ 12:41:22(16:16.564)

        ✅ Set the External Name field to : HMJFJ   ⊙ 12:41:22(16:16.734)

        ✅ Set the External Description field to : HMJFJ   ⊙ 12:41:23(16:16.939)

        ✅ Set the Contact Status picklist to Available   ⊙ 12:41:23(16:17.097)

        ✅ If: {LocationRequiredFlag = "y"}   ⊙ 12:41:23(16:17.267)

          ✅ Then   ⊙ 12:41:23(16:17.268)

            ✅ Check the Service Location Required field   ⊙ 12:41:23(16:17.268)

        ✅ Click the Save button   ⊙ 12:41:23(16:17.405)
        📋 Storing created Salesforce Object ID. Result Name: incap311__Service_Type__cId, created ID: a0hf200000jE6vZ, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE6vZ

      ✅ On SF Service Type View screen   ⊙ 12:41:27(16:20.950)

        ✅ UI Assert   ⊙ 12:41:27(16:20.992)

      ✅ Set Values: SRTName   ⊙ 12:41:29(16:23.237)
    Salesforce Connection closed successfully. Name: Internal311Qa

  ✅ Call FillSRTV   ⊙ 12:41:35(16:28.913)

    ✅ FillSRTV.testcase   ⊙ 12:41:35(16:28.913)

      ✅ Salesforce Connect: Internal311Qa (Test)   ⊙ 12:41:35(16:28.913)
        Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

      ✅ On SF Service Type Version New screen   ⊙ 12:41:39(16:33.024)

        ✅ Set the Version Code field to {SRTName}_V{Version}   ⊙ 12:41:53(16:47.367)

        ✅ Set the Version Name field to {SRTName} V{Version}   ⊙ 12:41:53(16:47.611)
        📋 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: null, location: https://incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e

      ✅ On SRTV page   ⊙ 12:41:58(16:51.931)

        ✅ Set the Version Number to : 1   ⊙ 12:41:58(16:51.984)

      ✅ On SF Service Type Version New screen   ⊙ 12:42:00(16:54.411)

        ✅ Set the Service Type reference to : SRT-00000931   ⊙ 12:42:00(16:54.468)

        ✅ Lookup the Service Type reference   ⊙ 12:42:00(16:54.661)

        ✅ On SF Service Type Lookup screen   ⊙ 12:42:27(17:20.869)

          ✅ Click the Service Type Id button   ⊙ 12:42:27(17:20.964)
          The row locator matched 1 row.

      ✅ Set the Service Name field to : SRT-00000931   ⊙ 12:42:50(17:44.205)

      ✅ Set the Start Date field to : 11/28/2017   ⊙ 12:42:50(17:44.437)

      ✅ Set the Stop Date field to : 11/28/2099   ⊙ 12:42:50(17:44.692)

      ✅ Set the Default Priority picklist to : Standard   ⊙ 12:42:51(17:44.942)

- ✅ Set the Default Method picklist to : Phone   ⓘ 12:42:51(17:45.207)
- ✅ Set the Default Status picklist to : Open   ⓘ 12:42:51(17:45.374)
- ✅ Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours}   ⓘ 12:42:51(17:45.661)
- ✅ Set the Duplicate Threshold Period (days) field to : 10   ⓘ 12:42:51(17:45.807)
- ✅ Set the Duplicate Radius (feet) field to : 10   ⓘ 12:42:52(17:45.958)
- ✅ Set the Duplicate Detection Method picklist to : Standard   ⓘ 12:42:52(17:46.127)
- ✅ Set the SLA Type picklist to : Business Days   ⓘ 12:42:52(17:46.291)
- ✅ Set the SLA field to : 10   ⓘ 12:42:52(17:46.451)
- ✅ On SF Service Type Version New screen   ⓘ 12:42:52(17:46.635)
  - ✅ Click the Save button   ⓘ 12:42:52(17:46.659)
  - 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhn, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhn
- ✅ On SF Service Type Version View screen   ⓘ 12:42:56(17:50.267)
  - ✅ UI Assert   ⓘ 12:42:56(17:50.290)
- ✅ Set Values: SRTVName   ⓘ 12:42:58(17:52.540)
- 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhn, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhn

Salesforce Connection closed successfully. Name: Internal311Qa

- ⚠️ Call SaveSRTV   ⓘ 12:43:05(17:59.637)
- ✅ Call CreateActivity   ⓘ 12:43:05(17:59.638)
  - ✅ CreateActivity.testcase   ⓘ 12:43:05(17:59.638)
    - ✅ Salesforce Connect: QA (Test)   ⓘ 12:43:05(17:59.638)
      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: QA, resultScope: Test
    - ✅ Set Values: uniqueAlpha   ⓘ 12:43:09(18:03.619)
    - ✅ Create Activity   ⓘ 12:43:09(18:03.624)
      - ✅ On SF Activity New screen   ⓘ 12:43:09(18:03.626)
        - ✅ Set the Activity Code field to test   ⓘ 12:43:24(18:18.278)
        - ✅ Set the Activity Code field to df   ⓘ 12:43:24(18:18.498)
        - ✅ Set the Activity Code field to : HTHJR   ⓘ 12:43:24(18:18.604)
        - ✅ Set the Activity Name field to : HTHJR   ⓘ 12:43:24(18:18.762)
        - ✅ Click the Save button   ⓘ 12:43:25(18:18.927)
        - 📄 Storing created Salesforce Object ID. Result Name: incap311__Activity__cId, created ID: a07f200000RfjyN, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a07f200000RfjyN
      - ✅ On SF Activity View screen   ⓘ 12:43:28(18:22.440)
      - ✅ UI Assert   ⓘ 12:43:28(18:22.505)
      - ✅ Set Values: ActivityName   ⓘ 12:43:28(18:22.743)

Salesforce Connection closed successfully. Name: QA

- ✅ Call CreateOutcome   ⓘ 12:43:38(18:31.948)
  - ✅ CreateOutcome.testcase   ⓘ 12:43:38(18:31.948)
    - ✅ Salesforce Connect: Internal311Qa (Test)   ⓘ 12:43:38(18:31.948)
      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test
    - ✅ Set Values: uniqueAlpha   ⓘ 12:43:42(18:36.031)
    - ✅ CreateOutcome   ⓘ 12:43:42(18:36.044)
      - ✅ On SF Outcome New screen   ⓘ 12:43:42(18:36.049)
        - ✅ Set the Outcome Code field to : HVDIJ   ⓘ 12:43:56(18:50.543)
        - ✅ Set the Outcome Detail field to : HVDIJ   ⓘ 12:43:56(18:50.817)
        - ✅ Click the Save button   ⓘ 12:43:57(18:51.032)
        - 📄 Storing created Salesforce Object ID. Result Name: incap311__Outcome__cId, created ID: a0Nf200000BoxoV, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0Nf200000BoxoV
      - ✅ On SF Outcome View screen   ⓘ 12:44:00(18:54.404)
      - ✅ UI Assert   ⓘ 12:44:00(18:54.442)
      - ✅ Set Values: OutcomeName   ⓘ 12:44:00(18:54.652)

Salesforce Connection closed successfully. Name: Internal311Qa

- ✅ Call CreateServiceTypeVersionActivityToNonCurrentVersion   ⓘ 12:44:08(19:02.137)

✅ CreateServiceTypeVersionActivityToNonCurrentVersion.testcase   ⏱ 12:44:08(19:02.137)

  ✅ Salesforce Connect: Internal311Qa (Test)   ⏱ 12:44:08(19:02.137)
      Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

  ✅ Set Values: uniqueAlpha   ⏱ 12:44:12(19:06.360)

  ✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId   ⏱ 12:44:12(19:06.374)

  ✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId   ⏱ 12:44:13(19:07.686)

  ✅ Edit Service Type Version Activity   ⏱ 12:44:14(19:08.498)

    ✅ On SF Service Type Version View screen   ⏱ 12:44:14(19:08.501)

      ✅ Click the Service Type Version Activities New button   ⏱ 12:44:29(19:23.200)

    ✅ On SF Service Type Version Activity New screen   ⏱ 12:44:32(19:26.190)

      ✅ Set the Order field to : 1   ⏱ 12:44:32(19:26.241)

      ✅ Set the Activity reference to : ACT-00000119   ⏱ 12:44:32(19:26.394)

      ✅ Lookup the Activity reference   ⏱ 12:44:32(19:26.570)

      ✅ On SF Activity Lookup screen   ⏱ 12:44:32(19:26.686)

        ⚠ Check the Search All Fields radio   ⏱ 12:44:39(19:32.943)

        ⚠ Click the Go! button   ⏱ 12:44:39(19:32.943)

        ✅ Click the Activity Id button   ⏱ 12:44:39(19:32.943)
           The row locator matched 1 row.

      ✅ Click the Save button   ⏱ 12:44:41(19:35.168)
         📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version_Activity__cId, created ID: a0gf200000BkwhnAAB, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkwhnAAB?newid=a0df200000Po1sQ

  Salesforce Connection closed successfully. Name: Internal311Qa

✅ Call CreateActivityOutcomeToNonCurrentVersion   ⏱ 12:44:50(19:44.350)

  ✅ CreateActivityOutcomeToNonCurrentVersion.testcase   ⏱ 12:44:50(19:44.350)

    ✅ Salesforce Connect: Internal311Qa (Test)   ⏱ 12:44:50(19:44.350)
        Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

    ✅ Set Values: uniqueAlpha   ⏱ 12:44:54(19:48.668)

    ✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId   ⏱ 12:44:54(19:48.672)

    ✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId   ⏱ 12:44:55(19:49.466)

    ✅ Edit Service Type Version Activity   ⏱ 12:44:56(19:50.291)

      ✅ On SF Service Type Version View screen   ⏱ 12:44:56(19:50.298)

        ✅ With Incap311__Service_Type_Version_Activities__r rows {ActivityIndex}   ⏱ 12:45:11(20:05.576)
           The row locator matched 1 row.

          ✅ Click the Service Type Version Activity Id field   ⏱ 12:45:17(20:11.457)

      ✅ On SF Service Type Version Activity View screen   ⏱ 12:45:19(20:13.634)

        ✅ Click the Activity Outcomes New button   ⏱ 12:45:19(20:13.689)

      ✅ On SF Activity Outcome New screen   ⏱ 12:45:22(20:15.863)

        ✅ Set the Activity Outcome Name field to : HZGTZ   ⏱ 12:45:22(20:15.908)

        ✅ Set the Activity reference to : ACT-00000119   ⏱ 12:45:22(20:16.150)

        ✅ Lookup the Activity reference   ⏱ 12:45:22(20:16.353)

        ✅ Sleep for {3} seconds   ⏱ 12:45:22(20:16.483)
           Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

        ✅ On SF Activity Lookup screen   ⏱ 12:45:25(20:19.488)

          ✅ Sleep for {3} seconds   ⏱ 12:45:31(20:25.702)
             Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

          ✅ Click the Activity Id button   ⏱ 12:45:34(20:28.708)

The row locator matched 1 row.

✅ Sleep for {3} seconds   🕐 12:45:37(20:30.927)
   Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Set the Outcome reference to : OC-00000178   🕐 12:45:40(20:33.933)
✅ Lookup the Outcome reference   🕐 12:45:40(20:34.127)
✅ Sleep for {3} seconds   🕐 12:45:40(20:34.243)
   Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ On SF Outcome Lookup screen   🕐 12:45:43(20:37.249)

   ✅ Sleep for {3} seconds   🕐 12:45:49(20:43.406)
      Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

   ✅ Click the Outcome Id button   🕐 12:45:52(20:46.411)
      The row locator matched 1 row.

✅ Sleep for {3} seconds   🕐 12:45:54(20:48.654)
   Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Set the Order field to : 1   🕐 12:45:57(20:51.658)
✅ Click the Save button   🕐 12:45:57(20:51.826)
   📄 Storing created Salesforce Object ID. Result Name: incap311__Activity_Outcome__cId, created ID: a05f200000oKQMd, location:
   https://incapsulate311-sat-dev-ed.my.salesforce.com/a05f200000oKQMd

✅ On SF Activity Outcome View screen   🕐 12:46:02(20:56.628)

Before Screenshot : 2018/12/29 12:46:02   Before Screenshot : 2018/12/29 12:46:05

✅ UI Assert   🕐 12:46:09(21:03.109)

After Screenshot : 2018/12/29 12:46:09

✅ Set Values: SRTVAName   🕐 12:46:12(21:06.788)
   Salesforce Connection closed successfully. Name: Internal311Qa

✅ Set Values: FirstSRTVName   🕐 12:46:20(21:14.386)
❌ Call MakeSRTVCurrentVersion   🕐 12:46:20(21:14.390)
   ❌ MakeSRTVCurrentVersion.testcase   🕐 12:46:20(21:14.390)

✅ Salesforce Connect: Internal311Qa (Test) — 12:46:20(21:14.390)
  Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Name = '{SRTVName}'=>SRTVId — 12:46:26(21:20.402)

❌ On SF Service Type Version View screen — 12:46:27(21:21.230)
  ✅ Activate inline edit the Is Draft field — 12:46:42(21:36.039)
  ❌ Uncheck the Is Draft field — 12:47:03(21:57.341)

Error Screenshot

❌ Failed to set value. Cause: The control is not currently editable. You can use the Activate inline edit interaction to make it editable.

⚠️ Click the SaveEdit button — 12:47:20(22:13.946)
⚠️ Click the Make Version Current button — 12:47:20(22:13.946)
⚠️ Handle UI Alerts — 12:47:20(22:13.946)
⚠️ Handle UI Alerts — 12:47:20(22:13.946)
❌ One or more Sub-Test Steps failed.

Salesforce Connection closed successfully. Name: Internal311Qa

⚠️ CreateSR — 12:47:27(22:21.720)
⚠️ Call FillSRTV — 12:47:27(22:21.720)
⚠️ Call SaveSRTV — 12:47:27(22:21.720)
⚠️ Call CreateServiceTypeVersionActivityToNonCurrentVersion — 12:47:27(22:21.720)
⚠️ Call CreateActivityOutcomeToNonCurrentVersion — 12:47:27(22:21.720)
⚠️ Set Values: SecondSRTVName — 12:47:27(22:21.720)
⚠️ Call MakeSRTVCurrentVersion — 12:47:27(22:21.720)
Salesforce Connection closed successfully. Name: QA

⚠️ CreateSR — 12:47:27(22:21.728)
✅ Finally: CleanUp — 12:47:27(22:21.728)
  ✅ Call DeleteOutcome — 12:47:27(22:21.731)
    ✅ DeleteOutcome.testcase — 12:47:27(22:21.731)
      ✅ Set Values: OutcomeName — 12:47:27(22:21.731)
      ✅ Salesforce Connect: Internal311Qa (Test) — 12:47:27(22:21.734)
        Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test

      ✅ SOQL Query: select Id from Incap311__Outcome__c where Name = '{OutcomeName}'=>OutcomeId — 12:47:34(22:28.047)

      ✅ DeleteOutcome — 12:47:35(22:29.058)
        ✅ On SF Outcome View screen — 12:47:35(22:29.061)
          ✅ Click the Delete button — 12:47:50(22:43.960)
        ✅ On SRDetailsPage page — 12:47:52(22:46.133)

✅ Handle UI Alerts	ⓘ 12:47:52(22:46.177)
✅ Sleep for {10} seconds	ⓘ 12:47:57(22:51.468)
Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	

Salesforce Connection closed successfully. Name: Internal311Qa

✅ Call DeleteActivity	ⓘ 12:48:15(23:09.119)
✅ DeleteActivity.testcase	ⓘ 12:48:15(23:09.119)
✅ Salesforce Connect: Internal311Qa (Test)	ⓘ 12:48:15(23:09.119)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: Internal311Qa, resultScope: Test	
✅ SOQL Query: select Id from Incap311__Activity__c where Name = '{ActivityName}'=>ActivityId	ⓘ 12:48:19(23:13.127)
✅ DeleteActivity	ⓘ 12:48:20(23:13.888)
✅ On SF Activity View screen	ⓘ 12:48:20(23:13.890)
✅ Click the Delete button	ⓘ 12:48:34(23:28.540)
✅ On SRDetailsPage page	ⓘ 12:48:36(23:30.797)
✅ Handle UI Alerts	ⓘ 12:48:36(23:30.854)
✅ Sleep for {10} seconds	ⓘ 12:48:42(23:36.214)
Timed sleep successful. Requested duration(seconds): 10, Actual duration(seconds): 10	

Salesforce Connection closed successfully. Name: Internal311Qa

🖳 C1412-SameActivityCanBeReUsedOnDifferentSRTypes.testcase

Summary

Started	29 Dec 2018, 12:48:59
Ended	29 Dec 2018, 12:53:24
Duration (mm:ss)	04:24.739
Outcome	❌ failed

Output

❌ Part 1	ⓘ 12:48:59(23:53.630)
❌ CreateFirstSRT	ⓘ 12:48:59(23:53.634)
✅ Salesforce Connect: ConfigInternal311Qa (Test)	ⓘ 12:48:59(23:53.638)
Salesforce connection opened successfully. Connection name: SAT_Dev_Admin_311, ResultName: ConfigInternal311Qa, resultScope: Test	
✅ Call CreateSRT	ⓘ 12:49:04(23:57.866)
✅ CreateSRT.testcase	ⓘ 12:49:04(23:57.867)
✅ Salesforce Connect: Internal311Qa (Test)	ⓘ 12:49:04(23:57.867)
✅ Set Values: uniqueAlpha	ⓘ 12:49:04(23:57.872)
✅ On SF Service Type New screen	ⓘ 12:49:04(23:57.877)
✅ Set the Service Name field to : INLKU	ⓘ 12:49:18(24:12.755)
✅ Set the Service Type Code field to : INLKU	ⓘ 12:49:19(24:12.983)
✅ Set the Service Description field to : INLKU	ⓘ 12:49:19(24:13.144)
✅ Set the External Name field to : INLKU	ⓘ 12:49:19(24:13.310)
✅ Set the External Description field to : INLKU	ⓘ 12:49:19(24:13.473)
✅ Set the Contact Status picklist to Available	ⓘ 12:49:19(24:13.627)
✅ If: {LocationRequiredFlag = "y"}	ⓘ 12:49:19(24:13.817)
✅ Then	ⓘ 12:49:19(24:13.819)
✅ Check the Service Location Required field	ⓘ 12:49:19(24:13.819)
✅ Click the Save button	ⓘ 12:49:20(24:13.948)
📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type__cId, created ID: a0hf200000jE6ve, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0hf200000jE6ve	
✅ On SF Service Type View screen	ⓘ 12:49:23(24:17.520)
✅ UI Assert	ⓘ 12:49:23(24:17.544)
✅ Set Values: SRTName	ⓘ 12:49:25(24:19.803)
✅ Call FillSRTV	ⓘ 12:49:25(24:19.814)

- ✅ FillSRTV.testcase — ⓘ 12:49:25(24:19.815)
  - ✅ Salesforce Connect: Internal311Qa (Test) — ⓘ 12:49:25(24:19.815)
  - ✅ On SF Service Type Version New screen — ⓘ 12:49:25(24:19.826)
    - ✅ Set the Version Code field to {SRTName}_V{Version} — ⓘ 12:49:31(24:25.553)
    - ✅ Set the Version Name field to {SRTName} V{Version} — ⓘ 12:49:32(24:25.906)
    - 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: null, location: https://incapsulate311-sat-dev-ed.my.salesforce.com//a0g/e
  - ✅ On SRTV page — ⓘ 12:49:36(24:30.305)
    - ✅ Set the Version Number to : 1 — ⓘ 12:49:36(24:30.350)
  - ✅ On SF Service Type Version New screen — ⓘ 12:49:38(24:32.849)
    - ✅ Set the Service Type reference to : SRT-00000932 — ⓘ 12:49:39(24:32.903)
    - ✅ Lookup the Service Type reference — ⓘ 12:49:39(24:33.086)
    - ✅ On SF Service Type Lookup screen — ⓘ 12:50:05(24:59.287)
      - ✅ Click the Service Type Id button — ⓘ 12:50:05(24:59.377)
        The row locator matched 1 row.
    - ✅ Set the Service Name field to : SRT-00000932 — ⓘ 12:50:28(25:22.590)
    - ✅ Set the Start Date field to : 11/28/2017 — ⓘ 12:50:28(25:22.814)
    - ✅ Set the Stop Date field to : 11/28/2099 — ⓘ 12:50:29(25:23.020)
    - ✅ Set the Default Priority picklist to : Standard — ⓘ 12:50:29(25:23.213)
    - ✅ Set the Default Method picklist to : Phone — ⓘ 12:50:29(25:23.468)
    - ✅ Set the Default Status picklist to : Open — ⓘ 12:50:29(25:23.639)
    - ✅ Set the Duplicate Threshold Period (hours) field to {DuplicatePeriodHours} — ⓘ 12:50:30(25:23.888)
    - ✅ Set the Duplicate Threshold Period (days) field to : 10 — ⓘ 12:50:30(25:24.037)
    - ✅ Set the Duplicate Radius (feet) field to : 10 — ⓘ 12:50:30(25:24.185)
    - ✅ Set the Duplicate Detection Method picklist to : Standard — ⓘ 12:50:30(25:24.341)
    - ✅ Set the SLA Type picklist to : Business Days — ⓘ 12:50:30(25:24.529)
    - ✅ Set the SLA field to : 10 — ⓘ 12:50:30(25:24.738)
    - ✅ On SF Service Type Version New screen — ⓘ 12:50:31(25:24.909)
      - ✅ Click the Save button — ⓘ 12:50:31(25:24.938)
      - 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhs, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhs
    - ✅ On SF Service Type Version View screen — ⓘ 12:50:34(25:28.690)
      - ✅ UI Assert — ⓘ 12:50:34(25:28.716)
    - ✅ Set Values: SRTVName — ⓘ 12:50:37(25:31.001)
    - 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version__cId, created ID: a0gf200000Bkwhs, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000Bkwhs
- ⚠️ Call SaveSRTV — ⓘ 12:50:39(25:33.179)
- ✅ Call CreateActivity — ⓘ 12:50:39(25:33.179)
  - ✅ CreateActivity.testcase — ⓘ 12:50:39(25:33.179)
    - ✅ Salesforce Connect: QA (Test) — ⓘ 12:50:39(25:33.179)
    - ✅ Set Values: uniqueAlpha — ⓘ 12:50:39(25:33.184)
    - ✅ Create Activity — ⓘ 12:50:39(25:33.195)
      - ✅ On SF Activity New screen — ⓘ 12:50:39(25:33.199)
        - ✅ Set the Activity Code field to test — ⓘ 12:50:45(25:39.066)
        - ✅ Set the Activity Code field to df — ⓘ 12:50:45(25:39.282)
        - ✅ Set the Activity Code field to : ISWKR — ⓘ 12:50:45(25:39.445)
        - ✅ Set the Activity Name field to : ISWKR — ⓘ 12:50:45(25:39.644)
        - ✅ Click the Save button — ⓘ 12:50:45(25:39.816)
        - 📄 Storing created Salesforce Object ID. Result Name: incap311__Activity__cId, created ID: a07f200000Rfjzx, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a07f200000Rfjzx
      - ✅ On SF Activity View screen — ⓘ 12:50:49(25:43.290)
        - ✅ UI Assert — ⓘ 12:50:49(25:43.315)
        - ✅ Set Values: ActivityName — ⓘ 12:50:49(25:43.556)
- ✅ Set Values: Activity1Name — ⓘ 12:50:51(25:45.589)

- ✅ Call CreateOutcome — 🕐 12:50:51(25:45.595)
  - ✅ CreateOutcome.testcase — 🕐 12:50:51(25:45.595)
    - ✅ Salesforce Connect: Internal311Qa (Test) — 🕐 12:50:51(25:45.595)
    - ✅ Set Values: uniqueAlpha — 🕐 12:50:51(25:45.601)
    - ✅ CreateOutcome — 🕐 12:50:51(25:45.613)
      - ✅ On SF Outcome New screen — 🕐 12:50:51(25:45.617)
        - ✅ Set the Outcome Code field to : ITOUJ — 🕐 12:50:57(25:51.476)
        - ✅ Set the Outcome Detail field to : ITOUJ — 🕐 12:50:57(25:51.791)
        - ✅ Click the Save button — 🕐 12:50:58(25:51.943)
        - 📄 Storing created Salesforce Object ID. Result Name: incap311__Outcome__cId, created ID: a0Nf200000Boxoa, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0Nf200000Boxoa
      - ✅ On SF Outcome View screen — 🕐 12:51:01(25:55.163)
        - ✅ UI Assert — 🕐 12:51:01(25:55.196)
        - ✅ Set Values: OutcomeName — 🕐 12:51:01(25:55.440)
- ✅ Set Values: Outcome1Name — 🕐 12:51:03(25:57.477)
- ✅ Call CreateServiceTypeVersionActivityToNonCurrentVersion — 🕐 12:51:03(25:57.480)
  - ✅ CreateServiceTypeVersionActivityToNonCurrentVersion.testcase — 🕐 12:51:03(25:57.480)
    - ✅ Salesforce Connect: Internal311Qa (Test) — 🕐 12:51:03(25:57.480)
    - ✅ Set Values: uniqueAlpha — 🕐 12:51:03(25:57.486)
    - ✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId — 🕐 12:51:03(25:57.493)
    - ✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId — 🕐 12:51:04(25:58.798)
    - ✅ Edit Service Type Version Activity — 🕐 12:51:05(25:59.737)
      - ✅ On SF Service Type Version View screen — 🕐 12:51:05(25:59.740)
        - ✅ Click the Service Type Version Activities New button — 🕐 12:51:11(26:05.717)
      - ✅ On SF Service Type Version Activity New screen — 🕐 12:51:14(26:08.656)
        - ✅ Set the Order field to : 1 — 🕐 12:51:14(26:08.685)
        - ✅ Set the Activity reference to : ACT-00000120 — 🕐 12:51:14(26:08.826)
        - ✅ Lookup the Activity reference — 🕐 12:51:15(26:09.008)
        - ✅ On SF Activity Lookup screen — 🕐 12:51:15(26:09.133)
          - ⚠️ Check the Search All Fields radio — 🕐 12:51:21(26:15.390)
          - ⚠️ Click the Go! button — 🕐 12:51:21(26:15.390)
          - ✅ Click the Activity Id button — 🕐 12:51:21(26:15.390)
            - The row locator matched 1 row.
        - ✅ Click the Save button — 🕐 12:51:23(26:17.685)
        - 📄 Storing created Salesforce Object ID. Result Name: incap311__Service_Type_Version_Activity__cId, created ID: a0gf200000BkwhsAAB, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a0gf200000BkwhsAAB?newid=a0df200000Po1sV
- ✅ Call CreateActivityOutcomeToNonCurrentVersion — 🕐 12:51:27(26:21.190)
  - ✅ CreateActivityOutcomeToNonCurrentVersion.testcase — 🕐 12:51:27(26:21.190)
    - ✅ Salesforce Connect: Internal311Qa (Test) — 🕐 12:51:27(26:21.190)
    - ✅ Set Values: uniqueAlpha — 🕐 12:51:27(26:21.194)
    - ✅ SOQL Query: select Id from Incap311__Service_Type__c where Incap311__Service_Name__c = '{SRName}'=>SRTId — 🕐 12:51:27(26:21.204)
    - ✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Incap311__Service_Type__c = '{SRTId.Id}' and Incap311__Version_Number__c = {SRTVVersion}=>SRTVId — 🕐 12:51:28(26:22.006)
    - ✅ Edit Service Type Version Activity — 🕐 12:51:28(26:22.837)
      - ✅ On SF Service Type Version View screen — 🕐 12:51:28(26:22.840)
        - ✅ With Incap311__Service_Type_Version_Activities__r rows {ActivityIndex} — 🕐 12:51:35(26:29.095)
          - The row locator matched 1 row.

✅ Click the Service Type Version Activity Id field · 12:51:40(26:34.178)

✅ On SF Service Type Version Activity View screen · 12:51:42(26:36.367)

✅ Click the Activity Outcomes New button · 12:51:42(26:36.405)

✅ On SF Activity Outcome New screen · 12:51:44(26:38.561)

✅ Set the Activity Outcome Name field to : IVPLF · 12:51:44(26:38.583)

✅ Set the Activity reference to : ACT-00000120 · 12:51:44(26:38.761)

✅ Lookup the Activity reference · 12:51:45(26:38.929)

✅ Sleep for {3} seconds · 12:51:51(26:45.156)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ On SF Activity Lookup screen · 12:51:54(26:48.160)

✅ Sleep for {3} seconds · 12:51:54(26:48.266)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Click the Activity Id button · 12:51:57(26:51.269)
The row locator matched 1 row.

✅ Sleep for {3} seconds · 12:51:59(26:53.576)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Set the Outcome reference to : OC-00000179 · 12:52:02(26:56.592)

✅ Lookup the Outcome reference · 12:52:02(26:56.858)

✅ Sleep for {3} seconds · 12:52:03(26:56.985)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ On SF Outcome Lookup screen · 12:52:06(26:59.993)

✅ Sleep for {3} seconds · 12:52:12(27:06.233)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Click the Outcome Id button · 12:52:15(27:09.237)
The row locator matched 1 row.

✅ Sleep for {3} seconds · 12:52:17(27:11.523)
Timed sleep successful. Requested duration(seconds): 3, Actual duration(seconds): 3

✅ Set the Order field to : 1 · 12:52:20(27:14.532)

✅ Click the Save button · 12:52:20(27:14.702)

📋 Storing created Salesforce Object ID. Result Name: incap311__Activity_Outcome__cId, created ID: a05f200000oKQMn, location: https://incapsulate311-sat-dev-ed.my.salesforce.com/a05f200000oKQMn

✅ On SF Activity Outcome View screen · 12:52:24(27:18.203)

Before Screenshot : 2018/12/29 12:52:24   Before Screenshot : 2018/12/29 12:52:27

✅ UI Assert · 12:52:30(27:24.824)

After Screenshot : 2018/12/29 12:52:31

✅ Set Values: SRTVAName		🕐 12:52:34(27:28.459)
❌ Call MakeSRTVCurrentVersion		🕐 12:52:36(27:30.497)
❌ MakeSRTVCurrentVersion.testcase		🕐 12:52:36(27:30.497)
✅ Salesforce Connect: Internal311Qa (Test)		🕐 12:52:36(27:30.498)
✅ SOQL Query: select Id from Incap311__Service_Type_Version__c where Name = '{SRTVName}'=>SRTVId		🕐 12:52:36(27:30.505)
❌ On SF Service Type Version View screen		🕐 12:52:38(27:31.879)
✅ Activate inline edit the Is Draft field		🕐 12:52:44(27:38.049)
❌ Uncheck the Is Draft field		🕐 12:53:05(27:59.648)

Error Screenshot

❌ Failed to set value. Cause: The control is not currently editable. You can use the Activate inline edit interaction to make it editable.

⚠️ Click the SaveEdit button		🕐 12:53:22(28:16.324)
⚠️ Click the Make Version Current button		🕐 12:53:22(28:16.324)
⚠️ Handle UI Alerts		🕐 12:53:22(28:16.324)
⚠️ Handle UI Alerts		🕐 12:53:22(28:16.324)

❌ One or more Sub-Test Steps failed.

⚠️ Set Values: FirstSRTName		🕐 12:53:24(28:18.355)
⚠️ CreateSR		🕐 12:53:24(28:18.358)
⚠️ Part 2		🕐 12:53:24(28:18.361)
⚠️ Finally: CleanUp		🕐 12:53:24(28:18.361)