

Ideation Phase

Brainstorm & Idea Prioritization Template

Date	29 September 2026
Team ID	SWTID-2026-6605
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Brainstorm & Idea Prioritization Template:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, different access-control ideas are welcomed and developed into practical solutions for securing Institution Details records in ServiceNow.

Reference: Brainstorm & Idea Prioritization template supplied by the user.

Step-1: Team Gathering, Collaboration and Select the Problem Statement

Selected Problem Statement		
ServiceNow administrators need to securely control access to Institution Details records so that users can view only authorized EEE branch records and can Create, Write, or Delete records only when they have the appropriate roles.		
Team Gathering	Goal	Define the Problem
Discuss the Institution Details table, user roles and security requirements.	Identify a secure method to control record and operation-level access.	Prevent unauthorized users from viewing or modifying records outside their permitted access.

Step-2: Brainstorm, Idea Listing and Grouping

Generate ideas that could solve the selected problem. The ideas below are grouped according to the main security approach they support.

Member	Idea / Suggestion	Category	Group
Member 1	Use role-based ACLs for the Institution Details table.	Role-Based Access	A
Member 2	Restrict READ access to EEE branch records using the Branch field.	Record-Level Security	A
Member 3	Use a script-controlled ACL to give administrators full access.	Script Control	B
Member 4	Create separate ACLs for Create, Write and Delete operations.	CRUD Security	B
Member 5	Use bb1, bb2, bb3 and bb4 roles for different operations.	Role Separation	C
Member 6	Test ACL behavior by impersonating users with different roles.	Testing & Validation	C
Member 1	Use Data Conditions to restrict records based on Branch.	Condition-Based Security	A
Member 2	Verify unauthorized users cannot see or modify protected records.	Security Validation	C

Group the Ideas

Group A – Record-Level Access	Role-based ACLs + EEE Branch restriction + Data/field condition.
Group B – Script & CRUD Control	Script-controlled administrator access + separate Create, Write and Delete ACLs.
Group C – Validation	Role separation + impersonation testing + unauthorized-access verification.

Step-3: Idea Prioritization

Step-3: Idea Prioritization

Prioritize ideas based on how important they are for solving the problem and how feasible they are to implement in the Service eNow environment.

Importance				
High	Group B Script-controlled ACL + CRUD operation controls	Group A EEE record-level access restriction		
Medium	Group C Impersonation testing and validation			
Low				
	Low	Medium	High	Very High

Group	Idea	Importance	Feasibility	Priority	Selected
A	EEE branch record-level access using ACL/script checks.	High	High	1	Yes
B	Script-controlled access with separate CRUD roles.	High	High	2	Yes
C	Impersonation and permission validation.	Medium	High	3	Yes

Final Selected Concept
Implement a script-controlled READ ACL that allows administrators full access and restricts non-admin users to EEE records when they have the required role. Combine this with separate bb2, bb3 and bb4 ACLs for Create, Write and Delete operations, followed by impersonation-based testing.