

1

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
h1,h2,h3,h4,h5,p{
```

```
    margin: 5px 0;
```

```
}
```

```
h1,h2,h3,h4,h5{
```

```
font:white;
```

```
}
```

```
.flex-center{
```

```
    display: flex;
```

```
justify-content: space-evenly;
```

```
    text-align:center;
```

```
    margin-bottom:15px;
```

```
}
```

```
table{
```

```
    border-collapse: collapse;
```

```
    margin: 20px auto;
```

```
    background-color:rgb(255,255,255);
```

```
}
```

```
body{
```

```
    background-image: url('https://qs-igauge.blr1.cdn.digitaloceanspaces.com/DSC_0132.JPG.jpg');
```

```
    background-size: cover;
```

```
    background-position: center;
```

```
    background-repeat: no-repeat;
```

```
    background-attachment: fixed;
```

```
}
```

```
.table1{
```

```
    width: 90%;
```

```
font-size: 12px;
}
```

```
.table2{
width: 50%;
margin: 20px auto;
}
```

```
th,td{
border: 1px solid black;
padding: 4px;
text-align: center;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header class="flex-center">
```

```
<div>
```

```
<h1>Time Table</h1>
```

```
<h2> JSS Science and Technology University Mysuru</h2>
```

```
<h4> Department of Computer Science and Engineering</h4>
```

```
</div>
```

```
</header>
```

```
<div class="flex-center">
```

```
<p>Semester:VI</p>
```

```
<p>Section: D</p>
```

```
</div>
```

```
<table border="2" class="table1">
```

```
<tr>
```

```
<th>DAY</th>
```

```
<th>7.30-8.30</th>
```

```
<th>8.30-9.30</th>
```

<th>9.30-10.30</th>			
<th>10.30-11.00</th>			
<th>11.00-11.50</th>			
<th>11.50-12.40</th>			
<th>12.40-1.30</th>			
<th>1.30-2.30</th>			
<th>2.30-3.30</th>			
<th>3.30-4.30</th>			
<th>4.30-5.30</th>			
</tr>			
<tr>			
<td>MONDAY</td>			
<td></td>			
<td>Cybersecurity</td>			
<td>OE-2</td>			
<td rowspan="6">BREAK</td>			
<td colspan="3">ML/WEB lab</td>			
<td rowspan="6">BREAK</td>			
<td></td>			
<td></td>			
<td></td>			
</tr>			
<tr>			
<td>TUESDAY</td>			
<td></td>			
<td></td>			
<td>OE-3</td>			
<td colspan="3">ML/WEB lab</td>			
<td>ML</td>			
<td>Web</td>			
<td></td>			
</tr>			

```
<tr>
<td>WEDNESDAY</td>
<td></td>
<td>Cybersecurity</td>
<td>OE-2</td>
<td>IoT</td>
<td colspan="2">IoT lab (2)</td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td>THURSDAY</td>
<td colspan="2">IoT lab (1)</td>
<td>OE-3</td>
<td>Web</td>
<td>ML</td>
<td>IoT</td>
<td></td>
<td></td>
<td></td>
</tr>
<tr>
<td>FRIDAY</td>
<td></td>
<td>Cybersecurity</td>
<td>OE-2</td>
<td>Web</td>
<td>ML</td>
<td>CIP</td>
<td></td>
<td></td>
```

```

<td></td>
</tr>
<tr>
<td>SATURDAY</td>
<td></td>
<td></td>
<td>OE-3</td>
<td>CIP</td>
<td>ML</td>
<td>IoT</td>
<td></td>
<td></td>
<td></td>
</tr>
</table>

```

```

<table border="1" class="table2">
<tr>
<th>Subject Code</th>
<th>Subject Name</th>
<th>Faculty Name</th>
<th>Credits</th>
</tr>
<tr>
<td>22CS610</td>
<td>Machine Learning</td>
<td>Dr Trisila Devi</td>
<td>4</td>
</tr>
<tr>
<td>22620</td>
<td>Web Technology</td>
<td>Prof Savitha</td>

```

<td>3</td>
</tr>
<tr>
<td>22CS630</td>
<td>Internet of Things</td>
<td>Prof Shruthi D</td>
<td>3</td>
</tr>
<tr>
<td>22CS640</td>
<td>Cybersecurity</td>
<td>Prof Shwetha PM</td>
<td>3</td>
</tr>
<tr>
<td>22HUOE2</td>
<td>OE-2</td>
<td>-</td>
<td>3</td>
</tr>
<tr>
<td>22HUOE3</td>
<td>OE-3</td>
<td>-</td>
<td>3</td>
</tr>
<tr>
<td>22HUCIP</td>
<td>Constitution of India</td>
<td>-</td>
<td>0</td>
</tr>

```
<tr>
<td>22CS67L</td>
<td>ML Lab</td>
<td>ML Faculties</td>
<td>1.5</td>
</tr>

<tr>
<td>22CS68L</td>
<td>Web Lab</td>
<td>WebT Faculties</td>
<td>1.5</td>
</tr>

<tr>
<td>22CSHWL</td>
<td>IoT Lab</td>
<td>Prof Shruthi D </td>
<td>0</td>
</tr>
</table>

<footer class="flex-center">
<div>
<h3>Dr Anil Kumar</h3>
<h5>HoD of CSE</h5>
</div>

<div>
<h3>Dr C Nataraju</h3>
<h5>Priciple SJCE Mysuru</h5>
</div>
</footer>
</body>
</html>
```

2 a

```
<!DOCTYPE html>
<html>
<head>
<title>Student Feedback Form</title>
<style>
body{
    font-family: Arial;
    margin: 0 auto;
    background-color:lightblue;
}
h2{
    text-align: center;
}
form{
max-width:400px;
padding: 20px;
margin: 0 auto;
background-color:white;
}
input[type="submit"]{
background-color:green;
font-weight:bold;
color:white;
}

</style>
</head>
<body>

<h2>Student Feedback Form</h2>
```

<form>

Name: <input type="text">

USN: <input type="text">

Branch:

<input type="radio" name="branch">CSE

<input type="radio" name="branch">ISE

<input type="radio" name="branch">ECE

Semester:

<select>

<option>1</option>

<option>2</option>

<option>3</option>

<option>4</option>

</select>

Feedback:

<textarea rows="4" cols="30"></textarea>

<input type="checkbox"> Send me a copy

<input type="submit" value="Submit">

</form>

</body>

</html>

2b

```
<!DOCTYPE html>
<html>
<head>
<title>Frames Example</title>
<style>
body{
    margin:0;
    font-family:Arial;
}
.container{
    display:flex;
    height:100vh;
}
.nav{
    width:20%;
    background:#ddd;
    padding:10px;
}
.content{
    width:80%;
    padding:20px;
}
a{
    display:block;
    margin:10px 0;
}
img{
width: 30px;
height: 50px;
}
</style>
```

```
</head>

<body>

<div class="container">

<div class="nav">
  <a href="home.html" target="content">Home</a>
  <a href="about.html" target="content">About</a>
  <a href="contact.html" target="content">Contact</a>
</div>

<div class="content">
  <iframe name="content" width="100%" height="500"><p> Welcome to JSS STU Mysuru. It is a
great college with 2000+ students cosjbadjlhbvdkajaskldxkfkjad,k,snjkjk</p> <img
src=""C:\Users\Sthuthi Sheela\Pictures\Saved Pictures\DELETING_DS.jpg" alt="Image"></iframe>

</div>

</div>

</body>
</html>
```

3

```
<!DOCTYPE html>

<html>

<head>

<title>Frames</title>

</head>

<frameset rows="50%,50%">

<frameset cols="50%,50%">

<frame src="a.html">

<frame src="b.html">
```

```
</frameset>
<frameset cols="50%,50%">
<frame src="c.html">
<frame src="d.html">
</frameset>
</frameset>
</html>
```

```
-----
a.html
<!DOCTYPE html>
<html>
<head>
<title>a</title>
<style>
body{
background-color:pink;
}
</style>
</head>
<body>
<h2>Frame 1</h2>
</body>
</html>
```

-----similalry b,c,d.html-----

```
4
<!DOCTYPE html>
<html>
<head>
<title>My Resume</title>

<style>
body{
```

```
background-color:#f0f8ff;  
font-family:Arial, sans-serif;  
}
```

```
h1{  
    color:darkblue;  
    text-align:center;  
}
```

```
h2{  
    color:green;  
}
```

```
img{  
    width:150px;  
    height:150px;  
}
```

```
table{  
    border-collapse:collapse;  
    width:80%;  
}
```

```
table, th, td{  
    border:1px solid black;  
}
```

```
th{  
    background-color:lightblue;  
}
```

```
th, td{
```

```
padding:8px;
text-align:center;
}

.objective{
font-style:italic;
}

.link{
color:blue;
text-decoration:none;
}
footer{
text-align:center;
padding: 30px;
background-color: lightgrey;
}
</style>
</head>

<body>

<h1><b>STHUTHI SHEELA</b></h1>

<hr>

<center>

</center>

<h2>Contact Information</h2>
```

<p>
 Email: sthuthi@example.com

 Phone: +91 9876543210

 Address: Mysuru, Karnataka
</p>

<h2>Career Objective</h2>

<p class="objective">
 To obtain a challenging position where I can apply my programming
 and problem-solving skills while continuously learning new technologies.
</p>

<h2>Education</h2>

</tr>

<tr>

<td>SSLC</td>

<td>PQR School</td>

<td>92%</td>

</tr>

</table>

<h2>Technical Skills</h2>

Python

Java

HTML & CSS

Machine Learning

SQL

<h2>Projects</h2>

Employee Attrition Prediction

Smart Carbonation Detection System

Student Performance Analysis

<h2>Links</h2>

Visit My GitHub

<h2>Declaration</h2>

<p>

I hereby declare that the information provided above is true to the best of my knowledge.

</p>

</body>

<footer>

© Sthuthi Sheela | JSSSTU Mysuru

</footer>

</html>

5.

<!DOCTYPE html>

<html>

<head>

<title>CSS Demonstration</title>

<style>

/* Font Styles */

.font1{

font-family: Arial;

font-size: 20px;

font-weight: bold;

color: blue;

}

.font2{

```
font-family: "Times New Roman";  
font-size: 22px;  
font-style: italic;  
color: green;  
}
```

```
.font3{  
font-family: Verdana;  
font-size: 24px;  
text-decoration: underline;  
color: red;  
}
```

```
/* Background Repeat */  
.box{  
width: 400px;  
height: 150px;  
border: 2px solid black;  
margin: 15px;  
background-image: url("https://images.pexels.com/photos/35802554/pexels-photo-35802554/free-photo-of-vibrant-pink-dahlia-flower-portrait-in-bloom.jpeg?auto=compress&cs=tinysrgb&dpr=1&w=500");  
background-size: 50px 50px;  
}
```

```
.repeat{  
background-repeat: repeat;  
}
```

```
.norepeat{  
background-repeat: no-repeat;  
}
```

```
.repeatx{  
    background-repeat: repeat-x;  
}
```

```
.repeaty{  
    background-repeat: repeat-y;  
}
```

```
/* Link Styles */
```

```
a:link{  
    color: blue;  
}
```

```
a:visited{  
    color: purple;  
}
```

```
a:hover{  
    color: red;  
    font-size: 20px;  
}
```

```
a:active{  
    color: green;  
}
```

```
/* Visibility Property */
```

```
.hidden{  
    visibility: hidden;  
}
```

```
</style>
```

</head>

<body>

<h1 align="center">CSS Demonstration</h1>

<hr>

<h2>1. Different Font Styles</h2>

<p class="font1">This is Bold Arial Font.</p>

<p class="font2">This is Italic Times New Roman Font.</p>

<p class="font3">This is Underlined Verdana Font.</p>

<hr>

<h2>2. Background Repeat Property</h2>

<h3>background-repeat: repeat</h3>

<div class="box repeat"></div>

<h3>background-repeat: no-repeat</h3>

<div class="box norepeat"></div>

<h3>background-repeat: repeat-x</h3>

<div class="box repeatx"></div>

<h3>background-repeat: repeat-y</h3>

<div class="box repeaty"></div>

<hr>

<h2>3. Link Styles</h2>

Click Here to Visit Google

<hr>

<h2>4. Visibility Property</h2>

<p>This paragraph is visible.</p>

<p class="hidden">

This paragraph is hidden using visibility:hidden.

</p>

<p>This paragraph is again visible.</p>

</body>

</html>

6

<!DOCTYPE html>

<html>

<head>

<title>JSS Science and Technology University</title>

<!-- External CSS -->

<link rel="stylesheet" href="style.css">

<!-- Internal CSS -->

```
<style>
  h2{
    color: darkgreen;
    font-family: Arial;
  }

  p{
    color: brown;
    font-size: 18px;
    font-family: Verdana;
  }

  ul{
    color: navy;
    font-size: 18px;
  }
</style>
</head>

<body>

  <!-- Inline CSS -->
  <h1 style="font-family:'Times New Roman'; color:darkred;">
    JSS SCIENCE AND TECHNOLOGY UNIVERSITY
  </h1>

  <center>
    
  </center>

  <h2>About the University</h2>
```

<p>

JSS Science and Technology University (JSS STU), Mysuru is one of the leading technical universities in Karnataka. The university provides quality education, research opportunities and industry-oriented learning.

</p>

<h2>Courses Offered</h2>

- Computer Science and Engineering
- Information Science and Engineering
- Artificial Intelligence and Machine Learning
- Electronics and Communication Engineering
- Mechanical Engineering
- Civil Engineering

<h2>Facilities</h2>

<p>

Digital Library, Smart Classrooms, Modern Laboratories, Research Centers, Sports Complex and Placement Cell.

</p>

<h2>Contact Information</h2>

<p>

Address: Sri Jayachamarajendra College of Engineering Campus,
Mysuru, Karnataka - 570006

Website:

Visit JSS STU Website

</p>

</body>

</html>

7a

<!DOCTYPE html>

<html>

<head>

<title>Simple Calculator</title>

<style>

body{

font-family: Arial;

background-color: lightblue;

}

.calculator{

width: 250px;

margin: 100px auto;

padding: 20px;

background-color: white;

border: 2px solid black;

text-align: center;

}

input{

width: 200px;

margin: 5px;

padding: 5px;

}

```
button{
  width: 45px;
  height: 35px;
  margin: 5px;
  font-weight: bold;
}
```

```
h3{
  color: blue;
}
```

```
</style>
```

```
<script>
```

```
function calc(op)
```

```
{
```

```
  var a = parseFloat(document.getElementById("n1").value);
```

```
  var b = parseFloat(document.getElementById("n2").value);
```

```
  var result;
```

```
  if(op=='+') result = a+b;
```

```
  if(op=='-') result = a-b;
```

```
  if(op=='*') result = a*b;
```

```
  if(op=='/') result = a/b;
```

```
  document.getElementById("ans").innerHTML = "Result: " + result;
```

```
}
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<div class="calculator">
```

```
<h2>Calculator</h2>
```

```
<input type="number" id="n1" placeholder="First Number"><br>
```

```
<input type="number" id="n2" placeholder="Second Number"><br>
```

```
<button onclick="calc('+')">+</button>
```

```
<button onclick="calc('-')">-</button>
```

```
<button onclick="calc('*')">*</button>
```

```
<button onclick="calc('/')">/</button>
```

```
<h3 id="ans">Result:</h3>
```

```
</div>
```

```
</body>
```

```
</html>
```

7b

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Form Validation</title>
```

```
<style>
```

```
body{
```

```
    font-family: Arial;
```

```
    background-color: lightblue;
```

```
}
```

```
form{
```

```
width: 350px;
margin: auto;
padding: 20px;
background-color: white;
}
</style>
```

```
<script>
function validateForm()
{
    var name = document.getElementById("name").value;
    var email = document.getElementById("email").value;
    var mobile = document.getElementById("mobile").value;
    var color = document.getElementById("color").value;

    var gender = "";
    var g = document.getElementsByName("gender");

    for(var i=0; i<g.length; i++)
    {
        if(g[i].checked)
        {
            gender = g[i].value;
        }
    }

    if(name=="" || email=="" || mobile=="" || gender=="")
    {
        alert("Please fill all fields");
        return;
    }
}
```

```
document.getElementById("output").value =  
"Name: " + name +  
"\nEmail: " + email +  
"\nMobile: " + mobile +  
"\nGender: " + gender +  
"\nFavorite Color: " + color;  
}  
</script>
```

```
</head>
```

```
<body>
```

```
<form>
```

```
<h2 align="center">Registration Form</h2>
```

Name:

```
<input type="text" id="name"><br><br>
```

Email:

```
<input type="text" id="email"><br><br>
```

Mobile No:

```
<input type="text" id="mobile"><br><br>
```

Gender:

```
<input type="radio" name="gender" value="Male">Male
```

```
<input type="radio" name="gender" value="Female">Female
```

```
<br><br>
```

Favorite Color:

```
<input type="color" id="color">
```

```
<br><br>
```

```
<input type="button" value="Submit" onclick="validateForm()">
```

```
<br><br>
```

```
<textarea id="output" rows="6" cols="35"></textarea>
```

```
</form>
```

```
</body>
```

```
</html>
```

8

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<title>Average Marks Calculator</title>
```

```
<style>
```

```
body{
```

```
background-color:pink;
```

```
}
```

```
h2{
```

```
text-align:center;
```

```
}
```

```
div{
```

```
max-width:400px;
```

```
margin:auto;
```

```
padding:20px;
```

```
background-color:white;
```

```
border:1px solid black;
```

```
}
```

```
</style>

<script>
function calculateAverage()
{
    var regno = document.getElementById("regno").value;
    var subcode = document.getElementById("subcode").value;

    var t1 = parseInt(document.getElementById("t1").value);
    var t2 = parseInt(document.getElementById("t2").value);
    var t3 = parseInt(document.getElementById("t3").value);

    /* Validation */
    if(regno == "" || subcode == "" ||
        isNaN(t1) || isNaN(t2) || isNaN(t3))
    {
        alert("Please fill all fields");
        return;
    }

    /* Find best two test marks */
    var total = t1 + t2 + t3;
    var min = Math.min(t1, t2, t3);

    var average = (total - min) / 2;

    alert("Average of Best Two Tests = " + average);
}
</script>

</head>

<body>
```

<h2>Student Marks Form</h2>

<div>

<form>

Register Number:

<input type="text" id="regno" />

Subject Code:

<input type="text" id="subcode" />

Test 1 Marks:

<input type="text" id="t1" />

Test 2 Marks:

<input type="text" id="t2" />

Test 3 Marks:

<input type="text" id="t3" />

<input type="button"

value="Calculate Average"

onclick="calculateAverage()" />

</form>

</div>

</body>

</html>

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>Registration Form Validation</title>
<style>
body{
background-color:lightblue;
}
div{
max-width:400px;
border: 3px solid black;
padding:20px;
background-color:white;
margin:auto;
}
h2{
color:green;
text-align:center;
}
</style>
<script>
function validateForm()
{
    var userid = document.getElementById("userid").value;
    var name = document.getElementById("name").value;
    var password = document.getElementById("password").value;
    var email = document.getElementById("email").value;

    /* User ID Validation */
    if(userid.length < 5 || userid.length > 12)
```

```
{  
    alert("User ID must be between 5 and 12 characters");  
    return;  
}
```

```
/* Name Validation */
```

```
var namePattern = /^[A-Za-z ]+$/;
```

```
if(!name.match(namePattern) || name.length < 15)
```

```
{  
    alert("Name should contain only alphabets and minimum 15 characters");  
    return;  
}
```

```
/* Password Validation */
```

```
var passPattern = /^(?=.*[A-Z])(?=.*[!@#$%^&*]).{8,}$/;
```

```
if(!password.match(passPattern))
```

```
{  
    alert("Password must contain at least 8 characters, one uppercase letter and one special character");  
    return;  
}
```

```
/* Email Validation */
```

```
var emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
```

```
if(!email.match(emailPattern))
```

```
{  
    alert("Invalid Email Address");  
    return;  
}
```

```
        alert("Registration Successful");
    }
</script>
```

```
</head>
```

```
<body>
```

```
<h2>Registration Form</h2>
```

```
<div>
```

```
<form>
```

User ID:

```
<input type="text" id="userid" />
```

```
<br/><br/>
```

Name:

```
<input type="text" id="name" />
```

```
<br/><br/>
```

Password:

```
<input type="password" id="password" />
```

```
<br/><br/>
```

E-mail:

```
<input type="text" id="email" />
```

```
<br/><br/>
```

```
<input type="button"
```

```
    value="Register"
```

```
    onclick="validateForm()" />
```

```
</form>
```

```
</div>
```

```
</body>
```

```
</html>
```

10a

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Data</title>
```

```
</head>
```

```
<body>
```

```
<h3>Today's date</h3>
```

```
<date>
```

```
<?php
```

```
$today=date("d-m-Y");
```

```
echo "$today";
```

```
?>
```

```
</date>
```

```
</body>
```

```
</html>
```

10 b

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Prime checker</title>
```

```
</head>
```

```
<body>
```

```
<h2>Prime checker</h2>
```

```
<form method="POST">
```

```
<label>Number</label>
```

```
<input name="Number" required/>
```

```
<button type="submit">Check</button>
```

```
</form>

<p>
<?php
if ($_SERVER["REQUEST_METHOD"]=="POST")
{
$num=$_POST["Number"];
if($num==1 || $num==0)
{
echo "The $num is neither prime nor not prime";
return;
}
$flag=0;
for($i=2;$i<=sqrt($num);$i++)
{
if($num%$i==0)
{
$flag=1;
break;
}
}
if($flag==1)
echo "The $num is not a prime number";
else
echo "The $num is a prime numbe";
}
?>

</p>
</body>
</html>
```

11

```
<!DOCTYPE html>
<html>
<head>
<title>Information</title>
<style>
body{
background:#eee;
}
label{
display:block;
}
button{
padding:15 px;
}
</style>
</head>
<body>
<?php
if($_SERVER["REQUEST_METHOD"]=="POST")
{
$info=$_POST["info"];
$info_file=fopen('file.txt','a');
fwrite($info_file,$info);
fclose($info_file);
}
?>
<form method="POST">
<label>Information:</label>
<textarea rows="15" cols="30" name="info">Type here</textarea>
<div>
<button type="submit">Submit</button>
```

```
<button type="reset">Reset</button>
```

```
</div>
```

```
<div class="save">
```

```
<p>Saved infomation:</p>
```

```
<?php
```

```
$file=fopen('file.txt','r');
```

```
if($file)
```

```
{
```

```
while(($line=fgets($file))!==false)
```

```
{
```

```
echo "<p> $line</p>";
```

```
}
```

```
fclose($file);
```

```
}
```

```
?>
```

```
</div>
```

```
</body>
```

```
</html>
```

12

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Login</title>
```

```
<style>
```

```
body {
```

```
font-family: sans-serif; background: #eee;
```

```
text-align: center;
```

```
}
```

```
form {
```

```
background: #fff; margin: 0 8rem; border: 1px solid;
```

```
}
```

```
label {
```

```
display: block; font-weight: bold; font-size: 1.2rem; margin-top: 20px;
}
```

```
input {
display: block; margin: 0 auto; padding: 5px;
}
```

```
button {
margin: 10px auto; display: block; padding: 1rem;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Login</h1>
```

```
<form method="POST">
```

```
<label>Username:</label>
```

```
<input name="username">
```

```
<label for="password">Password:</label>
```

```
<input type="password" name="password">
```

```
<button >Login</button>
```

```
</form>
```

```
<script>
```

```
<?php
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $uname = $_POST["username"];
```

```
    $pass = $_POST["password"];
```

```
    $file = fopen("loginDetails.txt", "r");
```

```
    $content = trim(fgets($file));
```

```
    fclose($file);
```

```
    if ($content == $uname . ":" . $pass) {
```

```
        echo "alert('Access granted!')";
```

```
} else {  
    echo "alert('Incorrect username or password!')";  
}  
}  
?>  
</script>  
</body>  
</html>
```
