

WSL-Ubuntu

TerminalSessionsViewX serverToolsGamesSettingsMacrosHelp

SessionServersToolsGamesSessionsViewSplitMultiExecTunnelingPackagesSettingsHelp

Quick connect...

2. WSL-Ubuntu

..

\_\_pycache\_\_

statistic\_h\_dag.py

s6dag.py

my\_second\_dag.py

my\_first\_dag.py

Name	Size (KB)	Last modified
..		
__pycache__		2025-01-14...
statistic_h_dag.py	1	2025-01-14...
s6dag.py	1	2025-01-14...
my_second_dag.py	1	2025-01-14...
my_first_dag.py	1	2025-01-14...


Remote monitoring

☒ Follow terminal folder

```
(airflow-venv) root@LAPTOP:~# nano /etc/mysql/mysql.conf.d/mysqld.cnf
(airflow-venv) root@LAPTOP:~# sudo systemctl restart mysql
(airflow-venv) root@LAPTOP:~# kill -f airflow
(airflow-venv) root@LAPTOP:~# export AIRFLOW_HOME=/home/airflow && (airflow scheduler & airflow webserver -p 8080)
OSError while attempting to symlink the latest log directory

Running the Gunicorn Server with:
Workers: 4 sync
Host: 0.0.0.0:8080
Timeout: 120
Logfiles: - -
Access Logformat:

/root/airflow-venv/lib/python3.8/site-packages/airflow/www/extensions/init_appbuilder.py:164 DeprecationWarning: The update_fab_perms option in [webserver] has been moved
to the update_fab_perms option in [fab] - the old setting has been used, but please update your config.
/root/airflow-venv/lib/python3.8/site-packages/airflow/www/extensions/init_appbuilder.py:165 DeprecationWarning: The auth_rate_limited option in [webserver] has been moved
to the auth_rate_limited option in [fab] - the old setting has been used, but please update your config.
/root/airflow-venv/lib/python3.8/site-packages/airflow/www/extensions/init_appbuilder.py:166 DeprecationWarning: The auth_rate_limit option in [webserver] has been moved t
o the auth_rate_limit option in [fab] - the old setting has been used, but please update your config.
/root/airflow-venv/lib/python3.8/site-packages/airflow/www/extensions/init_auth_manager.py:56 RemovedInAirflow3Warning: Call to deprecated class FabAuthManager. (Use airfl
ow.providers.fab.auth_manager.fab_auth_manager.FabAuthManager instead) -- Deprecated since version 2.9.0.
/root/airflow-venv/lib/python3.8/site-packages/flask_limiter/extension.py:333 UserWarning: Using the in-memory storage for tracking rate limits as no storage was explicitl
y specified. This is not recommended for production use. See: https://flask-limiter.readthedocs.io#configuring-a-storage-backend
/root/airflow-venv/lib/python3.8/site-packages/airflow/providers/fab/auth_manager/fab_auth_manager.py:547 DeprecationWarning: The update_fab_perms option in [webserver] ha
s been moved to the update fab_perms option in [fab] - the old setting has been used, but please update your config.
/root/airflow-venv/lib/python3.8/site-packages/airflow/providers/fab/auth_manager/fab_auth_manager.py:548 DeprecationWarning: The update_fab_perms option in [webserver] ha
s been moved to the update fab_perms option in [fab] - the old setting has been used, but please update your config.
[2025-01-15 03:52:06 +0300] [28521] [INFO] Starting gunicorn 23.0.0
[2025-01-15 03:52:06 +0300] [28521] [INFO] Listening at: http://0.0.0.0:8080 (28521)
[2025-01-15 03:52:06 +0300] [28521] [INFO] Using worker: sync
[2025-01-15 03:52:06 +0300] [28532] [INFO] Booting worker with pid: 28532
[2025-01-15 03:52:06 +0300] [28533] [INFO] Booting worker with pid: 28533
[2025-01-15 03:52:06 +0300] [28534] [INFO] Booting worker with pid: 28534
[2025-01-15 03:52:06 +0300] [28535] [INFO] Booting worker with pid: 28535
[2025-01-15T03:52:09.131+0300] {client.py:1025} INFO - HTTP Request: GET https://apacheairflow.gateway.scarf.sh/scheduler?version=2.10.46python_version=3.8&platform=Linux
&arch=x86_64&database=mysql&db_version=8.0&executor=LocalExecutor "HTTP/1.1 200 OK"
[2025-01-15T03:52:09.221+0300] {executor_loader.py:254} INFO - Loaded executor: LocalExecutor
[2025-01-15 03:52:09 +0300] [28536] [INFO] Starting gunicorn 23.0.0
[2025-01-15 03:52:09 +0300] [28536] [INFO] Listening at: http://[::]:8793 (28536)
[2025-01-15 03:52:09 +0300] [28536] [INFO] Using worker: sync
[2025-01-15T03:52:09.253+0300] {scheduler_job_runner.py:950} INFO - Starting the scheduler
[2025-01-15T03:52:09.254+0300] {scheduler_job_runner.py:957} INFO - Processing each file at most -1 times
[2025-01-15 03:52:09 +0300] [28537] [INFO] Booting worker with pid: 28537
[2025-01-15 03:52:09 +0300] [28641] [INFO] Booting worker with pid: 28641
[2025-01-15T03:52:09.366+0300] {manager.py:174} INFO - Launched DagFileProcessorManager with pid: 28655
[2025-01-15T03:52:09.369+0300] {scheduler_job_runner.py:1949} INFO - Adopting or resetting orphaned tasks for active dag runs
[2025-01-15T03:52:09.395+0300] {settings.py:63} INFO - Configured default timezone UTC
127.0.0.1 - - [15/Jan/2025:03:52:14 +0300] "GET /days/Statistic_from_VasyI/grid?dag_run_id>manual__2025-01-14T21%3A58%3A12.239071%2B00%3A00&task_id=Add_legend_in_table&tab
```



```
(airflow-venv) root@LAPTOP:~#  
(airflow-venv) root@LAPTOP:~#  
(airflow-venv) root@LAPTOP:~#  
(airflow-venv) root@LAPTOP:~#  
OSError while attempting to s
```


```
Running the Gunicorn Server with Workers: 4 sync
Host: 0.0.0.0:8080
Timeout: 120
Logfiles: - -
Access Logformat:
```

```

/root/airflow-venv/lib/python
to the update_fab_perms optio
/root/airflow-venv/lib/python
to the auth_rate_limited opt
/root/airflow-venv/lib/python
o the auth_rate_limit option
/root/airflow-venv/lib/python
ow.providers.fab.auth manager
/root/airflow-venv/lib/python
y specified. This is not rec
orage backend.
/root/airflow-venv/lib/python
s been moved to the update_fa
/root/airflow-venv/lib/python
s been moved to the update fa

```

# Выплаты



# DAGs

All 5

Active 1

Paused 4

Running 0

Failed 0

Filter DAGs by tag

Search DAGs

Auto-refresh

	DAG	Owner	Runs	Schedule	Last Run	Next Run	Recent Tasks	Actions	Links
<input type="checkbox"/>	AGanshin001	AGanshin	<div><div></div><div>3</div><div></div><div>3</div></div>	0 6 ***	2025-01-13, 21:39:35	2025-01-14, 03:00:00	<div><div></div><div></div><div></div><div></div><div></div><div></div><div>2</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	...
<input type="checkbox"/>	my_dag	airflow	<div><div></div><div>2</div><div></div><div></div></div>	@daily	2025-01-13, 21:49:52	2025-01-14, 00:00:00	<div><div></div><div></div><div></div><div></div><div></div><div></div><div>5</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	...
<input type="checkbox"/>	my_first_dag	airflow	<div><div></div><div></div><div></div><div></div></div>	0 12 ***		2025-01-13, 12:00:00	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	...
<input checked="" type="checkbox"/>	Statistic_from_VasyI	VasyI Dvorak	<div><div></div><div>6</div><div></div><div>4</div></div>	0 7 ***	2025-01-15, 00:54:05	2025-01-14, 04:00:00	<div><div></div><div></div><div></div><div></div><div></div><div></div><div>2</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	...
<input type="checkbox"/>	VasyI	AGanshin	<div><div></div><div>2</div><div></div><div>5</div></div>	0 7 ***	2025-01-13, 22:32:25	2025-01-14, 04:00:00	<div><div></div><div></div><div></div><div></div><div></div><div></div><div>3</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	...





Press **shift** + **/** for Shortcuts

deferred

failed

queued

removed

restarting

running

scheduled

shutdown

skipped

success

up\_for\_reschedule

up\_for\_retry

upstream\_failed

no\_status

Clear task

Mark state as...

Filter DAG by task

DAG

Run

Task

Statistic\_from\_Vasyl / 2025-01-15, 00:54:05 UTC / Add\_legend\_in\_table

Details

Graph

Gantt

Code

Event Log

Logs

XCom

Task Duration

All Levels

All File Sources

Wrap

Download

See More

LAPTOP.

Log message source details

[2025-01-15, 00:54:06 UTC] {local\_task\_job\_runner.py:123} Pre task execution logs

[2025-01-15, 00:54:06 UTC] {subprocess.py:78} INFO - Tmp dir root location: /tmp

[2025-01-15, 00:54:06 UTC] {subprocess.py:88} INFO - Running command: ['/usr/bin/bash', '-c', 'export SPARK\_HOME=/home/spark &amp;&amp; export PATH=\$PATH:\$SPARK\_HOME/bin:\$SPARK\_HOME/sbin &amp;&amp; spark-shell']

[2025-01-15, 00:54:06 UTC] {subprocess.py:99} INFO - Output:

[2025-01-15, 00:54:08 UTC] {subprocess.py:106} INFO - 25/0\*\*/\*\*\*5 03:54:08 WARN Utils: Your hostname, LAPTOP resolves to a loopback address: \*\*\*27.0.\*\*\*.\*\*\*; using \*\*\*0.255.255.254 instead (on

[2025-01-15, 00:54:08 UTC] {subprocess.py:106} INFO - 25/0\*\*/\*\*\*5 03:54:08 WARN Utils: Set SPARK\_LOCAL\_IP if you need to bind to another address

[2025-01-15, 00:54:09 UTC] {subprocess.py:106} INFO - Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties

[2025-01-15, 00:54:09 UTC] {subprocess.py:106} INFO - Setting default log level to "WARN".

[2025-01-15, 00:54:09 UTC] {subprocess.py:106} INFO - To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).

[2025-01-15, 00:54:17 UTC] {subprocess.py:106} INFO - 25/0\*\*/\*\*\*5 03:54:\*\*\*7 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where ap

[2025-01-15, 00:54:19 UTC] {subprocess.py:106} INFO - Spark context Web UI available at http://\*\*\*0.255.255.254:4040

[2025-01-15, 00:54:19 UTC] {subprocess.py:106} INFO - Spark context available as 'sc' (master = local[\*], app id = local-\*\*\*73690245893\*\*\*).

[2025-01-15, 00:54:19 UTC] {subprocess.py:106} INFO - Spark session available as 'spark'.

[2025-01-15, 00:54:27 UTC] {subprocess.py:106} INFO -

[Stage 0:&gt; (0 + \*\*\*) / \*\*\*]

00:00:04

[2025-01-15, 00:54:27 UTC] {subprocess.py:110} INFO - Command exited with return code 0

[2025-01-15, 00:54:27 UTC] {taskinstance.py:340} Post task execution logs

Duration

00:00:43

00:00:21

00:00:00

Jan 14, 04:00

Add\_legend\_in\_table

Credit\_calculator

Press **shift** + **/** for Shortcuts

deferred

failed

queued

removed

restarting

running

scheduled

shutdown

skipped

success

up\_for\_reschedule

up\_for\_retry

upstream\_failed

no\_status

Clear task

Mark state as...

Filter DAG by task

DAG

Run

Task

Statistic\_from\_Vasyl / 2025-01-15, 00:54:05 UTC / Credit\_calculator

Details

Graph

Gantt

Code

Event Log

Logs

XCom

Task Duration

All Levels

All File Sources

Wrap

Download

See More

LAPTOP.

Log message source details

[2025-01-15, 00:54:27 UTC] {local\_task\_job\_runner.py:123} ▶ Pre task execution logs

[2025-01-15, 00:54:28 UTC] {subprocess.py:78} INFO - Tmp dir root location: /tmp

[2025-01-15, 00:54:28 UTC] {subprocess.py:88} INFO - Running command: ['/usr/bin/bash', '-c', 'python3 /home/vasyl/s4\_home.py']

[2025-01-15, 00:54:28 UTC] {subprocess.py:99} INFO - Output:

[2025-01-15, 00:54:30 UTC] {subprocess.py:106} INFO - 25/0\*\*\*/\*\*\*5 03:54:30 WARN Utils: Your hostname, LAPTOP resolves to a loopback address: \*\*\*27.0.\*\*\*.\*\*\*; using \*\*\*0.255.255.254 instead (on

[2025-01-15, 00:54:30 UTC] {subprocess.py:106} INFO - 25/0\*\*\*/\*\*\*5 03:54:30 WARN Utils: Set SPARK\_LOCAL\_IP if you need to bind to another address

[2025-01-15, 00:54:31 UTC] {subprocess.py:106} INFO - Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties

[2025-01-15, 00:54:31 UTC] {subprocess.py:106} INFO - Setting default log level to "WARN".

[2025-01-15, 00:54:31 UTC] {subprocess.py:106} INFO - To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).

[2025-01-15, 00:54:31 UTC] {subprocess.py:106} INFO - 25/0\*\*\*/\*\*\*5 03:54:3\*\*\* WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where ap

[2025-01-15, 00:54:35 UTC] {subprocess.py:106} INFO - ERROR StatusLogger Log4j2 could not find a logging implementation. Please add log4j-core to the classpath. Using SimpleLogger to log to the

[2025-01-15, 00:54:48 UTC] {subprocess.py:106} INFO -

[Stage 0:&gt; (0 + \*\*\*) / \*\*\*]

[Stage 4:&gt; (0 + \*\*\*) / \*\*\*]

finished 00:00:20

[2025-01-15, 00:54:49 UTC] {subprocess.py:110} INFO - Command exited with return code 0

[2025-01-15, 00:54:49 UTC] {taskinstance.py:340} ▶ Post task execution logs

Duration

00:00:43

00:00:21

00:00:00

Jan 14, 04:00

Add\_legend\_in\_table

Credit\_calculator

Air\_Flow\_From\_WSL\_Wondows\spark\tasketl3c\ - HeidiSQL 12.8.0.6908

Файл Редактировать Поиск Запрос Инструменты Переход Помощь

Фильтр баз данных

Фильтр таблиц

Air\_Flow\_From\_WSL\_Wondows

База данных: spark

Таблица: tasketl3c

Данные

Запрос.sql\*

table.sql

Далее Показать все Сортировка Столбцы (2/2) Фильтр

Air\_Flow\_From\_WSL\_Wondows

Airflow

airflow

information\_schema

mysql

performance\_schema

spark256,0 KiB

p\_12000048,0 KiB

p\_15000048,0 KiB

tasketl1a16,0 KiB

tasketl1b16,0 KiB

tasketl3b16,0 KiB

**tasketl3c16,0 KiB**

tasketl4b16,0 KiB

Without\_repayment80,0 KiB

sys

spark.tasketl3c: 2 строк (точно)

#	objectid	con
1	15	2022-05-23 14:37 НЗ ЦМик\СДиА2022-05-24 07:08 З...
2	16	2022-08-01 01:17 ЗР 2022-08-01 01:18 ЗР ОТЗ2022-...

Фильт

Регулярное выражение

54SELECT tc.CONSTRAINT\_NAME, cc.CHECK\_CLAUSE FROM `information\_schema`.`CHECK\_CONSTRAINTS` AS cc, `information\_schema`.`TABLE\_CONSTRAINTS` AS tc WHERE tc.CONSTRAINT\_SCHEMA='spark' AND tc

55SELECT \* FROM `spark`.`tasketl3b` LIMIT 1000;