PERFECT SATURDAY PLANNER / 01

Evaluation report

Evidence-led assessment of the agent, deterministic guardrails and product workflow.

Prepared 3 November 2026 • Vatsalya Roy

Code assessed: **a39db2730be0**. This PDF consolidates committed reports and raw result files. It does not run new model evaluations or claim that historical model scores describe the current deployment.

Current code checks	Recorded outcome
Backend regression suite	1,881 passed; 11 live/Ollama cases deselected
Frontend unit/component suite	146 passed; lint, types and build passed
Chromium product checks	21 passed with production bundle and fixture API
Offline workflow/fault eval	32/32 hard passes; scripted fake model
Static and integration checks	Ruff; mypy across 75 source files; Postgres and Docker smoke CI passed

What the evidence supports

The application has extensive automated checks for deterministic correctness, orchestration and failure handling. Historical experiments also measure hosted and local model behaviour in a frozen synthetic world. These are distinct evidence layers: passing application tests does not establish real-world recommendation quality or venue accessibility.

Three evidence layers

• **Current code verification:** timing policy, safe final-stop fitting, constraint checks, API/UI/storage and deployment smoke checks. [S1, S2]

• **Historical model evaluations:** six model/baseline rows, one selected repeat per case, with failures retained. [S3, S5]

• **Live observations:** small production smoke samples and user-reported examples; useful for finding defects, not a reliability benchmark. [S6, S7]

Deployment: Cerebras GPT-OSS 120B, FastAPI, LangGraph and React. Source: repository README. Current CI: release verification.

Historical model comparison

Frozen-world results • report generated 2 November 2026, 22:33 UTC

Each complete row covers 26 model cases: 18 development and 8 holdout cases. Groq covers only 5/26. The report selected the latest complete session per suite/model, or its latest partial session; 705 stored records include other historical sessions, not 705 independent cases in this table. [S3]

Baseline and hosted APIs

Model	Cases	Hard pass	Status accuracy	p50	p95
Deterministic baseline	26/26	100.0% (26/26)	100.0% (26/26)	15 ms	23 ms
Cerebras GPT-OSS 120B	26/26	76.9% (20/26)	80.8% (21/26)	3.4 s	5.4 s
Groq GPT-OSS 120B	5/26*	40.0% (2/5)	40.0% (2/5)	1.9 s	48.0 s

Local Ollama models

Model	Cases	Hard pass	Status accuracy	p50	p95
Ollama Qwen3.5 9B	26/26	73.1% (19/26)	80.8% (21/26)	74.6 s	215.7 s
Ollama Gemma4 E4B	26/26	61.5% (16/26)	76.9% (20/26)	44.1 s	76.2 s
Ollama Granite4 Tiny-H	26/26	26.9% (7/26)	34.6% (9/26)	16.0 s	25.6 s

* Groq is a partial sample. Local runs had a 240-second deadline versus 60 seconds for hosted runs. Hardware was not normalized; compare quality and latency within this context, not as a controlled hardware benchmark. No judge model was used. One repeat per case provides no repeatability estimate.

Observed failure patterns

Population	Recorded errors / degradations (runs affected)
Cerebras	No submission: 1; turn cap: 5
Groq	Model timeout: 2; model unavailable: 2 (categories can overlap)
Qwen3.5 9B	Turn cap: 1; timeout: 2; parser degradation: 1; exhausted repairs: 3
Gemma4 E4B	No submission: 6; parser degradation: 1; exhausted repairs: 1
Granite4 Tiny-H	Exhausted repairs: 18

Interpretation: Cerebras led these historical hosted samples; Qwen led the local hard-pass rows. Neither outcome is a current production-quality guarantee. Zero registry-priced local cost excludes hardware/electricity, and recorded API cost is not a billing invoice.

Methodology and guardrail coverage

How a run is scored

Hard pass: every applicable code assertion passes, including the expected status. A fallback can be useful to a user yet fail a model case that requires agent completion. Harness exceptions count as failures. **Status accuracy:** returned status is in the expected set. **Agent success:** agent completion on feasible cases. Percentages must be read with their denominators. [S3, S4]

Area	What is checked
Grounding and evidence	Selected IDs must come from tools in the same run; unknown dietary/access fields cannot satisfy hard constraints.
Budget and timing	Independent assertions recompute costs, contingency, transfers, buffers and schedule feasibility from fixture data.
Opening hours and weather	Hours, daylight, indoor/rain alternatives and event timing are checked against frozen inputs.
Preference parsing	Explicit fields, constraint preservation, clarification precision/recall and expected parse fields.
Failures and product flow	Provider faults, refusal, timeouts, repairs, clarification resume, SSE, share links and storage.
Security	Injection and XSS scenarios, output/trace secret checks, input limits and rate-limit handling.

Current window policy and boundary tests

Target 85% of the available time, with an 80-100% practical range. A four-hour window targets 204 minutes; its lower margin is 192 minutes. Travel and buffers count. A final flexible venue may lose at most 15 minutes, never below its minimum visit length; fixed events remain intact. Every adjusted draft is revalidated. [S1]

New synthetic tests cover 1/10/15-minute clipping, excessive overrun, insufficient visit duration, fixed events, budget preservation, deterministic final-venue fitting, 85% filling, the exact 80% UI boundary, and medium energy when no mood is given. Explicit tiredness remains low energy.

Limits of the methodology

Fixtures are synthetic attributes on real or OSM-derived names, with fixed weather, events, travel and clock. Some explanation assertions are keyword proxies. Browser/judgment assertions do not count as model hard assertions. Only one repeat per model case is selected; no LLM judge or statistically meaningful production latency study was performed. Local and hosted deadlines differ. [S3, S4]

Release checks and live observations

Later saved release evaluation • 3 November 2026, 09:14 UTC

Population	Hard pass	Scope
Deterministic baseline	26/26 (100%)	Complete frozen model suite
Cerebras GPT-OSS 120B	2/3 (66.7%)	Partial suite; two runs recorded provider rate limiting
Scripted fake agent	32/32 (100%)	Workflow/fault suite, not model intelligence

This later report has 61 selected records. It is separate from the historical model comparison and predates the current window policy. It contains no new Ollama comparison. Its provenance has unknown Git SHA fields, so the report cannot establish exact current-code model performance. [S4]

Pre-policy production smoke samples

City / run ID	Outcome	Coverage / estimate
Mumbai / r_7ea0e55eff6e	Agent; 6,989 ms	175/240 min; INR 1,929; museums uncovered
Delhi / r_19f3cd88cf1e	Agent; 18,298 ms	90/120 min; INR 660; history uncovered
Gurugram / r_e0aee77953c4	Labelled fallback; 13,475 ms	110/240 min; INR 880; partial art/museum coverage

These single observations on release 48a78a2 are recorded in S6. They are not new-policy acceptance tests, and model-call limits still apply. The current application CI used no hosted inference. Do not merge smoke samples into the frozen-world leaderboard.

Post-policy user-reported examples and open review items

The user reported Mysuru at 204/240 minutes (85%), Bundi at 180/180 (100%) and Gurugram at 240/240 (100%). These are manually supplied observations, not new raw eval records or independently audited venues. They are excluded from scored rates.

Two review items remain: a pasted Bundi timeline showed “0:00 AM” while its share text showed 10:00 AM (not independently reproduced); a wheelchair request received unverified auto-rickshaw transfers and a venue with first-floor address information. Entrance-only evidence does not prove lift, internal-facility or vehicle accessibility. These require product review and real-world confirmation, not a claim of complete accessibility.

Generic admission estimates keep budget checks provisional. Sparse data may still produce a labelled partial plan. Free hosting can sleep, and provider throttling/deadlines can cause labelled backup planning. No zero-defect or universal 80% coverage guarantee is made.

Evidence, provenance and reproduction

Source index (all links point to committed repository evidence)

S1 Current window policy and regression results

S2 Architecture, setup and current verification summary

S3 Historical 705-record report and model comparison

S4 Later 61-record release report

S5 Historical JSONL files, including Ollama

S6 Pre-policy live run evidence and limitations

S7 Admission, transport and accessibility evidence

S8 Evaluation case specification

Selected historical sessions

Population	Session	Recorded code SHA
Deterministic baseline	20261102T182250Z-04c0e5	f691753631c6
Cerebras GPT-OSS 120B	20261102T213040Z-bfeecc	5643543faed0
Groq GPT-OSS 120B	20261102T220011Z-2de414	39389b32dbaf
Ollama Qwen3.5 9B	20261102T212844Z-05f71c	5643543faed0
Ollama Gemma4 E4B	20261102T212844Z-05f71c	5643543faed0
Ollama Granite4 Tiny-H	20261102T212844Z-05f71c	5643543faed0

The generator cross-checks every historical table row against its selected committed JSONL session: model case count and hard-pass numerator. Current code snapshot: a39db2730be0715e701d17901187e39ee6d24523. Historical raw results retain original hashes and older sessions; no record was rewritten for this PDF.

Reproduce locally (from backend/)

```
uv sync --frozen

uv run pytest

uv run ruff check app tests

uv run mypy app

uv run python -m evals.runner --suite offline --out /tmp/saturday-evals

uv run python -m evals.runner --suite models --models ollama:qwen3.5:9b --repeats 3 --out
/tmp/saturday-local-evals
```

Ollama must be installed, running and have the named model available. Hosted-model reruns require provider keys and quota. Keep results in separate output folders; do not overwrite historical evidence. Frontend commands: npm ci, npm run lint, npm test, npm run build, npm run e2e. See the README for environment setup.