



LOGO



LabViewda massiv va klasterlar bilan ishlash

M.N.Ikromova

Reja



- 1 Massiv haqida umumiy ma'lumot
- 2 LabView dasturida massivlar
- 3 LabView dasturida klasterlar




Massivlar—bu bitta nomga, bitta ma'lumot turiga ega bo'lgan va xotirada ketma-ket joylashtirilgan o'zgaruvchilar to'plami.

Massivning har bir o'zgaruvchisi massiv elementi deb ataladi.

Massivlar bir qator qiymatlarni bitta o'zgaruvchida saqlash uchun ishlatiladi.


Massiv o'lchamlari



Bir o'lchamli

Ikki o'lchamli

Ko'p o'lchamli





Massiv turlari


Statik

Elementlar
soni
o'zgarmaydi




Dinamik

Ishlash jarayonida
elementlar soni
o'zgaradi



1



Controls / Modern / Array, Matrix & Cluster / Array



2



3



Controls/Modern/Numeric/Numeric control

4




Ko'k rangli markerni gorizontol o'ng tomonga surib istalgan elementli bir o'lchamli massiv hosil qilinadi

5




SO'T/ ADD Deminsion



6



*Ko'k rangli markerni
vertical tarzda
istalgan elementli
o'lchamli massiv
pastga ikki
hosil*



Massiv bilan ishlash uchun funktsiyalar



Functions

Search

Programming

Structures

Array

Numeric

Boolean

Comparison

Timing

File I/O

Waveform

Synchronization

Graphics & Sound

Measurement I/O

Instrument I/O

Mathematics

Signal Processing

Data Communication

Connectivity

Control & Simulation

Array

Array Size

Index Array

Replace Subset

Insert Into Array

Delete From Array

Initialize Array

Build Array

Array Subset

Max & Min

Reshape Array

Sort 1D Array

Search 1D Array

Split 1D Array

Reverse 1D Array

Rotate 1D Array

Interpolate 1D Array

Threshold 1D Array

Interleave 1D Arrays

Decimate 1D Array

Transpose 2D Array

Array Constant

Array To Cluster

Cluster To Array


Array to Matrix

Matrix to Array

Matrix




→ Massiv elementlarini sonini aniqlash



→ Elementlar soni va qiymatlar asosida massiv tashkil etish




→ Massivga yangi element qo'shish




↑ 2 bir o'lchamli massivdan ikki o'lchamli massiv yaratish




→ Ikkita bir o'lchamli massivdan bir o'lchamli massiv yaratish







→ Berilgan massiv, indeksi va uzunligi asosida kesib olib yangi massiv yaratish








→ Berilgan massivdan ikkinchi element qiymatini chiqarish



→ Berilgan ikki o'lchamli massivdan birinchi satr elementlaridan massiv yaratish





Combination		Result
Scalar + Scalar		Scalar
Scalar + Array		Array
Array + Array		Array
Array + Array		Array



- ❖ **Klaster** -turli tipdagi ma'lumotlarni birlashtirishga mo'ljallangan. U blok-sxemani ixchamlashtirishga yordam beradi.
- ❖ Klasterni yaratishda foydalaniladigan funktsiyalar:
- ❖ Bundle (to'plash);
- ❖ Unbundle (taqsimlash)




Funktsiya	Nomi. Kirish va chiqish	Tayinlashlar
Bundle 	To'plam (Klaster yig'ilishi) Kirish: Klaster elementlari, Klaster Chiqish: Klaster	Yangi klasterni yig'adi elementlardan. Miqdori kirish mumkin kattalashtirish; ko'paytirish vertikal cho'zish kirish terminali
Unbundle 	Unbudle (klasterni ajratish) Kirish: Klaster Chiqish: Klaster elementlari	Klasterni quyidagilarga ajratadi alohida elementlar. Chiqishlar elementlar xuddi shu tarzda yaratilgan ular qanday tartibda klasterda joylashgan.



Bundle By Name	Bundle by Name (yig'ish Klaster nomi bilan) Kirish: Klaster elementlari, unga ko'ra nomi yoki Klaster Chiqish: Klaster	Elementni almashtiradi B birgalikda Klaster identifikator (yorliq)
Unbundle By Name	Unbudle by Name (bo'linish Klaster nomi bilan) Kirish: Klaster Chiqish: Klaster elementlari	Ajratadi Klaster ularning nomlari bo'yicha elementlar
Build Cluster Array	Build cluster array (yaratish klasterlar qatori) Kirish: qator Chiqishlar: klasterlar qatori	Amalga oshiradi har birining konvertatsiyasi klasterdagi massivlar va barcha klasterlarni to'playdi klasterlar qatori

LOGO



E'TIBORINGIZ UCHUN RAHMAT