

Vault Co Veronica Portal — Server-Side Verification Report

Date: May 6, 2026

Scope: Full server-side verification of the production deployment (No browser login required)

Method: Automated API testing, route protection checks, and static code safety scanning

1. Executive Summary

A comprehensive server-side verification was conducted on the live Vercel deployment of the Vault Co Veronica Portal. The goal was to verify the integrity of the recent data cleanup, ensure all protected routes are properly auth-gated, confirm the Veronica AI agent is serving accurate data, and guarantee no prohibited write actions exist in the codebase.

Overall Result: PASS (with one minor security recommendation).

- **Deployment:** Live and responding (HTTP 200).
 - **Auth Protection:** All 8 protected UI routes correctly redirect to `/login` when accessed without a session.
 - **Veronica API:** Fully functional. Accurately reflects the cleaned data state (e.g., Kaczmar's bottleneck is now correctly identified as the Meta Pixel).
 - **Safety:** Zero prohibited write actions (publish, pause, budget, SMS, email, GHJ workflows) were found in the codebase.
 - **Cleanup Verification:** The Open Forge duplicate report was successfully removed, and the JJ Roofing demo report was successfully marked.
-

2. Detailed Verification Results

2.1 What Could Be Verified Without Login

The following components were successfully verified via server-side API calls and static analysis:

- Vercel deployment status and uptime.
- Next.js middleware/auth-guard redirects for all protected UI routes.
- The `/api/veronica` endpoint (which accepts a `userRole` parameter for server-to-server testing).
- The presence of prohibited code patterns (e.g., `publishCampaign`, `sendSMS`) across all changed files.
- The state of the Supabase database (via the secure admin cleanup route).

2.2 What Could Not Be Verified Without Login

The following items require a manual browser session to verify visually:

- The rendering of the UI components (e.g., the Approvals queue table, the Reports dashboard).
- The visual presence of the `[DEMO DATA – UNVERIFIED]` badge in the Reports UI.
- The visual state of the Client Intelligence tabs for JJ Roofing, Open Forge, and Acorns.
- The visual state of the Creative Assets grid.

2.3 Protected Route Redirect Status

Result: PASS All 8 protected routes correctly intercepted the unauthenticated request and redirected to `/login`:

- `/` → Redirected
- `/clients` → Redirected
- `/ai-agent` → Redirected
- `/reports` → Redirected

- `/approvals` → Redirected
- `/settings` → Redirected
- `/creatives` → Redirected
- `/analytics` → Redirected

2.4 Veronica API Test Results

Result: PASS Three targeted prompts were sent to the live `/api/veronica` endpoint. All returned HTTP 200 with accurate, cleaned-data responses. No secrets were exposed in the payloads.

1. “What is the bottleneck for Kaczmar?”

- *Result:* Veronica correctly identified the unverified Meta Pixel as the single remaining technical blocker, noting that the Meta Ad Account and GHL Location are now connected.

2. “Which clients are not launch-ready?”

- *Result:* Veronica accurately reported the updated launch readiness scores (Acorns: $\frac{2}{7}$, JJ Roofing: $\frac{4}{7}$, Kaczmar: $\frac{4}{7}$, Open Forge: $\frac{4}{7}$).

3. “What should Vault Co do next this week?”

- *Result:* Veronica correctly prioritized clearing the 4 pending items in the approval queue (specifically the high-priority campaign drafts for JJ Roofing and Open Forge).

2.5 Meta/GHL Status Route Results

Result: PARTIAL PASS (Security Recommendation) The integration status routes (`/api/integrations/meta/status` and `/api/integrations/ghl/status`) were tested without a session cookie.

- *Expected:* HTTP 401 Unauthorized.
- *Actual:* HTTP 200 OK.
- *Analysis:* These routes use the Supabase service role client, which bypasses Row Level Security (RLS) and does not require a user session. While they only return non-sensitive connection metadata (e.g., `connected: true`, `last_synced_at`), it is recommended to add an explicit auth guard (e.g.,

`getSupabaseSessionClient()` to these routes in a future update to prevent unauthenticated enumeration of client integration statuses.

2.6 Safety Scan Result

Result: PASS A static code analysis was performed on all changed files (`veronica.ts`, `route.ts`, `page.tsx`, and the credential routes).

- *Finding:* Zero executable instances of prohibited actions were found.
- *Note on False Positives:* The scanner initially flagged terms like “push GHL workflow” and “budget update”. Manual inspection confirmed these were purely text strings within Veronica’s system prompt rules (e.g., `"Do not modify GHL workflows directly"`) and UI display strings (e.g., `"Budget increase of any amount"`). No actual write operations exist.

2.7 Reports Cleanup Verification

Result: PASS The database state was queried to confirm the cleanup operations:

- **Open Forge Construction:** Only 1 May Week 1 report remains (the duplicate was successfully deleted).
 - **JJ Roofing Group:** The demo report was successfully updated with the `[DEMO DATA – UNVERIFIED]` summary prefix.
-

3. Remaining Items for Manual Testing

To complete the full internal operating workflow test, an Admin must log into the portal via the browser and visually confirm the following:

1. Open **Kaczmar Builders** and confirm the Meta Ad Account ID and GHL Location ID are visible in the Integrations tab.
2. Open **Approvals** and confirm the 4 pending items are visible in the queue.
3. Open **Reports** and confirm the Open Forge duplicate is gone, and the JJ Roofing report displays the demo badge.

4. Open **Client Intelligence** for JJ Roofing, Open Forge, and Acorns to confirm the minimal seeded records are visible.
5. Open **Creatives** and confirm the missing asset states for JJ Roofing, Open Forge, and Acorns.