Commonly Used CSS Tags

CSS (Cascading Style Sheets) is used to style HTML elements. Some of the most commonly used CSS tags:

Layout:

- **margin:** Sets the space around an element.
- **padding:** Sets the space inside an element.
- **border:** Creates a border around an element.
- **width:** Sets the width of an element.
- **height:** Sets the height of an element.
- **display:** Specifies how an element should be displayed (e.g., block, inline, none).
- **float:** Floats an element to the left or right of its container.
- **position:** Specifies the positioning of an element (e.g., static, relative, absolute, fixed).

Text Formatting:

- **font-family:** Specifies the font family to use for text.
- **font-size:** Sets the size of the text.
- **font-weight:** Defines the boldness of the text (e.g., normal, bold, bolder).
- **color:** Sets the color of the text.
- **text-align:** Aligns the text within its container (e.g., left, center, right).
- **text-decoration:** Adds decorations to text (e.g., underline, line-through).

Background:

- **background-color:** Sets the background color of an element.
- **background-image:** Sets a background image for an element.
- **background-repeat:** Specifies how an image should be repeated.
- **background-position:** Positions a background image.
-

Other:

- **list-style:** Styles list items.
- **cursor:** Sets the cursor style.
- **opacity:** Sets the opacity of an element.
- **visibility:** Specifies whether an element should be visible or invisible.