

- ▶ DOCUMENTATION ()
- ▶ TICKET TYPES ()
- ▶ TICKETS ()
- ▶ TICKETS BLACKLIST ()
- ▶ GTAGS BLACKLIST ()
- ▶ BALANCE ()

Intro



/ticket_types (/docs/get-ticket_types)
/ticket_types/:id (/docs/get-ticket_types-id)
/ticket_types (/docs/post-ticket_types)
/ticket_types/:id (/docs/patch-ticket_types-id)
/tickets (/docs/get-tickets)
/tickets/:id (/docs/get-tickets-id)
/tickets (/docs/post-tickets)
/tickets/bulk_upload (/docs/ticketsbulk_upload)
/tickets/:id (/docs/patch-tickets)
/tickets/blacklist (/docs/get-tickets-blacklist)
/tickets/blacklist (/docs/post-tickets-blacklist)

View all 16 endpoints
()

Ticketing Partners

Integration Approaches

How to get started

Authentication

How to authenticate to Glownet's API

/ticket_types

Returns a list of ticket types

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/ticket_types

Result Format

200 OK ()

```
{
  "event": 1,
  "ticket_types": [
    {
      "id": 1,
      "name": "VIP Ticket",
      "company_ticket_type_ref": "015"
    },
    {
      "id": 2,
      "name": "Regular Ticket",
      "company_ticket_type_ref": "011"
    }
  ]
}
```

/ticket_types/:id

Returns a ticket type

Path Params

id
integer
Ticker type id

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/ticket_types/:id

Result Format

200 OK () · 404 Not Found ()

```
{
  "id": 1,
  "name": "VIP Ticket",
  "company_ticket_type_ref": "15"
}
```

/ticket_types

Creates a new ticket type

Body JSON

ticket_type.name required

string

Ticket type name

ticket_type.company_ticket_type_ref required

string

Ticket type's reference specific of your company

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/ticket_types

Result Format

200 OK () · 400 Bad Request () · 422 Unprocessable Entity ()

```
{
  "id": 1,
  "name": "VIP Pass",
  "company_ticket_type_ref": "12"
}
```

/ticket_types/:id

Updates a ticket type

Body JSON

ticket_type[name]

string

Ticket type name

ticket_type[company_ticket_type_ref]

string

Ticket type's reference specific of your company

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/ticket_types/:id

Result Format

200 OK () · 422 Unprocessable Entity () · 404 Not Found () · 400 Bad Request ()

```
{
  "id": 1,
  "name": "VIP Ticket",
  "company_ticket_type_ref": "015"
}
```

/tickets

Returns a list of tickets associated to your company

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets

Result Format

200 OK ()

```
{
  "event": 1,
  "tickets": [
    {
      "id": 1,
      "ticket_reference": "00000001",
      "purchaser_first_name": "John",
      "purchaser_last_name": "Doe",
      "purchaser_email": "john@doe.com",
      "ticket_type_id": 5
    },
    {
      "id": 2,
      "ticket_reference": "00000002",
      "purchaser_first_name": "Axel",
      "purchaser_last_name": "Summers",
      "purchaser_email": "axel@summers.com",
      "ticket_type_id": 12
    },
    {
      "id": 3,
      "ticket_reference": "00000003",
      "purchaser_first_name": "David",
      "purchaser_last_name": "Sanders",
      "purchaser_email": "david@sanders.com",
      "ticket_type_id": 3
    }
  ]
}
```

/tickets/:id

Returns a ticket.

Path Params

id
integer
The ticket's id

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets/:id

Result Format

200 OK () · 404 Not Found ()

```
{
  "id": 1,
  "ticket_reference": "00000001",
  "purchaser_first_name": "John",
  "purchaser_last_name": "Doe",
  "purchaser_email": "john@doe.com",
  "ticket_type_id": 5
}
```

/tickets

Creates a new ticket

Body JSON

- ticket.ticket_reference** required
string
The ticket's barcode
- ticket.ticket_type_id** required
integer
Identifier of the ticket type assigned to this ticket
- ticket.purchaser_attributes.first_name**
string
Purchaser's name
- ticket.purchaser_attributes.last_name**
string
Purchaser's surname
- ticket.purchaser_attributes.email**
string
Purchaser's email

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets

Result Format

200 OK () · 400 Bad Request () · 422 Unprocessable Entity () · 422 Unprocessable Entity ()

```
{
  "id": 5,
  "ticket_reference": "00000005",
  "purchaser_first_name": "John",
  "purchaser_last_name": "Doe",
  "purchaser_email": "john@doe.com",
  "ticket_type_id": 5
}
```

/tickets/bulk_upload

Creates a new ticket

Body JSON

ticket_reference required
string
The ticket's barcode
ticket_type_id required
integer
Identifier of the ticket type assigned to this ticket
purchaser_attributes.first_name
string
Purchaser's name
purchaser_attributes.last_name
string
Purchaser's surname
purchaser_attributes.email
string
Purchaser's email

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets/bulk_upload

Examples

Request body ()

```
{ "tickets": [  
  {  
    "ticket_reference": "41A4ECB455556827",  
    "ticket_type_id": 1,  
    "purchaser_attributes": {  
      "first_name": "John",  
      "last_name": "Doe",  
      "email": "john@glownet.com"  
    }  
  },  
  {  
    "ticket_reference": "69860326BE09D7A5",  
    "ticket_type_id": 1,  
    "purchaser_attributes": {  
      "first_name": "Julia",  
      "last_name": "Smith",  
      "email": "jsmith@glownet.com"  
    }  
  }  
]}
```

/tickets/:id

Updates a ticket

Body JSON

ticket[ticket_reference]
string

The ticket's barcode

ticket[ticket_type_id]

integer

Identifier of the ticket type assigned to this ticket

ticket[purchaser_attributes][first_name]

string

Purchaser's name

ticket[purchaser_attributes][last_name]

string

Purchaser's surname

ticket[purchaser_attributes][email]

string

Purchaser's email

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets/:id

Result Format

200 OK () · 422 Unprocessable Entity () · 404 Not Found () · 422 Unprocessable Entity ()

```
{
  "id": 5,
  "ticket_reference": "00000005",
  "purchaser_first_name": "John",
  "purchaser_last_name": "Doe",
  "purchaser_email": "john@doe.com",
  "ticket_type_id": 5
}
```

/tickets/blacklist

Returns a list with the blacklisted tickets

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets/blacklist

Result Format

200 OK ()


```
{
  "event": 1,
  "blacklisted_tickets": [
    {
      "id": 1,
      "ticket_reference": "00000001"
    },
    {
      "id": 2,
      "ticket_reference": "00000002"
    },
    {
      "id": 3,
      "ticket_reference": "00000003"
    }
  ]
}
```

/tickets/blacklist

Adds a ticket to the blacklist

Body JSON

tickets_blacklist.ticket_reference required
string
The ticket reference aka. barcode from the guest you want to forbid access to.

🧪 Test in the **API Explorer** ()



Definition

https://sandbox.glownet.com/companies/api/v1/tickets/blacklist

Result Format

201 Created () · 400 Bad Request () · 404 Not Found () · 404 Not Found ()

```
{
  "id": 1,
  "ticket_reference": "TC8B106BA990BDC56"
}
```

/tickets/blacklist/:ticket_reference

Removes a ticket from the blacklist

Path Params

"id": 3

ticket_reference
string
The ticket reference aka. barcode from the guest you give access back.

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/tickets/blacklist/:ticket_reference

/gtags/blacklist

Returns the gtags blacklist

 Test in the **API Explorer** ()

Definition

https://sandbox.glownet.com/companies/api/v1/gtags/blacklist

Result Format

200 OK ()

```
{
  "event": 1,
  "blacklisted_gtags": [
    {
      "id": 1,
      "tag_uid": "BE5723D8"
    },
    {
      "id": 2,
      "tag_uid": "BE5723D8"
    },
    {
      "id": 3,
      "tag_uid": "BE5723D8"
    }
  ]
}
```

/gtags/blacklist

Adds a gtag to the blacklist

Body JSON

gtags_blacklist.tag_uid required
string
The ticket reference aka. barcode from the guest you want to forbid access to.

🔗 Test in the **API Explorer** ()

Definition

<https://sandbox.glownet.com/companies/api/v1/gtags/blacklist>

Result Format

200 OK () · 400 Bad Request () · 404 Not Found ()

```
{
  "id": 1,
  "tag_uid": "00000001"
}
```

/gtags/blacklist

Removes a gtag from the blacklist

Body JSON

tag_uid
string
The ticket reference aka. barcode from the guest you want to forbid access to.

- Test in the **API Explorer** ()

Definition

<https://sandbox.glownet.com/companies/api/v1/gtags/blacklist>

`/balances/:tag_uid`

Path Params

tag_uid required
string



Definition

https://sandbox.glownet.com/companies/api/v1/balances/:tag_uid

Result Format

200 OK () · 404 Not Found ()

```
{
  "tag_uid": "04D10A1AE74084",
  "balance": "0.0",
  "currency": "€"
}
```