




To assign specific permissions in AWS IAM for three users (`user1`, `user2`, and `user3`) with different levels of access to an S3 bucket, follow these steps:

Step 1: Create an S3 Bucket

1. Create an S3 Bucket:

- Open the S3 console.
- Choose "Create bucket".
- Enter a unique bucket name.
- Select a region.
- Configure other settings as needed.
- Choose "Create bucket".





Step 2: Create IAM Users

1. Create IAM Users:

- Open the IAM console.
- In the navigation pane, choose "Users".
- Choose "Add user".
- Enter the user names (user1, user2, and user3).
- Select "AWS Management Console access".
- Set custom passwords or auto-generated passwords for console access.
- Choose "Next: Permissions".

The screenshot displays the AWS IAM console interface. At the top, a green banner indicates "User created successfully" with a "View user" button. Below this, the "Users" page is shown with a search bar containing "us" and "3 matches". A table lists the created users:

	User name	Path	Groups	Last activity	MFA	Password age	Console last sign-in	Access key ID
<input type="checkbox"/>	user1	/	0	-	-	-	-	-
<input type="checkbox"/>	user2	/	0	-	-	-	-	-
<input type="checkbox"/>	user3	/	0	-	-	-	-	-


The left sidebar shows the "Identity and Access Management (IAM)" navigation menu with options like Dashboard, Access management, User groups, Users, Roles, Policies, Identity providers, Account settings, Access reports, Access Analyzer, External access, Unused access, Analyzer settings, Credential report, Organization activity, and Service control policies. The bottom of the screen shows the "CloudShell" tab and a footer with copyright information for 2024.



Step 3: Create and Attach Policies

1. Create a Policy for user1:

- Open the IAM console.
- In the navigation pane, choose "Policies".
- Choose "Create policy".
- Select the "JSON" tab and enter the following policy for user1




- Choose "Next: Tags", then "Next: Review".
- Enter a name for the policy.
- Choose "Create policy".



2. Create a Policy for user2:

- Repeat the above steps to create a policy for user2




- Choose "Next: Tags", then "Next: Review".
- Enter a name for the policy.
- Choose "Create policy"



3. Create a Policy for user3:

- Repeat the above steps to create a policy for user3



- Choose "Next: Tags", then "Next: Review".
- Enter a name for the policy.
- Choose "Create policy".



4. Attach Policies to Users:

- Go to the "Users" section in the IAM console.
- Select user1, go to the "Permissions" tab, and choose "Add permissions".
- Select "Attach policies directly", find User1Policy, and attach it.
- Repeat for user2 with User2Policy and for user3 with User3Policy.

user1 [Info](#) [Delete](#)

Summary

ARN arn:aws:iam::381492005740:user/user1	Console access Enabled without MFA Last console sign-in Never	Access key 1 Create access key
---	---	---

Created
July 03, 2024, 17:37 (UTC+05:30)

[Permissions](#) [Groups](#) [Tags](#) [Security credentials](#) [Access Advisor](#)

Permissions policies (1) [Refresh](#) [Remove](#) [Add permissions](#)

Permissions are defined by policies attached to the user directly or through groups.

Search Filter by type [All types](#)

<input type="checkbox"/>	Policy name ↗	Type	Attached via ↗
<input checked="" type="checkbox"/>	User1Policy	Customer managed	Directly

[IAM](#) > [Users](#) > **user2** [Info](#) [Delete](#)

Summary

ARN arn:aws:iam::381492005740:user/user2	Console access Enabled without MFA Last console sign-in Never	Access key 1 Create access key
---	---	---

Created
July 03, 2024, 17:38 (UTC+05:30)

[Permissions](#) [Groups](#) [Tags](#) [Security credentials](#) [Access Advisor](#)

Permissions policies (1) [Refresh](#) [Remove](#) [Add permissions](#)

Permissions are defined by policies attached to the user directly or through groups.

Search Filter by type [All types](#)

<input type="checkbox"/>	Policy name ↗	Type	Attached via ↗
<input checked="" type="checkbox"/>	User2Policy	Customer managed	Directly

user3 [Info](#) [Delete](#)

Summary

ARN arn:aws:iam::381492005740:user/user3	Console access Enabled without MFA Last console sign-in Never	Access key 1 Create access key
---	---	---

Created
July 03, 2024, 17:38 (UTC+05:30)

[Permissions](#) [Groups](#) [Tags](#) [Security credentials](#) [Access Advisor](#)

Permissions policies (1) [Refresh](#) [Remove](#) [Add permissions](#)

Permissions are defined by policies attached to the user directly or through groups.

Search Filter by type [All types](#)

<input type="checkbox"/>	Policy name ↗	Type	Attached via ↗
<input checked="" type="checkbox"/>	User3Policy	Customer managed	Directly

© 2024, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



Step 4: Verify Permissions

1. Login as `user1`:

- Use the AWS Management Console login link and credentials for `user1`.
- Go to the S3 console and verify that `user1` can list the bucket and read objects.

2. Login as `user2`:

- Use the AWS Management Console login link and credentials for `user2`.
- Go to the S3 console and verify that `user2` can list the bucket, read, and write the specific object.

3. Login as `user3`:

- Use the AWS Management Console login link and credentials for `user3`.
- Go to the S3 console and verify that `user3` has all permissions for the bucket.

By following these steps, you will have created an S3 bucket, configured IAM users, attached the appropriate policies, and verified their permissions.