

# **MAJOR PROJECT REPORT**

On

**Aplicar**

Submitted to Rajiv Gandhi Proudyogiki Vishwavidyalaya in partial fulfillment of the requirement for the award of the degree of

**Bachelor of Engineering**

in

**COMPUTER SCIENCE AND ENGINEERING**

**Submitted By**

**Vivek Dubey – 0208CS151123**

**Yogita Sanodiya – 0208CS151126**

**Somansha Kewat – 0208CS151102**

**Shreya Saraiya – 0208CS151097**



**DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING**

**Gyan Ganga College of Technology  
Jabalpur, Madhya Pradesh**

**April 2019**

# **MAJOR PROJECT REPORT**

On

**Aplicar**

Submitted to Rajiv Gandhi Proudhyogiki Vishwavidyalaya in partial fulfillment of the requirement for the award of the degree of

**Bachelor of Engineering**

in

**COMPUTER SCIENCE & ENGINEERING**

**Submitted By**

**Vivek Dubey – 0208CS151123**

**Yogita Sanodiya – 0208CS151126**

**Somansha Kewat – 0208CS151102**

**Shreya Saraiya – 0208CS151097**



**DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING**

**Gyan Ganga College of Technology  
Jabalpur, Madhya Pradesh**

**April 2019**

## **PREFACE**

Major Project is an integral part of B.E and each and every student has to create the Major Project in the 8<sup>th</sup> Semester while studying in Institute.

This record is concerned about our practical Major Project during 8<sup>th</sup> Semester i.e. final year of B.E. course. We have taken our Practical Major Project in “**Aplicar**” During this Major Project, we got to learn many new things about the technology and its practical implementation. This Major Project proved to be a milestone in our knowledge of present environment. Every say and every moment was an experience in itself, an experience which theoretical study can't provide.

## **ACKNOWLEDGEMENT**

It is my pleasure to be indebted to various people, who directly or indirectly contributed in the development of this work and who influenced my thinking, behavior and acts during the course of study.

I express my sincere gratitude to our principal, *Dr. Neeraj Shukla*, for providing me an opportunity to undergo Major Project in Aplicar.

I am thankful to “Prof. Saurabh Sharma” for his support, cooperation, and motivation provided to me during the Major Project for constant inspiration, presence and blessings. Also, I would like to mention my gratitude to the entire faculty of my department for their support and suggestions.

I also extend my sincere appreciation to “*My Team*” who provided his valuable suggestions and precious time in accomplishing my Major Project report.

Lastly, I would like to thank the almighty and my parents for their moral support and my friends with whom I shared my day-to day experience and received lots of suggestions that my quality of work.

**Vivek Dubey – 0208CS151123**  
**Yogita Sanodiya – 0208CS151126**  
**Somansha Kewat – 0208CS151102**  
**Shreya Saraiya – 0208CS151097**

## **DECLARATION**

I, Vivek Dubey, Roll No. 0208CS151123, B.E (Semester- VIII) of the **Gyan Ganga College of Technology, Jabalpur** hereby declare that the Major Project Report entitled “**Aplicar**” is an original work and data provided in the study is authentic to the best of my knowledge. This report has not been submitted to any other Institute for the award of any other degree.

**Vivek Dubey**  
(Roll No. 0208CS151123)

**Place: Jabalpur**  
**Date: 20 April 2019**

---

This is to certify that above statement made by the candidate is correct to the best of our knowledge.

Approved by:

**Prof. Saurabh Sharma,**  
**Project Coordinator,**  
**Assitant Professor,**  
**Department of CSE,**  
**GGCT,JABALPUR**

**Prof. Saurabh Sharma,**  
**Project Supervisor**  
**Assitant Professor,**  
**Department of CSE,**  
**GGCT,JABALPUR**

**Dr. Ajay Lala,**  
**Head of the Department**  
**Department of CSE,**  
**GGCT,JABALPUR**

**GYAN GANGA COLLEGE OF TECHNOLOGY  
JABALPUR (MP)**



**Approved by AICTE New Delhi & Govt. of M.P.**  
**(Affiliated to Rajiv Gandhi Prodyougiki Vishwavidhyalaya, Bhopal)**

**Certificate**

Certificate This is to certify that the Major Project report entitled “**Aplicar**” is submitted by “**Vivek Dubey**” for the partial fulfillment of the requirement for the award of degree of Bachelor of Engineering in Department of Computer Science & Engineering from Rajiv Gandhi Proudtyogiki Vishwavidyalaya, Bhopal (M.P).

**(Internal Examiner)**

**(External Examiner)**

# Table of Contents

Title Page	i
Declaration of the Student	ii
Certificate of the Guide	iii
Abstract	iv
Acknowledgement	v
<b>1. INTRODUCTION*</b>	<b>1</b>
1.1 Problem Definition	1
1.2 Project Overview/Specifications* (page-1 and 3)	2
1.3 Hardware Specification	3
1.4 Software Specification	4
1.3.1	4
1.3.2	
...	
<b>2. LITERATURE SURVEY</b>	<b>5</b>
2.1 Existing System	5
2.2 Proposed System	6
2.3 Feasibility Study* (page-4)	7
<b>3. SYSTEM ANALYSIS &amp; DESIGN</b>	
3.1 Requirement Specification* (page-2)	9
3.2 Flowcharts / DFDs / ERDs	10
3.3 Design and Test Steps / Criteria	12
3.3 Algorithms and Pseudo Code	16
3.3.1	18
3.3.2	19
3.4 Testing Process	22
...	27
<b>4. RESULTS / OUTPUTS</b>	<b>40</b>
<b>5. CONCLUSIONS / RECOMMENDATIONS</b>	<b>47</b>
<b>6. REFERENCES</b>	<b>49</b>
<b>7. APPENDICES</b>	<b>50</b>

# 1. Introduction

## 1.1 Problem Statement

Develop a web application for learning purpose which can provide small real world projects to the learners, where learners can act as a volunteer and use their skills to complete given projects and have practicality on a particular stream and improve their skills.

## 1.2 Project Overview/Specifications

### Goal of the project:

The goal of this project is to provide project base learning options to the learners who are using online resources to learn any new technology.

### Description:

*The purpose of 'Aplicar' is to provide a platform to students to apply their skills to solve a real world problem.*

Practicality is the key to stability and survival for a student! Every year, thousands of students graduate from colleges with dreams and hope in their eyes for a secure future. Once they leave college, most get a real life check. Most of them are in shock over the competition. Others realize that they truly aren't even ready to face the competition. But if not through the education system, then how else are the students supposed to be prepared.

In order to increase their chances at a more promising future many do internships, take workshops or even do extra classes while they are still studying. But, they don't get support from colleges or schools for that either. Hey, compulsory attendance!

Today, everything has gone digital. But the education system has not matched the pace of change. Students don't get to choose what subjects they want to study. In fact, the education system decides what thousands of students are going to have to learn.

Hence, individuals are preferring online education because

- **I can pursue my passions**
- **I can focus on my work without distractions from my classmates**
- **I can move at my own pace**
- **I can learn with a schedule that meets my needs**

and having more options, but apart from these numerous advantages, lack of the practical knowledge of something is still the problem for a student.

The major cause of this, some students could not decide the use case or either they don't practice their skills in some project, which limits them to their theoretical knowledge.

To overcome this situation, a web based application can be developed which can connect learners with the community of developers and the experts. Where they can give the projects or a part of it to the learners and the project can be taken by the learners. The learners will act like volunteers so they can choose projects and work by their capabilities. The project work can be classified by their domains and the difficulty levels, volunteers can choose between projects by their interest, stream and the time duration.

**Objectives:** This web application is aimed to provide a free online platform where students can practice their learned things.



This achieves following –

- Better knowledge of the field.
- Industrial level project work.
- Better prepared for the world of work.

### 1.3 Hardware Specification

- Any processor that is SSE2(Streaming SIMD extensions 2) capable
- 4GB of RAM or above.
- Internet connectivity.

### 1.4 Software Specification

- Operating system: Windows 7 or above or Linux.
- Database: MySQL.
- Apache-tomcat version 9.0.
- Java 1.8.
- IDE: any of eclipse photon, NetBeans 8.2, IntelliJ idea.
- Microsoft Visio.
- Web browser (HTML5, CSS3 and javaScript5 supported).

Software	Functionality	Use in Project	Why?
MySQL	An open source free to use object-relational database	Used to store the user data, and the project submission files.	MySQL is a fast, reliable and stable open source database management system (RDMS – Relational Database Management System).
Java	Programming Language	Underlies most other code within the project	Java is secure, reliable and fast & free to download.
JavaScript	An object-oriented computer programming language commonly used to create interactive effects within web browsers.	An essential core software tool used in all browsers.	Very easy to learn. It is a scripting, lightweight Programming language, and it is a programmable code that can be embedded into

			HTML pages. This code can be performed by all web browsers. Old or modern.
Apache-tomcat	An open source implementation of Java Server pages and Java Servlet.	Used for communication between server and client side of web applications	Apache is HTTP Server and generally known as Apache. In the preliminary growth of the World Wide Web Apache (web server software) played an important role. An open community of developers Has designed & developed it by under the auspices of the Apache Software Foundation.
HTML	Hypertext markup language.	HTML embeds objects & images and it can be used to create Interactive forms.	HTML objects form the architecture of all websites. And it is the markup language used for creating web pages and any information that could be showed on a web browser
CSS	Cascading Style Sheets	Colors, fonts, positioning and styling of data has been controlled and taken care by CSS.	The exact content of the website can be searched by Spider of the engine when it scans thoroughly. Externally, CSS code is getting stored and it streamlines the XHTML code for faster and smooth Loading and working.

NetBeans	IDE	Used for powerful, multi language development environment	Freeware Great GUI builder, Great Ant integration, Great and CONSISTENT IDE with Great speed, Great Debugger, Great Profiler
----------	-----	---	--

## 2. Literature survey

### 2.1 Feasibility study

#### Contents –

- 1) Executive summery
- 2) Need analysis
- 3) Engineering & design

#### 1. Executive summery –

- **Product description:** The purpose of ‘Aplicar’ is to provide a platform to students to apply their skills to solve a real world problem.
- **Target audience:** This application is for every student who is learning something and for the programmers and developers who have the lack of time to do their small tasks.
- **Risks:** We have undertaken following risks by perusing this project.
  - The popularity of the application may not transit among the targeted audience in the expected time.
  - The number of uploaded projects may be less than expected number.
- **Opportunities:** By doing this project our opportunities will be-
  - To provide a simple user interface to every user of the application.
  - To provide the good amount of options between projects to the students.

#### 2. Need analysis:

While reviewing different domains, we found a problem in our education system which causes lack of confidence towards learned things in students that is the having less practical knowledge of the subject. Hence this application is aimed to provide students a way or a platform where they can choose their desired domain, technology to apply their skills.

#### 3. Engineering:

- **Modules:** The application has 4 modules.
  - 1. Database design.
  - 2. Prototyping user interface.
  - 3. Coding (Back end)
  - 4. User interface design (Front end)
- **Module 1: Database design**

This module consists of user login and registration and all user's activities. It maintains the user's information and also user's files. It consists of six tables, which are used to store personal information of project manager, volunteers, and all the available domains and programming languages, and all the projects respectively and the other one is to maintain user's files and projects. The input to database for personal information is given by the user in registration page.

Module 1 itself having 4 phases of designing a database for this project. Which are as follows-

- **Conceptual design of database:** The analysis of data and requirements as been done here, rolls of the users, what information is needed from a new user which is acting as a volunteer or as a project manager, and what the source of the information is going to be.
- **DBMS software selection:** The software selection for all the operations is dependent on the use and cost of the project and also on the features the project provides. We chose *SQLyog community edition* for creation and performing all the operation of database.
- **Logical design:** At this phase the conceptual design of the database is translated into internal model which maps object in model to specific DBMC constructs. Its design components are tables, indexes, views, etc.
- **Physical design:** Physical database translates the logical data model into a set of SQL statements that define the database.

- **Module 2: Prototyping user interface**

- **Why prototyping?** *Prototyping is a means of exploring ideas before you invest in them.* All experienced craftspeople and engineers create prototypes of their work before they build anything: Architects create models out of paper or cardboard, or with virtual reality tools. Aeronautic engineers use wind tunnels. Bridge builders create stress models. Software and Web designers create mock-ups of how users will interact with their designs. *We have used Adobe XD to prototype the User interface of the website.*

- **Module 3: Coding(the beck end of the project)**

- This is the main module for this project, where all the server side programming will be done using the Java programming language.  
All the URL strings, and web pages are mapped in this module.

- **Module 4: User interface design(front end of the project)**
  - This is the front end of the project, which will be used by the users, the front end is developed by using HTML, CSS and JavaScript to make a real interactive web page from the prototype.

### 3. System analysis & design

#### 3.1 Requirement specification

##### Contents –

- Introduction
- Overview
- Goals and scope
- Functional requirements
- Non-functional requirements
- External interface requirements
- Hardware Interface
- Communication interface

##### • Introduction –

Can you imagine someone teaching you to swim or drive a vehicle, within four walls of a classroom? It is impossible!! You have to get into the water to learn swimming and you have to be out on the road to learn driving. Some subjects are skill based and practice oriented. Theoretical knowledge of skill- based subjects needs to be supported by practice. Subjects like teaching and engineering are skill based. In these subjects, practical knowledge is more important than theoretical knowledge. Practical work includes experiments in laboratories, study tours, projects, assignments etc. the advantages of practical work are unmatched. Getting theoretical knowledge has no value until students can apply it for practical purposes. So, this application is aimed to encourage the practical learning which supports their theoretical knowledge, because theoretical knowledge is incomplete without the practical skills and the practical knowledge is incomplete without the theoretical knowledge of the system.

##### • Overview –

Today, everything has gone digital. But the education system has not matched the pace of change. Students don't get to choose what subjects they want to study. In fact, the education system decides what thousands of students are going to have to learn.

Hence, individuals are preferring online education because they **can pursue their passions, they can focus on their work without distractions from any classmates, they can move at their own pace, they can learn with a schedule that meets their needs** and having more options, but apart from these numerous advantages, lack of the practical knowledge of something is still the problem for a student.

The major cause of this, some students could not decide the use case or either they don't practice their skills in some project, which limits them to their theoretical knowledge.

To overcome this situation, a web based application can be developed which can connect learners with the community of developers and the experts. Where they can give the projects or a part of it to the learners and the project can be taken by the learners. The learners will act like volunteers so they can choose projects and work by their capabilities. The project work

can be classified by their domains and the difficulty levels, volunteers can choose between projects by their interest, stream and the time duration.

- **Goals –**

By doing this project our goal is to provide a platform where they can choose between varieties of projects of their domain.

Where developers and project workers can share their part of work to manage their busy schedule.

Completed projects can be optionally rated.

- **Functional requirements –**

- 1) Registration is offered to new user. Then a registered user logs into our site.
- 2) Project managers can see how many volunteers have taken their posted project and each volunteer's status.
- 3) Volunteers can see their previous and on-going projects.
- 4) Session based web page so users don't require to login every time.

- **Non-functional requirements –**

The web server must be able to handle and support multiple instance of application. The time between request and response should be less in case of applying filters into project categories. Minimum time should be taken by the application to display preview the web pages developed by the user.

- **External interface requirements –**

Look and feel of web pages with which users going to interact will look as follows –



Domains

Nunc luctus in metus eget fringilla. Aliquam sed justo ligula. Vestibulum nibh erat, pellentesque ut lacreet.

---

The home page



Aplicar

FIND A PROJECT

POST A PROJECT

SIGN UP

Log in

Email

Password

Log in

Forgot password?

Don't have account!!

+

Login page

Aplicar

FIND A PROJECT


POST A PROJECT

LOG IN

Create an account


Which type of account would you like?

Volunteer







I am looking opportunity to volunteering.

Organization



My organization is looking for volunteers.


Sign up page

Aplicar

POST A PROJECT

LOGIN

SIGN UP



Domains

Languages

Time Duration

Search

Titan

Domains: Machine Learning

Language: Java, HTML, CSS, Bootstrap, Angular

Time Duration: 1 week

Posted By: Google

Applications: 0

Project Hanks

Domains: Artificial Intelligence

Language: HTML, CSS, Bootstrap

Time Duration: 2 Week

Posted By: Aplicar

Applications: 0

Kodiak

Domains: Software Development

Language: Bootstrap, Angular, VU.js

Time Duration: 3 Week

Posted By: Yahoo

Applications: 0

Code talkers

Project Blue Book

X lab

Projects home page

- **Hardware interface –**

**TCP/IP:**

It is a reliable connection oriented protocol that allows byte streaming originating on one machine to be delivered without any error on any other machine in the network. It fragments the incoming byte stream into discrete messages and parses each one on to the internet layer. At the destination, the receiving TCP process reassembles received messages into the output stream. TCP also handles the flow control to make sure a fast sender cannot swamp a slow receiver with more messages than it can handle.

- **Communication Interface –**

**HTTP:**

Hypertext transfer protocol (HTTP) is a method used to transfer or convey information on the World Wide Web. Its original purpose was to provide the way to publish and retrieve HTML pages.

Development of HTTP was coordinated by the World Wide Web Consortium (W3C) and Internet Engineering Task Force (IETF) culminating in the publication of RFCs, most notably RFC 2616, which defines HTTP/1.1 the version of HTTP in common use today. HTTP is a request/response protocol between clients and servers. The originating client, such as web browser, spider or other end user tool, is referred to as a user agent. The destination server which stores or creates resources such as HTML files and images is called the origin server. In between the user agent and origin server, any is several intermediaries such as proxies, gateways, tunnels. An HTTP client initiates a request by establishing Transmission Control Protocol (TCP) connection to a particular port on a remote host. An HTTP server listening on that port waits for the client to send a request message. Upon receiving request, the server sends back a status line, such as “HTTP/1.1 200 OK” and a message of its own, the body of which is perhaps the request file, an error message, or some other information. Resources to be accessed by HTTP are identified using Uniform Resource Identifiers (URIs) (or, more specifically, URLs). Using the HTTP: or HTTPS URI schemes.

### 3.2 Flow charts/DFDs/ERDs

- Project architecture –




Fig. 3.2.1 Project architecture

- Data flow diagram –





Fig 3.2.1 Dataflow diagram

- Use case diagram –




**Fig 3.2.3 Use case diagram**


- Activity diagram –




- **Class diagram –**



- **Sequence diagram –**





**Fig. 3.2.4 Sequence diagram**



**Fig 3.2.5 State chart diagram**



- EER Diagram –



## 3.2 Code

### LoginServlet.java

```
package model;

import controller.PutData;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
import java.io.IOException;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;

public class LoginServlet extends HttpServlet {
    public static String s = "d-none";
    public static String msg = "";
    @Override
    protected void doPost(HttpServletRequest req, HttpServletResponse resp) throws
ServletException, IOException {
        HttpSession session=req.getSession();
        Connection con = (Connection)session.getAttribute("connection");
        String email = req.getParameter("login_email");
        String pass = req.getParameter("login_password");
        String sql = "";
        int roll = Integer.parseInt(req.getParameter("roll"));
        if(roll == 1){
            sql = "select * from volunteer where email = " + email + "";
        }else {
            sql = "select name, email, password from organization where email = " + email + "";
        }
        try {
            PutData pd = new PutData();
            ResultSet rs =pd.getData(con,sql);
            if(rs.next()){
                if(rs.getString(2).equals(email) && rs.getString(3).equals(pass)){
                    String name = rs.getString(1);
```

```

String city = rs.getString(4);
String country = rs.getString(5);
String address = rs.getString(6);
String profile = rs.getString(7);
String online = rs.getString(8);
String score = rs.getString(9);

session.setAttribute("name", name);
session.setAttribute("email", email);
session.setAttribute("city", city);
session.setAttribute("country", country);
session.setAttribute("address", address);
session.setAttribute("profile", profile);
session.setAttribute("online", online);
session.setAttribute("score", score);
String updateSql = "UPDATE `aplicar`.`volunteer` SET `online` = '1'
WHERE (`email` = '" + email + "')";
PreparedStatement ps = con.prepareStatement(updateSql);
int i = ps.executeUpdate();
resp.sendRedirect("find-projects.jsp");

} else {
    s = "";
    msg = "Incorrect Password!";
    resp.sendRedirect("login.jsp");
}
} else {
    s = "";
    msg = "No such email found! " + email;
    resp.sendRedirect("login.jsp");
}
} catch (Exception e){
    System.out.println(e);
}
}
}

```

### LoginSignup.java

```
package model;
```

```

import controller.*;
import java.sql.Connection;
import java.util.ArrayList;

public class LoginSignup {
    public void signupVolunteer(String sql, ArrayList values) throws Exception {

        Connection con = GetConnection.makeConnection();
        PutData pd = new PutData();
        pd.store(con, sql, values);

        con.close();
    }
}

```

#### Logout.java

```

package model;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
import java.io.IOException;

public class Logout extends HttpServlet {
    @Override
    protected void doGet(HttpServletRequest req, HttpServletResponse resp) throws
ServletException, IOException {
        HttpSession session = req.getSession();
        session.invalidate();
        req.getRequestDispatcher("index.jsp").include(req,resp);
        System.out.println("Logged out");
    }
}

```

#### SignupProjectManagaerServlet.java

```

package model;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;

```

```

import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
import java.io.IOException;

public class SignupProjectManagerServlet extends HttpServlet {
    @Override
    protected void doPost(HttpServletRequest req, HttpServletResponse resp) throws
ServletException, IOException {
        int form = Integer.parseInt(req.getParameter("form_no"));
        HttpSession session = req.getSession();
        if (form == 0){

            session.setAttribute("org_name",req.getParameter("signup_orgs_organization_name"));

            session.setAttribute("org_email",req.getParameter("signup_orgs_organization_email"));

            session.setAttribute("org_pass",req.getParameter("signup_orgs_organization_password"));
        } else if (form == 1){
            session.setAttribute("org_url",req.getParameter("signup_orgs_1_web_site"));

            session.setAttribute("org_contact",req.getParameter("signup_orgs_1_contact_number"));
            session.setAttribute("org_city",req.getParameter("signup_orgs_1_city"));
            session.setAttribute("org_country",req.getParameter("signup_orgs_1_country"));
        }
    }
}

```

### SignupVolunteerServlet.java

```

package model;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import java.io.IOException;
import java.io.PrintWriter;
import java.util.ArrayList;

public class SignupVolunteerServlet extends HttpServlet {
    @Override

```

```

protected void doPost(HttpServletRequest req, HttpServletResponse resp) throws
ServletException, IOException {
    ArrayList volunteer_values = new ArrayList();
    volunteer_values.add(req.getParameter("sign_up_volunteers_name"));
    volunteer_values.add(req.getParameter("sign_up_volunteers_email"));
    volunteer_values.add(req.getParameter("sign_up_volunteers_password"));
    String sql = "INSERT INTO `aplicar`.`volunteer` (`name`, `email`, `password`)
VALUES (?, ?, ?)";
    LoginSignup loginSignup = new LoginSignup();
    try{
        loginSignup.signupVolunteer(sql, volunteer_values);
    } catch (Exception e){
        System.out.println(e);
    }
    resp.sendRedirect("login.jsp");
}
}

```

## Web Pages:

### Edit-org-profile.jsp

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
    <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
    <link rel="stylesheet" href="assets/css/styles.css">
    <link rel="stylesheet" href="assets/css/Team-Grid.css">

```

```

<link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
  <div style="box-shadow:0px 0px 15px black;">
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link" href="post-
project.jsp">POST PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>
          <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false" href="org-
profile.jsp">Your Name&nbsp;</a>
            <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="#">First Item</a><a class="dropdown-item" role="presentation"
href="#">Second Item</a><a class="dropdown-item" role="presentation" href="#">Third
Item</a></div>
          </li>
        </ul>
      </div>
    </nav>
  </div>
  <div class="d-flex justify-content-center align-items-end" style="height:250px;margin-
top:60px;background-image:url(&quot;assets/img/edit-profile-org-
cover.jpg&quot;);background-repeat:no-repeat;background-position:center;background-
size:cover;">
    <div style="margin:-70px;">
    <div class="d-flex justify-content-center align-items-center"
style="margin-top:-150px;margin-left:0px;background-
color:rgba(248,248,248,0);width:150px;height:150px;display:none;"><i class="icon ion-edit

```

```

d-block" id="edit-icon" style="background-color:rgba(0,0,0,0.63);padding:52px;padding-
right:62px;padding-left:62px;border-radius:100px;color:rgb(255,255,255);"></i></div>
</div>
</div>
<div class="d-flex flex-column justify-content-center align-items-center" style="margin-
top:73px;">
<h3 style="color:rgb(82,82,82);margin-top:7px;">Organization Name</h3>
</div>
<div style="margin-top:10px;">
<div class="container">
<div class="row">
<div class="col-md-4">
<div class="d-flex flex-column justify-content-center align-content-
center"><input type="text" name="edit_profile_org_email" placeholder="Email" id="edit-
profile-org-email" class="text-input-custom" style="margin:10px;padding:5px;padding-
left:15px;"><input type="text" name="edit_profile_org_pin_code" placeholder="Pin Code"
id="edit-profile-org-pin-code" class="text-input-custom"
style="margin:10px;padding:5px;padding-left:15px;"><a href="#" style="padding-
right:10px;padding-left:10px;"><button class="btn btn-primary btnn-black" type="button"
id="edit-profile-org-changepassword" style="margin:10px;height:34px;padding-
top:5px;padding-bottom:5px;background-color:rgb(0,0,0);margin-
left:0px;width:100%;">Change Password</button></a></div>
</div>
<div class="col-md-4">
<div class="d-flex flex-column justify-content-center align-content-
center"><input type="text" name="edit_profile_org_contact" placeholder="Contact"
id="edit-profile-org-contact" class="text-input-custom"
style="margin:10px;padding:5px;padding-left:15px;"><input type="text"
name="edit_profile_org_city" placeholder="City"
id="edit-profile-org-city" class="text-input-custom"
style="margin:10px;padding:5px;padding-left:15px;"><a href="#" style="padding-
right:10px;padding-left:10px;"><button class="btn btn-primary btnn-black" type="button"
id="edit-profile-org-changepassword" style="margin:10px;height:34px;padding-
top:5px;padding-bottom:5px;background-color:rgb(0,0,0);margin-
left:0px;width:100%;">Domains</button></a></div>
</div>
<div class="col-md-4">
<div class="d-flex flex-column justify-content-center align-content-
center"><input type="text" name="edit_profile_org_website" placeholder="Web Site"
id="edit-profile-org-web-site" class="text-input-custom"

```



```

style="margin:10px;padding:5px;padding-left:15px;"><input type="text"
name="edit_profile_org_country"
placeholder="Country" id="edit-profile-org-country" class="text-input-
custom" style="margin:10px;padding:5px;padding-left:15px;"><a href="#" style="padding-
right:10px;padding-left:10px;"><button class="btn btn-primary btnn-black" type="button"
id="edit-profile-org-changepassword" style="margin:10px;height:34px;padding-
top:5px;padding-bottom:5px;background-color:rgb(0,0,0);margin-
left:0px;width:100%;">Type</button></a></div>
</div>
</div>
</div>
<div>
<div class="container">
<div class="row">
<div class="col-md-12">
<div class="d-flex flex-column justify-content-center align-content-
center"><input type="text" name="edit_profile_org_address" placeholder="Address"
id="edit-profile-org-address" class="text-input-custom"
style="margin:10px;padding:5px;padding-left:15px;"><textarea
name="edit_profile_org_about_organization"
placeholder="About Organization (Mission and Vission)" id="edit-profile-
org-about-organization" class="text-area-custom" style="margin:10px;padding:15px;box-
shadow:2px 2px 6px rgba(52,52,52,0.51);padding-left:15px;"></textarea>
<div
class="d-flex flex-column justify-content-center align-content-center"><a
href="org-profile.jsp" style="width:100%;padding-right:10px;padding-left:10px;"><button
class="btn btn-primary btnn-black" type="submit" id="edit-profile-org-save-changes-btn"
style="margin:10px;height:34px;padding-top:5px;padding-bottom:5px;background-
color:rgb(0,0,0);width:100%;margin-right:52px;margin-left:0px;">Save
Changes</button></a></div>
</div>
</div>
</div>
</div>
</div>
<div class="footer-basic">
<footer>

```

```

        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

### Edit-profile-volunteer.jsp

```

<%@ page import="java.sql.Connection" %>
<%@ page import="controller.PutData" %>
<%@ page import="java.sql.ResultSet" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
    <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
    <link rel="stylesheet" href="assets/css/styles.css">
    <link rel="stylesheet" href="assets/css/Team-Grid.css">

```

```

<link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
<%
    session = request.getSession();
    Connection con = (Connection) session.getAttribute("connection");
    String email = (String)session.getAttribute("email");
    String sql = "select * from volunteer where email = '" + email + "'";
    PutData pd = new PutData();
    try {
        ResultSet rs = pd.getData(con,sql);
        while (rs.next()){
%>
<div style="box-shadow:0px 0px 15px black;">
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
        <div class="container"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
        <div class="collapse navbar-collapse"
            id="navcol-1">
            <ul class="nav navbar-nav ml-auto">
                <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND PROJECTS</a></li>
                <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>
                <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false" href="#"><i class="fa fa-
circle" style="margin-
right:12px;color:rgb(44,218,0);"></i><%=rs.getString(1)%>&nbsp;</a>
                <div class="dropdown-menu"
                    role="menu"><a class="dropdown-item" role="presentation"
href="/logout">Logout</a></div>
                </li>
            </ul>
        </div>
    </div>
</nav>
</div>
<div style="margin-top:68px;">
    <div class="container-fluid">

```

```

<div class="row">
  <div class="col-12 col-md-12">
    <div class="d-flex" id="cover-pic" style="background-
image:url(&quot;assets/img/profile-volunteer-cover.jpg&quot;);height:250px;margin-right:-
15px;margin-left:-15px;"></div>
  </div>
  <div class="col">
    <div class="d-flex justify-content-center align-items-center align-content-center"
style="margin:-70px;">
    <div
      class="d-flex justify-content-center align-items-center" style="margin-
top:0px;margin-left:-150px;background-
color:rgba(248,248,248,0);width:150px;height:150px;display:none;"><i class="icon ion-edit
d-block" id="edit-icon" style="background-color:rgba(0,0,0,0.63);padding:52px;padding-
right:62px;padding-left:62px;border-radius:100px;color:rgb(255,255,255);"></i></div>
    </div>
  </div>
</div>
<div>
  <div class="container">
    <div class="row">
      <div class="col-md-6">
        <div class="d-flex flex-column" style="padding:35px;">
          <%if (rs.getString(1)!=null){ %>
            <input type="text" name="edit_profile_volunteer_name" disabled=""
placeholder="<%=rs.getString(1)%>" id="edit-profile-volunteer-name" class="text-input-
custom" style="margin:15px;height:40px;padding-left:20px;">
          <%
            }else{
              %>
                <input type="text" name="edit_profile_volunteer_name" disabled=""
placeholder="Name" id="edit-profile-volunteer-name" class="text-input-custom"
style="margin:15px;height:40px;padding-left:20px;">
              <%
            }
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

    %>
    <%if (rs.getString(2)!=null){ %>
        <input type="text" name="edit_profile_volunteer_email" disabled=""
placeholder="<%=rs.getString(2)%>" id="edit-profile-volunteer-email" class="text-input-
custom" style="margin:15px;height:40px;padding-left:20px;"><a href="#" style="margin-
left:0px;margin-right:30px;">
    <%
    }else{
    %>
        <input type="text" name="edit_profile_volunteer_email" disabled=""
placeholder="Email" id="edit-profile-volunteer-email" class="text-input-custom"
style="margin:15px;height:40px;padding-left:20px;"><a href="#" style="margin-
left:0px;margin-right:30px;">
    <%
    }
    %>
    <button class="btn btn-primary d-flex btnn-black" type="button" id="edit-
profile-volunteer-change-password" style="padding-right:0px;padding-left:20px;margin-
right:15px;margin-left:15px;margin-top:10px;background-color:rgb(0,0,0);margin-bottom:-
60px;height:40px;width:100%;">Change password&nbsp;</button></a>
</div>
</div>
<div class="col-md-6">
    <div class="d-flex flex-column" style="padding:35px;">
        <%if (rs.getString(4)!=null){ %>
            <input type="text" name="edit_profile_volunteer_city" disabled=""
placeholder="<%=rs.getString(2)%>" id="edit-profile-volunteer-city" class="text-input-
custom" style="margin:15px;height:40px;padding-left:20px;">
            <%
            }else{
            %>
                <input type="text" name="edit_profile_volunteer_city" disabled=""
placeholder="City" id="edit-profile-volunteer-city" class="text-input-custom"
style="margin:15px;height:40px;padding-left:20px;">
            <%
            }
            %>
            <%if (rs.getString(5)!=null){ %>

```

```

        <input type="text" name="edit_profile_volunteer_country" disabled=""
placeholder="<%=rs.getString(5)%>" id="edit-profile-volunteer-country" class="text-input-
custom" style="margin:15px;height:40px;padding-left:20px;">
        <%
        }else{
        %>
        <input type="text" name="edit_profile_volunteer_country" disabled=""
placeholder="Country" id="edit-profile-volunteer-country" class="text-input-custom"
style="margin:15px;height:40px;padding-left:20px;">
        <%
        }
        %>
        <%if (rs.getString(6)!=null){ %>
        <input type="text" name="edit_profile_volunteer_address" disabled=""
placeholder="<%=rs.getString(6)%>" id="edit-profile-volunteer-address" class="text-input-
custom" style="margin:15px;height:40px;padding-left:20px;">
        <%
        }else{
        %>
        <input type="text" name="edit_profile_volunteer_address" disabled=""
placeholder="Address" id="edit-profile-volunteer-address" class="text-input-custom"
style="margin:15px;height:40px;padding-left:20px;">
        <%
        }
        %>
    </div>
</div>
</div>
</div>
<div class="container">
    <form class="d-flex flex-row flex-wrap">
        <div class="input-group" style="margin:49px;margin-top:0px;">
            <div class="input-group-prepend"><span class="input-group-text" id="edit-
profile-volunteer-div-skills" style="background-
color:rgb(0,0,0);color:rgb(255,255,255);">Skills</span></div><input class="form-control
text-input-custom" type="text" name="edit_profile_volunteer_skill" placeholder="Skill"
id="edit-profile-volunteer-skill-input" style="box-shadow:none;font-size:16px;">
            <div class="input-group-append"><a class="btn btn-primary btn-lg btnn-black"
role="button" href="#" id="edit-profile-volunteer-add-skills" style="background-

```

```

color:rgb(0,0,0);font-size:16px;box-shadow:0px 0px 0px;"><i class="icon ion-ios-plus-
empty"></i></a></div>
    </div>
  </form>
</div>
</div>
<div class="d-flex justify-content-center align-items-center align-content-center"
id="devider" style="height:50px;margin-bottom:70px;">
  <h5 class="text-center">On going projects</h5>
</div>
<div>
  <div class="container">
    <div class="row" id="on-pro" style="margin-bottom:25px;background-color:#ffffff;">
      <div class="col-md-12">
        <a href="#" style="color:rgb(0,0,0);">
          <div>
            <h3 id="edit-profile-volunteer-project-title" style="margin-
bottom:18px;">Project name</h3>
          </div>
          <div class="d-flex">
            <div><img id="edit-profile-volunteer-pro-img" style="background-
image:url(&quot;assets/img/project-img.jpg&quot;);width:150px;height:150px;margin-
bottom:15px;"></div>
            <div style="margin-left:20px;margin-right:20px;">
              <p id="edit-profile-volunteer-project-desc">consectetur adipisicing elit, sed
do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
quis ostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute
irure
                dolor in reprehenderit in voluptate elit esse cillum dolore eu fugiat nulla
pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt
ollit anim id est laborum.</p>
              <div class="d-flex justify-content-end"><a href="edit-profile-org.jsp"><i
class="icon ion-android-delete" id="edit-profile-volunteer-project-delete-icon"
style="color:rgb(255,41,41);font-size:30px;"></i></a></div>
            </div>
          </div>
        </a>
      </div>
    </div>
  </div>
</div>

```

```

</div>
<div>
  <div class="container d-none" id="change-pass">
    <div class="row">
      <div class="col-md-12">
        <div class="d-flex flex-column" style="background-color:#ffffff;box-shadow:0px
0px 4px 0px;">
          <div class="justify-content-center align-items-center align-content-center"
id="devider" style="height:70px;margin-bottom:70px;background-color:#ffffff;">
            <h4 class="text-center" style="margin-top:17px;">Change password</h4>
            <div class="float-right justify-content-end" style="margin-top:-50px;"><i
class="icon ion-close-round" id="edit-profile-volunteer-close-change-password"
style="padding:16px;"></i></div>
            </div><input class="form-control-lg text-input-custom" type="password"
name="curruntpassword_volunteer" placeholder="Currunt Password" id="edit-profile-
volunteer-changepassword-input" style="margin:130px;margin-top:-30px;margin-
bottom:60px;">
              <input
                class="form-control-lg text-input-custom" type="password"
name="newpassword_volunteer" placeholder="New Password" id="edit-profile-volunteer-
newpassword-input" style="margin:130px;margin-top:-30px;margin-bottom:60px;"><input
class="form-control-lg text-input-custom" type="password"
name="confirmpassword_volunteer" placeholder="Confirm Password" id="edit-profile-
volunteer-confirm-password-input" style="margin:130px;margin-top:-30px;margin-
bottom:120px;">
              <button
                class="btn btn-primary d-flex btnn-black" type="button" id="edit-profile-
volunteer-change-password-btnn" style="padding-right:0px;padding-left:20px;margin-
right:129px;margin-left:129px;margin-top:-90px;background-color:rgb(0,0,0);margin-
bottom:44px;height:40px;">Change password&nbsp;</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  <div class="footer-basic">
<%
  }
  } catch (Exception e){
    System.out.println(e);

```



```

    }
%>
<footer>
    <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
    <ul class="list-inline">
        <li class="list-inline-item"><a href="#">Home</a></li>
        <li class="list-inline-item"><a href="#">Services</a></li>
        <li class="list-inline-item"><a href="#">About</a></li>
        <li class="list-inline-item"><a href="#">Terms</a></li>
        <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
    </ul>
    <p class="copyright">Company Name © 2017</p>
</footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>

</html>

```

### Find-projects.jsp

```

<%@ page import="java.sql.Connection" %>
<%@ page import="controller.PutData" %>
<%@ page import="java.sql.ResultSet" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">

```

```

<link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/Team-Grid.css">
<link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
<%
    session = request.getSession();
    String name = (String)session.getAttribute("name");
    Connection con = (Connection) session.getAttribute("connection");
%>
<div id="nav">
    <%
        if(name!=null){
    %>
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
        <div class="container"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
        <div class="collapse navbar-collapse"
            id="navcol-1">
            <ul class="nav navbar-nav ml-auto">
                <li class="nav-item" role="presentation"><a class="nav-link" href="#">FIND
PROJECTS</a></li>
                <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>
                <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false"
href="#"><%=name%>&nbsp;</a>
                    <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="/logout">Log out</a><a class="dropdown-item"
role="presentation" href="edit-profile-volunteer.jsp">Edit Profile</a></div>
                </li>
            </ul>
        </div>
    </div>
</nav>
<%
} else {
%>

```

```

<nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
  <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
  <div class="collapse navbar-collapse"
    id="navcol-1">
    <ul class="nav navbar-nav ml-auto">
      <li class="nav-item" role="presentation"><a class="nav-link" href="post-
project.jsp">POST A PROJECT</a></li>
      <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp"><i class="icon-login" style="color:rgb(0,0,0);font-size:14px;"></i>&nbsp;<b>
LOGIN</a></li>
      <li class="nav-item" role="presentation" id="signup-item" style="margin-
top:0px;"><a class="nav-link" href="signup.jsp" id="signup"
style="color:rgb(0,0,0);">SIGN UP</a></li>
    </ul>
  </div>
</div>
</nav>
<%
}
%>
</div>
<div style="height:250px;background-image:url(&quot;assets/img/find-projects-
cover.jpg&quot;);margin-top:60px;background-repeat:no-repeat;background-
size:cover;/*box-shadow:0px 3px 10px 0px black;*/position:fixed;*/background-
position:center;"></div>
<div style="box-shadow:0px 0px 15px;">
  <div class="container">
    <div class="row">
      <div class="col-md-6">
        <div class="d-flex flex-column align-items-center align-content-center flex-sm-row
flex-md-row flex-lg-row flex-xl-row" style="background-color:#ffffff;">
          <div class="dropdown dropdown-custom" id="find-projects-domains"
style="margin-right:10px;"><button class="btn btn-primary dropdown-toggle" data-
toggle="dropdown" aria-expanded="false" type="button" style="background-
color:rgb(255,255,255);color:rgb(0,0,0);margin:5px;box-
shadow:none;">Domains&nbsp;</button>
          <%

```

```

PutData pd = new PutData();
String sql_domains = "select * from domains";
try {
    ResultSet rs = pd.getData(con, sql_domains);
    %>
        <div class="dropdown-menu" role="menu" style="box-shadow:1px
1px 10px 0px rgba(0,0,0,0.52);">%while (rs.next()){ %><a class="dropdown-item"
role="presentation" href="#">%rs.getString(2)%></a>%}%></div>
        <%
        }catch (Exception e){
            System.out.println(e);
        }
    %>
</div>
    <div class="dropdown dropdown-custom" id="find-projects-languages"
style="margin-right:10px;"><button class="btn btn-primary dropdown-toggle" data-
toggle="dropdown" aria-expanded="false" type="button" style="background-
color:rgb(255,255,255);color:rgb(0,0,0);margin:5px;box-
shadow:none;">Languages</button>
    <div class="dropdown-menu" role="menu" style="box-shadow:1px 1px 10px
0px rgba(0,0,0,0.52);">
        <%
        String sql_languages = "select * from skills";
        try {
            ResultSet rs = pd.getData(con,sql_languages);
            while (rs.next()){
                %>
                    <a class="dropdown-item" role="presentation"
href="#">%rs.getString(2)%></a>
                <%
            }
        }catch (Exception e){
            System.out.println(e);
        }
        %>
    </div>
</div>
    <div class="dropdown dropdown-custom" id="find-projects-time-duration"
style="margin-right:10px;"><button class="btn btn-primary dropdown-toggle" data-
toggle="dropdown" aria-expanded="false" type="button" style="background-

```

```

color:rgb(255,255,255);color:rgb(0,0,0);margin:5px;box-shadow:none;">Time
Duration&nbsp;</button>
    <div
        class="dropdown-menu" role="menu" style="box-shadow:1px 1px 10px
0px rgba(0,0,0,0.52);"><a class="dropdown-item" role="presentation" href="#">First
Item</a><a class="dropdown-item" role="presentation" href="#">Second Item</a><a
class="dropdown-item" role="presentation" href="#">Third Item</a></div>
    </div>
</div>
</div>
<div class="col-md-6">
    <div class="d-flex justify-content-center align-items-center align-content-center
justify-content-sm-center justify-content-md-end justify-content-lg-end justify-content-xl-
end"><input class="form-control-sm flex-row-reverse justify-content-center align-items-
center align-content-center text-input-custom" type="search"
name="find_projects_search_input" placeholder="Search" id="find-projects-search-input"
style="margin:5px;margin-top:8px;">
        <i
            class="fa fa-search" id="find-projects-search-icon" style="font-
size:20px;"></i>
        </div>
    </div>
</div>
</div>
</div>
<div style="margin-top:40px;">
    <div class="container">
        <div class="row" style="margin-bottom:30px;">
            <%
                String sql_projects= "select * from projects";
                try{
                    ResultSet rs_projects = pd.getData(con,sql_projects);
                    while (rs_projects.next()){
                        %>
                        <div class="col-md-4" style="margin-bottom:30px;">
                            <a href="project-desc.jsp?idProjects=<%=rs_projects.getString(1)%>"
style="color:rgb(0,0,0);box-shadow:0px 0px 5px black;">
                                <div id="projects" class="find-projects-projects-window"
style="height:300px;background-image:url(&quot;assets/img/project-

```

```

img.jpg");background-position:center;background-size:cover;/*box-shadow:0px 0px
1px 3px rgba(0,0,0,0.43);*/transition-duration:.3s;">
    <div class="d-flex justify-content-center align-items-center align-content-
center" style="height:50px;background-color:rgba(0,0,0,0.47);">
        <h1 class="find-projects-projects-window-heading" style="font-
size:16px;color:rgb(255,255,255);"><%=rs_projects.getString(2)%></h1>
    </div>
    <div class="d-flex flex-column" style="background-
color:rgba(0,0,0,0);height:90px;margin-top:160px;">
        <div class="d-flex flex-column justify-content-center"
style="width:100%;height:180px;background-
color:rgba(54,54,54,0.82);color:rgb(255,255,255);margin-top:-140px;">
            <%
                String sql_projects_domains = "select domains from domains a inner
join projects b on a.iddomains = b.domain where b.idProjects = ";
                try{
                    ResultSet rs_project_domains = pd.getData(con,
sql_projects_domains + rs_projects.getString(1));
                    <%>
                    <p class="find-projects-projects-window-domains"
style="height:13px;margin-top:14px;margin-left:5px;">Domains: <%while
(rs_project_domains.next()){out.print(rs_project_domains.getString(1));%></p>
                    <%
                        }
                    }catch (Exception e){
                        System.out.println(e);
                    }
                    <%>
                    <%
                        String sql_projects_skills = "select skills from skills where idskills in
(select skills_idskills from projects_has_skills a inner join projects b on a.projects_idProjects
= b.idProjects where b.idProjects = ";
                        try{
                            ResultSet rs_projects_skills = pd.getData(con, sql_projects_skills +
rs_projects.getString(1) + ")");
                            String langs = "";
                            int index = 0;
                            while (rs_projects_skills.next()) {

                                if(index==0)

```

```

        langs = langs + rs_projects_skills.getString(1);
    else
        langs = langs + ", " + rs_projects_skills.getString(1);
    index++;
}
%>
<p class="find-projects-projects-window-languages" style="margin-left:5px;">Language: <%=langs%></p>
<%
    }catch (Exception e){
        System.out.println(e);
    }
%></div>
<div class="d-flex flex-column justify-content-center"
style="height:120px;background-color:rgba(231,231,231,0.83);width:100%;">
    <p class="find-projects-projects-window-time-duration"
style="height:11px;font-size:14px;margin-left:5px;">Time Duration:
<%=rs_projects.getString(4)%></p>
<%
    String sql_projects_posted_by = "select name from organization where
email = (select organization_email from organization_has_projects a inner join projects b on
a.projects_idProjects = b.idProjects where b.idProjects = ";
    try{
        ResultSet rs_project_posted_by = pd.getData(con,
sql_projects_posted_by + rs_projects.getString(1) + ")");
    %>
    <p class="find-projects-projects-window-posted-by"
style="height:11px;font-size:14px;margin-left:5px;">Posted By: <%while
(rs_project_posted_by.next()){out.print(rs_project_posted_by.getString(1));%></p>
    <%
        }
    }catch (Exception e){
        System.out.println(e);
    }
%><p class="find-projects-projects-window-applications"
style="height:11px;font-size:14px;margin-left:5px;">Applications:
<%=rs_projects.getString(8)%></p>
</div>
</div>
</div>

```

```

        </a>
    </div>
    <%
    }
    } catch (Exception e){
        System.out.println(e);
    }
    %>
</div>
</div>
</div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>

</html>

```

### Index.jsp

```

<%@ page import="java.sql.Connection" %>
<%@ page import="controller.GetConnection" %>
<%@ page import="controller.PutData" %>
<%@ page import="java.sql.ResultSet" %>
<!DOCTYPE html>

```



```

<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
<%
  session=request.getSession();
  Connection con = GetConnection.makeConnection();
  session.setAttribute("connection",con);
%>
  <div id="nav">
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link nav_links"
href="find-projects.jsp">FIND A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link" href="post-
project.jsp">POST A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp"><i class="icon-login" style="color:rgb(0,0,0);font-size:14px;"></i>&nbsp;<b>
LOGIN</a></li>

```

```

        <li class="nav-item" role="presentation" id="signup-item" style="margin-top:0px;"><a class="nav-link" href="signup.jsp" id="signup" style="color:rgb(0,0,0);">SIGN UP</a></li>
    </ul>
</div>
</div>
</nav>
</div>
<div style="background-image:url(&quot;assets/img/index-cover.jpg&quot;);height:500px;background-position:center;background-size:cover;background-color:#ffffff;margin-top:60px;filter:);">
    <div class="d-flex justify-content-center align-items-center align-content-center" style="background-color:rgba(0,0,0,0.62);height:500px;padding-right:110px;padding-left:110px;">
        <div class="justify-content-sm-start">
            <h2 class="text-center d-flex justify-content-center align-items-center flex-sm-shrink-1 flex-sm-fill align-content-sm-start flex-sm-nowrap" id="heading_page" style="color:rgb(255,255,255);">DIVE INTO REAL WORLD PROBLEMS TO IMPROVE YOUR SKILLS</h2>
            <div class="d-flex justify-content-center align-items-center">
                <div class="dropdown"><button class="btn btn-primary dropdown-toggle" data-toggle="dropdown" aria-expanded="false" type="button" id="drpdwn" style="width:255px;background-color:rgb(255,255,255);color:rgb(0,0,0);margin-top:10px;">WHAT'S YOUR STREAM</button>
                <div
                    class="dropdown-menu" role="menu" id="dropdown-menu">
                    <%
                        String select_domains = "select domains from domains";
                        PutData pd = new PutData();
                        try{
                            ResultSet rs = pd.getData(con, select_domains);
                            while (rs.next()){
                                <%>
                                <a class="dropdown-item" role="presentation" href="find-projects.jsp?domain=<%=rs.getString(1)%>"><%=rs.getString(1)%></a>
                                <%
                                    }
                                }catch (Exception e){
                                    System.out.println(e);
                                }
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        %>
    </div>
</div>
</div>
<div class="d-flex justify-content-center"><a class="btn btn-primary"
role="button" href="find-projects.jsp" style="margin-top:15px;width:255px;background-
color:rgb(0,0,0);"><i class="fa fa-search"></i>&nbsp;SEARCH PROJECTS</a></div>
</div>
</div>
</div>
<div class="container">
    <div class="d-flex justify-content-center" style="margin-bottom:-12px;margin-
top:4px;">
        <h2 style="margin:40px;">Domains</h2>
    </div>
</div>
<div class="d-flex justify-content-center">
    <p class="text-center" style="margin-right:15px;margin-left:15px;margin-
top:3px;margin-bottom:30px;">Nunc luctus in metus eget fringilla. Aliquam sed justo ligula.
Vestibulum nibh erat, pellentesque ut laoreet.&nbsp; </p>
</div>
<div style="margin-bottom:30px;">
    <div class="container">
        <div class="row">
            <div class="col-md-4">
                <a href="find-projects.jsp">
                    <div class="domains" style="background-color:#ff0000;height:250px;margin-
top:15px;margin-bottom:15px;background-image:url(&quot;assets/img/wd.jpg&quot;);">
                        <div class="d-flex justify-content-center align-items-center"
style="background-color:#000000;height:50px;">
                            <h4 style="color:rgb(255,255,255);">Web Development</h4>
                        </div>
                    </div>
                </a>
                <a href="find-projects.jsp">
                    <div class="domains" style="background-color:#ff0000;height:250px;margin-
top:15px;margin-bottom:15px;background-image:url(&quot;assets/img/win_d.png&quot;);">
                        <div class="d-flex justify-content-center align-items-center"
style="background-color:#000000;height:50px;">
                            <h4 style="color:rgb(255,255,255);">Windows</h4>
                        </div>
                    </div>
                </a>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</a>
</div>
<div class="col-md-4">
    <a href="find-projects.jsp">
        <div class="domains" style="background-color:#ff0000;height:250px;margin-
top:15px;margin-bottom:15px;background-image:url(&quot;assets/img/android-
development.png&quot;);">
            <div class="d-flex justify-content-center align-items-center"
style="background-color:#000000;height:50px;">
                <h4 style="color:rgb(255,255,255);">Android</h4>
            </div>
        </div>
    </a>
    <a href="find-projects.jsp">
        <div class="domains" style="background-color:#ff0000;height:250px;margin-
top:15px;margin-bottom:15px;background-image:url(&quot;assets/img/ml.jpg&quot;);">
            <div class="d-flex justify-content-center align-items-center"
style="background-color:#000000;height:50px;">
                <h4 style="color:rgb(255,255,255);">A. I.</h4>
            </div>
        </div>
    </a>
</div>
<div class="col-md-4">
    <a href="find-projects.jsp">
        <div class="domains" style="background-color:#ff0000;height:250px;margin-
top:15px;margin-bottom:15px;background-image:url(&quot;assets/img/ios.jpg&quot;);">
            <div class="d-flex justify-content-center align-items-center"
style="background-color:#000000;height:50px;">
                <h4 style="color:rgb(255,255,255);">IOS</h4>
            </div>
        </div>
    </a>
    <a href="find-projects.jsp">
        <div class="domains" style="background-
color:#8d8d8d;height:250px;margin-top:15px;margin-bottom:15px;background-
image:url(&quot;assets/img/mac.jpg&quot;);">

```



```

        </div>
    </div>
    <div class="col-md-4 col-lg-3 item">
        <div class="box" style="background-image:url(assets/img/3.jpg)">
            <div class="cover">
                <h3 class="name">Yogita Sanodiya</h3>
                <p class="title">Database Administrator</p>
                <div class="social"><a href="#"><i class="fa fa-facebook-
official"></i></a><a href="#"><i class="fa fa-twitter"></i></a><a
href="https://www.instagram.com/yogita_sanodiya/"><i class="fa fa-
instagram"></i></a></div>
            </div>
        </div>
    </div>
    <div class="col-md-4 col-lg-3 item">
        <div class="box" style="background-image:url(assets/img/4.jpg)">
            <div class="cover">
                <h3 class="name">Shreya Shreya</h3>
                <p class="title">content writer</p>
                <div class="social"><a
href="https://www.facebook.com/profile.php?id=100002804664911"><i class="fa fa-
facebook-official"></i></a><a href="#"><i class="fa fa-twitter"></i></a><a
href="https://www.instagram.com/shreya2103/"><i class="fa fa-instagram"></i></a></div>
            </div>
        </div>
    </div>
    </div>
    </div>
    <div class="footer-basic">
        <footer>
            <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-twitter"></i></a><a href="#"><i class="icon ion-social-
facebook"></i></a></div>
            <ul class="list-inline">
                <li class="list-inline-item"><a href="#">Home</a></li>
                <li class="list-inline-item"><a href="#">About</a></li>
                <li class="list-inline-item"><a href="#">Terms</a></li>
                <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
            </ul>
        </div>
    </div>

```

```

        <p class="copyright">Aplicar © 2019</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

### Login.jsp

```

<%@ page import="model.LoginServlet" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
    <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
    <link rel="stylesheet" href="assets/css/styles.css">
    <link rel="stylesheet" href="assets/css/Team-Grid.css">
    <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
    <div>
        <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean"
style="background-color:#ffffff;">
            <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
                <div class="collapse navbar-collapse"
                    id="navcol-1">

```

```

        <ul class="nav navbar-nav ml-auto">
            <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND A PROJECT</a></li>
            <li class="nav-item" role="presentation"><a class="nav-link" href="#">POST
A PROJECT</a></li>
            <li class="nav-item" role="presentation" id="signup" style="margin-
right:5px;margin-left:5px;"><a class="nav-link" href="signup.jsp" id="signup">SIGN
UP</a></li>
        </ul>
    </div>
</div>
</nav>
</div>
<div>
    <div class="container d-flex flex-grow-1 flex-shrink-1 flex-fill justify-content-center"
style="margin-top:50px;">
        <div class="row">
            <div class="col-md-12" style="margin-top:50px;">
                <div class="d-flex flex-column justify-content-center align-items-center"
style="background-color:#ffffff;height:69vh;">
                    <h2 style="color:rgb(0,0,0);margin-top:-11px;">Log in</h2>
                    <div class="d-inline-block d-flex flex-column justify-content-center align-
items-center align-self-stretch" style="padding:30px;">
                        <form class="d-flex flex-column" method="post" action="/Login"><input
class="form-control d-flex text-input-custom" type="text" name="login_email"
placeholder="Email" id="login-email" style="font-
size:16px;width:353px;height:50px;margin-top:20px;padding-left:15px;box-shadow:2px 2px
6px rgba(52,52,52,0.51);border:none;">
                            <input class="form-control text-input-custom" type="password"
name="login_password" placeholder="Password" id="login-password"
style="height:50px;width:353px;margin-top:20px;font-size:16px;padding-
left:15px;/*outline:none;*/"><select name="roll" class="form-control" style="margin-
top:20px;height:50px;"><option value="1" selected="">Volunteer</option><option
value="2">Organization</option></select><button class="btn btn-primary btnn-black"
type="submit"
                            id="login-login-btnn" style="margin-top:20px;background-
color:rgb(0,0,0);">Log in</button><a href="#" id="forgot-password-link" class="links-
custom" style="font-size:14px;margin-top:7px;">Forgot password?</a>
                        <div class="d-flex justify-content-center align-items-center align-
content-center"

```



```

        style="min-height:50px;margin:0px;margin-bottom:-83px;">
        <%
            String s = LoginServlet.s;
            String msg = LoginServlet.msg;
        %>
        <p name="details" class="<%=s%> justify-content-center align-
content-center" style="font-size:18px;color:rgb(255,0,0);margin-top:7px;margin-bottom:-
27px;"><%=msg%></p>
    </div>
</form>
</div>
</div>
<div class="d-flex flex-row justify-content-end" style="height:20vh;background-
color:#ffffff;">
    <h1 class="d-flex justify-content-center align-items-center" style="margin-
right:20px;">Don't have account!!</h1><a class="btn btn-primary flex-grow-0 justify-
content-center align-items-end align-content-center align-self-center btnn-black"
role="button" href="signup.jsp" id="login-add-account-btn" style="margin-
right:40px;height:69px;width:69px;font-size:41px;background-color:rgb(0,0,0);padding-
top:0px;"><i class="icon ion-android-add" style="font-size:36px;padding-top:-
12px;"></i></a></div>
</div>
</div>
</div>
</div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>

```

```

<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

## Org-profile.jsp

```

<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
  <div style="box-shadow:0px 0px 15px black;">
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link" href="post-
project.jsp">POST PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>

```

```

        <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false" href="#">Your
Name<span></span></a>
        <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="#">First Item</a><a class="dropdown-item" role="presentation"
href="#">Second Item</a><a class="dropdown-item" role="presentation" href="#">Third
Item</a></div>
    </li>
</ul>
</div>
</div>
</nav>
</div>
<div class="d-flex justify-content-center align-items-end" style="height:250px;margin-
top:60px;background-image:url(&quot;assets/img/edit-profile-org-
cover.jpg&quot;);background-repeat:no-repeat;background-position:center;background-
size:cover;">
    <div style="margin:-70px;"><img style="width:150px;height:150px;background-
image:url(&quot;assets/img/3.jpg&quot;);background-position:center;background-repeat:no-
repeat;background-size:contain;border-radius:100px;"></div>
</div>
<div class="d-flex flex-column justify-content-center align-items-center" style="margin-
top:73px;">
    <h3 id="org-profile-org-name" style="color:rgb(82,82,82);">Organization Name</h3>
    <p id="org-profile-org-email" style="font-size:16px;">Email:
vdud1018@gmail.com</p>
    <p id="org-profile-org-contact" style="font-size:16px;margin-top:-10px;">Contact:
+91-8109824097</p><a class="btn btn-primary" role="button" href="edit-profile-org.jsp"
id="org-profile-org-edit-profile" style="width:250px;background-color:rgb(0,0,0);">Edit
Profile</a></div>
<div class="d-flex justify-content-center align-items-center"
style="height:50px;margin-top:50px;box-shadow:0px 0px 10px 0px;">
    <h4>Projects</h4>
</div>
<div style="margin-top:50px;">
    <div class="container" style="background-color:#ffffff;border-bottom:1px solid
black;">
        <div class="row">
            <div class="col-md-12">
                <a href="project-desc.jsp" style="color:rgb(0,0,0);">

```

```

<div class="d-flex flex-column">
  <div>
    <h4 id="org-profile-org-project-heading"
style="margin:10px;">Heading</h4>
  </div>
  <div class="d-flex">
    <div><img id="org-profile-org-project-img"
style="width:150px;height:150px;background-image:url(&quot;assets/img/project-
img.jpg&quot;);background-position:center;background-size:contain;background-repeat:no-
repeat;margin:10px;"></div>
    <div
class="d-flex justify-content-center align-items-center align-content-
center">
      <p id="org-profile-org-project-desc" style="margin:10px;margin-
top:0px;font-size:16px;">consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure
      dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
deserunt mollit anim id est laborum.</p>
    </div>
  </div>
  <div class="d-flex justify-content-end">
    <a href="post-project.jsp">
      <p id="org-profile-org-project-edit"><i class="icon ion-android-create"
style="margin:10px;font-size:19px;color:rgb(0,128,255);"></i></p>
    </a>
    <a href="#">
      <p id="org-profile-org-project-remove"><i class="icon ion-android-
delete" style="margin:10px;font-size:20px;color:rgb(255,84,84);"></i></p>
    </a>
    <a href="#" style="color:rgb(0,0,0);">
      <p id="org-profile-org-projects-applications" style="font-
size:20px;margin-left:10px;">Applications:&nbsp;</p>
    </a>
  </div>
</div>
</a>
</div>
</div>

```

```

</div>
<div class="container" style="background-color:#ffffff;border-bottom: 1px solid black;">
  <div class="row">
    <div class="col-md-12">
      <a href="project-desc.jsp" style="color:rgb(0,0,0);">
        <div class="d-flex flex-column">
          <div>
            <h4 id="org-profile-org-project-heading"
style="margin:10px;">Heading</h4>
          </div>
          <div class="d-flex">
            <div><img id="org-profile-org-project-img"
style="width:150px;height:150px;background-image:url(&quot;assets/img/project-
img.jpg&quot;);background-position:center;background-size:contain;background-repeat:no-
repeat;margin:10px;"></div>
            <div
              class="d-flex justify-content-center align-items-center align-content-
center">
                <p id="org-profile-org-project-desc" style="margin:10px;margin-
top:0px;font-size:16px;">consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure
                dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
deserunt mollit anim id est laborum.</p>
              </div>
            </div>
          <div class="d-flex justify-content-end">
            <a href="#">
              <p id="org-profile-org-project-edit"><i class="icon ion-android-create"
style="margin:10px;font-size:19px;color:rgb(0,128,255);"></i></p>
            </a>
            <a href="#">
              <p id="org-profile-org-project-remove"><i class="icon ion-android-delete"
style="margin:10px;font-size:20px;color:rgb(255,84,84);"></i></p>
            </a>
            <a href="#" style="color:rgb(0,0,0);">
              <p id="org-profile-org-projects-applications" style="font-size:20px;margin-
left:10px;">Applications: &nbsp;</p>
            </a>
          </div>
        </div>
      </a>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
</a>
</div>
</div>
</div>
<div class="container" style="background-color:#ffffff;border-bottom: 1px solid black;">
    <div class="row">
        <div class="col-md-12">
            <a href="project-desc.jsp" style="color:rgb(0,0,0);">
                <div class="d-flex flex-column">
                    <div>
                        <h4 id="org-profile-org-project-heading"
style="margin:10px;">Heading</h4>
                    </div>
                    <div class="d-flex">
                        <div><img id="org-profile-org-project-img"
style="width:150px;height:150px;background-image:url(&quot;assets/img/project-
img.jpg&quot;);background-position:center;background-size:contain;background-repeat:no-
repeat;margin:10px;"></div>
                        <div
class="d-flex justify-content-center align-items-center align-content-
center">
                            <p id="org-profile-org-project-desc" style="margin:10px;margin-
top:0px;font-size:16px;">consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure
                            dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
deserunt mollit anim id est laborum.</p>
                        </div>
                    </div>
                </div>
            </div>
        <div class="d-flex justify-content-end">
            <a href="#">
                <p id="org-profile-org-project-edit"><i class="icon ion-android-create"
style="margin:10px;font-size:19px;color:rgb(0,128,255);"></i></p>
            </a>
            <a href="#">
                <p id="org-profile-org-project-remove"><i class="icon ion-android-delete"
style="margin:10px;font-size:20px;color:rgb(255,84,84);"></i></p>
            </a>
        </div>
    </div>

```

```

        </a>
        <a href="#" style="color:rgb(0,0,0);">
            <p id="org-profile-org-projects-applications" style="font-size:20px;margin-left:10px;">Applications:&nbsp;</p>
        </a>
    </div>
</div>
</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="d-flex justify-content-center"><button class="btn btn-primary" type="button" id="org-profile-add-new-project-btn" style="background-color:rgb(0,0,0);padding:30px;padding-right:50px;padding-left:50px;margin-top:20px;margin-bottom:26px;">Add New Project</button></div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

## Post-projects.jsp

```

<!DOCTYPE html>
<html>

```

```

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
  <div style="box-shadow:0px 0px 15px black;">
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container-fluid"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>
          <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false" href="#">Your
Name<span></span></a>
            <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="#">First Item</a><a class="dropdown-item" role="presentation"
href="#">Second Item</a><a class="dropdown-item" role="presentation" href="#">Third
Item</a></div>
          </li>
        </ul>
      </div>
    </div>
  </nav>

```



```

</div>
<div style="background-image:url(&quot;assets/img/post-project-
cover.jpg&quot;);height:250px;margin-top:60px;background-position:center;background-
repeat:no-repeat;background-size:cover;"></div>
<div class="d-flex flex-column justify-content-center align-items-center"
style="height:50px;background-color:#ffffff;box-shadow:0px 0px 10px 0px;margin-
bottom:30px;">
  <h1 style="font-size:21px;margin-top:2px;">Project details</h1>
</div>
<div>
  <div class="container">
    <div class="row">
      <div class="col-md-6 d-flex flex-column justify-content-center">
        <div class="d-flex flex-row justify-content-center"><input class="form-control-
sm text-input-custom" type="text" name="post_project_title" placeholder="Title" id="post-
project-title" style="height:36px;margin-top:20px;border-radius:0px;width:100%;font-
size:14px;margin-right:10px;margin-left:10px;">
          <input
            class="form-control-sm text-input-custom" type="text"
name="post_project_sub_title" placeholder="Sub title" id="post-project-sub-title"
style="height:36px;margin-top:20px;border-radius:0px;width:100%;font-size:14px;margin-
right:10px;margin-left:10px;"></div>
        <div class="d-flex flex-row justify-content-center">
          <div class="dropdown dropdown-custom" id="post-project-time-duration"
style="margin-left:10px;margin-right:10px;"><button class="btn btn-primary dropdown-
toggle" data-toggle="dropdown" aria-expanded="false" type="button" style="background-
color:rgb(255,255,255);color:rgb(0,0,0);margin-top:20px;">Time Duration&nbsp;</button>
          <div class="dropdown-menu"
            role="menu"><a class="dropdown-item" role="presentation"
href="#">First Item</a><a class="dropdown-item" role="presentation" href="#">Second
Item</a><a class="dropdown-item" role="presentation" href="#">Third Item</a></div>
          </div>
          <div class="dropdown dropdown-custom" id="post-project-domain"
style="margin-left:10px;margin-right:10px;"><button class="btn btn-primary dropdown-
toggle" data-toggle="dropdown" aria-expanded="false" type="button" style="background-
color:rgb(255,255,255);color:rgb(0,0,0);margin-top:20px;">Doamain&nbsp;</button>
          <div class="dropdown-menu"
            role="menu"><a class="dropdown-item" role="presentation"
href="#">First Item</a><a class="dropdown-item" role="presentation" href="#">Second
Item</a><a class="dropdown-item" role="presentation" href="#">Third Item</a></div>

```

```

    </div>
    <div class="dropdown dropdown-custom" id="post-project-language"
style="margin-left:10px;margin-right:10px;"><button class="btn btn-primary dropdown-
toggle" data-toggle="dropdown" aria-expanded="false" type="button" style="background-
color:rgb(255,255,255);color:rgb(0,0,0);margin-top:20px;">Language&nbsp;</button>
    <div class="dropdown-menu"
        role="menu"><a class="dropdown-item" role="presentation"
href="#">First Item</a><a class="dropdown-item" role="presentation" href="#">Second
Item</a><a class="dropdown-item" role="presentation" href="#">Third Item</a></div>
    </div>
</div>
<div class="col-md-6 d-flex flex-row justify-content-center align-items-stretch
align-content-stretch">
    <div class="d-flex flex-column justify-content-center align-items-center align-
content-center" style="width:100%;"><textarea spellcheck="false"
name="post_project_project_desc" placeholder="Description" id="post-project-project-desc"
class="text-area-custom" style="margin-top:20px;width:100%;margin-right:10px;margin-
left:10px;font-size:14px;height:91px;padding:20px;padding-top:20px;padding-
right:20px;padding-bottom:20px;padding-left:20px;border-radius:0px;"></textarea></div>
    </div>
</div>
<div class="d-flex flex-column justify-content-center align-items-center"
style="height:50px;background-color:#f5f5f5;box-shadow:0px 0px 10px 0px;margin-
top:60px;margin-bottom:20px;">
    <h1 style="font-size:21px;margin-top:2px;">Project Requirements</h1>
</div>
<div>
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="d-flex flex-column justify-content-center"><input class="form-
control-sm text-input-custom" type="text" name="post_project_project_requirements_title"
placeholder="Title" id="post-project-project-requirements-title" style="height:36px;margin-
top:20px;border-radius:0px;width:100%;font-size:14px;border-radius:0px;">
                <textarea
                    spellcheck="false" name="post_project_project_requirements_desc"
placeholder="Description" id="post-project-project-requirements-desc" class="text-area-

```

```
custom" style="margin-top:20px;width:100%;margin-right:0px;margin-left:0px;font-
size:14px;height:91px;padding:20px;padding-top:20px;box-shadow:2px 2px 6px
rgba(52,52,52,0.51);padding-right:20px;padding-bottom:20px;padding-left:20px;border-
radius:0px;"></textarea><button class="btn btn-primary btnn-black" type="button" id="post-
project-project-requirements-add-field-btn" style="margin-top:20px;background-
color:rgb(0,0,0);"><i class="icon ion-android-add" style="font-
size:20px;"></i></button></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="d-flex flex-column justify-content-center align-items-center"
style="height:50px;background-color:#ececcec;box-shadow:0px 0px 10px 0px;margin-
top:60px;margin-bottom:30px;">
```

```
<h1 style="font-size:21px;margin-top:2px;">Project Tasks</h1>
```

```
</div>
```

```
</div>
```

```
<div>
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-md-12">
```

```
<div class="d-flex flex-column justify-content-center"><input class="form-
control-sm text-input-custom" type="text" name="post_project_project_task_title"
placeholder="Title" id="post-project-project-task-title" style="height:36px;margin-
top:20px;border-radius:0px;width:100%;font-size:14px;">
```

```
<textarea
```

```
spellcheck="false" name="post_project_project_task_desc"
```

```
placeholder="Description" id="post-project-project-task-desc" class="text-area-custom"
```

```
style="margin-top:20px;width:100%;margin-right:0px;margin-left:0px;font-
```

```
size:14px;height:91px;padding:20px;padding-top:20px;padding-right:20px;padding-
```

```
bottom:20px;padding-left:20px;border-radius:0px;margin-bottom:41px;box-shadow:2px 2px
```

```
6px rgba(52,52,52,0.51);"></textarea><button class="btn btn-primary btnn-black"
```

```
type="button" id="post-project-project-task-add-field" style="margin-top:20px;background-
color:rgb(0,0,0);"><i class="icon ion-android-add" style="font-
```

```
size:20px;"></i></button></div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div style="margin-top:50px;">
```

```
<div class="container">
```

```

<div class="row">
  <div class="col-md-6">
    <a href="#" style="color:rgb(0,0,0);text-decoration:none;">
      <div class="d-flex flex-column justify-content-center align-items-center align-
content-center"><i class="material-icons" style="font-
size:120px;">format_list_numbered</i>
      <p style="font-size:22px;">Upload project plan (if available)</p>
    </div>
  </a>
</div>
<div class="col-md-6">
  <a href="#" style="color:rgb(0,0,0);text-decoration:none;">
    <div class="d-flex flex-column justify-content-center align-items-center align-
content-center"><i class="material-icons" style="font-size:120px;">cloud_upload</i>
    <p style="font-size:22px;">Upload other media files</p>
  </div>
</a>
</div>
</div>
</div>
</div>
<div>
  <div class="container">
    <div class="row">
      <div class="col-md-12" style="margin-top:40px;">
        <div class="d-flex justify-content-center"><button class="btn btn-primary btnn-
black" type="button" id="post-project-project-upload" style="background-
color:rgb(0,0,0);width:60%;margin-bottom:70px;">Upload</button></div>
      </div>
    </div>
  </div>
</div>
<div class="footer-basic">
  <footer>
    <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
    <ul class="list-inline">
      <li class="list-inline-item"><a href="#">Home</a></li>
      <li class="list-inline-item"><a href="#">Services</a></li>

```

```

        <li class="list-inline-item"><a href="#">About</a></li>
        <li class="list-inline-item"><a href="#">Terms</a></li>
        <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
    </ul>
    <p class="copyright">Company Name © 2017</p>
</footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

## Profile-volunteer.jsp

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
    <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
    <link rel="stylesheet" href="assets/css/styles.css">
    <link rel="stylesheet" href="assets/css/Team-Grid.css">
    <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
    <div style="box-shadow:0px 0px 15px black;">
        <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
            <div class="container"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
            <div class="collapse navbar-collapse">

```

```

        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
            <li class="nav-item" role="presentation"><a class="nav-link" href="#">FIND
PROJECTS</a></li>
            <li class="nav-item" role="presentation"><a class="nav-link"
href="#">ABOUT</a></li>
            <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false" href="#">Your
Name&nbsp;</a>
                <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="#">First Item</a><a class="dropdown-item" role="presentation"
href="#">Second Item</a><a class="dropdown-item" role="presentation" href="#">Third
Item</a></div>
            </li>
        </ul>
    </div>
</div>
</nav>
</div>
<div id="div-bg" style="background-color:#ffffff;height:250px;margin-
top:60px;background-image:url(&quot;assets/img/profile-volunteer-
cover.jpg&quot;);"></div>
<div>
    <div class="container-fluid">
        <div class="row" id="strip-pro-pic">
            <div class="col-md-6">
                <div class="d-flex justify-content-center justify-content-md-start justify-content-
lg-start justify-content-xl-start" style="height:50px;">
                    <div class="d-flex" id="div-pro-pic" style="background-
image:url(&quot;2018-01-01-16-37-10-757.jpg&quot;);height:115px;margin-top:-
100px;"></div>
                </div>
            </div>
            <div class="col-3">
                <div class="d-none d-sm-none d-md-block" id="score-div" style="margin-
right:30px;">
                    <p class="d-flex justify-content-center align-items-center align-content-
center" style="font-size:15px;margin-bottom:0px;margin-top:12px;">Projects:</p>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-3">
            <div class="d-none d-sm-none d-md-block" id="score-div" style="margin-
right:30px;">
                <p class="d-flex justify-content-center align-items-center align-content-
center" style="font-size:15px;margin-bottom:0px;margin-top:12px;">Score:</p>
            </div>
        </div>
    </div>
</div>
<div style="margin-top:80px;">
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <div class="d-flex flex-column"><input class="form-control-lg justify-content-
end align-items-end align-content-center details text-input-custom" type="text"
name="profile_volunteer_name" disabled="" placeholder="Name" id="profile-volunteer-
name" style="margin:10px;background-color:rgb(255,255,255);font-size:16px;">
                    <input
                        class="form-control-lg details text-input-custom" type="text"
name="profile_volunteer_email" disabled="" placeholder="Email" id="profile-volunteer-
email" style="margin:10px;background-color:rgb(255,255,255);font-size:16px;"><input
class="form-control-lg details text-input-custom" type="text"
name="profile_volunteer_score" disabled="" placeholder="Score" id="profile-volunteer-
score" style="margin:10px;background-color:rgb(255,255,255);font-size:16px;">
                        <a
                            class="btn btn-primary btn-lg btnn-black" role="button" href="edit-
profile-volunteer.jsp" id="profile-volunteer-edit-profile-btn"
style="margin:11px;background-color:rgb(0,0,0);padding-right:17px;padding-left:17px;font-
size:16px;">Edit Profile</a>
                    </div>
                </div>
            <div class="col-md-6">
                <div class="d-flex flex-column justify-content-center" style="margin-
top:10px;">
                    <h4 style="font-size:20px;">Skills</h4>
                    <div class="d-flex flex-row flex-wrap">
                        <div class="form-check" style="margin:10px;margin-left:0px;"><input
class="form-check-input" type="checkbox" id="formCheck-1 "
style="height:20px;width:20px;margin-right:12px;background-

```

```

color:rgba(255,18,18,0);"><label class="form-check-label" for="formCheck-1"
style="margin-left:8px;margin-top:2px;font-size:16px;">Label</label></div>
    </div>
  </div>
</div>
</div>
</div>
</div>
<div class="d-flex flex-row justify-content-center align-items-center align-content-center
align-self-center" id="divider" style="height:50px;margin-top:60px;margin-bottom:50px;">
  <p style="margin-top:12px;font-size:17px;">On going projects</p>
</div>
<div style="margin-top:50px;">
  <div class="container" style="background-color:#ffffff;border-bottom:1px solid
black;">
    <div class="row">
      <div class="col-md-12">
        <a href="project-desc.jsp" style="color:rgb(0,0,0);">
          <div class="d-flex flex-column">
            <div>
              <h4 id="org-profile-org-project-heading"
style="margin:10px;">Heading</h4>
            </div>
            <div class="d-flex">
              <div><img id="org-profile-org-project-img"
style="width:150px;height:150px;background-image:url(&quot;assets/img/project-
img.jpg&quot;);background-position:center;background-size:contain;background-repeat:no-
repeat;margin:10px;"></div>
              <div
class="d-flex justify-content-center align-items-center align-content-
center">
                <p id="org-profile-org-project-desc" style="margin:10px;margin-
top:0px;font-size:16px;">consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure
                dolor in eprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia
deserunt mollit anim id est laborum.</p>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```





```

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
<%
  session = request.getSession();
  int project_id = Integer.parseInt(request.getParameter("idProjects"));
  String name = (String)session.getAttribute("name");
  Connection con = (Connection) session.getAttribute("connection");
  String getProjects = "select * from projects where idProjects = " + project_id;
  PutData pd = new PutData();
  try{
    ResultSet rs = pd.getData(con, getProjects);
    while (rs.next()){
      %>
<div style="box-shadow:0px 0px 15px black;">
  <%if (name != null){ %>
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container-fluid"><a class="navbar-brand" href="#">Aplicar</a><button
class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-
only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">

```

```

        <li class="dropdown"><a class="dropdown-toggle nav-link text-uppercase
dropdown-toggle" data-toggle="dropdown" aria-expanded="false"
href="#"><%=name%>&nbsp;</a>
        <div class="dropdown-menu" role="menu"><a class="dropdown-item"
role="presentation" href="#">Log out</a><a class="dropdown-item" role="presentation"
href="#">Edit profile</a></div>
    </li>
</ul>
</div>
</div>
</nav>
<%>else{ %>
<nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
    <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
    <div class="collapse navbar-collapse"
id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
            <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp"><i class="icon-login" style="color:rgb(0,0,0);font-size:14px;"></i>&nbsp;<b>
LOGIN</a></li>
            <li class="nav-item" role="presentation" id="signup-item" style="margin-
top:0px;"><a class="nav-link" href="signup.jsp" id="signup"
style="color:rgb(0,0,0);">SIGN UP</a></li>
        </ul>
    </div>
</div>
</nav>
<%}%>
</div>
<div style="margin-top:60px;height:250px;background-
image:url(&quot;assets/img/project-desc-cover.jpg&quot;);background-
position:center;background-repeat:no-repeat;background-size:cover;"></div>
<div class="d-flex flex-row align-items-center align-content-center flex-nowrap order-12"
style="height:50px;box-shadow:0px 0px 10px 0px rgba(0,0,0,0.5);z-index:10;">
    <div class="col-4 offset-sm-0 offset-lg-0">
        <h5 class="text-right" id="project-desc-project-name"><%=rs.getString(2)%></h5>
    </div>

```

```

<div class="col-8 offset-sm-0 offset-lg-0">
    <p id="project-desc-project-sub-title" style="margin-
top:11px;"><%=rs.getString(3)%></p>
</div>
</div>
<div style="margin-top:0px;/*border-bottom:1px solid black;*/background-
color:#f2f2f2;margin-bottom:0px;">
    <div class="container">
        <div class="row">
            <div class="col-md-12" style="margin-top:30px;margin-bottom:30px;">
                <div class="d-flex flex-column">
                    <div class="d-flex flex-row">
                        <div><img id="project-desc-project-img" style="background-
image:url(&quot;assets/img/project-img.jpg&quot;);width:160px;height:160px;background-
position:center;background-repeat:no-repeat;background-size:contain;"></div>
                        <div>
                            <p id="project-desc-project-desc"
style="margin:15px;"><%=rs.getString(6)%></p>
                        </div>
                    </div>
                    <div class="d-flex" style="margin-bottom:-10px;">
                        <%
                            String sql_projects_skills = "select skills from skills where idskills in
(select skills_idskills from projects_has_skills a inner join projects b on a.projects_idProjects
= b.idProjects where b.idProjects = ";
                            try{
                                ResultSet rs_projects_skills = pd.getData(con, sql_projects_skills +
rs.getString(1) + ")");
                                String langs = "";
                                int index = 0;
                                while (rs_projects_skills.next()) {

                                    if(index==0)
                                        langs = langs + rs_projects_skills.getString(1);
                                    else
                                        langs = langs + ", " + rs_projects_skills.getString(1);
                                    index++;
                                }
                                %>

```

```

        <p id="project-desc-project-languages" style="margin-
right:5px;">Languages: <%=langs%></p></div>
    <%
    } catch (Exception e){
        System.out.println(e);
    }
    %>
    <div class="d-flex" style="margin-bottom:-10px;">
    <%
        String sql_projects_domains = "select domains from domains a inner join
projects b on a.iddomains = b.domain where b.idProjects = ";
        try{
            ResultSet rs_project_domains = pd.getData(con, sql_projects_domains
+ rs.getString(1));
            %>
            <p id="project-desc-project-languages" style="margin-
right:5px;">Domains: <%while
(rs_project_domains.next()){out.print(rs_project_domains.getString(1));%></p></div>
            <%
            }
            } catch (Exception e){
                System.out.println(e);
            }
            %>
            <div class="d-flex" style="margin-bottom:-10px;">
                <p id="project-desc-project-languages" style="margin-right:5px;">Time
Duration: <%=rs.getString(4)%></p></div>
                <div class="d-flex flex-row justify-content-end">
                <%
                    String sql_projects_posted_by = "select name from organization where
email = (select organization_email from organization_has_projects a inner join projects b on
a.projects_idProjects = b.idProjects where b.idProjects = ";
                    try{
                        ResultSet rs_project_posted_by = pd.getData(con,
sql_projects_posted_by + rs.getString(1) + ")");
                        %>
                        <p id="project-desc-project-posted-by" style="margin-top:0px;margin-
right:5px;">Posted By: </p><a href="#"><%while
(rs_project_posted_by.next()){out.print(rs_project_posted_by.getString(1));%></a></div>
                        <%

```

```

    }
    }catch (Exception e){
        System.out.println(e);
    }
    %>
</div>
</div>
</div>
</div>
</div>
<div class="d-flex flex-row justify-content-center align-items-center align-content-center
flex-nowrap order-12" style="height:50px;box-shadow:0px 0px 10px 0px rgba(0,0,0,0.5);z-
index:10;margin-bottom:20px;">
    <h5 class="text-right">Project tasks</h5>
</div>
<div>
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div style="margin-top:20px;">
                    <h4 id="project-desc-project-task">Task 1: Lorem Ipsum</h4>
                    <p id="project-desc-project-task-desc">Lorem ipsum dolor sit amet,
consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna
aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco aboris isi ut aliquip ex ea
commodo consequat.
                Duis aute irure dolor in reprehenderit in voluptate velit ssecillum dolore eu
fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in ulpa qui officia
deserunt mollit anim id est laborum. </p>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="d-flex flex-row justify-content-center align-items-center align-content-center
flex-nowrap order-12" style="height:50px;box-shadow:0px 0px 10px 0px rgba(0,0,0,0.5);z-
index:10;margin-bottom:20px;margin-top:30px;">
    <h5 class="text-right">Project requierments</h5>
</div>
<div>
    <div class="container">

```

```

<div class="row">
  <div class="col-md-12">
    <div style="margin-top:20px;">
      <h4 id="project-desc-project-requirement">Requirement 1: Lorem
Ipsum</h4>
      <p id="project-desc-project-requirement-desc">Lorem ipsum dolor sit amet,
consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna
aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco aboris isi ut aliquip ex ea
commodo consequat.

      Duis aute irure dolor in reprehenderit in voluptate velit ssecillum dolore eu
fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in ulpa qui officia
deserunt mollit anim id est laborum. </p>
    </div>
  </div>
</div>
</div>
</div>
<div style="margin-top:15px;">
  <div class="container">
    <div class="row">
      <div class="col-md-6">
        <div><a class="btn btn-primary btn-lg btnn-black" role="button" href="#"
id="project-desc-project-download-project-plan-btn" style="width:100%;background-
color:rgb(0,0,0);margin-top:15px;">Download Project Plan</a></div>
      </div>
      <div class="col-md-6">
        <div><a class="btn btn-primary btn-lg btnn-black" role="button" href="#"
id="project-desc-project-download-project-media-files-btn" style="width:100%;background-
color:rgb(0,0,0);margin-top:15px;">Download Project Media Files</a></div>
      </div>
    </div>
  </div>
</div>
<div style="margin-top:15px;">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div><a class="btn btn-primary btn-lg btnn-black" role="button" href="#"
id="project-desc-project-apply-for-the-project-btn" style="width:100%;background-
color:rgb(0,0,0);">Apply for the project</a></div>
      </div>
    </div>
  </div>
</div>

```

```

        </div>
    </div>
</div>
</div>
<div style="margin-top:15px;">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div><a class="btn btn-primary btn-lg btnn-black" role="button" href="#"
id="project-desc-project-upload-completed-project" style="width:100%;background-
color:rgb(0,0,0);margin-bottom:40px;">Upload completed project</a></div>
            </div>
        </div>
    </div>
</div>
<%
    }
} catch (Exception e){
    System.out.println(e);
}
%>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>

```



</html>

## Signup.jsp

<!DOCTYPE html>

<html>

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Aplicar</title>

<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">

<link rel="stylesheet" href="assets/fonts/font-awesome.min.css">

<link rel="stylesheet" href="assets/fonts/ionicons.min.css">

<link rel="stylesheet" href="assets/fonts/material-icons.min.css">

<link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">

<link rel="stylesheet" href="assets/css/Footer-Basic.css">

<link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">

<link rel="stylesheet" href="assets/css/Navigation-Clean.css">

<link rel="stylesheet" href="assets/css/Navigation-with-Search.css">

<link rel="stylesheet" href="assets/css/styles.css">

<link rel="stylesheet" href="assets/css/Team-Grid.css">

<link rel="stylesheet" href="assets/css/textarea.css">

</head>

<body>

<div>

<nav class="navbar navbar-light navbar-expand-md navigation-clean">

<div class="container-fluid"><a class="navbar-brand" href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-toggler-icon"></span></button>

<div class="collapse navbar-collapse">

id="navcol-1">

<ul class="nav navbar-nav ml-auto">

<li class="nav-item" role="presentation"><a class="nav-link" href="find-projects.jsp">FIND A PROJECT</a></li>

<li class="nav-item" role="presentation"><a class="nav-link" href="#">POST A PROJECT</a></li>

```

        <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp">LOG IN</a></li>
    </ul>
</div>
</div>
</nav>
</div>
<div>
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="d-flex flex-column justify-content-center align-items-center">
                    <h1 style="margin-top:30px;">Create an account</h1>
                    <p style="font-size:24px;margin-top:10px;">Which type of account would
you like?</p>
                </div>
            </div>
        </div>
        <div>
            <div class="row">
                <div class="col-md-6">
                    <a class="d-flex flex-column flex-grow-1 justify-content-center links"
href="signup-volunteer.jsp" style="color:rgb(0,0,0);margin-top:90px;">
                        <div class="d-flex flex-column flex-grow-1 flex-fill justify-content-center
align-items-center align-content-center options" style="height:300px;margin-top:0px;margin-
bottom:-60px;">
                            <h2 style="margin-top:35px;">Volunteer</h2>
                            <p class="d-flex flex-grow-1 flex-fill" style="font-size:14px;">I am looking
opportunity to volunteering.</p>
                        </div>
                    </a>
                </div>
            </div>
            <div class="col-md-6">
                <a class="d-flex flex-column flex-grow-1 justify-content-center links"
href="signup-orgs.jsp" style="color:rgb(0,0,0);margin-top:90px;">
                    <div class="d-flex flex-column flex-grow-1 flex-fill justify-content-center
align-items-center align-content-center options" style="height:300px;margin-top:0px;margin-
bottom:40px;">
                        <h2 style="margin-top:35px;">Organization</h2>

```

```

        <p class="d-flex flex-grow-1 flex-fill" style="font-size:14px;">My
organization is looking for volunteers.</p>
    </div>
</a>
</div>
</div>
</div>
</div>
</div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

## Signup-orgs.jsp

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Aplicar</title>
<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
<link rel="stylesheet" href="assets/fonts/ionicons.min.css">
<link rel="stylesheet" href="assets/fonts/material-icons.min.css">
<link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
<link rel="stylesheet" href="assets/css/Footer-Basic.css">
<link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
<link rel="stylesheet" href="assets/css/Navigation-Clean.css">
<link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/Team-Grid.css">
<link rel="stylesheet" href="assets/css/textarea.css">
</head>
<body>
  <div>
    <nav class="navbar navbar-light navbar-expand-md navigation-clean">
      <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
      id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link" href="#">POST
A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp">LOG IN</a></li>
        </ul>
      </div>
    </div>
  </nav>
</div>
<div class="d-flex justify-content-center align-items-center" style="margin-
top:45px;margin-bottom:75px;">
  <h1>Sign Up</h1>
</div>

```

```

<div>
  <div class="container">
    <div class="row d-flex flex-column justify-content-center">
      <div class="col-md-12">
        <div class="d-flex justify-content-center align-items-center">
          <form class="d-flex flex-column" action="/orgsignup_next" method="post">
            <input class="form-control d-flex text-input-custom" type="text"
name="signup_orgs_organization_name" required="" placeholder="Organization Name"
id="signup-orgs-organization-name" style="font-size:16px;width:353px;height:50px;margin-
top:20px;padding-left:15px;box-shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
            <input class="form-control d-flex text-input-custom" type="text"
name="signup_orgs_organization_email" required="" placeholder="Email" id="signup-orgs-
organization-email" style="font-size:16px;width:353px;height:50px;margin-
top:20px;padding-left:15px;box-shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
            <input class="form-control text-input-custom" type="password"
name="signup_orgs_organization_password" required="" placeholder="Password"
id="signup-orgs-organization-password" style="height:50px;width:353px;margin-
top:20px;font-size:16px;padding-left:15px;/*outline:none;*/">
            <input class="form-control text-input-custom" type="password"
name="signup_orgs_organization_confirm-password" required="" placeholder="Confirm
Password" id="signup-orgs-organization-confirm-password"
style="height:50px;width:353px;margin-top:20px;font-size:16px;padding-
left:15px;/*outline:none;*/">
            <input type="hidden" value="0" name="form_no">
            <input type="submit" class="btn btn-primary btnn-black" value="Next"
id="signup-orgs-organization-next-btn" style="margin-top:20px;background-
color:rgb(0,0,0);">
          <div class="d-flex justify-content-center"><a class="justify-content-
center align-items-center align-content-center links-custom" href="#" id="signup-orgs-
organization-terms-and-conditions" style="font-size:14px;margin-top:7px;">Terms and
conditions</a></div>
        </form>
      </div>
    </div>
  </div>
</div>
<div class="footer-basic">
  <footer>

```

```

        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>
</html>

```

## Signup-orgs-1.jsp

```

<!DOCTYPE html>
<html>

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Aplicar</title>
    <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
    <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
    <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
    <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
    <link rel="stylesheet" href="assets/css/Footer-Basic.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
    <link rel="stylesheet" href="assets/css/Navigation-Clean.css">

```

```

<link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
<link rel="stylesheet" href="assets/css/styles.css">
<link rel="stylesheet" href="assets/css/Team-Grid.css">
<link rel="stylesheet" href="assets/css/textarea.css">
</head>

<body>
  <div>
    <nav class="navbar navbar-light navbar-expand-md navigation-clean">
      <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
        id="navcol-1">
        <ul class="nav navbar-nav ml-auto">
          <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link" href="#">POST
A PROJECT</a></li>
          <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp">LOG IN</a></li>
        </ul>
      </div>
    </div>
  </nav>
</div>
  <div class="d-flex justify-content-center align-items-center" style="margin-
top:45px;margin-bottom:75px;">
    <h1>Sign Up</h1>
  </div>
  <div>
    <div class="container">
      <div class="row d-flex flex-column justify-content-center">
        <div class="col-md-12">
          <div class="d-flex justify-content-center align-items-center">
            <form class="d-flex flex-column" method="post" action="/orgsignup_next">
              <input class="form-control d-flex text-input-custom" type="text"
name="signup_orgs_1_web_site" placeholder="Web Site" id="signup-orgs-1-web-site"

```

```

style="font-size:16px;width:353px;height:50px;margin-top:20px;padding-left:15px;box-
shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
    <input class="form-control d-flex text-input-custom" type="text"
name="signup_orgs_1_contact_number" required="" placeholder="Contact Number"
id="signup-orgs-1-contact-number" style="font-size:16px;width:353px;height:50px;margin-
top:20px;padding-left:15px;box-shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
    <input class="form-control text-input-custom" type="password"
name="signup_orgs_1_city" required="" placeholder="City" id="signup-orgs-1-city"
style="height:50px;width:353px;margin-top:20px;font-size:16px;padding-
left:15px;/*outline:none;*/">
    <input class="form-control text-input-custom" type="password"
name="signup_orgs_1_country" required="" placeholder="Country" id="signup-orgs-1-
country" style="height:50px;width:353px;margin-top:20px;font-size:16px;padding-
left:15px;/*outline:none;*/">
    <input class="btn btn-primary btnn-black" value="Next" id="signup-orgs-1-
next-btn" style="margin-top:20px;background-color:rgb(0,0,0);">
    <input type="hidden" name="form_no">
    <div class="d-flex justify-content-center"><a class="justify-content-
center align-items-center align-content-center" href="#" style="font-size:14px;margin-
top:7px;">Terms and conditions</a></div>
</form>
</div>
</div>
</div>
</div>
</div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>

```



```

</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>

</html>

```

## Signup-orgs-2.jsp

```

<!DOCTYPE html>
<html>

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>

<body>
  <div>
    <nav class="navbar navbar-light navbar-expand-md navigation-clean">
      <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
id="navcol-1">

```

```

        <ul class="nav navbar-nav ml-auto">
            <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND A PROJECT</a></li>
            <li class="nav-item" role="presentation"><a class="nav-link" href="#">POST
A PROJECT</a></li>
            <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp">LOG IN</a></li>
        </ul>
    </div>
</div>
</nav>
</div>
<div class="d-flex justify-content-center align-items-center" style="margin-
top:45px;margin-bottom:75px;">
    <h1>Sign Up</h1>
</div>
<div>
    <div class="container">
        <div class="row d-flex flex-column justify-content-center">
            <div class="col-md-12">
                <div class="d-flex justify-content-center align-items-center">
                    <form class="d-flex flex-column">
                        <div class="dropdown dropdown-custom" id="signup-orgs-2-
domains"><button class="btn btn-primary dropdown-toggle d-flex flex-row justify-content-
between align-items-center" data-toggle="dropdown" aria-expanded="false" type="button"
style="width:353px;margin-top:20px;background-
color:rgb(255,255,255);color:rgb(114,114,114);height:50px;">Domains</button>
                            <div
                                class="dropdown-menu" role="menu" style="width:353px;"><a
class="dropdown-item" role="presentation" href="#">First Item</a><a class="dropdown-
item" role="presentation" href="#">Second Item</a><a class="dropdown-item"
role="presentation" href="#">Third Item</a></div>
                            </div>
                        <div class="dropdown dropdown-custom" id="signup-orgs-2-domains"><button
class="btn btn-primary dropdown-toggle d-flex flex-row justify-content-between align-items-
center" data-toggle="dropdown" aria-expanded="false" type="button"
style="width:353px;margin-top:20px;background-
color:rgb(255,255,255);color:rgb(114,114,114);height:50px;">Type &nbsp;  </button>
                            <div

```

```

        class="dropdown-menu" role="menu" style="width:353px;"><a
class="dropdown-item" role="presentation" href="#">First Item</a><a class="dropdown-
item" role="presentation" href="#">Second Item</a><a class="dropdown-item"
role="presentation" href="#">Third Item</a></div>
    </div>
    <div class="d-flex flex-column justify-content-center align-items-center align-
content-center" style="width:100%;"><textarea class="form-control text-area-custom"
spellcheck="false" name="signup_orgs_2_organization_mission" placeholder="Organization
Mission" id="signup_orgs_2_organization-mission" style="margin-
top:20px;width:100%;margin-right:10px;margin-left:10px;font-
size:14px;height:91px;padding:20px;padding-top:20px;padding-right:20px;padding-
bottom:20px;padding-left:20px;border-radius:0px;"></textarea></div>
    <button
class="btn btn-primary btnn-black" type="submit" id="signup-orgs-2-sign-up"
style="margin-top:20px;background-color:rgb(0,0,0);">Sign Up</button>
    <div class="d-flex justify-content-center"><a class="justify-content-center align-
items-center align-content-center links-custom" href="#" id="signup-orgs-2-terms-and-
conditions" style="font-size:14px;margin-top:7px;">Terms and conditions</a></div>
    </form>
</div>
</div>
</div>
</div>
</div>
<div class="footer-basic">
    <footer>
        <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
        <ul class="list-inline">
            <li class="list-inline-item"><a href="#">Home</a></li>
            <li class="list-inline-item"><a href="#">Services</a></li>
            <li class="list-inline-item"><a href="#">About</a></li>
            <li class="list-inline-item"><a href="#">Terms</a></li>
            <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
        </ul>
        <p class="copyright">Company Name © 2017</p>
    </footer>
</div>
<script src="assets/js/jquery.min.js"></script>

```

```

<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/js/untitled.js"></script>
</body>

</html>

```

### Signup-volunteer.jsp

```

<%@ page import="java.sql.Connection" %>
<%@ page import="controller.GetConnection" %>
<!DOCTYPE html>
<html>

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Aplicar</title>
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/fonts/font-awesome.min.css">
  <link rel="stylesheet" href="assets/fonts/ionicons.min.css">
  <link rel="stylesheet" href="assets/fonts/material-icons.min.css">
  <link rel="stylesheet" href="assets/fonts/simple-line-icons.min.css">
  <link rel="stylesheet" href="assets/css/Footer-Basic.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean-1.css">
  <link rel="stylesheet" href="assets/css/Navigation-Clean.css">
  <link rel="stylesheet" href="assets/css/Navigation-with-Search.css">
  <link rel="stylesheet" href="assets/css/styles.css">
  <link rel="stylesheet" href="assets/css/Team-Grid.css">
  <link rel="stylesheet" href="assets/css/textarea.css">
</head>

<body>
  <div>
    <nav class="navbar navbar-light navbar-expand-md fixed-top navigation-clean">
      <div class="container-fluid"><a class="navbar-brand"
href="index.jsp">Aplicar</a><button class="navbar-toggler" data-toggle="collapse" data-
target="#navcol-1"><span class="sr-only">Toggle navigation</span><span class="navbar-
toggler-icon"></span></button>
      <div class="collapse navbar-collapse"
id="navcol-1">
        <ul class="nav navbar-nav ml-auto">

```

```

        <li class="nav-item" role="presentation"><a class="nav-link" href="find-
projects.jsp">FIND A PROJECT</a></li>
        <li class="nav-item" role="presentation"><a class="nav-link" href="#">POST
A PROJECT</a></li>
        <li class="nav-item" role="presentation"><a class="nav-link"
href="login.jsp">LOG IN</a></li>
    </ul>
</div>
</div>
</nav>
</div>
<div>
    <div class="container d-flex flex-grow-1 flex-shrink-1 flex-fill justify-content-center"
style="margin-top:80px;">
        <div class="row" style="margin-top:45px;">
            <div class="col-md-12" style="height:532px;">
                <div class="d-flex flex-column justify-content-center align-items-center"
style="background-color:#ffffff;height:69vh;">
                    <h2 style="color:rgb(0,0,0);margin-top:50px;">Sign Up</h2>
                    <div class="d-inline-block flex-column align-items-center"
style="padding:30px;height:502px;">
                        <form class="d-flex flex-column" action="/SignupVolunteer"
method="post" style="height:364px;">
                            <input class="form-control d-flex text-input-custom" type="text"
name="sign_up_volunteers_name" placeholder="Name" id="sign-up-volunteers-name"
style="font-size:16px;width:353px;height:50px;margin-top:20px;padding-left:15px;box-
shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
                            <input class="form-control d-flex text-input-custom" type="text"
name="sign_up_volunteers_email" placeholder="Email" id="sign-up-volunteers-email"
style="font-size:16px;width:353px;height:50px;margin-top:20px;padding-left:15px;box-
shadow:2px 2px 6px rgba(52,52,52,0.51);border:none;">
                            <input class="form-control text-input-custom" type="password"
name="sign_up_volunteers_password" placeholder="Password" id="sign-up-volunteers-
password" style="height:50px;width:353px;margin-top:20px;font-size:16px;padding-
left:15px;/*outline:none;*/">
                            <input class="form-control text-input-custom" type="password"
name="sign_up_volunteers_confirm_password" placeholder="Confirm Password" id="sign-
up-volunteers-confirm-password" style="height:50px;width:353px;margin-top:20px;font-
size:16px;padding-left:15px;/*outline:none;*/">

```

```
        <button class="btn btn-primary btnn-black" type="submit" id="sign-up-
volunteers-sign-up-btn" style="margin-top:20px;background-color:rgb(0,0,0);">Sign
Up</button>
```

```
        <div class="d-flex justify-content-center"><a class="justify-content-
center align-items-center align-content-center links-custom" href="#" id="sign-up-
volunteers-terms-and-conditions" style="font-size:14px;margin-top:7px;">Terms and
conditions</a></div>
```

```
    </form>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="footer-basic">
```

```
  <footer>
```

```
    <div class="social"><a href="#"><i class="icon ion-social-instagram"></i></a><a
href="#"><i class="icon ion-social-snapchat"></i></a><a href="#"><i class="icon ion-
social-twitter"></i></a><a href="#"><i class="icon ion-social-facebook"></i></a></div>
```

```
    <ul class="list-inline">
```

```
      <li class="list-inline-item"><a href="#">Home</a></li>
```

```
      <li class="list-inline-item"><a href="#">Services</a></li>
```

```
      <li class="list-inline-item"><a href="#">About</a></li>
```

```
      <li class="list-inline-item"><a href="#">Terms</a></li>
```

```
      <li class="list-inline-item"><a href="#">Privacy Policy</a></li>
```

```
    </ul>
```

```
    <p class="copyright">Company Name © 2017</p>
```

```
  </footer>
```

```
</div>
```

```
<script src="assets/js/jquery.min.js"></script>
```


```
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
```

```
<script src="assets/js/untitled.js"></script>
```


```
</body>
```

```
</html>
```


## 4. Results/Outputs:




Index.jsp



Find-projects.jsp




Login.jsp




Signup.jsp







Signup-volunteer.jsp




Edit-profile-volunteer.jsp



Project-desc.jsp



Org-profile.jsp



Post-project.jsp

## **5. Conclusion**

By this application we can provide practical knowledge to the learners and also can save the entire cost for a project for some non-profitable organization.