Context-Conditioned Signed Partial Transport (CCST): Disentangling Cross-Domain Analogies, True Contradictions, and Contextual Heterogeneity in Scientific Literature

Shravan Krishna Vijay, Sri Harshith Goli, Subhash Shivaprasad, Tarun Kumar Bantupalli, Vedang Vasant Avaghade

School of Computing and Augmented Intelligence, Arizona State University

TARGET VENUE: ACM SIGKDD / ACL 2026 • TECHNICAL MILESTONE REPORT

ABSTRACT

Scientific papers frequently describe isomorphic causal mechanisms using disparate disciplinary vocabularies, while appearing to disagree when evaluating different populations, dosages, environments, or observational time horizons. Existing dense retrieval architectures emphasize surface semantic proximity, and state-of-the-art Natural Language Inference (NLI) models conflate contextual heterogeneity with direct scientific contradiction, resulting in high false-contradiction error rates (38%–44%). We present **Context-Conditioned Signed Partial Transport (CCST)**, an end-to-end framework for aligning variable-sized reported-mechanism graphs across scientific literature. CCST preserves population/system, intervention, mediating pathways, outcome, time horizon, directional polarity ($\delta \in \{+1, -1, 0\}$), epistemic status, and character-level text provenance. Our core mathematical contribution is a context-gated, signed partial optimal transport objective that permits peripheral mechanisms to remain unaligned, separates sign-flipped edges from topological isomorphism via a dual-view formulation, and penalizes contradiction declarations when material context dimensions are incompatible. Evaluated across a 2,054 real scientific paper corpus scraped from PubMed and arXiv and a 240-pair four-stratum benchmark with high pre-adjudication inter-annotator agreement ($\alpha = 0.767$), CCST achieves a state-of-the-art five-way **Macro F1 of 43.9% [95% CI: 34.3%, 51.8%]**, substantially outperforming Sentence-BERT (24.5%) and Direct LLM judgment (21.4%). Crucially, CCST eliminates **100% of false contradictions on context-shifted literature (0.00% error rate)** and achieves **100.0% recall on cross-domain structural analogies**, while generating minimal, evidence-linked disagreement certificates in 5.8 ms per pair on an NVIDIA A100 GPU.

1. Introduction & Scientific Motivation

With more than three million peer-reviewed scientific articles published annually, synthesizing cross-disciplinary knowledge has become a critical bottleneck for scientific discovery. Automated literature systems must accurately determine whether two papers corroborate each other, report conflicting outcomes, describe isomorphic cross-domain analogies, or disagree solely due to physical scope differences. Current natural language processing and information retrieval models fail systematically due to two pervasive phenomena:

- **Vocabulary Siloing in Cross-Domain Analogies:** Scientific disciplines invent specialized nomenclature for universal dynamical systems. For instance, an epidemiology study models respiratory viral spread using a Susceptible-Exposed-Infectious-Recovered (SEIR) network, while a computer security study models self-replicating worm malware across software-defined network (SDN) routers using identical topological transmission dynamics. Standard dense embedding models (e.g., Sentence-BERT, Contriever) evaluate text through lexical-semantic proximity; because disciplinary vocabularies are completely disjoint, they score these papers as unrelated, resulting in **0.0% analogy recall**.
- **Contextual Conflation in Contradiction Detection:** Scientific claims are conditioned on physical environments. A clinical study may demonstrate that Atorvastatin lowers LDL cholesterol in human adults at therapeutic dosages, while an animal toxicology study reports that the same agent induces paradoxical reflex sympathetic hyperactivation in murine models under supra-therapeutic toxic doses. Standard cross-encoder NLI models (e.g., RoBERTa-large-MNLI) and LLM judges evaluate surface sign opposition ("reduces" vs. "increases") without checking scope, flagging these pairs as **direct contradictions** and generating a catastrophic **38%–44% false-contradiction error rate**.

To resolve this dilemma, we propose **Context-Conditioned Signed Partial Transport (CCST)**. Rather than estimating causal veracity, CCST aligns *reported mechanism graphs*: what each paper claims happens, under which material scope conditions, with what directional polarity, and supported by what textual evidence. CCST establishes a formal five-way taxonomy:

$$\mathcal{Y} = \{extagreement, extcross_domain_analogy, extcontradiction_candidate, extcontextual_heterogeneity, extinsufficient_comparability\}$$

2. Mathematical Formulations & Data Schemas

2.1 Provenance-Grounded Causal Mechanism Tuple (Equation 1)

For document i, each reported causal mechanism m is extracted as an attributed 10-tuple:

$$q_{im} = (C, P, A, M, Y, au, \delta, \eta, u, p)_{im}$$

where $C = (c_{extspecies}, c_{extenv}, c_{extdose}, c_{exttime})$ specifies material context dimensions; P is the study population or system; A is the active intervention; $M = [m_1, \ldots, m_k]$ represents intermediate mediating steps; Y is the target outcome; au is observation time horizon; $\delta \in \{+1, -1, 0\}$ is

directional polarity; $\eta \in \{extobserved, exthypothesized, extquoted, extsimulated\}$ is epistemic status; $u \in [0,1]$ is extraction uncertainty; and $p = (start, end)$ is the exact character span grounding the claim in the source text.

2.2 Material Context Scope Algebra & Gating Penalty

Context compatibility across documents i and j is evaluated across four dimensions using a ternary algebra:

$$c_h(i,j) \in \{extCOMPATIBLE, extINCOMPATIBLE, extUNKNOWN\}, \quad h \in \{extspecies, extenv, extdose, exttime\}$$

The context gating penalty $\Phi_{extgate}$ quantifies material scope divergence:

$$\Phi_{extgate}(G_i, G_j) = 1.0 - \sum_{h=1}^{4} \omega_h \cdot \mathbf{1}[c_h(i,j) = extCOMPATIBLE], \quad \sum \omega_h = 1.0$$

When critical physical conditions diverge (e.g., human vs. rodent, therapeutic vs. toxic overdose), $\Phi_{extgate} o 1.0$, directly penalizing contradiction classifications.

2.3 The CCST Optimization Objective (Equation 2)

Let G_i and G_j be two attributed mechanism graphs with normalized node probability masses $\sum p_i(u) = 1.0$. The CCST alignment problem is formulated as the following constrained partial optimal transport program:

Math input error

Subject to the partial transport constraints:

$$T\mathbf{1} \le p_i, \quad T^o p \mathbf{1} \le p_j$$

Where:

- **Node Cost $M_{uu'}$:** Balances semantic embedding distance with functional causal roles ($ho \in \{extintervention, extmediator, extoutcome\}$):

Math input error

- **Signed Edge Tensor $L_{uv,u'v'}$:** Measures structural distortion, directional flow, and polarity sign flip:

$$L_{uv,u'v'} = |A_{uv} - A_{u'v'}| + \gamma_{extsign} \cdot |\delta_{uv} - \delta_{u'v'}| + \gamma_{exttype} \cdot \mathbf{1}[R_{uv} eq R_{u'v'}]$$

- **Unaligned Mass Penalty $U(T)$:** Allows peripheral mechanisms to remain unaligned without penalty corruption:

$$U(T) = \|p_i\|_1 + \|p_j\|_1 - 2\mathbf{1}^o pT\mathbf{1} = 2(1 - \mathbf{1}^o pT\mathbf{1})$$

> **The Dual-View Signed vs. Unsigned Distance Gap (Δ_{sign})**
>
> Let $D_{extsigned}$ be the optimal value of Equation (2) with $\gamma_{extsign} = 0.5$, and $D_{extunsign}$ be the value with $\gamma_{extsign} = 0$. The directional gap is:
>
> $$\Delta_{extsign} = D_{extsigned} - D_{extunsign}$$
>
> - **Theorem 1 (True Contradiction):** A pair represents a genuine contradiction candidate iff $\Delta_{extsign} > au_{extsign}$, $\Phi_{extgate} \le au_{extgate}$, and aligned mass $\mathbf{1}^o pT^* \mathbf{1} \ge au_{extmass}$.
> - **Theorem 2 (Contextual Heterogeneity):** A pair represents contextual heterogeneity iff $\Delta_{extsign} > au_{extsign}$ and $\Phi_{extgate} > au_{extgate}$.
> - **Theorem 3 (Cross-Domain Analogy):** A pair represents a cross-domain analogy iff $D_{extunsign} \le au_{extstruct}$, Math input error, and $extdomain(i) eq extdomain(j)$.

3. Scalable Tri-Index Sparse Candidate Retrieval

Exact pairwise optimal transport across $N = 2,054$ documents requires Math input error comparisons. To scale search to an empirical $O(N \log N + N \cdot k_{extccst})$, CCST constructs three sparse Approximate Nearest Neighbor (ANN) indexes:

1. **Dense Semantic Index ($\mathcal{I}_{extsem}$):** FAISS `IndexFlatIP` over normalized 384-dimensional Sentence-BERT vectors, retrieving top-$k_s = 15$ semantic neighbors.
2. **Topological Graph Index ($\mathcal{I}_{extgraph}$):** 2-iteration Weisfeiler-Lehman (WL) subtree hashing over unsigned adjacency matrices, retrieving top-$k_m = 15$ structural matches regardless of vocabulary.
3. **Context Compatibility Index ($\mathcal{I}_{extctx}$):** Inverted bitvector index over categorical context dimensions, retrieving top-$k_c = 10$ scope-compatible documents.

Restricting optimal transport to $\mathcal{C}(d_i) = \mathcal{N}_{extsem} \cup \mathcal{N}_{extgraph} \cup \mathcal{N}_{extctx}$ (~40 candidates) reduces the search space from 1,999,000 to 80,000 pairs — an empirical **25.0× speedup** with an index build time of 0.23 seconds (8,857 graphs/sec).

4. Empirical Evaluation & Benchmark Results

Table I: Main Experimental Results on 240-Pair Scientific Benchmark across Four Strata

System / Architecture	Method Class	Macro F1 (%)	95% Bootstrap CI	False-Contradiction (%)	Analogy Recall (%)	Latency (ms)
BM25 Lexical Retrieval [11]	Classical IR	14.8	—	38.0	0.0	**1.2**
TF-IDF + LDA Clustering [12]	Topic Model	18.2	—	34.0	5.0	2.1
Sentence-BERT (MiniLM/SciBERT) [9]	Dense Embedding	24.5	—	42.0	0.0	4.5
Contriever (Unsupervised) [10]	Contrastive Dense	22.1	—	44.0	0.0	4.2
Direct LLM Judge / NLI (RoBERTa)	Cross-Encoder NLI	21.4	—	40.0	30.0	12.0
Full CCST (Proposed Architecture)	**Signed Partial OT**	**43.9**	**[34.3, 51.8]**	**0.00**	**100.0**	**5.8**

Key Empirical Takeaways: Proposed CCST establishes a new state of the art, outperforming the strongest deep-learning baseline (Sentence-BERT) by **+19.4% absolute F1 (+79.2% relative)**. Most critically, CCST eliminates **100% of false contradictions on context-shifted pairs (0.00% error rate)**, whereas SBERT, Contriever, and NLI models commit false contradictions on 40%–44% of context-shifted literature.

Table II: Comprehensive Ablation Studies Isolating CCST Algorithmic Components

Ablation Configuration	Macro F1 (%)	False-Contradiction (%)	Analogy Recall (%)	Latency (ms)
Full CCST (Proposed Architecture)	**47.9**	**0.00**	**100.0**	**4.8**
CCST w/o Context Gating ($\lambda_g = 0$)	36.9	100.00	100.0	4.9
CCST w/o Unsigned Graph View ($\Delta_{sign} = 0$)	32.0	0.00	0.0	4.8
CCST w/o Partial Transport ($\lambda_u = 0$)	44.1	0.00	100.0	4.6
CCST w/o Role Penalty ($\beta_{role} = 0$)	47.9	0.00	100.0	4.8

Ablation Insights: Without context gating ($\lambda_g = 0$), false contradictions surge from 0.0% to **100.0%**, proving that graph alignment alone cannot prevent false contradictions without physical context gating. Without the unsigned graph view, Cross-Domain Analogy recall collapses from 100.0% to **0.0%**, proving that structural isomorphism must be decoupled from polarity signs.

5. Disagreement Certificates & Supercomputer Deployment

Sample Evidence-Linked Disagreement Certificate: `CONTRADICTION_CANDIDATE`

Certificate ID:	`CERT-84E14CDA` (Faithfulness Gap Explained: **100.0%**)
Premise Document A:	`pmid:31245601` (Biomedical · Human Atherosclerosis Cohort)
Hypothesis Document B:	`pmid:31245602` (Biomedical · Human Essential Hypertension)
Scope Compatibility:	`SPECIES: COMPATIBLE` `DOSE: COMPATIBLE` `TIME: COMPATIBLE`
Minimal Conflicting Subgraph:	**Doc A:** `[Atorvastatin] --(decreases: -1)--> [LDL cholesterol]` (chars [145-230]) **Doc B:** `[Atorvastatin] --(increases: +1)--> [LDL cholesterol]` (chars [120-198]) *Verdict: Polarity inversion under identical material scope confirms True Contradiction Candidate.*

Supercomputer Execution on ASU SOL: The entire pipeline was deployed and verified natively on the ASU SOL supercomputer utilizing an **NVIDIA A100-SXM4-80GB GPU** (node `sg029`). Dense GPU batch embedding throughput reached **903.9 documents/second**. All 32 unit and integration tests passed cleanly in 0.29s.

6. Conclusion

We introduced **Context-Conditioned Signed Partial Transport (CCST)**, an end-to-end framework for aligning causal mechanisms in scientific literature. By uniting partial optimal transport, dual-view signed graph kernels, and material context gating into a single convex objective, CCST resolves the tension between discovering cross-domain structural analogies and avoiding false contradictions from context shifts. Evaluated on 2,054 real scientific publications and a 240-pair benchmark, CCST delivers a state-of-the-art Macro F1 of **43.9%**, **0.00% false contradictions**, and **100.0% analogy recall** with verifiable disagreement certificates.

References

1. H. B. Kang, X. Qian, T. Hope, D. Shahaf, J. Chan, and A. Kittur, "Augmenting scientific creativity with an analogical search engine," *ACM Trans. Comput.-Hum. Interact.*, vol. 29, no. 6, 2022.
2. W. Xiang, C. Liu, and B. Wang, "Modeling document causal structure with a hypergraph for event causality identification," *Neural Networks*, vol. 184, p. 107080, 2025.
3. T. Vayer, L. Chapel, R. Flamary, R. Tavenard, and N. Courty, "Fused Gromov-Wasserstein distance for structured objects," *Algorithms*, vol. 13, no. 9, p. 212, 2020.
4. J. Yang, M. Labeau, and F. d'Alché-Buc, "Exploiting edge features in graph-based learning with Fused Network Gromov-Wasserstein distance," *Trans. Mach. Learn. Res. (TMLR)*, 2024.
5. D. H. Nguyen and K. Tsuda, "On a linear fused Gromov-Wasserstein distance for graph structured data," in *Proc. NeurIPS*, 2024.
6. N. Reimers and I. Gurevych, "Sentence-BERT: Sentence embeddings using siamese BERT-networks," in *Proc. EMNLP*, 2019.
7. G. Izacard et al., "Unsupervised dense information retrieval with contrastive learning," *Trans. Mach. Learn. Res.*, 2022.
8. S. Robertson and H. Zaragoza, "The probabilistic relevance framework: BM25 and beyond," *Found. Trends Inf. Retr.*, 2009.
9. D. M. Blei, A. Y. Ng, and M. I. Jordan, "Latent Dirichlet Allocation," *J. Mach. Learn. Res.*, vol. 3, pp. 993–1022, 2003.
10. D. Wadden et al., "Fact or fiction: Verifying scientific claims with evidence," in *Proc. EMNLP*, 2020.