RAKSHA AI

Women Safety Mobile Application
Manual Testing Project Report

Field	Details
Prepared by	Pushkar Kollur
Report date	7 August 2026
Project type	Personal Project - Manual Testing & AI Integration (Vibe Coding)
Report status	Draft documentation; execution evidence pending
Testing focus	End-to-end flows, UI, usability, functional testing and Android device compatibility
Tools / skills	Manual Testing, Mobile Testing, Vibe Coding, Bug Reporting and Jira

1. Project overview

Raksha AI is a women safety mobile application that helps a user activate SOS through a voice phrase, capture a photo, display live location, contact emergency services through the phone dialer and notify saved guardians. The application includes registration, sign in, permissions, Home, Safety Guardian, Incident History, Profile and Settings.

This report contains 9 test scenarios, 56 test cases, one reported guardian alert delivery defect, a suggested Jira workflow and a test summary based on the supplied feature observations.

Evidence rule: Reported Pass and Reported Fail are based on the user observations. Not Run means no execution outcome was supplied. No independent app execution, device evidence or Jira records were provided. The requested report date is a document date; it does not establish when the tests were executed.

Main finding: User A can trigger SOS, but saved guardian User B does not receive the emergency message. This issue requires a fix and successful recipient-side retesting before release approval.

2. TEST SCOPE AND APPROACH

3. Scope

Area	What to check
UI testing	Check readable text, field labels, icons, validation messages, gender selection, date picker, countdown display and consistent controls.
Usability testing	Check clear registration guidance, easy access to SOS actions, cancellation, acknowledgement and permission recovery.
Functional testing	Validate registration gating, 10 digit phone limits, name/email validation, password length and matching, agreement, six digit OTP, location, guardians, history, profile and settings.
End-to-end testing	Check registration/sign in, permissions, guardian setup, voice SOS, countdown, photo/location evidence, recipient alert, resolution and history.
AI-assisted features	Check Help me and a saved custom phrase such as Raksha, Voice Guardian on/off, unrelated speech, repeat triggers and supported background states.
Compatibility	Check agreed Android versions, screen sizes and device states. Device-specific results are pending; the 56 cases do not constitute a completed compatibility matrix.
Recovery / permissions	Check granted/denied permissions, checklist accuracy, GPS/camera failure, network loss, restart, lock screen, battery saver and background monitoring.

4. Entry criteria

A testable app build, agreed requirements, supported device list, controlled accounts and consenting test contacts must be available. Record the build, device model, Android version, network and alert channel. Use two test phones for guardian delivery and confirm the required permissions.

5. Execution method

1. Review requirements and the 28 scenarios.
2. Prepare controlled test accounts, contacts and boundary data.
3. Execute the 56 cases and record actual results with timestamps.
4. Capture screenshots or logs and log reproducible defects in Jira.
5. Retest fixes and run regression of the complete SOS flow.
6. Update the summary with verified results and review release readiness.

Controlled testing: check emergency numbers in the dial pad and exit without placing real emergency calls. Verify alerts only with consenting test recipients.

6. TEST SCENARIOS

Scenario ID	Module	Test Scenario
TS_001	**Sign In**	**Verify Sign In access & input restrictions:** • Verify that registration is required for Home access. • Verify phone input limits and valid registered sign in.
TS_002	**Create Account**	**Verify complete registration flow & validations:** 1. Verify full name acceptance and rejection of numeric or blank names. 2. Verify accepted and rejected email formats. 3. Verify registration phone length and numeric input. 4. Verify date selection and all gender options. 5. Verify password length boundaries and confirmation matching. 6. Verify agreement visibility and required acceptance. 7. Verify valid OTP acceptance and invalid OTP rejection. 8. Verify expired OTP rejection and duplicate account prevention.
TS_003	**Permissions**	**Verify safety permissions & checklists:** • Verify granted and denied safety permission flows. • Verify checklist accuracy and full permission checks.
TS_004	**Home & Voice Guardian**	**Verify status display & voice controls:** • Verify battery percentage and current location display. • Verify voice on/off controls and background activation.
TS_005	**SOS**	**Verify SOS triggers, evidence & helpline dialers:** • Verify voice SOS activation and countdown cancellation. • Verify SOS evidence capture and duplicate trigger handling. • Verify manual location sharing and the 112 dialer. • Verify acknowledgement and all listed helpline dialers.
TS_006	**Safety Guardian**	**Verify contact management & alert delivery:** • Verify guardian entry validation and saved contact retention. • Verify SOS delivery to one or multiple saved guardians.
TS_007	**Incident History**	**Verify history listings & data isolation:** • Verify incident listings and the associated photo and location. • Verify history persistence and separation between accounts.
TS_008	**Profile**	**Verify voice phrase setup & account sign out:** • Verify custom voice phrases and displayed profile details. • Verify secure sign out and custom phrase persistence.
TS_009	**Settings**	**Verify app settings & system recovery:** • Verify synchronized Guardian controls and all countdown choices. • Verify siren test, legal entries and Settings sign out. • Verify battery impact and network failure handling. • Verify missing sensor handling and background lifecycle behavior.

7. TEST CASES

Sign in and access control

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_001	**TS_001** Block an unregistered phone number **Priority:** P1	**Precondition:** Signed out; number has no account. 1. Open Sign In. 2. Enter 1234567891. 3. Continue.	Keep the user outside Home and show a register new account option.	Reported Pass
TC_002	**TS_001** Block unregistered email and phone OTP login **Priority:** P1	**Precondition:** Signed out; identifiers are not registered. 1. Try an unregistered test email. 2. Select phone OTP. 3. Enter 1234567896 and continue.	Neither route grants Home access; registration guidance is displayed.	Reported Pass
TC_003	TS_001 Enforce the sign in phone length limit **Priority:** P1	**Precondition:** Sign In phone input is visible. 1. Enter 10 digits. 2. Attempt an 11th digit. 3. Check the saved input.	The phone field accepts no more than 10 digits.	Reported Pass
TC_004	TS_001 Allow a registered user to sign in correctly **Priority:** P1	**Precondition:** A controlled registered account and its supported verification method are available. 1. Enter the registered identifier. 2. Complete valid verification. 3. Open Home.	Only successful verification of an existing account opens Home.	Not Run

7. TEST CASES

Full name and email validation

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_005	TS_002 Accept a name and reject digits in the full name **Priority:** P2	**Precondition:** Create Account is open; other required data is valid. 1. Enter Pushkar. 2. Try Pushkar123 and 12345. 3. Submit each invalid variation.	Accept the name; prevent account creation when the name contains digits.	Reported Pass
TC_006	TS_002 Reject an empty or spaces only full name **Priority:** P2	**Precondition:** Create Account is open. 1. Leave Full Name empty and submit. 2. Repeat with spaces only.	Show a required name error and do not create an account.	Not Run
TC_007	TS_002 Accept the supplied email format examples **Priority:** P2	**Precondition:** Create Account is open. 1. Enter pushkar@gamil.com. 2. Repeat with pushkar12@gmail.com. 3. Observe format validation.	Accept both as email format examples; format acceptance alone must not imply mailbox ownership.	Reported Pass
TC_008	TS_002 Reject email examples without the at sign **Priority:** P2	**Precondition:** Create Account is open. 1. Try pushkar#gmail.com. 2. Try pushkar$gmail.com. 3. Try pushkar&gmail.com.	Reject every example because the required @ separator is missing.	Reported Pass

7. TEST CASES

Registration phone and personal details

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_009	TS_002 Limit the registration phone field to ten digits **Priority:** P1	**Precondition:** Create Account is open. 1. Enter 10 digits. 2. Attempt to type or paste extra digits.	Retain no more than 10 digits; prevent an oversized phone value.	Reported Pass
TC_010	TS_002 Reject a short phone value and invalid characters **Priority:** P1	**Precondition:** Create Account is open; other data is valid. 1. Submit a 9 digit number. 2. Try letters, spaces and symbols. 3. Submit.	Do not accept fewer than 10 digits; reject or remove nonnumeric input without a crash.	Not Run
TC_011	TS_002 Select and display the date of birth **Priority:** P2	**Precondition:** Create Account date picker is available. 1. Open the date picker. 2. Select a valid past date. 3. Confirm the selected value.	Show and retain the selected date correctly.	Reported Pass
TC_012	TS_002 Switch the gender selection **Priority:** P2	**Precondition:** Create Account is open. 1. Select Male. 2. Select Female. 3. Select Other.	The active selection changes correctly for all three options.	Reported Pass

7. TEST CASES

Password and agreement validation

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_013	TS_002 Verify the proposed password length boundaries **Priority:** P1	**Precondition:** Create Account is open; proposed rule is 8 to 12 characters. 1. Try 7, 8, 12 and 13 character passwords. 2. Keep confirmation identical. 3. Submit each variation.	Reject lengths 7 and 13; accept lengths 8 and 12 if all other rules pass.	Not Run
TC_014	TS_002 Require matching password confirmation **Priority:** P1	**Precondition:** Create Account is open; all other required fields are valid. 1. Enter matching passwords. 2. Repeat with a different confirmation value.	Matching values pass this check; mismatching values block account creation.	Reported Pass
TC_015	TS_002 Show the terms and privacy agreement option **Priority:** P2	**Precondition:** Create Account is open. 1. Locate the I agree to Terms of Service and Privacy Policy option.	The agreement option is visible and labelled clearly.	Reported Pass
TC_016	TS_002 Enforce agreement before creating an account **Priority:** P1	**Precondition:** Create Account is open; all other required data is valid. 1. Leave agreement unchecked and submit. 2. Check it and submit again.	Under the proposed acceptance rule, unchecked agreement blocks creation; checked agreement allows the next step.	Not Run

7. TEST CASES

OTP and account integrity

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_017	TS_002 Verify registration with a valid six digit OTP **Priority:** P1	**Precondition:** Registration has reached OTP verification; tester controls the test phone. 1. Receive a valid test OTP. 2. Enter its six digits. 3. Verify.	Accept the correct active OTP and complete the intended verification step.	Reported Pass
TC_018	TS_002 Reject incorrect or incomplete OTP values **Priority:** P1	**Precondition:** OTP verification is open. 1. Enter five digits. 2. Enter an incorrect six digit code. 3. Attempt verification.	Do not verify the account; show a clear error without exposing Home.	Not Run
TC_019	TS_002 Reject expired or reused OTP values **Priority:** P1	**Precondition:** A controlled test setup can expire an OTP and complete one successful verification. 1. Try an expired OTP. 2. After a successful verification, try reusing that code in a new verification session.	Expired and already consumed codes cannot authorize a new verification.	Not Run
TC_020	TS_002 Prevent duplicate account creation **Priority:** P1	**Precondition:** A registered test phone and email already exist. 1. Create an account with the same phone. 2. Repeat with the same email.	Prevent duplicate identity records and guide the user to sign in; exact messages need confirmation.	Not Run

7. TEST CASES

Safety permissions

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_021	TS_003 Request system safety permissions **Priority:** P1	**Precondition:** Fresh install or reset permission state on a test device. 1. Open System Safety Permissions. 2. Grant requested permissions. 3. Continue.	The app requests the needed permissions and reflects the granted state.	Reported Pass
TC_022	TS_003 Handle a denied safety permission **Priority:** P1	**Precondition:** A test device permits permission state changes. 1. Deny microphone, camera or location in separate runs. 2. Open the related feature.	Explain the unavailable function and a recovery path; no crash or false success.	Not Run
TC_023	TS_003 Reflect permissions in the lock screen checklist **Priority:** P1	**Precondition:** Settings and device permission controls are available. 1. Open Voice SOS Lock Screen Checklist. 2. Change one relevant permission. 3. Reopen the checklist.	The checklist accurately displays the current permission state, including the change.	Not Run
TC_024	TS_003 Check all required permissions **Priority:** P1	**Precondition:** Settings is open. 1. Run All Permission Verifying with a missing permission. 2. Grant it. 3. Run the check again.	Identify missing permissions and show a complete state only after all required grants.	Not Run

7. TEST CASES

Home status and voice monitoring

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_025	TS_004 Show the phone battery level on Home **Priority:** P2	**Precondition:** Home and the phone battery indicator are visible. 1. Open Home. 2. Compare the shown percentage with the device battery reading.	The app displays the current phone battery level with a reasonable refresh interval.	Reported Pass
TC_026	TS_004 Show the current fused GPS location **Priority:** P1	**Precondition:** Location permission and device location service are enabled. 1. Open Live Fused GPS Location. 2. Check the displayed position against the current test position.	Show the current location; accuracy and update time should be measured separately.	Reported Pass
TC_027	TS_004 Toggle AI Voice Guardian on and off **Priority:** P1	**Precondition:** Microphone permission is granted; Home is open. 1. Enable AI Voice Guardian. 2. Disable it. 3. Inspect the enabled state each time.	The control changes the voice monitoring state and clearly shows whether it is enabled.	Reported Pass
TC_028	TS_004 Detect the phrase in background and on lock screen **Priority:** P1	**Precondition:** Voice Guardian enabled; relevant permissions granted; controlled device available. 1. Put the app in background and say Help me. 2. Repeat while the screen is locked. 3. Record OS, device and result.	Trigger SOS in each supported state; show any unmet setup requirement clearly.	Not Run

7. TEST CASES

Voice SOS and countdown

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_029	TS_005 Trigger SOS with the default phrase **Priority:** P1	**Precondition:** User signed in; microphone permission granted; Voice Guardian enabled. 1. Say Help me clearly. 2. Observe the SOS response.	Start the SOS countdown for the recognized trigger phrase.	Reported Pass
TC_030	TS_005 Cancel an accidental SOS during ten second countdown **Priority:** P1	**Precondition:** SOS countdown is set to 10 seconds. 1. Trigger SOS. 2. Select the off/cancel option before expiry.	Cancel the pending emergency; do not continue automatic emergency actions.	Reported Pass
TC_031	TS_005 Capture a photo and display location after countdown **Priority:** P1	**Precondition:** Camera/location permissions granted; SOS countdown set to 10 seconds. 1. Trigger SOS. 2. Allow the countdown to finish. 3. Inspect the active SOS screen and captured evidence.	Activate SOS, capture the intended photo and display live location.	Reported Pass
TC_032	TS_005 Ignore unrelated speech and avoid duplicate incidents **Priority:** P1	**Precondition:** Voice Guardian enabled; controlled test environment. 1. Speak unrelated phrases. 2. Trigger SOS once. 3. Repeat the trigger while SOS is active.	Unrelated speech does not trigger SOS; repeated speech does not create unintended duplicate incidents.	Not Run

7. TEST CASES

Emergency actions and helplines

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_033	TS_005 Share location manually during SOS **Priority:** P1	**Precondition:** Active SOS with a current location; a consenting test recipient is available. 1. Select manual location sharing. 2. Choose the test destination. 3. Inspect the received location link.	Sharing opens the intended flow and the recipient can view the correct location.	Not Run
TC_034	TS_005 Open the dial pad using Call 112 **Priority:** P1	**Precondition:** Active SOS screen and phone dialer are available. 1. Tap Call 112. 2. Inspect the dialer number. 3. Exit without placing a test emergency call.	Open the phone dial pad with 112 ready; the user decides whether to call.	Reported Pass
TC_035	TS_005 Resolve an accidental SOS with Acknowledge **Priority:** P1	**Precondition:** An SOS incident is active. 1. Select Acknowledge for an accidental trigger. 2. Inspect the active incident state.	Resolve the incident and clearly reflect its resolved state.	Reported Pass
TC_036	TS_005 Open each listed emergency helpline **Priority:** P1	**Precondition:** Home emergency helpline icons are visible. 1. Tap the icons for 112, 100, 108 and 1091 separately. 2. Verify each prefilled number. 3. Exit without calling.	Each icon opens the phone dial pad with its corresponding listed number.	Reported Pass

7. TEST CASES

Safety guardians and alert delivery

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_037	TS_006 Add a safety guardian name and number **Priority:** P1	**Precondition:** Signed in; a consenting friend or family test contact is available. 1. Open Safety Guardian. 2. Enter the contact name and number. 3. Save and inspect the list.	The guardian is saved and visible as an emergency contact.	Reported Pass
TC_038	TS_006 Validate and retain guardian information **Priority:** P1	**Precondition:** Safety Guardian page is available. 1. Try blank name, short number and duplicate contact. 2. Save a valid test contact. 3. Restart and inspect.	Invalid data is rejected; duplicate behavior is defined; valid data remains available after restart.	Not Run
TC_039	TS_006 Deliver a triggered SOS alert to the saved guardian **Priority:** P1	**Precondition:** User A is signed in; User B is saved as A's guardian; both test phones are available. 1. Trigger SOS on A. 2. Let the countdown finish. 3. Check A and B for the expected alert. 4. Record timestamps and channel.	B receives an SOS alert identifying A and the emergency, with the intended location information.	Reported Fail
TC_040	TS_006 Deliver alerts to multiple guardians and record failures **Priority:** P1	**Precondition:** Two consenting test guardians are saved; agreed alert channel is configured. 1. Trigger one SOS. 2. Inspect delivery to both recipients. 3. Repeat with one recipient unavailable.	All reachable recipients receive the correct alert; any failure is visible and does not silently become success.	Not Run

7. TEST CASES

Incident history

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_041	TS_007 List previous SOS incidents in history **Priority:** P2	**Precondition:** The test account has existing SOS incidents. 1. Open Incident History. 2. Compare listed entries with previously triggered incidents.	The history lists the user's SOS incidents and supports checking how many occurred.	Reported Pass
TC_042	TS_007 Show the location and photo for an incident **Priority:** P1	**Precondition:** An incident with captured photo and location is available. 1. Open the incident. 2. Inspect its location and photo.	Show the evidence associated with that selected incident.	Reported Pass
TC_043	TS_007 Keep incident history consistent after resolution **Priority:** P2	**Precondition:** An active test incident exists. 1. Resolve it using Acknowledge. 2. Reopen history. 3. Restart the app and reopen it again.	Retain the incident and its correct final state without unintended duplicate or missing entries.	Not Run
TC_044	TS_007 Keep account history separated **Priority:** P1	**Precondition:** Two controlled accounts A and B have separate incidents. 1. View A's history. 2. Sign out. 3. Sign in as B. 4. Inspect history.	B does not see A's private incidents, location or photos.	Not Run

7. TEST CASES

Profile and voice phrase

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_045	TS_008 Change and use the emergency voice phrase **Priority:** P1	**Precondition:** Voice Guardian enabled; Profile phrase setting is available. 1. Change Help me to Raksha. 2. Save. 3. Say Raksha.	The saved custom phrase triggers SOS; behavior of the old phrase must follow the defined product rule.	Reported Pass
TC_046	TS_008 Display profile details and legal documents **Priority:** P2	**Precondition:** Signed in; Profile is open. 1. Inspect user details. 2. Locate Terms of Service and Privacy Policy.	Show the signed in user details and the two legal document entries.	Reported Pass
TC_047	TS_008 Sign out from Profile and block protected access **Priority:** P1	**Precondition:** Signed in; Profile is open. 1. Tap Sign Out. 2. Try Back and relaunch. 3. Attempt Home access.	End the session and require sign in for protected screens; no stale personal information is exposed.	Not Run
TC_048	TS_008 Validate and retain a changed voice phrase **Priority:** P1	**Precondition:** Profile phrase editor is available. 1. Try an empty phrase. 2. Save a valid custom phrase. 3. Restart the app. 4. Test recognition again.	Reject an empty phrase; keep the saved phrase and its supported recognition behavior after restart.	Not Run

7. TEST CASES

Settings and preferences

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_049	TS_009 Keep Home and Settings Voice Guardian state consistent **Priority:** P1	**Precondition:** Home and Settings guardian controls are available. 1. Disable Guardian in Settings and inspect Home. 2. Enable it on Home and inspect Settings.	Both controls show and apply the same monitoring state.	Not Run
TC_050	TS_009 Apply all configurable SOS countdown values **Priority:** P1	**Precondition:** Settings countdown control is available. 1. Choose 5, 10, 15 and 30 seconds in separate runs. 2. Trigger SOS each time. 3. Measure time to activation.	Each saved value controls the actual countdown within an agreed timing tolerance.	Not Run
TC_051	TS_009 Play and stop the manual emergency siren test **Priority:** P2	**Precondition:** Settings siren speaker test is visible; audio level is safe for testing. 1. Start the siren test. 2. Stop it or wait for its documented end. 3. Inspect incident history.	Play the test sound and stop correctly; a speaker test should not create an SOS incident unless explicitly designed to do so.	Not Run
TC_052	TS_009 Open Settings legal entries and sign out **Priority:** P2	**Precondition:** Signed in; Settings is open. 1. Open About and Legal. 2. Open Terms and Privacy entries. 3. Select Sign Out of Rakshak AI.	Legal content opens; sign out ends the session and returns to the authentication flow.	Not Run

7. TEST CASES

Battery and recovery checks

Statuses reflect user reported outcomes. All Not Run cases require execution. Preconditions appear before the steps.

TC ID	Test Scenario	Test Steps	Expected Result	Status
TC_053	TS_009 Measure battery impact of background monitoring **Priority:** P1	**Precondition:** Known device, OS, battery state and fixed test duration; voice monitoring configured. 1. Record baseline drain with monitoring off. 2. Repeat the same workload with monitoring on. 3. Check phrase detection during the run.	Record drain and detection reliability against an agreed target; do not claim battery savings without measurements.	Not Run
TC_054	TS_009 Handle network loss during an SOS alert **Priority:** P1	**Precondition:** Controlled two phone setup; chosen delivery channel documented. 1. Disable the required network on A. 2. Trigger SOS. 3. Restore connectivity. 4. Inspect alert state and B's phone.	Show delivery failure or pending state honestly; follow the defined retry policy without silently losing or duplicating alerts.	Not Run
TC_055	TS_009 Handle unavailable GPS or camera during SOS **Priority:** P1	**Precondition:** Controlled device; an active test account and guardian are configured. 1. Disable location service in one run. 2. Deny camera in a separate run. 3. Trigger SOS.	Explain missing evidence and continue supported emergency actions; never label stale location as a fresh fix.	Not Run
TC_056	TS_009 Verify monitoring after restart and power restrictions **Priority:** P1	**Precondition:** Device and OS recorded; monitoring initially enabled. 1. Test app relaunch. 2. Test device restart. 3. Test battery saver and app termination separately. 4. Inspect state and trigger behavior.	Document supported states, required user setup and recovery; do not assume uninterrupted 24/7 monitoring.	Not Run

8. BUG REPORT

Field	Details
Bug ID	BUG_001
Application	Raksha AI - Women Safety Mobile Application
Module	Safety Guardian / SOS alert delivery
Bug Title	Saved guardian does not receive the triggered SOS alert
Description	User A triggers SOS and receives a sender confirmation, but saved guardian User B does not receive a message that A is in trouble.
Precondition	User A is signed in. User B is saved as A's guardian. Both test phones can be checked. Record permissions, network and the implemented alert channel.
Steps to Reproduce	1. Open Raksha AI as User A. 2. Confirm User B is saved as guardian. 3. Enable Voice Guardian and say Help me. 4. Let the countdown finish. 5. Observe the sender confirmation on A. 6. Check B for the intended emergency message.
Expected Result	B receives an alert identifying A as needing help, with the intended location information. Sender confirmation alone is not evidence of recipient delivery.
Actual Result	A receives Your SOS is triggered. B receives no message that A is in trouble.
Severity	Critical - proposed based on failure of the core guardian notification function; confirm during triage.
Priority	P1 - fix before release approval.
Status	Open - user reported; independent reproduction pending.
Evidence	User supplied description only. Screenshots, recordings, delivery logs, build and device details were not supplied.
Related test case	TC_039 / TS_006. Extend coverage with TC_040 and TC_054.
Owner / Jira key	Not assigned / not supplied. No Jira issue was created through this report.

DEFECT WORKFLOW AND RETESTING

9. Suggested Jira workflow

Create a Bug issue with the exact build, environment, preconditions, steps, expected result, actual result and evidence. Triage the proposed severity and priority, assign an owner, track the fix, and move it to retesting. Close only after the guardian receives the correct alert; reopen if it still fails. Use the statuses configured in the actual Jira project.

Suggested sequence: New / Open → Triaged → In Progress → Fixed / Ready for Retest → Retest → Closed or Reopened.

10. Reported defect count

Classification	Reported count
Total bugs found	1 user reported issue
Critical bugs	1 proposed Critical - BUG_001
High Severity	0 documented
Medium Severity	0 documented
Low Severity	0 documented

These counts cover only the defect described in the supplied data. Zero documented defects in a category does not prove that the application has none. No additional bugs or previous defect totals have been assumed.

Defect investigation and retesting

1. Confirm the actual delivery channel and recipient setup.
2. Check that User B's saved contact is selected as the destination.
3. Trace the send attempt and inspect channel-specific errors and permissions.
4. Record sender and recipient timestamps and agree the acceptable delivery delay.
5. Rerun TC_039 and capture evidence on both phones.
6. Test multiple guardians with TC_040 and network recovery with TC_054.
7. Recheck cancellation, acknowledgement and incident history after the fix.

Root cause is not established. Successful sender confirmation does not prove delivery. Closure needs an actual alert on B's phone with the correct sender identity and intended location details.

11. TEST SUMMARY

Test Summary Field	Detail
Project Name	Raksha AI - Women Safety Mobile Application
Application Type	Android mobile safety application
Testing Type	Manual, functional, UI, usability, end-to-end, permission/recovery and planned Android compatibility testing.
Modules Covered	Sign In; Create Account; Permissions; Home; SOS; Safety Guardian; Incident History; Profile; Settings.
Total Modules Tested	Not independently confirmed. 9 modules are covered by the report; a module execution log was not supplied.
Total Test Scenarios	9
Total Test Cases	56
Passed Test Cases	27 Reported Pass - based on user observations
Failed Test Cases	1 Reported Fail - TC_039
Not Executed	28 Not Run - no outcome supplied
Total Bugs Found	1 user reported issue - BUG_001
Critical bugs	1 proposed Critical
High Severity	0 documented
Medium Severity	0 documented
Low Severity	0 documented
Test Environment	Android application; exact build, device models, Android versions, network and alert channel not supplied.
Test Status	Draft documentation; execution evidence pending. Guardian delivery fails according to the user; pending tests need execution.
Conclusion	The reported local functions show progress, but the guardian alert defect blocks release approval. Fix and retest BUG_001, execute pending cases and record evidence before sign off.

Result check: 27 Reported Pass + 1 Reported Fail + 28 Not Run = 56 test cases. No cases were independently executed while preparing this report.

Outstanding verification: password length boundaries, invalid/expired OTP, denied permissions, actual manual share delivery, account isolation, sign out, settings, countdown choices, battery impact and background reliability.