

FDDT Case Report

Fraud Document Detection Tool — system-assisted analysis for human review. See Section 6 for what this report is and is not.

1. Case Details

Case ID	CASE-9B219083 9b219083-fbd9-496d-90d1-79e9a5429e63
Submitted by	testreviewer L!
Submission date	2026-10-07 06:44 UTC
Documents	1 Types: School document
Case type	School document
Status / decision	Pending manual review / Pending review
Report generated	2026-10-07 06:52 UTC by testreviewer L! (Reviewer L1)
Report ID	4bed3b56-8e8a-4bf5-88fc-5665f1ac6e97

2. Executive Summary

HIGH RISK **Score 80 / 100** (computed 2026-10-07 06:50 UTC)

Why: Driven mainly by (40 points): 'case4School educational document.pdf': 13 piece(s) of text are set in a different font, or at a different size, from the text around them — a sign they were typed in after the document was produced....

Decision status: Pending review.

Exceptions: 19 item(s) did not pass, 15 of them shown as highlighted regions on the source pages. Section 5 lists each one; Section 9 shows them on the documents.

This summary is deliberately short. The reasons behind the tier are in Section 3, the complete checklist is in Section 4.

3. Explainable Findings

The risk engine is a transparent, weighted rule set. Each row is one rule that fired, with the reason text stored at scoring time. Points are summed (raw 80; the metadata rules' 65 points count as 40, as one edit leaves several metadata traces), capped at 100, and mapped to a tier (medium from 30, high from 60) — here **80/100, high**.

Severity	Points	Check	Document / page	Reason
HIGH	40	Font consistency	case4School educational document.pdf · page 1	'case4School educational document.pdf': 13 piece(s) of text are set in a different font, or at a different size, from the text around them — a sign they were typed in after the document was produced. Page 1: '4' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally printed with it — digits: 0, 1, 2, 3, 5, 6, 8 — so the original value on this line contained no 4. Highlights: R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13
HIGH	25	Field validation	case4School educational document.pdf · page 1	'case4School educational document.pdf': The document is dated 2024-08-09, but its PDF file was created on 2022-08-13 — 727 days earlier — and last modified on 2024-08-13. A file cannot predate its own content: an older document appears to have been edited and re-dated. Highlights: R15
HIGH	15	Metadata forensics	case4School educational document.pdf	'case4School educational document.pdf': its edit history records that the scanned page was converted to editable text and edited. xmpMM:History records 'editedScannedDoc' at 2022-08-16T07:35:26+04:00 — the scanned page was converted to editable text and edited (Acrobat's "Edit scanned document").
HIGH	15	Metadata forensics	case4School educational document.pdf	'case4School educational document.pdf' was modified well after it was created. The file was modified after it was created: ModDate is 730 days, 19:14:25 after CreationDate (more than the 1-second timestamp tolerance).
MEDIUM	10	Metadata forensics	case4School educational document.pdf	'case4School educational document.pdf' is a scan converted to editable text — its numbers can be retyped like a word-processor file. Page(s) 1: a page-sized scan image with its text re-created on top as visible, editable text in converter-generated fonts ("-NNNN" subsets) — a scan converted to editable text. A normal searchable scan keeps its OCR text invisible; this structure is what lets a scan's numbers be retyped.

4. All Checks

The completeness record: every check that ran on every document, including those that passed. Section 3 is the narrative; this is the checklist.

Document 1 — case4School educational document.pdf (School document · 2 passed, 4 flagged)

Check	Result	Details
Metadata forensics PDF metadata, edit history and incremental-save markers.	Flag	4 finding(s). The file was modified after it was created: ModDate is 730 days, 19:14:25 after CreationDate (more than the 1-second timestamp tolerance).
Font consistency Text set in a different font family from the text around it (text layer, or OCR font recognition on scans).	Flag	13 finding(s). Page 1: '4' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed...
Error level analysis (ELA) Pixel-level recompression differences that can indicate edited regions.	Limited	Limited: the text on page(s) 1 is vector text drawn over an image, so error level analysis, which looks only at pixels, cannot see an edit to that text. Nothing was found in the image itself.
Copy-move detection Regions of a page that were duplicated elsewhere on the same page.	Limited	Limited: the text on page(s) 1 is vector text drawn over an image, so copy-move detection, which looks only at pixels, cannot see an edit to that text. Nothing was found in the image itself.
Visual inconsistency / AI-generation review Model review of fonts, alignment, contrast, sharpness, lighting and signs of AI generation.	Flag	1 finding(s). Page 1 — Resolution / sharpness consistency: The blue stamp and signature on the left side (approx. bounding box x:0.05,y:0.45,width:0.15,height:0.15) are noticeably softer and less sharp compared to the crisp printed text. This is a vision-mode...
Signature / stamp detection Whether a signature or stamp mark is present where this kind of document normally carries one.	Pass	2 signature/stamp region(s) located (presence only).
Duplicate detection Perceptual-hash comparison of each page against previously submitted pages.	Pass	No anomaly detected by this check.
Field validation Date, subtotal / tax / total and reference-number plausibility.	Flag	The document is dated 2024-08-09, but its PDF file was created on 2022-08-13 — 727 days earlier — and last modified on 2024-08-13. A file cannot predate its own content: an older document appears to have been edited and re-dated.
Issuer verification Issuer name matched against the issuer registry.	Not checked	Not checked: the issuer registry has no active entries for school issuers in AE, so there was nothing to compare this issuer against.

5. Exceptions

Everything that did **not** pass, drawn from Section 4 and written as concrete items (19 in total). A region ID (R1, R2, ...) points to the highlight that shows the exception on the source page in Section 9 — click it to jump there.

No.	Exception	Where	Highlight
1	Metadata forensics: The file was modified after it was created: ModDate is 730 days, 19:14:25 after CreationDate (more than the 1-second timestamp tolerance).	Document 1 (case4School educational document.pdf)	—
2	Metadata forensics: xmpMM:History records 'editedScannedDoc' at 2022-08-16T07:35:26+04:00 — the scanned page was converted to editable text and edited (Acrobat's "Edit scanned document").	Document 1 (case4School educational document.pdf)	—
3	Metadata forensics: xmpMM:History records 'editedScannedDoc' at 2023-08-18T09:04:51+04:00 — the scanned page was converted to editable text and edited (Acrobat's "Edit scanned document").	Document 1 (case4School educational document.pdf)	—
4	Metadata forensics: Page(s) 1: a page-sized scan image with its text re-created on top as visible, editable text in converter-generated fonts ("N4NN" subsets) — a scan converted to editable text. A normal searchable scan keeps its OCR text invisible; this structure is what lets...	Document 1 (case4School educational document.pdf)	—
5	Font consistency: text set in a different font family from the text around it Page 1: '4' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally prin...	Document 1 (case4School educational document.pdf) · page 1	R1
6	Font consistency: text set in a different font family from the text around it Page 1: '9' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally prin...	Document 1 (case4School educational document.pdf) · page 1	R2
7	Font consistency: text set in a different font family from the text around it Page 1: '9' is set in the full font Arial,Bold (10 pt), while the rest of its line uses Arial-Bold-5710 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Arial-Bold-5710 holds only the glyphs orig...	Document 1 (case4School educational document.pdf) · page 1	R3
8	Font consistency: text set in a different font family from the text around it Page 1: '4' is set in the full font Arial (14 pt), while the rest of its line uses Arial-Italic-5711 (14 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Arial-Italic-5711 holds only the glyphs origi...	Document 1 (case4School educational document.pdf) · page 1	R4
9	Font consistency: text set in a different font family from the text around it Page 1: '5' is set in the full font Arial-Italic (14.1 pt), while the rest of its line uses Arial-Italic-5711 (14 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Arial-Italic-5711 holds only the gly...	Document 1 (case4School educational document.pdf) · page 1	R5
10	Font consistency: text set in a different font family from the text around it Page 1: 'J' is set in the full font Arial,Bold (10 pt), while the rest of its line uses Arial-Bold-5710 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion.	Document 1 (case4School educational document.pdf) · page 1	R6
11	Font consistency: text set in a different font family from the text around it Page 1: 'U' is set in the full font Arial,Bold (10 pt), while the rest of its line uses Arial-Bold-5710 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion.	Document 1 (case4School educational document.pdf) · page 1	R7
12	Font consistency: text set in a different font family from the text around it Page 1: '4' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally prin...	Document 1 (case4School educational document.pdf) · page 1	R8
13	Font consistency: text set in a different font family from the text around it Page 1: '5' is set in the full font Verdana (9.4 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. The number '2024-25' mixes character sizes (9.4...	Document 1 (case4School educational document.pdf) · page 1	R9

14	Font consistency: text set in a different font family from the text around it Page 1: '7' is set in the full font Verdana (9.4 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally p...	Document 1 (case4School educational document.pdf) · page 1	R10
15	Font consistency: text set in a different font family from the text around it Page 1: '4' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally prin...	Document 1 (case4School educational document.pdf) · page 1	R11
16	Font consistency: text set in a different font family from the text around it Page 1: '7' is set in the full font Arial (10 pt), while the rest of its line uses Verdana-5715 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Verdana-5715 holds only the glyphs originally prin...	Document 1 (case4School educational document.pdf) · page 1	R12
17	Font consistency: text set in a different font family from the text around it Page 1: '29' is set in the full font Arial-Bold (9.9 pt), while the rest of its line uses Arial-Bold-5710 (10 pt) — a subset font generated when this scan was converted to editable text. Characters in a full font among the converter's subsets were typed in after the conversion. Arial-Bold-5710 holds only the glyphs or...	Document 1 (case4School educational document.pdf) · page 1	R13
18	Visual review: resolution / sharpness consistency inconsistency (model judgment) Page 1 — Resolution / sharpness consistency: The blue stamp and signature on the left side (approx. bounding box x:0.05,y:0.45,width:0.15,height:0.15) are noticeably softer and less sharp compared to the crisp printed text. This is a vision-model judgment, not pixel-level analysis — a probabilistic signal, not a defin...	Document 1 (case4School educational document.pdf) · page 1	R14
19	Document dated after its file was created: The document is dated 2024-08-09, but its PDF file was created on 2022-08-13 — 727 days earlier — and last modified on 2024-08-13. A file cannot predate its own content: an older document appears to have been edited and re-dated.	Document 1 (case4School educational document.pdf) · page 1	R15

4 exception(s) show “—” because they have no place on a page (for example a missing field, or a check that did not localize its finding).

6. Limitations and Assumptions

Please read this section before relying on anything in this report.

Limitations of This Analysis

What this report is

This is **system-assisted analysis to support human review**. It is not a certified forensic or legal determination that any document is genuine, forged or fraudulent, and it must not be presented as one.

Three kinds of finding

Deterministic pixel and structure checks — error level analysis, copy-move detection and PDF metadata forensics — are computed by fixed algorithms over the file’s pixels and structure. Localized findings are drawn with **solid** boxes (ELA in red, copy-move in orange). They are signals, not proof: ELA in particular can false-positive on legitimately recompressed scans and can miss print-and-rescan tampering.

Deterministic rule-based field checks — field validation and cross-document consistency — compare extracted values by fixed rules and are drawn with **solid purple** boxes. They are exact about the values they compare, but only as reliable as the OCR and extraction that produced those values.

Model-judgment checks — the visual inconsistency review, the AI-generation assessment and the signature/stamp comparison — are **probabilistic assessments** made by a vision-language model, not deterministic proof. They can vary from run to run, and their boxes are only approximate; they are the **dashed** boxes captioned “approximate” throughout this report. Signature and stamp detection shows presence and placement only and is not an identity match; the AI-generation assessment is experimental, and its accuracy on scanned business documents has not been validated.

What the system can and cannot see

The system evaluates the **submitted document file itself**. It cannot verify facts external to the document — for example whether a real-world transaction actually occurred, whether the named issuer really produced the document, or (without a pre-existing reference signature) who a signatory is. Printed Arabic and English text are read; handwritten Arabic is not reliably read.

Absence of a finding

The absence of a flagged finding does not guarantee that a document is genuine. It means only that no supported check detected an anomaly.

Check coverage on this case

Not every check applies to every document or case. This is what actually ran here:

Check	Status	Coverage on this case
Metadata forensics	Ran	Ran on 1 of 1 document(s); 1 flagged.
Font consistency	Ran	Ran on 1 of 1 document(s); 1 flagged.
Error level analysis (ELA)	Ran	Ran on 1 of 1 document(s); 0 flagged.
Copy-move detection	Ran	Ran on 1 of 1 document(s); 0 flagged.
Visual inconsistency / AI-generation review	Ran	Ran on 1 of 1 document(s); 1 flagged.
Signature / stamp detection	Ran	Ran on 1 of 1 document(s); 0 flagged.
Duplicate detection	Ran	Ran on 1 of 1 document(s); 0 flagged.
Field validation	Ran	Ran on 1 of 1 document(s); 1 flagged.
Issuer verification	Ran	Ran on 1 of 1 document(s); 0 flagged.
Signature comparison (advisory)	Did not run	Did not run — no reference signature was set for this case.
Cross-document consistency	Not applicable	Not applicable — this case has a single document.

Risk score and rule versions

The risk score in this report (**80/100, high**) was computed at 2026-10-07 06:50 UTC (assessment 84fc537d-4860-4c72-9e0e-adb02024ea54) from the risk-rule versions that fired: `font.inconsistency` v2 (weight 40); `metadata.document_date_after_file_creation` v1 (weight 25); `metadata.editable_text_over_scan` v1 (weight 10);

metadata.history_scanned_doc_edited v1 (weight 15); metadata.modified_after_creation v1 (weight 15). Tier thresholds at that time: medium from 30, high from 60.

Rule weights are versioned and are never re-applied retroactively: if an administrator later edits a rule, this case is not re-scored, and **this report remains an accurate historical record** of what was known and weighted when it was generated. A report generated later may legitimately differ.

Assumptions

What the analysis took to be true without independently verifying it. These are specific to what ran on this case.

- The issuer registry (0 active entries) was assumed to be current and accurate as of 2026-10-07 06:52 UTC. An issuer that is absent from it is reported as “not in registry”, which is a prompt to verify the issuer — not a finding that the issuer is fraudulent.
- Field values were read by OCR followed by language-model extraction and are assumed to have been read correctly. Each field carries a confidence and an “uncertain” flag. This build records that flag but does not automatically route low-confidence documents to manual review, so it is listed here for the reviewer instead: no field was marked uncertain on this case.
- Purple field highlights were located by matching extracted values back onto OCR word positions; treat their position as approximate. The comparison behind each one uses the stored, normalized values, not the highlight.
- The SHA-256 chain of custody shows the stored file is unchanged since upload. It does not show that the uploaded file is the issuer’s original — a document altered before upload is judged on its content, like any other.
- Risk-rule weights, severities and tier thresholds are administrator-configured and assumed to be appropriately calibrated; the score is advisory and is not a probability of fraud.

7. Audit Trail

Chronological case-level events, read from the append-only audit log (times in UTC). This report does not write to or duplicate the log.

Time	Event	Actor	Detail
2026-10-07 06:44 UTC	Case created	testreviewer L! (Reviewer L1)	
2026-10-07 06:44 UTC	Document uploaded	testreviewer L! (Reviewer L1)	case4School educational document.pdf; SHA-256 3aeb1d125f98b1a1...
2026-10-07 06:48 UTC	Font consistency check completed	System	case4School educational document.pdf
2026-10-07 06:48 UTC	Text extraction, classification and field extraction completed	System	case4School educational document.pdf
2026-10-07 06:49 UTC	Signature / stamp detection completed	System	case4School educational document.pdf
2026-10-07 06:49 UTC	Field validation and issuer verification completed	System	case4School educational document.pdf
2026-10-07 06:49 UTC	Visual inconsistency review completed	System	case4School educational document.pdf
2026-10-07 06:49 UTC	Metadata forensics completed	System	case4School educational document.pdf
2026-10-07 06:49 UTC	ELA and copy-move checks completed	System	case4School educational document.pdf
2026-10-07 06:50 UTC	Duplicate detection completed	System	case4School educational document.pdf
2026-10-07 06:50 UTC	Risk score computed	System	tier high, score 80
2026-10-07 06:50 UTC	Case status changed	System	submitted → pending_manual_review; automated checks complete

8. Appendix

The detailed technical record, for someone auditing the analysis itself rather than a first-pass reviewer.

8.1 Extracted fields

Normalized values as stored at extraction time. “Located” is the page the value was matched to (used for the purple highlights); a blank means no position was recorded. Arabic values are shown right-to-left, numbers left-to-right.

Document 1 — case4School educational document.pdf

Field	Value	Confidence	Located
Issuer	The International School of Choueifat - Abu Dhabi	95%	p.1
Reference number	193-R-24/25	95%	p.1
Date	2024-08-09	95%	p.1
Amount	29,741.00 AED	95%	p.1
Subtotal	Not found		
Tax rate	Not found		
Tax amount	Not found		
Statement of account	Mr. MOHAMED AMARA	90%	p.1
Student name	JOURI AMARA	95%	p.1
Grade	KG-2	95%	p.1
Student number	35176	95%	p.1
Term period	2024-25 FULL YEAR	95%	p.1
Address	ص.ب. ٧٢١٢، منطقة المشرف، أبو ظبي، إ.ع.م. هاتف: +٩٧١ ٢ ٤٤٦ ١٤٤٤ فاكس: +٩٧١ ٢ ٤٤٦ ١٠٤٨ P.O. Box 7212, Mushrif Area, Abu Dhabi, U.A.E. Tel: +971 2 446 1444 Fax: +971 2 446 1048 E-mail: iscabudhabi@sabis.net Website: iscabudhabi.sabis.net	90%	

8.2 Document hashes (chain of custody)

SHA-256 of each original as recorded when it was uploaded to immutable storage, re-checked against the stored file when this report was generated.

Document	SHA-256	Verification
case4School educational document.pdf 194,820 bytes	3aeb1d125f98b1a1d075cbec14305dfffa5e2f47f37bf7c98dce65a7183e0e265	VERIFIED

8.3 Technical parameters used by each check

Page rendering (input to ELA, copy-move, duplicate, visual review)

Render resolution	200 DPI
Colour model	RGB, converted to BGR for OpenCV

Metadata forensics

Libraries	pikepdf / PyMuPDF (PDF structure, XMP, incremental updates)
Modified-after-created rule	flagged if ModDate is more than 1 second(s) after CreationDate
Editing-software names matched	photoshop, gimp, illustrator, affinity, coreldraw, paint.net, pixlr, canva, inkscape

Error level analysis (ELA)

JPEG recompression quality	75
----------------------------	----

Error gain (scale)	50 (sqrt error term; the reference tool's default)
Contrast stretch / LUT	not applied — the raw error magnitude is thresholded directly
Region threshold	page-relative percentile 99.7 with an absolute floor of 60/255
Region area accepted	0.2% – 60% of the page
Applies to	pages with an embedded raster image only (born-digital text pages are exempt)

Copy-move detection

Keypoint algorithm	BRISK (OpenCV), detector threshold 200
Response / matching / distance thresholds	90 / 20 / 15
Minimum cluster size	30 matching keypoint pairs
Minimum region area	2% of the page
Keypoint / match caps	4,000 / 4,000

Duplicate detection

Hash	perceptual hash (imagehash pHash), 64-bit, one per rendered page
Hamming-distance threshold	5 ($\leq$ this is flagged)
Compared against	every page hash of every previously submitted document

Visual inconsistency / AI-generation review

Model	gpt-4.1-mini
Independent runs per page	2
A finding is kept if	both runs report it, or one reports it with high confidence
Image sent to model	page render, long edge $\leq$ 1536px

Signature / stamp detection and comparison

Model	gpt-4.1-mini
Pages analysed per document	first 10
Output	presence and placement only; comparison is a qualitative verdict, never a numeric score

Field validation

Sub-checks	date not in the future; subtotal vs line items; total vs subtotal + tax; reference-number format
Amount tolerance	1% of the amount, minimum 0.01

Issuer verification

Matching	rapidfuzz weighted ratio against the active issuer registry, with a model-judged fallback for cross-script names
Similarity threshold	85

Field locations (purple highlights)

Method	extracted values matched back onto OCR word positions (Azure Document Intelligence Layout)
Repeated values	resolved by nearby keywords (“total”, “subtotal”, “VAT”, “date”...)
Accuracy	approximate; a field that cannot be matched is reported without a highlight

9. PDF Highlighted Regions

Every flagged page, rendered from the original with its findings drawn in. These are copies made for this report; the original files are untouched. Only pages with at least one highlight appear. Each highlight has a region ID that Section 5 refers back to.

Colour key


■	ELA (solid red)
■	Copy-move (solid orange)
■	Font mismatch in the text layer (solid fuchsia)
■	Field exception (solid purple)
■	Model judgment (dashed blue, approximate)
■	Page-level finding (not localized)

Region index

Region	Document	Page	What it shows
R1	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R2	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R3	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R4	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R5	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R6	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R7	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R8	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R9	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R10	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R11	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R12	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R13	Document 1 (case4School educational document.pdf)	1	Font mismatch — text set in a different font family
R14	Document 1 (case4School educational document.pdf)	1	Visual review — resolution / sharpness consistency (approximate)
R15	Document 1 (case4School educational document.pdf)	1	Field exception: Date (2024-08-09 is after the file's creation)

Section 9 · Document 1 of 1 · regions R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14, R15

	R15 · Field exception: Date (2024-08-09 is after the file's creation)
R14 · Visual review — resolution / sharpness consistency (approximate)	
	R12 · Font mismatch — text set in a different font family
	R2 · Font mismatch — text set in a different font family
	R1 · Font mismatch — text set in a different font family
Abu Dhabi	R3 · Font mismatch — text set in a different font family
INVOICE NO.	91R-24/25
	R11 · Font mismatch — text set in a different font family
	R9 · Font mismatch — text set in a different font family
	R5 · Font mismatch — text set in a different font family
Statement of account :	R4 · Font mismatch — text set in a different font family
School fees for the year 20	R7 · Font mismatch — text set in a different font family
	R6 · Font mismatch — text set in a different font family
	JURAMARA
Student Name :	R8 · Font mismatch — text set in a different font family
Grade :	R10 · Font mismatch — text set in a different font family
Student No :	
Term period :	
Tuition Fees	7,204.00
Books Fees	1,527.00
Uniform Fees	
Total Fees AED	29,741.00 -



Accounts Dept.
Ministry of Education
Abu Dhabi