

Q No	Question	Option A	Option B	Option C	Option D
1	A _____ is a passive AWT control that do not generate any event?	Button	RadioButton	Choice	Label
2	ActionEvent Class is used for Which Controll ?	List,Button, Checkbox	Label, Button, List	Menu, Label, ScrollBar	None of these
3	Arranges the components as a deck of cards such that only one component is visible at a time	BorderLayout	CardLayout	GridLayout	FlowLayout
4	AWT components are	Platform dependent	Platform Independent	Both A & B	None of Above
5	Change in the state of an object is known as _____	EventSource	Event	EventHandler	Listner
6	Event Listeners are _____	Class	Interface	Object	None of these
7	In AWT, what is the purpose of the Scrollbar component?	To create a slider that allows the user to select a value from a range	To display a drop-down list of items	To display a progress bar	To create a panel with a border
8	In AWT, which class is used to create a window with a title bar, borders, and buttons?	Panel	Window	Frame	Container
9	In AWT, which layout manager automatically resizes components to fill available space?	FlowLayout	BorderLayout	GridLayout	GridBagLayout
10	MVC architecture is _____	Modelling Visual Controller	Model View Controller	Model Viewable Controller	Many View Controller
11	The following way is used to create a frame is by creating the object of Frame class?	inheritance	association	Both A & B	None of the above
12	The getActionCommand() method is used to retrieve:	The label text of a component	The name of an AWT component	The text entered in a TextField	The action command associated with a component
13	The getSelectedIndex() method is commonly used with which AWT component?	RadioButton	CheckBox	List	ComboBox

14	The setEnabled() method is used to:	Enable event handling for a component	Disable event handling for a component	Make a component visible	Make a component invisible
15	The setLayout() method is used to:	Set the position of a component	Set the layout manager for a container	Set the background color of a component	Set the size of a component
16	The setSize() method is used to:	Set the position of a component	Set the size of a component	Set the layout manager for a container	Set the title of a frame
17	The setText() method is commonly used to:	Set the text of a Label component	Set the layout of a GUI component	Set the background color of a component	Set the title of a Frame
18	The setVisible(true) method is used to:	Make a component invisible	Make a component visible	Enable event handling	Disable event handling
19	The String parameter to Button constructor _____.	tell which region to put the Button in.	tells the color of the Button.	tells what text will appear on Button.	tells what should happen when Button is pressed.
20	What does the following line of code do? TextField tf = new TextField(10);	will set 10 to TextField as its initial text.	will set the character capacity to 10	Both A & B	None of These
21	What is the default layout manager for a Frame in AWT?	FlowLayout	BorderLayout	GridLayout	GridBagLayout
22	What is the purpose of the FlowLayout layout manager?	Divide the container into five areas	Create a grid of components with fixed rows and columns	Arrange components in a single row	Allow precise control over component placement
23	What is the purpose of the GridLayout layout manager?	Arrange components in a single row	Divide the container into five areas	Create a grid of components with fixed rows and columns	Allow precise control over component placement
24	Which AWT component is used to create a checkbox that can be selected or deselected?	CheckBox	Checkbox	Option	ToggleButton
25	Which AWT component is used to create a group of mutually exclusive radio buttons?	OptionGroup	RadioGroup	RadioButtonGroup	CheckboxGroup

26	Which AWT component is used to create a push button?	Button	ClickButton	PushButton	PressButton
27	Which AWT component is used to create a text control that can display multiple lines of text?	TextArea	TextField	TextPane	MultiLineText
28	Which AWT component is used to display a drop-down list of items?	SelectList	Choice	ComboBox	Dropdown
29	Which AWT component is used to display a list of items from which the user can select one or more?	List	SelectList	Choice	ComboBox
30	Which is the correct constructor of GridLayout.	GridLayout(int a)	GridLayout(int num_rows, int num_columns)	GridLayout(int rows, int cols, int vert)	GridLayout(int hor)
31	Which layout manager places components in one of five regions: north, south, east, west, and center?	AbsoluteLayout	GridLayout	BorderLayout	FlowLayout
32	Which method can set or change the text in a Label?	setText()	getText()	All the above	None of the above
33	Which method is used to add a component to a container in AWT?	add()	attach()	insert()	place()
34	Which method is used to add an ActionListener to a button?	addActionListener()	addClickListener()	addEventHandler()	attachActionListener()
35	Which method is used to set password character for a TextField?	setPasswordCharacter()	setEchoChar()	setPassChar()	setEchoCharacter()
36	Which method is used to set the title of a Frame in AWT?	setTitle()	setLabel()	setText()	setCaption()
37	Which object can be constructed to show any number of choices in the visible window?	Labels	Choice	List	Checkbox
38	Which of the following creates a List with 5 visible items and multiple selection enabled?*	new List(5, true)	new List(true, 5)	new List(5, false)	new List(false,5)
39	Which of these events is generated when a button is pressed?	ActionEvent	ItemEvent	WindowEvent	MouseEvent
40	Which package provides many event classes and Listener interfaces for event handling?	java.awt	java.awt.Graphics	java.awt.event	None of the above