

Mini Page Builder Application

A project for Mini Page Builder using React and Redux. Has drag and drop features with three components -

1. Labels
2. Inputs
3. Buttons

Live demo at [Mini Page Builder](#)

Getting Started

Installation

The yarn package manager is recommended.

Clone the repo:

```
git clone https://github.com/vedant1202/mini-page-builder.git
cd mini-page-builder
```

Install the dependencies:

```
yarn install

## Or if you have NPM
npm install
```


Running locally:

```
yarn start


## Or if you have NPM
npm run start
```

Screenshots


1. Blank/Starting page




2. Modal (empty)



3. Modal (with data filled in by user)



4. Single element



5. Many elements

Sample Button 2

Sample Label

Sample Input

Sample Input 2

Sample Label 2

Sample Button

Blocks

Label

Input

Button

6. Select elements for deletion

Sample Button 2

Sample Label

Sample Input

Sample Input 2

Sample Label 2

Sample Button


Blocks

Label

Input

Button


7. After deletion of selected elements



Flowchart

A flowchart graphic explaining how the system works.

Mini Page Builder Flowchart



Getting Started with Create React App

This project was bootstrapped with [Create React App](#).

Available Scripts

In the project directory, you can run:

`yarn start`

Runs the app in the development mode.

Open <http://localhost:3000> to view it in the browser.

The page will reload if you make edits.

You will also see any lint errors in the console.

`yarn test`

Launches the test runner in the interactive watch mode.

See the section about [running tests](#) for more information.

`yarn build`

Builds the app for production to the `build` folder.

It correctly bundles React in production mode and optimizes the build for the best performance.

The build is minified and the filenames include the hashes.

Your app is ready to be deployed!

See the section about [deployment](#) for more information.

`yarn eject`

Note: this is a one-way operation. Once you `eject`, you can't go back!

If you aren't satisfied with the build tool and configuration choices, you can `eject` at any time. This command will remove the single build dependency from your project.

Instead, it will copy all the configuration files and the transitive dependencies (webpack, Babel, ESLint, etc) right into your project so you have full control over them. All of the commands except `eject` will still work, but they will point to the copied scripts so you can tweak them. At this point you're on your own.

You don't have to ever use `eject`. The curated feature set is suitable for small and middle deployments, and you shouldn't feel obligated to use this feature. However we understand that this tool wouldn't be useful if you couldn't customize it when you are ready for it.

Learn More

You can learn more in the [Create React App documentation](#).

To learn React, check out the [React documentation](#).

Code Splitting

This section has moved here: <https://facebook.github.io/create-react-app/docs/code-splitting>

Analyzing the Bundle Size

This section has moved here: <https://facebook.github.io/create-react-app/docs/analyzing-the-bundle-size>

Making a Progressive Web App

This section has moved here: <https://facebook.github.io/create-react-app/docs/making-a-progressive-web-app>

Advanced Configuration

This section has moved here: <https://facebook.github.io/create-react-app/docs/advanced-configuration>

Deployment

This section has moved here: <https://facebook.github.io/create-react-app/docs/deployment>

yarn build fails to minify

This section has moved here: <https://facebook.github.io/create-react-app/docs/troubleshooting#npm-run-build-fails-to-minify>