



AdvanceDevops Experiment 5

1. Download the Terraform:

click on the link <https://www.terraform.io/downloads.html>

Select the Operating System and download Terraform version according to configurations.



3. Find the Terraform Executable Path:


After installation, locate the directory where Terraform executable (terraform.exe) is present. For example, it could be in C:\terraform or any other path you chose during Installation.


4. Edit System Environment Variables:

In the Environment Variables window (System Properties), under the section System Variables, find and select the variable named Path, then click Edit.


5. Add Terraform to Path:

In the Edit Environment Variable window, click New to add a new entry. Enter the path to the directory where Terraform executable (terraform.exe) is located. For example, if Terraform is installed in C:\terraform, add C:\terraform to the list.






6. Open PowerShell with Administrator Access.



7. Verify Installation:

Open a new command prompt (to ensure it picks up the updated environment variables).

Type **terraform** and press Enter. You should see the Terraform version information printed on the screen if the path configuration was successful.



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Student1> terraform
Usage: terraform [global options] <subcommand> [args]

The available commands for execution are listed below.
The primary workflow commands are given first, followed by
less common or more advanced commands.

Main commands:
  init          Prepare your working directory for other commands
  validate      Check whether the configuration is valid
  plan          Show changes required by the current configuration
  apply         Create or update infrastructure
  destroy       Destroy previously-created infrastructure

All other commands:
  console       Try Terraform expressions at an interactive command prompt
  fmt           Reformat your configuration in the standard style
  force-unlock  Release a stuck lock on the current workspace
  get           Install or upgrade remote Terraform modules
  graph         Generate a Graphviz graph of the steps in an operation
  import        Associate existing infrastructure with a Terraform resource
  login         Obtain and save credentials for a remote host
  logout        Remove locally-stored credentials for a remote host
  metadata      Metadata related commands
  output        Show output values from your root module
  providers     Show the providers required for this configuration
  refresh       Update the state to match remote systems
  show          Show the current state or a saved plan
  state         Advanced state management
  taint         Mark a resource instance as not fully functional
  test          Execute integration tests for Terraform modules
  untaint       Remove the 'tainted' state from a resource instance
  version       Show the current Terraform version
  workspace     Workspace management

Global options (use these before the subcommand, if any):
  -chdir=DIR    Switch to a different working directory before executing the
                given subcommand.
  -help         Show this help output, or the help for a specified subcommand.
  -version      An alias for the "version" subcommand.
```