
MySQL Workbench
SQL Project
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
college
company
company1
day1
day2
demo1
ecommerce_db
Tables
customers
order_items
orders
payments
products
shipping
Views
Administration Schemas
Information
No object selected
Ecommerce project
Limit to 1000 rows
CREATE INDEX idx_orders_customer ON orders(customer_id);
CREATE INDEX idx_order_items_order ON order_items(order_id);
#1 Business Problem:
#The company wants to understand its overall user base. As a data analyst, you are asked to calculate the total
#number of registered customers in the system.
select count(customer_id) from customers;
#2 Business Problem:
#The marketing team wants to run a campaign specifically in Pune. Retrieve all customers who belong to Pune so
#they can be targeted.
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
count(customer_id)
650
Result Grid
Form Editor
Result 1
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 19:36:51 use ecommerce_db 0 row(s) affected 0.000 sec
2 19:37:19 select count(customer_id) from customers LIMIT 0, 1000 1 row(s) returned 0.047 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Ecommerce project

Limit to 1000 rows

```sql
select count(customer_id) from customers;

#2 Business Problem:
#The marketing team wants to run a campaign specifically in Pune. Retrieve all customers who belong to Pune so
#they can be targeted.
select * from customers
where city="pune";

#3 Business Problem:
#Management wants to know how many total orders have been placed on the platform so far to measure
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

customer_id	name	email	city	signup_date
11	Meera Iyer	meera.iyer11@outlook.com	Pune	2023-07-14
13	Pooja Kapoor	pooja.kapoor13@outlook.com	Pune	2024-07-27
15	Arjun Bansal	arjun.bansal15@company.com	Pune	2022-09-08
22	Meera Joshi	meera.joshi22@outlook.com	Pune	2022-09-07
24	Priya Deshmukh	priya.deshmukh24@outlook.com	Pune	2022-12-19
31	Simran Joshi	simran.joshi31@gmail.com	Pune	2022-11-18
36	Karan Verma	karan.verma36@gmail.com	Pune	2022-03-20
46	Sanjay Patil	sanjay.patil46@gmail.com	Pune	2024-02-10

Result Grid | Form Editor | Apply

customers 2

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:36:51	use ecommerce_db	0 row(s) affected	0.000 sec
2	19:37:19	select count(customer_id) from customers LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
3	19:40:17	select * from customers where city="pune" LIMIT 0, 1000	88 row(s) returned	0.000 sec / 0.000 sec


MySQL Workbench
SQL Project
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
college
company
company1
day1
day2
demo1
ecommerce_db
Tables
customers
order_items
orders
payments
products
shipping
Views
Administration Schemas
Information
No object selected
Ecommerce project
Limit to 1000 rows
91 where city="pune";
92
93 #3 Business Problem:
94 #Management wants to know how many total orders have been placed on the platform so far to measure
95 #platform activity
96 select count(order_id) from orders;
97
98 #4 Business Problem:
99 #To analyze current trends, the business wants to see all orders placed in the last 30 days.
100 SELECT *
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
count(order_id)
2500
Result Grid
Form Editor
Result 3
Read Only
Output
Action Output
Time Action Message Duration / Fetch
1 19:36:51 use ecommerce_db 0 row(s) affected 0.000 sec
2 19:37:19 select count(customer_id) from customers LIMIT 0, 1000 1 row(s) returned 0.047 sec / 0.000 sec
3 19:40:17 select * from customers where city="pune" LIMIT 0, 1000 88 row(s) returned 0.000 sec / 0.000 sec
4 19:41:04 select count(order_id) from orders LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
#4 Business Problem:
#To analyze current trends, the business wants to see all orders placed in the last 30 days.
SELECT *
FROM orders
WHERE order_date between '2024-01-07'and '2024-02-07';

#5 Business Problem:
#The company wants to identify premium products. Retrieve all products with a price greater than ₹50,000.
select * from  products
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

order_id	customer_id	order_date	status
1	115	2024-01-07	Cancelled
3	143	2024-01-27	Cancelled
4	559	2024-01-23	Cancelled
5	433	2024-01-09	Delivered
14	105	2024-01-24	Pending
18	388	2024-01-21	Cancelled
21	72	2024-01-12	Cancelled
23	239	2024-01-26	Pending

Result Grid | Form Editor

orders 4 | Apply

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:36:51	use ecommerce_db	0 row(s) affected	0.000 sec
2	19:37:19	select count(customer_id) from customers LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
3	19:40:17	select * from customers where city="pune" LIMIT 0, 1000	88 row(s) returned	0.000 sec / 0.000 sec
4	19:41:04	select count(order_id) from orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

SQL Project

Ecommerce project

```sql
SELECT *
FROM orders
WHERE order_date between '2024-01-07'and '2024-02-07';

#5 Business Problem:
#The company wants to identify premium products. Retrieve all products with a price greater than ₹50,000.
select * from  products
where price>"50000";

#6 Business Problem:
```

product_id	product_name	category	price	stock_quantity
2	OnePlus 11 5G	Electronics	59591.78	360
8	Samsung Galaxy S23	Electronics	62373.16	268
11	Lenovo ThinkPad E14	Electronics	56606.42	354
12	Boat Rockerz 450 Headphones	Electronics	67486.62	152
15	Boat Rockerz 450 Headphones	Electronics	61110.34	316
16	Boat Rockerz 450 Headphones	Electronics	53538.03	325
18	Samsung Galaxy S23	Electronics	59957.76	321
19	LG 55 inch 4K Smart TV	Electronics	69154.31	3

products 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	19:36:51	use ecommerce_db	0 row(s) affected	0.000 sec
2	19:37:19	select count(customer_id) from customers LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
3	19:40:17	select * from customers where city="pune" LIMIT 0, 1000	88 row(s) returned	0.000 sec / 0.000 sec
4	19:41:04	select count(order_id) from orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec
6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
select * from  products
where price>"50000";

#6 Business Problem:
#To understand product diversity, list all unique product categories available on the platform.
select distinct category from products ;

#7 Business Problem:
#Finance team needs to know total revenue generated from all orders using order item data.
select sum(price)  as total_revenue from order_items;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

category
Electronics
Clothing
Home
Sports
Books

products 6

Read Only

Output

Action Output

	#	Time	Action	Message	Duration / Fetch
✔	2	19:37:19	select count(customer_id) from customers LIMIT 0, 1000	1 row(s) returned	0.047 sec / 0.000 sec
✔	3	19:40:17	select * from customers where city="pune" LIMIT 0, 1000	88 row(s) returned	0.000 sec / 0.000 sec
✔	4	19:41:04	select count(order_id) from orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
✔	5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec
✔	6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec
✔	7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:43 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
#7 Business Problem:
#Finance team needs to know total revenue generated from all orders using order item data.
select sum(price)  as total_revenue from order_items;

#8 Business Problem:
# Operations team wants to understand how orders are distributed across statuses (Delivered, Pending,
#Cancelled).
select shipping_status,count(order_id)
 from shipping
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

total_revenue
310215721.56

Result 7 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	19:40:17	select * from customers where city="pune" LIMIT 0, 1000	88 row(s) returned	0.000 sec / 0.000 sec
4	19:41:04	select count(order_id) from orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec
6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec
7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Type here to search 24°C Heavy t-storms ENG 19:43 22-07-2026

```sql
select sum(price)  as total_revenue from order_items;

#8 Business Problem:
# Operations team wants to understand how orders are distributed across statuses (Delivered, Pending,
#Cancelled).
select shipping_status,count(order_id)
 from shipping
 group by shipping_status;

 #9 Business Problem:
```

shipping_status	count(order_id)
Delivered	1044
Delayed	260
Returned	231

Result 8

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	19:41:04	select count(order_id) from orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec
6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec
7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
 from shipping
 group by shipping_status;

 #9 Business Problem:
#Warehouse team wants to know how many products exist in each category.
 select count(product_name) as products,category
 from products
 group by category;

 #10 Business Problem:
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

products	category
60	Electronics
60	Clothing
60	Home
60	Sports
60	Books

Result 9 | Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	19:42:15	SELECT * FROM orders WHERE order_date between '2024-01-07'and '2024-02-07' LIMIT 0, 1000	448 row(s) returned	0.016 sec / 0.000 sec
6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec
7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Type here to search | 24°C Heavy t-storms | ENG | 19:44 | 22-07-2026

```sql
#10 Business Problem:
#To understand customer engagement, display each customer along with the orders they have placed
select c.customer_id,
c.name,
o.order_id,
o.order_date,
o.status
from customers c
join orders o
on c.customer_id=o.customer_id;

#11 Business Problem:
```

customer_id	name	order_id	order_date	status
1	Deepak Saxena	183	2024-03-18	Pending
1	Deepak Saxena	1893	2024-02-10	Delivered
1	Deepak Saxena	2011	2024-05-13	Delivered
1	Deepak Saxena	2082	2024-06-12	Cancelled
1	Deepak Saxena	2426	2024-02-07	Cancelled
2	Deepak Chopra	651	2024-06-06	Pending
2	Deepak Chopra	1186	2024-02-24	Pending
2	Deepak Chopra	1368	2024-06-28	Cancelled

Result 10

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	19:43:02	select * from products where price>"50000" LIMIT 0, 1000	158 row(s) returned	0.000 sec / 0.000 sec
7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```
 o.status
 from customers c
 join orders o
 on c.customer_id=o.customer_id;

 #11 Business Problem:
#Identify products where stock is below 20 units so that restocking can be planned
 select product_name,stock_quantity
 from products
where stock_quantity<20;

#12 Business Problem:
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

product_name	stock_quantity
LG 55 inch 4K Smart TV	3
Lenovo ThinkPad E14	4
Levis Slim Fit Jeans	15
Nike Air Max Shoes	1
Allen Solly Formal Shirt	3
Yonex Badminton Racket	14
Nike Gym Gloves	2
Ikigai	14

products 11

Read Only

Result Grid

Form Editor

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	19:43:19	select distinct category from products LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec
12	19:44:50	select product_name,stock_quantity from products where stock_quantity<20 LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:44 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
#Identify products where stock is below 20 units so that restocking can be planned
 select product_name,stock_quantity
 from products
where stock_quantity<20;

#12 Business Problem:
#Finance team wants to analyze only successful payments.
select * from payments
where payment_status="success";

#13 Business Problem:
#Find all orders that have been successfully delivered to customers.
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: | Fetch rows:

payment_id	order_id	payment_method	payment_status	amount
2	2	COD	Success	74118.64
3	3	Wallet	Success	3173.76
4	4	Credit Card	Success	2848.29
5	5	COD	Success	54585.16
6	6	NetBanking	Success	80981.16
7	7	Credit Card	Success	34157.00
9	9	NetBanking	Success	84779.94
11	11	UPI	Success	82974.59

Result Grid | Form Editor

payments 12

Apply

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	19:43:30	select sum(price) as total_revenue from order_items LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec
12	19:44:50	select product_name,stock_quantity from products where stock_quantity<20 LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13	19:44:57	select * from payments where payment_status="success" LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:44 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
#Finance team wants to analyze only successful payments.
select * from payments
where payment_status="success";

#13 Business Problem:
#Find all orders that have been successfully delivered to customers.
select order_id,shipping_status,delivery_date
from shipping
where shipping_status="delivered";

#14 Business Problem:
#Calculate how many orders each customer has placed.
```

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

order_id	shipping_status	delivery_date
3	Delivered	2024-02-15
4	Delivered	2024-01-25
6	Delivered	2024-03-02
8	Delivered	2024-06-23
9	Delivered	2024-03-03
10	Delivered	2024-01-06
11	Delivered	2024-07-03
15	Delivered	2024-03-31

Result Grid

Form Editor

shipping 13

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	19:43:55	select shipping_status,count(order_id) from shipping group by shipping_status LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec
12	19:44:50	select product_name,stock_quantity from products where stock_quantity<20 LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13	19:44:57	select * from payments where payment_status="success" LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec
14	19:45:01	select order_id,shipping_status,delivery_date from shipping where shipping_status="delivered" LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:45 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```
#14 Business Problem:
#Calculate how many orders each customer has placed.
select c.customer_id,c.name,
count(o.order_id) as total_orders
from customers c
left join orders o
on c.customer_id=o.customer_id
group by c.customer_id,c.name;


#15 Business Problem:
```

Result Grid Filter Rows: Export: Wrap Cell Content:

customer_id	name	total_orders
1	Deepak Saxena	5
2	Deepak Chopra	4
3	Meera Verma	2
4	Rohit Kulkarni	1
5	Anjali Gupta	6
6	Shreya Joshi	3
7	Anjali Iyer	4
8	Nikhil Singh	5

Result Grid

Form Editor

Result 14

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	19:44:03	select count(product_name) as products,category from products group by category LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec
12	19:44:50	select product_name,stock_quantity from products where stock_quantity<20 LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13	19:44:57	select * from payments where payment_status="success" LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec
14	19:45:01	select order_id,shipping_status,delivery_date from shipping where shipping_status="delivered" LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
15	19:45:07	select c.customer_id,c.name, count(o.order_id) as total_orders from customers c left join orders o on c.custome...	650 row(s) returned	0.000 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:45 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
#15 Business Problem:
#Display all products included in each order to understand order composition.
SELECT
oi.order_id,
p.product_id,
p.product_name,
oi.quantity,
oi.price
from order_items oi
join products p
on oi.order_id=p.product_id
order by oi.order_id;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

order_id	product_id	product_name	quantity	price
1	1	Sony WH-1000XM5 Headphones	3	24640.21
2	2	OnePlus 11 5G	5	8876.50
2	2	OnePlus 11 5G	1	3173.76
3	3	Dell XPS 13 Laptop	5	60281.47
3	3	Dell XPS 13 Laptop	2	71658.76
4	4	Apple iPhone 14	4	59008.72
4	4	Apple iPhone 14	2	69874.31
4	4	Apple iPhone 14	3	15716.85

Result Grid Form Editor

Result 15 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	19:44:23	select c.customer_id, c.name, o.order_id, o.order_date, o.status from customers c join orders o on c.cust...	1000 row(s) returned	0.016 sec / 0.000 sec
12	19:44:50	select product_name,stock_quantity from products where stock_quantity<20 LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
13	19:44:57	select * from payments where payment_status="success" LIMIT 0, 1000	1000 row(s) returned	0.047 sec / 0.000 sec
14	19:45:01	select order_id,shipping_status,delivery_date from shipping where shipping_status="delivered" LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.000 sec
15	19:45:07	select c.customer_id,c.name, count(o.order_id) as total_orders from customers c left join orders o on c.custome...	650 row(s) returned	0.000 sec / 0.000 sec
16	19:45:37	SELECT oi.order_id, p.product_id, p.product_name, oi.quantity, oi.price from order_items oi join products p on o...	772 row(s) returned	0.047 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:45 22-07-2026

```sql
#16 Business Problem:
#Identify top 10 customers who have contributed the highest revenue to the business.
SELECT c.customer_id,
       c.name,
       SUM(pa.amount) AS total_revenue
FROM Customers c
JOIN Orders o
    ON c.customer_id = o.customer_id
JOIN Payments pa
    ON o.order_id = pa.order_id
GROUP BY c.customer_id, c.name
ORDER BY total_revenue DESC
LIMIT 10;
```

customer_id	name	total_revenue
96	Sanjay Patil	835242.21
162	Vikas Chopra	798578.49
10	Pooja Bansal	733629.25
628	Karan Agarwal	691728.56
427	Pooja Mishra	690246.36
564	Ritu Joshi	674167.13
469	Simran Iyer	636796.84
255	Rohit Bansal	634872.09

Output

#	Time	Action	Duration / Fetch
15	19:45:07	select c.customer_id,c.name, count(o.order_id) as total_orders from customers c left join orders o	0.000 sec / 0.000 sec
16	19:45:37	SELECT oi.order_id, p.product_id, p.product_name, oi.quantity, oi.price from order_items oi join p	0.047 sec / 0.000 sec
17	19:46:15	SELECT c.customer_id, c.name, SUM(pa.amount) AS total_revenue FROM Customers	0.047 sec / 0.000 sec

```sql
ORDER BY total_revenue DESC
LIMIT 10;

#17 Business Problem:
#Analyze how revenue changes month by month to detect trends and seasonality.
SELECT
    DATE_FORMAT(o.order_date, '%Y-%m') AS month,
    SUM(p.amount) AS total_revenue
FROM Orders o
JOIN Payments p
    ON o.order_id = p.order_id
WHERE p.payment_status = 'Success'
GROUP BY DATE_FORMAT(o.order_date, '%Y-%m')
ORDER BY month;
```

month	total_revenue
2024-01	19613847.48
2024-02	16323428.01
2024-03	18383535.78
2024-04	18568528.83
2024-05	18987271.48
2024-06	17761679.10

Result 17

Action Output

#	Time	Action	Message	Duration / Fetch
16	19:45:37	SELECT oi.order_id, p.product_id, p.product_name, oi.quantity, oi.price from order_items oi join products p on o...	772 row(s) returned	0.047 sec / 0.000 sec
17	19:46:15	SELECT c.customer_id, c.name, SUM(pa.amount) AS total_revenue FROM Customers c JOIN Orders...	10 row(s) returned	0.047 sec / 0.000 sec
18	19:46:30	SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS total_revenue FROM Or...	6 row(s) returned	0.032 sec / 0.000 sec


MySQL Workbench
SQL Project
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
college
company
company1
day1
day2
demo1
ecommerce_db
Tables
customers
order_items
orders
payments
products
shipping
Views
Administration Schemas
Information
No object selected
Object Info Session
Ecommerce project
Limit to 1000 rows
JOIN Payments p
ON o.order_id = p.order_id
WHERE p.payment_status = 'Success'
GROUP BY DATE_FORMAT(o.order_date, '%Y-%m')
ORDER BY month;
#18 Business Problem:
#Find orders where total value exceeds ₹50,000. These are considered premium orders.
select order_id,
sum(quantity*price) as total_value
from order_items
group by order_id
having total_value>50000;
Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:
order_id total_value
1 73920.63
3 444724.87
4 432390.09
5 181355.58
6 63288.25
7 396002.74
8 136351.05
9 532793.58
Result 18
Read Only
Result Grid
Form Editor
Output
Action Output
Time Action Message Duration / Fetch
17 19:46:15 SELECT c.customer_id, c.name, SUM(pa.amount) AS total_revenue FROM Customers c JOIN Orders... 10 row(s) returned 0.047 sec / 0.000 sec
18 19:46:30 SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS total_revenue FROM Or... 6 row(s) returned 0.032 sec / 0.000 sec
19 19:46:36 select order_id, sum(quantity*price) as total_value from order_items group by order_id having total_value>5000... 1000 row(s) returned 0.063 sec / 0.000 sec
Type here to search
24°C Heavy t-storms
ENG
19:46
22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

college
company
company1
day1
day2
demo1
ecommerce_db
Tables
customers
order_items
orders
payments
products
shipping
Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
having total_value>50000;


#19 Business Problem:
#Identify customers who have placed more than 5 orders. These are loyal customers.
select c.customer_id,
c.name,
count(order_id) as total_orders
from customers c
join orders o
on c.customer_id=o.customer_id
group by c.customer_id,c.name
having total_orders>5
order by total_orders desc;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	name	total_orders
10	Pooja Bansal	11
96	Sanjay Patil	11
340	Simran Gupta	11
628	Karan Agarwal	11
162	Vikas Chopra	10
110	Deepak Verma	9
141	Rahul Sharma	9
255	Rohit Bansal	9

Result 19

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	19:46:30	SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS total_revenue FROM Or...	6 row(s) returned	0.032 sec / 0.000 sec
19	19:46:36	select order_id, sum(quantity*price) as total_value from order_items group by order_id having total_value>5000...	1000 row(s) returned	0.063 sec / 0.000 sec
20	19:46:41	select c.customer_id, c.name, count(order_id) as total_orders from customers c join orders o on c.customer_id=...	122 row(s) returned	0.000 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:46 22-07-2026

```sql
#20 Business Problem:
#Calculate how much revenue each product generates.
select p.product_id,
p.product_name,
sum(oi.quantity*oi.price) as total_revenue
from products p
join order_items oi
on p.product_id=oi.product_id
group by p.product_id,p.product_name
order by total_revenue desc;

#21 Business Problem:
#Find which payment method is used most frequently by customers.
select payment_method,
count(*) as usage_count
```

product_id	product_name	total_revenue
196	Decathlon Yoga Mat	7138522.70
192	Yonex Badminton Racket	5955504.98
254	Atomic Habits	5777070.08
252	Ikigai	5703934.58
90	Van Heusen Blazer	5364308.22
16	Boat Rockerz 450 Headphones	5257918.20
22	OnePlus 11 5G	4806549.80
100	H&M Cotton T-Shirt	4787836.86

Result 20

#	Time	Action	Message	Duration / Fetch
19	19:46:36	select order_id, sum(quantity*price) as total_value from order_items group by order_id having total_value>5000...	1000 row(s) returned	0.063 sec / 0.000 sec
20	19:46:41	select c.customer_id, c.name, count(order_id) as total_orders from customers c join orders o on c.customer_id=...	122 row(s) returned	0.000 sec / 0.000 sec
21	19:46:50	select p.product_id, p.product_name, sum(oi.quantity*oi.price) as total_revenue from products p join order_item...	300 row(s) returned	0.047 sec / 0.000 sec

```sql
order by total_revenue desc;

#21 Business Problem:
#Find which payment method is used most frequently by customers.
select payment_method,
count(*) as usage_count
from payments
group by payment_method
order by usage_count desc;


#22 Business Problem:
#Identify orders that had at least one failed payment attempt.
select distinct
o.order_id,
```

payment_method	usage_count
NetBanking	572
Debit Card	531
UPI	523
Credit Card	502
Wallet	494
COD	492

Result 21

Output

#	Time	Action	Message	Duration / Fetch
20	19:46:41	select c.customer_id, c.name, count(order_id) as total_orders from customers c join orders o on c.customer_id=...	122 row(s) returned	0.000 sec / 0.000 sec
21	19:46:50	select p.product_id, p.product_name, sum(oi.quantity*oi.price) as total_revenue from products p join order_item...	300 row(s) returned	0.047 sec / 0.000 sec
22	19:46:54	select payment_method, count(*) as usage_count from payments group by payment_method order by usage_c...	6 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Ecommerce project

Limit to 1000 rows

```sql
#Find which payment method is used most frequently by customers.
select payment_method,
count(*) as usage_count
from payments
group by payment_method
order by usage_count desc;


#22 Business Problem:
#Identify orders that had at least one failed payment attempt.
select distinct
o.order_id,
o.order_date,
o.customer_id,
o.status
```

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

order_id	order_date	customer_id	status
1	2024-01-07	115	Cancelled
10	2024-05-30	460	Pending
16	2024-03-08	619	Delivered
25	2024-02-11	374	Pending
28	2024-06-04	74	Cancelled
33	2024-01-15	333	Delivered
36	2024-03-21	581	Delivered
45	2024-06-09	157	Delivered

Result 22

Result Grid

Form Editor

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	19:46:50	select p.product_id, p.product_name, sum(oi.quantity*oi.price) as total_revenue from products p join order_item...	300 row(s) returned	0.047 sec / 0.000 sec
22	19:46:54	select payment_method, count(*) as usage_count from payments group by payment_method order by usage_c...	6 row(s) returned	0.016 sec / 0.000 sec
23	19:47:01	select distinct o.order_id, o.order_date, o.customer_id, o.status from orders o join payments p on o.order_id=p.o...	310 row(s) returned	0.015 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:47 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- company
- company1
- day1
- day2
- demo1
- **ecommerce_db**
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
o.order_date,
o.customer_id,
o.status
from orders o
join payments p
on o.order_id=p.order_id
where payment_status="failed";


#23 Business Problem:
#Determine how many orders come from each city.
select c.city,
count(o.order_id) as total_orders
from customers c
join orders o
```

Result Grid Filter Rows: Export: Wrap Cell Content:

city	total_orders
Hyderabad	351
Mumbai	323
Pune	318
Chennai	316
Delhi	315
Bangalore	310
Ahmedabad	289
Kolkata	278

Result 23

Result Grid

Form Editor

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	19:46:54	select payment_method, count(*) as usage_count from payments group by payment_method order by usage_c...	6 row(s) returned	0.016 sec / 0.000 sec
23	19:47:01	select distinct o.order_id, o.order_date, o.customer_id, o.status from orders o join payments p on o.order_id=p.o...	310 row(s) returned	0.015 sec / 0.000 sec
24	19:47:05	select c.city, count(o.order_id) as total_orders from customers c join orders o on c.customer_id=o.customer_id g...	8 row(s) returned	0.015 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:47 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
count(o.order_id) as total_orders
from customers c
join orders o
on c.customer_id=o.customer_id
group by c.city
order by total_orders desc;

#24 Business Problem:
#Identify which category has the highest number of items sold.
select
p.category,
sum(oi.quantity) as total_orders
from products p
join order_items oi
on p.product_id=oi.product_id
```

Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:

category	total_orders
Sports	3811

Result 24 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	19:47:01	select distinct o.order_id, o.order_date, o.customer_id, o.status from orders o join payments p on o.order_id=p.o...	310 row(s) returned	0.015 sec / 0.000 sec
24	19:47:05	select c.city, count(o.order_id) as total_orders from customers c join orders o on c.customer_id=o.customer_id g...	8 row(s) returned	0.015 sec / 0.000 sec
25	19:47:08	select p.category, sum(oi.quantity) as total_orders from products p join order_items oi on p.product_id=oi.produc...	1 row(s) returned	0.031 sec / 0.000 sec

Type here to search 24°C Heavy t-storms ENG 19:47 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project

Limit to 1000 rows

```sql
group by p.category
order by total_orders desc
limit 1;

#25 Business Problem:
#Calculate the average delivery time for delivered orders.
SELECT
avg(datediff(s.delivery_date,o.order_date)) as avg_delivery_time
from orders o
join shipping s
on o.order_id=s.order_id
where shipping_status="delivered";

#26 Business Problem:
#Rank all customers based on total money spent to identify VIP customers.
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

avg_delivery_time
5.6034

Result 25

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	19:47:05	select c.city, count(o.order_id) as total_orders from customers c join orders o on c.customer_id=o.customer_id g...	8 row(s) returned	0.015 sec / 0.000 sec
25	19:47:08	select p.category, sum(oi.quantity) as total_orders from products p join order_items oi on p.product_id=oi.produc...	1 row(s) returned	0.031 sec / 0.000 sec
26	19:47:13	SELECT avg(datediff(s.delivery_date,o.order_date)) as avg_delivery_time from orders o join shipping s on o.ord...	1 row(s) returned	0.047 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:47 22-07-2026

```sql
#26 Business Problem:
#Rank all customers based on total money spent to identify VIP customers.
select c.customer_id,
c.name,sum(p.amount) as total_spent
from customers c
 join orders o
on c.customer_id=o.customer_id
 join payments p
 on o.order_id=p.order_id
 where payment_status="success"
 group by c.customer_id,c.name
order by total_spent  desc;
```

customer_id	name	total_spent
96	Sanjay Patil	670946.12
162	Vikas Chopra	605911.14
255	Rohit Bansal	586994.72
628	Karan Agarwal	537580.48
274	Anjali Nair	527887.10
427	Pooja Mishra	512374.83
140	Rahul Sharma	505196.00
469	Simran Iyer	497213.15

Result 26

Action Output

#	Time	Action	Message	Duration / Fetch
25	19:47:08	select p.category, sum(oi.quantity) as total_orders from products p join order_items oi on p.product_id=oi.produc...	1 row(s) returned	0.031 sec / 0.000 sec
26	19:47:13	SELECT avg(datediff(s.delivery_date,o.order_date)) as avg_delivery_time from orders o join shipping s on o.ord...	1 row(s) returned	0.047 sec / 0.000 sec
27	19:47:18	select c.customer_id, c.name,sum(p.amount) as total_spent from customers c join orders o on c.customer_id=o...	615 row(s) returned	0.015 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Ecommerce project

Limit to 1000 rows

```sql
#27 Business Problem:
#Track cumulative revenue over time to understand business growth.
SELECT
    DATE_FORMAT(o.order_date, '%Y-%m') AS month,
    SUM(p.amount) AS monthly_revenue,
    SUM(SUM(p.amount)) OVER (
        ORDER BY DATE_FORMAT(o.order_date, '%Y-%m')
    ) AS cumulative_revenue
FROM Orders o
JOIN Payments p
    ON o.order_id = p.order_id
WHERE p.payment_status = 'Success'
GROUP BY DATE_FORMAT(o.order_date, '%Y-%m')
ORDER BY month;
```

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

month	monthly_revenue	cumulative_revenue
2024-01	19613847.48	19613847.48
2024-02	16323428.01	35937275.49
2024-03	18383535.78	54320811.27
2024-04	18568528.83	72889340.10
2024-05	18987271.48	91876611.58
2024-06	17761679.10	109638290.68

Result 27

Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	19:47:13	SELECT avg(datediff(s.delivery_date,o.order_date)) as avg_delivery_time from orders o join shipping s on o.ord...	1 row(s) returned	0.047 sec / 0.000 sec
27	19:47:18	select c.customer_id, c.name,sum(p.amount) as total_spent from customers c join orders o on c.customer_id=o...	615 row(s) returned	0.015 sec / 0.000 sec
28	19:47:26	SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS monthly_revenue, SU...	6 row(s) returned	0.015 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:47 22-07-2026

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Ecommerce project

```sql
#28 Business Problem:
#Identify top 3 customers in each city based on spending.
select
c.customer_id,
c.name,c.city,
sum(p.amount) as total_spent
from customers c
join orders o on
c.customer_id=o.customer_id
join payments p
on o.order_id=p.order_id
group by c.customer_id,
c.name,c.city
order by total_spent desc
limit 3;
```

customer_id	name	city	total_spent
96	Sanjay Patil	Hyderabad	835242.21
162	Vikas Chopra	Chennai	798578.49
10	Pooja Bansal	Hyderabad	733629.25

Result 28

Output

Action Output

#	Time	Action	Message	Duration / Fetch
27	19:47:18	select c.customer_id, c.name,sum(p.amount) as total_spent from customers c join orders o on c.customer_id=o...	615 row(s) returned	0.015 sec / 0.000 sec
28	19:47:26	SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS monthly_revenue, SU...	6 row(s) returned	0.015 sec / 0.000 sec
29	19:47:36	select c.customer_id, c.name,c.city, sum(p.amount) as total_spent from customers c join orders o on c.custome...	3 row(s) returned	0.063 sec / 0.000 sec

```sql
#29 Business Problem:
#Calculate how much each product contributes to total revenue in percentage terms.
SELECT
    p.product_id,
    p.product_name,
    SUM(oi.quantity * oi.price) AS product_revenue,
    ROUND(
        (SUM(oi.quantity * oi.price) * 100.0) /
        (SELECT SUM(quantity * price) FROM Order_Items),
        2
    ) AS revenue_percentage
FROM Products p
JOIN Order_Items oi
    ON p.product_id = oi.product_id
GROUP BY
    p.product_id,
    p.product_name
ORDER BY revenue_percentage DESC;
```

product_id	product_name	product_revenue	revenue_percentage
196	Decathlon Yoga Mat	7138522.70	0.77
192	Yonex Badminton Racket	5955504.98	0.64
254	Atomic Habits	5777070.08	0.62
252	Ikigai	5703934.58	0.61
90	Van Heusen Blazer	5364308.22	0.58
16	Boat Rockerz 450 Headphones	5257918.20	0.57
22	OnePlus 11 5G	4806549.80	0.52
12	Boat Rockerz 450 Headphones	4768515.48	0.51

Result 29

Output

Action Output

#	Time	Action	Message	Duration / Fetch
28	19:47:26	SELECT DATE_FORMAT(o.order_date, '%Y-%m') AS month, SUM(p.amount) AS monthly_revenue, SU...	6 row(s) returned	0.015 sec / 0.000 sec
29	19:47:36	select c.customer_id, c.name,c.city, sum(p.amount) as total_spent from customers c join orders o on c.custome...	3 row(s) returned	0.063 sec / 0.000 sec
30	19:48:20	SELECT p.product_id, p.product_name, SUM(oi.quantity * oi.price) AS product_revenue, ROUND(...	300 row(s) returned	0.047 sec / 0.000 sec

MySQL Workbench

SQL Project

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- college
- company
- company1
- day1
- day2
- demo1
- ecommerce_db
  - Tables
    - customers
    - order_items
    - orders
    - payments
    - products
    - shipping
  - Views

Administration Schemas

Information

No object selected

Object Info Session

Ecommerce project*

Limit to 1000 rows

```sql
ORDER BY revenue_percentage DESC;



#30 Business Problem:
# Find customers who have both delivered and cancelled orders, indicating mixed behavior.
SELECT
    c.customer_id,
    c.name
FROM Customers c
JOIN Orders o
    ON c.customer_id = o.customer_id
GROUP BY
    c.customer_id,
    c.name
HAVING
    SUM(o.status = 'Delivered') > 0
    AND
    SUM(o.status = 'Cancelled') > 0;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

customer_id	name
1	Deepak Saxena
5	Anjali Gupta
7	Anjali Iyer
9	Arjun Reddy
10	Pooja Bansal
13	Pooja Kapoor
16	Meera Kapoor
17	Priya Singh

Result 30

Result Grid | Form Editor | Read Only

Output

Action Output

	#	Time	Action	Message	Duration / Fetch
	29	19:47:36	select c.customer_id, c.name,c.city, sum(p.amount) as total_spent from customers c join orders o on c.custome...	3 row(s) returned	0.063 sec / 0.000 sec
	30	19:48:20	SELECT p.product_id, p.product_name, SUM(oi.quantity * oi.price) AS product_revenue, ROUND(...	300 row(s) returned	0.047 sec / 0.000 sec
	31	19:48:35	SELECT c.customer_id, c.name FROM Customers c JOIN Orders o ON c.customer_id = o.customer_id ...	355 row(s) returned	0.016 sec / 0.000 sec

Type here to search

24°C Heavy t-storms ENG 19:48 22-07-2026