

ArrangeByLogin

Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.1.212
Browser	Chrome 122.0.0.0

Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	51	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	07-03-2024 19:06:33	End	07-03-2024 20:08:28
Elapsed	1h - 1m - 55.590s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	PASSED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	PASSED
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	PASSED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	PASSED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	FAILED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	PASSED

ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	PASSED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	PASSED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs. Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	PASSED
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	FAILED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	PASSED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	PASSED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	PASSED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	PASSED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	PASSED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	PASSED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	PASSED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	PASSED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	PASSED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	PASSED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	PASSED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	PASSED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

TS_SMOKE_SUITE_001

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	07-03-2024 19:06:57	End	07-03-2024 19:07:21
Elapsed	24.125s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)	0.743s	PASSED
Object 'Object Repository/HomePage/Logo_hp' is present			

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.257s	ERROR

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_002

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

07-03-2024 19:07:21

End

07-03-2024 19:07:48

26.738s

PASSED

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0) Object 'Object Repository/HomePage/Logo_hp' is present	0.298s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0) Object 'Object Repository/HomePage/Departamentos' is present	0.319s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0) Object 'Object Repository/HomePage/brand1_HP' is present	0.298s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0) Object 'Object Repository/HomePage/brand2_HP' is present	0.299s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0) Object 'Object Repository/HomePage/brand3_HP' is present	0.299s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0) Object 'Object Repository/HomePage/brand4_HP' is present	0.330s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0) Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.347s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0) Object 'Object Repository/HomePage/credito_HP' is present	0.298s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0) Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.319s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0) Object 'Object Repository/HomePage/Iniciar sesion' is present	0.362s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0) Object 'Object Repository/HomePage/Tiendas_HP' is present	0.329s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0) Object 'Object Repository/HomePage/Ayuda_HP' is present	0.329s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.832s	ERROR

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
---	-------------	---------	--------



TS_SMOKE_SUITE_003

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	07-03-2024 19:07:48	End	07-03-2024 19:08:29
Elapsed	41.816s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	14.056s	PASSED
2 mouseOver(findTestObject("HomePage/Departamentos")) Object: 'Object Repository/HomePage/Departamentos' is hovered			
3	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP")) Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.346s	PASSED
4 click(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on			
5	mouseOver(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.708s	PASSED
6 verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP")) Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable			
7	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP")) Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable	0.314s	PASSED


TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.214s	ERROR

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_007

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	07-03-2024 19:08:30	End	07-03-2024 19:09:08
Elapsed	38.827s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	waitForPageLoad(5) Wait for page load successfully	0.052s	PASSED
2 click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on			
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	7.028s	PASSED
4 verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present			
5	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	8.480s	PASSED

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.462s	ERROR

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_008

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"(Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	07-03-2024 19:09:08	End	07-03-2024 19:09:49
Elapsed	40.639s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE)	0.362s	PASSED
Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on			
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0)	8.151s	PASSED
Object 'Object Repository/SLP/breadCrumb_SLP' is present			
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0)	0.299s	PASSED
Object 'Object Repository/SLP/Map_Verify_slp' is present			
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0)	0.346s	PASSED
Object 'Object Repository/SLP/find_store_title_SLP' is present			
5	navigateToUrl(URL)	8.702s	PASSED
Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully			

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.685s	ERROR

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_009

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 19:09:49	End	07-03-2024 19:10:28
Elapsed	38.567s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.392s	PASSED
2	click(findTestObject("HomePage/Iniciar_miscompras")) Object: 'Object Repository/HomePage/Iniciar_miscompras' is clicked on	1.183s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	4.242s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.298s	PASSED

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	32.373s	ERROR

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo. Below it, a modal window titled "Inicia sesión" (Log in) contains fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. Above the modal, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." (Remember that with one account you can log in to all our stores). The main navigation bar includes links for "Suzanne", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". A search bar at the top right says "Buscar por producto, marca y más...". Below the navigation, there's a banner for "BEAUTY DAY" featuring a perfume bottle and a flower. The banner text includes "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones" (Find out before everyone else! Register and receive the best promotions) and "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_013

Information

ID Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 07-03-2024 19:10:28 End 07-03-2024 19:12:14

Elapsed 1m - 46.890s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	0.971s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	26.964s	PASSED
3	randomemail = GenerateRandomEmail()	0.000s	PASSED
4	firstName = "automation"	0.000s	PASSED
5	generatedstring = RandomStringUtils.randomAlphabetic(8)	0.000s	PASSED
6	Email = firstName + generatedstring + "@digisprint.com"	0.000s	PASSED
7	logInfo>Email	0.015s	PASSED
	automationxJXFdwmA@digisprint.com		

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
8	return Email	0.000s	PASSED
9	click(findTestObject("HomePage/Iniciar sesion")) Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on	0.621s	PASSED
10	waitForPageLoad(0) Wait for page load successfully	0.008s	PASSED
11	click(findTestObject("HomePage/loginpage/create_account_hp"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/loginpage/create_account_hp' is clicked on	8.286s	PASSED
12	setText(findTestObject("HomePage/loginpage/newAccountemail_LP"), randomemail) Text 'automationxJXFdwmA@digiprint.com' is set on object 'Object Repository/HomePage/loginpage/newAccountemail_LP'	1.009s	PASSED
13	setText(findTestObject("HomePage/loginpage/newAccountPassword_LP"), "ABCjklxyzkn7000") Text 'ABCjklxyzkn7000' is set on object 'Object Repository/HomePage/loginpage/newAccountPassword_LP'	0.754s	PASSED
14	click(findTestObject("HomePage/loginpage/submit_LP"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/loginpage/submit_LP' is clicked on	22.482s	PASSED
15	setText(findTestObject("HomePage/loginpage/name_LP"), "abc") Text 'abc' is set on object 'Object Repository/HomePage/loginpage/name_LP'	3.718s	PASSED
16	setText(findTestObject("HomePage/loginpage/fatherName_LP"), "xyz") Text 'xyz' is set on object 'Object Repository/HomePage/loginpage/fatherName_LP'	0.816s	PASSED

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
17	setText(findTestObject("HomePage/loginpage/maternalName_LP"), "jkl") Text 'jkl' is set on object 'Object Repository/HomePage/loginpage/maternalName_LP'	0.932s	PASSED
18	click(findTestObject("HomePage/loginpage/hombre_radioButton_LP"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/loginpage/hombre_radioButton_LP' is clicked on	0.361s	PASSED
19	click(findTestObject("HomePage/loginpage/createAccount_button_LP"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/loginpage/createAccount_button_LP' is clicked on	0.377s	PASSED
20	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	11.714s	PASSED

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
21	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	27.698s	ERROR

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's header. At the top, there is a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the navigation bar includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar with the placeholder "Buscar por producto, marca y más..." is positioned next to a magnifying glass icon. To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". Below the search bar, there are additional links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selección tu tienda" dropdown.



TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
			
Suburbia	Pottery Barn	Pottery Barn Kids	Williams Sonoma
West Elm	GAP	Banana Republic	Toys R Us
Liverpool®	Buscar por producto, marca y más...	Mis Compras	Iniciar sesión
Categorías	Mesa de regalos	Mi crédito	Servicios ▾
BYD	Tiendas	Ayuda	Selecciona tu tienda



TS_SMOKE_SUITE_039

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	07-03-2024 19:12:14	End	07-03-2024 19:12:44
Elapsed	29.820s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Departamentos' is clicked on	0.422s	PASSED
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP")) Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.440s	PASSED
3	click(findTestObject("HomePage/L1_Category_HP")) Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on	0.359s	PASSED
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp")) Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable	6.240s	PASSED

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.252s	ERROR

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		




Home > Belleza

Belleza


Bath y Body
Perfumería y Cosméticos
Salud

BELLEZA

No importa si eres beauty blogger, professional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_047

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047

Description To verify the display of facets on the item listing page

Tag

Start 07-03-2024 19:12:44 End 07-03-2024 19:13:24

Elapsed 39.876s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	8.295s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	7.232s	PASSED
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.347s	PASSED
Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.455s	PASSED
Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present			
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.313s	PASSED
Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present			
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.325s	PASSED
Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present			

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.325s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.313s	PASSED

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.188s	ERROR

TS_SMOKE_SUITE_047



| X
[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼

[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)

[Home > ropa](#)

"ropa" (939 resultados)

Ordenar por:
▼

Categorías

- [Moda](#)
- [Ella](#)
- [Ropa Mujer](#)
- [Caballeros](#)
- [Niños](#)
- [Prueba BT](#)
- [Muebles](#)
- [Bebés](#)

Y/o recibe 20% en monedero






MODERNOS A MANO

Pantalón para Dama Rue de la Paix

624^m

\$14⁴⁰

 Entrar

¡Entérate antes que nadie! Regístrate y recibe las mejores promociones

[Suburbia](#)
[Pottery Barn](#)
[Pottery Barn Kids](#)
[Williams Sonoma](#)
[West Elm](#)
[GAP](#)
[Banana Republic](#)
[Toys R Us](#)



| X

[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼


[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)



TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_048

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 07-03-2024 19:13:24 End 07-03-2024 19:14:00

Elapsed 35.544s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Multi_Sku_With_Range_PLP], STOP_ON_FAILURE)	8.492s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	4.210s	PASSED
Text of object 'Object Repository/PLPPage/product2_cardPrice_PLP' is: '\$1,22900 - \$8,99500'			
3	verify price range	0.346s	PASSED
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1,22900 - \$6,07163'			
4	a1 = a.contains("-")	0.002s	PASSED
5	b1 = b.contains("-")	0.001s	PASSED
6	out.println(a1)	0.023s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
7	out.println(b1)	0.000s	PASSED
8	if (a1 == true && b1 == true)	0.002s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.315s	ERROR


TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page for the term "bermuda". The search bar at the top contains "bermuda". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays 18 products related to bermuda shorts. On the left, a sidebar lists categories such as Moda, Ella, Ropa Mujer, Caballeros, Prueba BT, Nautica, Belleza, and That's It. Two product cards are visible: one for "Bermuda para Caballero Nautica" and another for "Bermuda para Caballero Nautica". At the bottom of the page, there is a promotional banner for "BEAUTY DAY" with text "Compra hoy y paga hasta mayo con Tarjetas Liverpool".



TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_049

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			
Start	07-03-2024 19:14:00	End	07-03-2024 19:14:37
Elapsed	37.326s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rate_CPandDP], STOP_ON_FAILURE)	8.245s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	6.092s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	0.327s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.577s	ERROR

TS_SMOKE_SUITE_049


#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows the Liverpool website's search results for the term "sony". The search bar at the top contains "sony". Below it, there are filters for "Categorías" (Deportes, Videojuegos, Baterías y Sartenes, Muebles, Celulares, Electronics, Apple, Decoración), "Ordenar por" (Y/o recibe30% en monedero), and a "32 Productos" button. The results display three smartphones: a purple one, an orange one, and a black one. A pink circular icon with a phone receiver symbol is visible on the right side of the products.

This screenshot shows the same Liverpool search results for "sony" from a slightly different perspective. The layout is similar, featuring the search bar, filters, and product cards for three smartphones. The pink phone receiver icon is present again.

A large advertisement for Givenchy Irresistible perfume. On the left, a hand holds a bottle of the perfume. In the center, there is a logo featuring a flower and the text "BEAUTY DAY". Below it, the text reads "Compra hoy y paga hasta mayo con Tarjetas Liverpool". To the right, a vertical pink banner says "Te escuchamos" with a small speaker icon. The background of the ad is light blue with some floral patterns.

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_055

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 07-03-2024 19:14:37 End 07-03-2024 19:15:19

Elapsed 41.894s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductRangeMultiSKU], STOP_ON_FAILURE)	8.186s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify milti sku	20.191s	PASSED
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
3	verify price range	1.485s	PASSED
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.955s	ERROR


TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for men's Bermuda shorts. The top navigation bar includes the Liverpool logo, a search bar with the number 1031110455, and links for 'Mis Compras', 'Iniciar sesión', and a shopping cart icon with 0 items. Below the navigation are categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Selecciona tu tienda'. The breadcrumb navigation shows 'Home > Caballeros > Ropa > Bermudas y Shorts > Bermudas'. The main content features a large image of the shorts, the product name 'Bermuda para Caballero Náutica', a price of '\$309.00 - \$111,109.00', and a star rating of 4.5 stars. It also mentions 'Envío gratis a todo el país' and a quantity selector from 1 to 5. To the right, there's a section for delivery to home with a placeholder for a postal code and a pink 'Comprar ahora' button.

This screenshot is identical to the one above, showing the same product page for men's Bermuda shorts on the Liverpool website. The layout, product details, and user interface elements are the same.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a large image of a Givenchy Irresistible perfume bottle. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters. Below it, it says 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right contains the text 'Te escuchamos' and a small speaker icon. The top navigation bar and bottom footer are visible, showing links for various brands like Suburbia, Pottery Barn, Williams Sonoma, GAP, Banana Republic, and Toys R Us.



TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_054

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 07-03-2024 19:15:19 End 07-03-2024 19:16:06

Elapsed 47.499s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	9.479s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"zap"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.151s	PASSED
3	click(findTestObject("PLPPage/product1_PLP")) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	5.916s	PASSED
4	verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0) Object 'Object Repository/PDPPage/Colour1_PDP' is present	9.533s	PASSED
5	verify sku not present Web element with id: 'Object Repository/PDPPage/Colour2_PDP' located by 'By.xpath: //ul[@id='color-list-mobile']//li[2]' is not present after '10' second(s)	0.323s	PASSED
6	verify discount price present Object 'Object Repository/PDPPage/discountPrice_PDP' is present	0.345s	PASSED

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
7	verify card price present	0.290s	PASSED

Object 'Object Repository/PDPPage/cardPrice_PDP' is present

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.364s	ERROR


TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for 'Tenis para Caballero Vans'. The product image is a black and white photo of a Vans sneaker. The price is listed as \$669.00, with a red crossed-out price of \$451.58. A button labeled 'Ver más promociones' is visible. To the right, there are two boxes: one for 'Recoge en 2 Horas' (with a green checkmark) and another for 'Envío gratis a todo el país'. Below the product details, there is a section for 'Cantidad:' with a minus sign, a '1' button, and a plus sign.

This screenshot is identical to the one above, showing the same product page for men's Vans sneakers. It includes the product image, price, promotional button, and collection options for pickup or delivery.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a large image of a hand holding a Givenchy Irresistible perfume bottle. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters. Below it, smaller text reads 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right contains the text 'Te escuchamos' and a small speaker icon.



TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_056

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056

Description To verify the display of PDP for single sku

Tag

Start 07-03-2024 19:16:06 End 07-03-2024 19:16:44

Elapsed 37.019s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm": "pantalon"], STOP_ON_FAILURE)	8.309s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	6.845s	PASSED
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	7.919s	PASSED
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	0.546s	PASSED
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	0.309s	PASSED
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.324s	PASSED
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.322s	PASSED
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP")) Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable	0.346s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP")) Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.323s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp")) Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable	0.320s	PASSED

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.379s	ERROR


TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a Liverpool website page for a child's pantalon. The product is titled "Pantalon Everlast" with a price of \$109.00. It includes a star rating of 4.5 stars and a "Ver disponibilidad en tienda" button. To the right, there are options for "Recoge en 2 Horas" (with a note about selecting a store) and "Envío gratis a todo el país". A "Cantidad:" input field shows "1". Below the product details, a promotional banner encourages users to register for early access to promotions.

This screenshot shows another Liverpool website page, likely for a different product. The header and navigation bar are identical to the first one. The main content area features a large image of a perfume bottle labeled "IRRESISTIBLE GIVENCHY". To the right, there is a "BEAUTY DAY" promotion banner with text about paying until May with Liverpool cards. A vertical pink sidebar on the right says "Te escuchamos" with a speech bubble icon.

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_057

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057

Description To verify the display of PDP for multi sku item

Tag

Start 07-03-2024 19:16:44 End 07-03-2024 19:17:19

Elapsed 35.082s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductNoRangeMultiSKU], STOP_ON_FAILURE)	8.590s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	11.372s	PASSED
	Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable		
3		0.321s	PASSED
	Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable		
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.316s	PASSED
	Object 'Object Repository/PDPPage/Colour1_PDP' is clickable		
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	0.343s	PASSED
	Object 'Object Repository/PDPPage/Colour2_PDP' is clickable		
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.702s	PASSED
	Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable		

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp")) Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.320s	PASSED
8	 Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.288s	PASSED
9	verify pdp price Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.334s	PASSED
10	verify pdp price Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.324s	PASSED
11	verify pdp price Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.329s	PASSED

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.773s	ERROR

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows the Liverpool website interface. At the top, there is a search bar with the number '1029796323'. Below the search bar are navigation links for 'Mis Compras', 'Iniciar sesión', and a shopping cart icon with '0'. The main menu includes 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a link to 'Selecciona tu tienda'. The breadcrumb navigation shows the user has reached the product page from the home page through several categories. The product listing for a 'PLAYERA EVERLAST PARA NIÑO' is displayed, showing a small image of the shirt, the product name, the code '1029796283', and a price of '\$75.00 - \$52.50'. There is also a link to 'Ver más promociones'.

This screenshot shows a detailed view of the Liverpool website for the same product. It includes a larger image of the shirt, the product name 'PLAYERA EVERLAST PARA NIÑO', the price '\$75.00 - \$52.50', and a button to 'Ver más promociones'. To the right, there are options for 'Recoge en 2 Horas' (with a note about selecting a store) and 'Recibe a domicilio' (with a note about entering a postal code). A promotional banner at the bottom encourages users to register for early notifications.

This screenshot shows another product detail page on the Liverpool website. The product is a 'IRRESISTIBLE GIVENCHY' perfume bottle. The page includes a large image of the bottle, the product name, and a promotional banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical sidebar on the right says 'Te escuchamos' with a speech bubble icon.



TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_059

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	07-03-2024 19:17:19	End	07-03-2024 19:17:56
Elapsed	37.011s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	7.600s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	6.693s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.310s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			


TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.344s	ERROR

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>  		

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_060

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 07-03-2024 19:17:56 End 07-03-2024 19:18:53

Elapsed 57.229s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	11.289s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	11.904s	PASSED
3	waitForPageLoad(0) Wait for page load successfully	0.016s	PASSED
4	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0) Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	6.799s	PASSED
5	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE) Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (125)'	0.348s	PASSED
6	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on	0.449s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
7	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP")) Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "	4.248s	PASSED
8	out.println(a)	0.001s	PASSED
9	out.println(b)	0.001s	PASSED
10	if (a.contains(b))	0.010s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.045s	ERROR


TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term "mac". The search bar at the top contains "mac". Below it, there are several filters: "Filtros" (with "Liverpool" selected), "Categorías" (listing MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella), and "Ordenar por:" dropdown. The main content area displays 125 products, with three items visible: "M-A-C Pigment" (image showing a brown textured product), "M.A.C Studio Fix Powder Plus" (image showing a white powder compact), and "M-A-C Studio Fix Fluid SPF 15" (image showing a beige liquid foundation bottle). The footer includes links to various brands like Suburbia, Pottery Barn, Williams Sonoma, etc., and a promotional banner for "BEAUTY DAY".



TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_061

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061		
Description	To verify the functionality of pagination in search result page.		
Tag	search		
Start	07-03-2024 19:18:53	End	07-03-2024 19:19:51
Elapsed	58.568s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.354s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	6.562s	PASSED
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.025s	PASSED
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.427s	PASSED
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.016s	PASSED
Delayed 10 second(s)			
7	a1 = getUrl()	0.032s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
8	out.println(a1)	0.001s	PASSED
9	a = a1.contains("page-2")	0.000s	PASSED
10	out.println(a)	0.001s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0) Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.326s	PASSED
12	waitForPageLoad(0) Wait for page load successfully	0.011s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.398s	PASSED
14	delay(10) Delayed 10 second(s)	10.012s	PASSED
15	if (a == true)	0.004s	PASSED
16	b1 = getUrl() Current window's url is: ' https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac '	0.022s	PASSED
17	b = b1.contains("page-1")	0.001s	PASSED


TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
18	out.println(b1)	0.001s	PASSED
19	if (b == true)	0.001s	PASSED


TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.251s	ERROR

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The navigation menu includes links for "Suburbia", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". Below the menu, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selecciona tu tienda". A small "BYD" link is also visible. The main content area features a large image of a Givenchy Irresistible perfume bottle held in a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right says "Te escuchamos" with a speaker icon. The bottom of the page has a decorative pattern of circles.</p>		

TS_SMOKE_SUITE_062

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062

Description To verify display of price for the product in search result page.

Tag

Start 07-03-2024 19:19:51 End 07-03-2024 19:20:29

Elapsed 37.776s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	8.451s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	6.283s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.330s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.635s	ERROR


TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "vaso". The search bar at the top contains "vaso". Below it, there are navigation links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main content area displays a search result for a "Vaso Villeroy & Boch Humo Colour Concept" product, which is a blue glass tumbler with a decorative pattern. The product image is shown next to its name and a small description. On the left, there is a sidebar with categories like HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, and Ella. At the bottom of the page, there is a promotional banner for "BEAUTY DAY" featuring a perfume bottle.



TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner on the right side features a perfume bottle and the text "BEAUTY DAY". It also includes the message "Compra hoy y paga hasta mayo con Tarjetas Liverpool" and a yellow diagonal banner with the text "OJO * OJO * OJO * OJO * OJO *". A vertical pink bar on the far right says "Te escuchamos" with a speaker icon.</p>		

TS_SMOKE_SUITE_063

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063

Description To verify the display of the color swatches in search result page

Tag

Start 07-03-2024 19:20:29 End 07-03-2024 19:21:07

Elapsed 38.211s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":PLP_with_pagination], STOP_ON_FAILURE)	8.695s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.012s	PASSED
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/facetes/ColorTitleFacet_PLP"), 0)	6.678s	PASSED
	Scroll to object 'Object Repository/PLPPage/facetes/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/facetes/Color_1_facet_PLP"), 0)	0.337s	PASSED
	Object 'Object Repository/PLPPage/facetes/Color_1_facet_PLP' is present		

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.414s	ERROR

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Color

Y/o recibe30% en monedero



Y/o recibe30% en monedero



Ver más

Marcas

Búsqueda rápida

BLUE MICROPHONES (1)

CLINIQUE (1)

MAC (110)

Partial Test Brand (14)

MAC Select Moisturecover

\$56.00
\$40.00



M.A.C. Mac Pigment-Teal (Fn)

\$35.00
\$28.40

Maquillaje Prueba MAC

\$2,785.00



Precios

Menos de \$100.0 (19)

Y/o recibe30% en monedero



Y/o recibe30% en monedero



Y/o recibe30% en monedero



iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool

Buscar por producto, marca y más...

Mis Compras Iniciar sesión 0

Categorías Mesa de regalos Mi crédito Servicios ▾


Tiendas Ayuda

Selección tu tienda

BYD



TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A small "BYD" label is visible near the bottom left. The central part of the page features a large image of a Givenchy Irresistible perfume bottle held in a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right side says "Te escuchamos" with a speaker icon. The bottom of the page has a decorative patterned footer.</p>		

TS_SMOKE_SUITE_069

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069
Description	To verify the search result page when user selects the price as sorting option

Tag

Start	07-03-2024 19:21:07	End	07-03-2024 19:22:17
Elapsed	1m - 9.971s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.607s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	click(findTestObject("PLPPage/Sortby_PLP"))	5.417s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	10.688s	PASSED
	Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on		
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	5.679s	PASSED
	Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1740'		
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.688s	PASSED
	Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'		
6	if (productcardprice3 <= productcardprice4)	0.002s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.363s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP")) Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	10.606s	PASSED
9	delay(5) Delayed 5 second(s)	5.017s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	0.622s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.341s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.002s	PASSED

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.769s	ERROR


TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there is a search bar with the word "Vaso". Below the search bar, there are navigation links for "Mis Compras", "Iniciar sesión", and a lock icon indicating a secure session. The main content area displays a search result for "Vaso" with 83 results. A dropdown menu allows sorting by "Mayor precio" (Highest price). On the left, there is a sidebar with categories like HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, and Ella. In the center, there are product cards for various glassware sets, such as "Set de Vasos para Whisky Christofle" and "Set de Vasos para Vodka Christofle". At the bottom of the page, there is a promotional banner for "BEAUTY DAY" featuring a perfume bottle and a flower.



TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_070

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070

Description to verify the pagination in the search result page

Tag

Start 07-03-2024 19:22:17

End

07-03-2024 19:23:20

Elapsed 1m - 2.724s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "mac"}], STOP_ON_FAILURE)	8.443s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	5.530s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.366s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.015s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.016s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			
6	a = a1.contains("page-2")	0.001s	PASSED
7	if (a == true)	0.001s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0) Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	0.337s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.377s	PASSED
10	delay(7) Delayed 7 second(s)	7.013s	PASSED
11	b1 = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac'	0.009s	PASSED
12	b = b1.contains("page-1")	0.001s	PASSED
13	if (b == true)	0.001s	PASSED


TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
14	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.467s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website's search results page for the term "mac". The page has a pink header with the Liverpool logo and a search bar containing "mac". Below the header, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selecciona tu tienda" button. The main content area shows a search result for "mac" with 126 products. On the left, there is a sidebar with categories like MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Mujer. The main content area displays three product cards: "M-A-C Pigment" (with a brown textured image), "M.A.C Studio Fix Powder Plus Foundation" (with a white cream image), and "M-A-C Studio Fix Fluid SPF 15" (with a beige liquid image). Each product card includes a small blue banner indicating a 30% discount offer. <p>mac</p> <p>Mis Compras Iniciar sesión</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Selecciona tu tienda</p> <p>Home > mac</p> <p>"mac" (126 resultados)</p> <p>Ordenar por:</p> <p>126 Productos</p> <p>Categorías</p> <ul style="list-style-type: none">MACBellezaPrueba Ciclo 3 20Julio ModificadoEllaPrueba Multi CocciónBebésModaRopa Mujer <p>M-A-C Pigment</p> <p>M.A.C Studio Fix Powder Plus Foundation</p> <p>M-A-C Studio Fix Fluid SPF 15</p>		

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.027s	ERROR

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		


The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are filters for "Ordenar por:" and a count of "126 Productos". The main content area displays three product cards for MAC products, each with a "Y/o recibe30% en monedero" badge:

- M·A·C Pigment
- M·A·C Studio Fix Powder Plus
- M·A·C Studio Fix Fluid SPF 15

The sidebar on the left lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Muier. The footer includes links to various brands like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_027

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 07-03-2024 19:23:20 End 07-03-2024 19:24:58

Elapsed 1m - 38.184s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	12.189s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	11.349s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at close any pop up.run(close any pop up:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/close_popup_OP' located by '(//i [@class='icon-close close'])[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		



TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_027


#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)	11.237s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)
at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:24)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
			
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.564s	PASSED

Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully

5	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	14.041s	PASSED
---	--	---------	--------

Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on


TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
6	<p>click(findTestObject("OPCPage/close_popup_OP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11000}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56589}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,}</p>	0.458s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e4ba47093e1e342434b835ac40d56df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor19.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733551158.run(Script1697733551158.groovy:31) ... 15 more)</pre>		
7	<p>click(findTestObject("PDPPage/AddToCart_pdp"))</p> <p>Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</p> 	0.351s	PASSED
8	<p>click(findTestObject("HomePage/Cart_header"))</p> <p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p>	4.602s	PASSED
9	<p>click(findTestObject("CartPage/Iniciar_Cart"))</p> <p>Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on</p>	1.700s	PASSED
10	<p>verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)</p> <p>Object 'Object Repository/HomePage/LoginPage_hp' is present</p>	4.539s	PASSED
11	<p>verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)</p> <p>Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present</p>	0.323s	PASSED

TS_SMOKE_SUITE_027


#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	28.738s	ERROR

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the header, there are social media icons for S, PB, LK, we, WS, GAP, BR, and R. A central modal window titled "Inicia sesión" (Log in) contains fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. Below the modal, the main page features a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main content area includes a search bar, a "Mis Compras" (My Purchases) link, and an "Iniciar sesión" (Log in) button. A promotional banner for "BEAUTY DAY" is displayed, featuring a perfume bottle and the text "Compra hoy y paga hasta mayo". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras', 'Iniciar sesión', and a notification icon with '1'. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. A promotional banner for 'BEAUTY DAY' features a pink flower and the text 'Compra hoy y paga hasta mayo'. In the center, there's a large image of a Givenchy Irresistible perfume bottle. At the bottom of the page, a cookie consent message reads: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información'.</p>		

TS_SMOKE_SUITE_028

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 07-03-2024 19:24:58 End 07-03-2024 19:26:20

Elapsed 1m - 21.745s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	7.711s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	13.970s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
4	click(findTestObject("HomePage/Cart_header"))	5.065s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	4.812s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
6	<p>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	11.314s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas.</p>  <p>Inicia sesión</p> <p>Correo electrónico</p> <p>Contraseña</p> <p>Olvidaste tu contraseña?</p> <p>Iniciar sesión</p>		

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.196s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
 <p>The screenshot shows the Liverpool website's login page. At the top, there is a navigation bar with icons for various stores like Liverpool, Puma, Gap, and others. Below the navigation is a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." The main area is titled "Inicia sesión" and contains fields for "Correo electrónico" and "Contraseña". There is also a link "¿Olvidaste tu contraseña?" and a pink "Iniciar sesión" button.</p>			

TS_SMOKE_SUITE_028


#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	27.581s	ERROR

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the header, there are social media icons for S, PB, LK, we, WS, GAP, BR, and R. A central modal window titled "Inicia sesión" (Log in) contains fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. Below the modal, the main page features a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main content area includes a search bar, a "Mis Compras" (My Purchases) link, and an "Iniciar sesión" (Log in) button with a notification badge. A promotional banner for "BEAUTY DAY" is displayed, featuring a perfume bottle and the text "Compra hoy y paga hasta mayo". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras' and 'Iniciar sesión'. A notification badge with the number '2' is visible. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. On the right side of the header, there are links for 'Tiendas' and 'Ayuda', along with a 'Selecciona tu tienda' button. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a promotional banner for 'BEAUTY DAY' featuring a flower and the text 'Compra hoy y paga hasta mayo'. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información' with a close button 'X'.</p>		

TS_SMOKE_SUITE_006

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	07-03-2024 19:26:20	End	07-03-2024 19:27:17
Elapsed	56.627s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	9.173s	PASSED
2	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP")) Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	11.300s	PASSED

TS_SMOKE_SUITE_006


#	Description	Elapsed	Status
3	<p>click(findTestObject("HomePage/Mesa de regalos_HP"))</p> <p>Unable to click on object 'Object Repository/HomePage/Mesa de regalos_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Mesa de regalos_HP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at TS_SMOKE_SUITE_006.run(TS_SMOKE_SUITE_006:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (179, 116). Other element would receive the click: <div class="modal-fixed-header o-product__modal modal fade show" id="loginWelcome_modal">...</div> (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...,</pre>	11.991s	FAILED

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
	<pre> userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir31084_11040, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:56589}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 6e4ba47093e1e342434b835ac40d56df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor19.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) </pre>		

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1697733551027.run(Script1697733551027.groovy:24) ... 15 more		




The screenshot shows a mobile browser displaying the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar and a user profile section labeled 'Mis Compras' and 'Hola harish'. A notification badge shows '3'. The main content area features a large image of a potted plant and a welcome message: '¡Bienvenidx harish! Recuerda que tu correo y contraseña serán los mismos para ingresar a nuestras otras tiendas.' Below this, there's a placeholder image icon with the text 'IMAGEN NO DISPONIBLE'. To the right, there's a promotional banner for 'MODA HOMBRE' with a 50% discount offer and a call-to-action 'Compra ahora'. At the bottom of the page, a footer note states: 'Al navegar en este sitio aceptas el uso de cookies y tecnologías similares. Para más información, [Más información](#)'.


TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.039s	ERROR

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_010

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 19:27:17	End	07-03-2024 19:28:10
Elapsed	53.135s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)	11.044s	PASSED
Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully			

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_010.run(TS_SMOKE_SUITE_010:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.502s	PASSED

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		

The screenshot shows the Liverpool website's header. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar containing 'Buscar por producto, marca y más...'. To the right of the search bar are 'Mis Compras', 'Hola harish', a shopping cart icon with '3', and account settings. Below the header, there is a large promotional banner for men's fashion with a man in a suit, the text 'MODA HOMBRE', 'Hasta 50% de descuento', and a 'Compra ahora' button.



TS_SMOKE_SUITE_010


#	Description	Elapsed	Status
3	click(findTestObject("HomePage/Mis_comprar")) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.334s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0) Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	2.489s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0) Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	5.245s	PASSED

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.454s	ERROR

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_011

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	07-03-2024 19:28:10	End	07-03-2024 19:28:55
Elapsed	44.720s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP"))	3.048s	PASSED
Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on			
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0)	4.263s	PASSED
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present			
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0)	0.324s	PASSED
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present			
4	navigateToUrl(URL)	14.242s	PASSED
Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully			

TS_SMOKE_SUITE_011


#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.786s	ERROR

TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's header. It features a search bar with placeholder text "Buscar por producto, marca y más...", a user profile icon with the name "Mis Compras Hola harish", a notification badge with the number "3", and a sign-in button. Below the header, there's a large promotional banner for women's fashion with a woman in a beige suit and a "MODA MUJER" heading.



TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_012

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	07-03-2024 19:28:55	End	07-03-2024 19:29:18
Elapsed	23.027s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0) Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.327s	PASSED


TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.656s	ERROR

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_014

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	07-03-2024 19:29:18	End	07-03-2024 19:30:16
Elapsed	58.455s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	refresh() Refresh successfully	11.142s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	3.448s	PASSED
3	click(findTestObject("AccountManagement/UpdatePeronalData_Account")) Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	4.109s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/firstName_update_accountManagement"), 0) Object 'Object Repository/AccountManagement/firstName_update_accountManagement' is present	1.376s	PASSED
5	waitForPageLoad(0) Wait for page load successfully	0.011s	PASSED
6	Name = "harish"	0.000s	PASSED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/firstName_update_accountManagement"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/firstName_update_accountManagement' is clicked on	0.900s	PASSED
8	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.875s	PASSED
9	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CLEAR)) Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.354s	PASSED
10	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(BACK_SPACE), STOP_ON_FAILURE) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.346s	PASSED
11	clearText(findTestObject("AccountManagement/firstName_update_accountManagement"), OPTIONAL) Text of object 'Object Repository/AccountManagement/firstName_update_accountManagement' is cleared	0.346s	PASSED
12	delay(10) Delayed 10 second(s)	10.018s	PASSED
13	setText(findTestObject("AccountManagement/firstName_update_accountManagement"), "") Text " is set on object 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.641s	PASSED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
14	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(Name)) Keys 'harish' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.330s	PASSED
15	out.println(Name)	0.001s	PASSED
16	click(findTestObject("AccountManagement/UpdateButton_Account")) Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.368s	PASSED
17	waitForPageLoad(0) Wait for page load successfully	0.012s	PASSED
18	verifyElementText(findTestObject("HomePage/header_Hola_text_HP"), "Hola " + Name) Actual text and expected text of test object 'Object Repository/HomePage/header_Hola_text_HP' are matched.	1.306s	PASSED

TS_SMOKE_SUITE_014


#	Description	Elapsed	Status
19	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.739s	ERROR

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		




The screenshot shows the Liverpool website's homepage. At the top, there is a navigation bar with the Liverpool logo, a search bar containing "Buscar por producto, marca y más...", and user account links for "Mis Compras", "Hola harish", and a notification icon with the number "3". Below the navigation bar, there are links for "Categorías", "Mesa de regalos", "Mi crédito", and "Servicios". On the right side of the header, there are links for "Tiendas", "Ayuda", and a location pin with the text "Mi tienda - Liverpool...". The main content area features a large search bar and a navigation menu on the left labeled "Mi Cuenta" with options like "Mis Compras", "Wishlist", "Cupones", and "Crédito y Pagos".



This screenshot shows the "Mi Cuenta" page from the Liverpool website. It displays personal information under the heading "Datos Personales". The data includes: Correo electrónico: imathpati@kognivera.com, Nombre: harish qa, Fecha de nacimiento: 19/12/2005, and Sexo: Hombre. On the left sidebar, there are links for "Mis Compras", "Wishlist", "Cupones", and "Crédito y Pagos". At the bottom of the page, there is a footer with links to various brands: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_015

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none">- Mi cuenta- Mis pedidos- Mi tiempo Aire- Mis tarjetas- Cerrar sesion		
Tag			
Start			
Elapsed			
Status	07-03-2024 19:30:16	End	07-03-2024 19:30:53
	36.429s		
	PASSED		


Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.475s	PASSED
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.420s	PASSED

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  A screenshot of a web browser displaying the Liverpool website. The page features a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is present, along with a user account dropdown menu labeled 'Hola harish'. The dropdown menu includes options such as 'Mi Cuenta', 'Mis Compras', 'Wishlist', 'Cupones', 'Mis tarjetas', and 'Cerrar sesión'. Below the navigation bar, there's a promotional banner for 'MODA MUJER' featuring a woman in a light-colored outfit. The overall layout is clean and modern.		



TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0) Object 'Object Repository/HomePage/Mis_comprar' is present	0.293s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0) Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.302s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0) Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.289s	PASSED
6	verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0) Object 'Object Repository/HomePage/a_Mis tarjetas' is present	0.336s	PASSED
7	verifyElementPresent(findTestObject("HomePage/a_Cerrar sesin_hp"), 0) Object 'Object Repository/HomePage/a_Cerrar sesin_hp' is present	0.301s	PASSED


TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.939s	ERROR

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  <p>The screenshot shows the Liverpool website homepage. At the top right, there is a user profile dropdown menu with the name "Hola harish". The menu includes options like "Mi Cuenta", "Mis Compras", "Wishlist", "Cupones", "Mis tarjetas", and "Cerrar sesión". Below the menu, there is a large banner for "MODA MUJER" with a woman in a beige outfit sitting on a sofa.</p>  <p>This screenshot shows another view of the Liverpool website homepage. It features a similar layout with a search bar, navigation links, and a prominent "MODA MUJER" banner. The banner image shows a woman in a light-colored outfit sitting on a sofa.</p>		

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_029

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	07-03-2024 19:30:53	End	07-03-2024 19:31:49
Elapsed	56.603s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.648s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.015s	PASSED
Wait for page load successfully			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	16.603s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.184s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:27) ... 15 more) Home > Deportes > Zapatos > Él > Casual		
5		2.449s	PASSED
5	click(findTestObject("HomePage/Cart_header"))	2.449s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
6		2.692s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
7	CheckoutURL = getUrl()	0.012s	PASSED
	Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'		
8	if (CheckoutURL == CheckoutLink)	0.000s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	14.893s	ERROR

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's shopping cart page. At the top, there's a navigation bar with links for 'Categories', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account section. Below the navigation is a search bar and a 'Mis Compras' link. The main content area is titled 'Mi Bolsa' and displays a table of items in the cart. The table has columns for 'Producto', 'Precio', 'Cantidad', and 'Total'. One item listed is 'ZAP CASUAL CLASSIC SLIP. ON, 27, VARIOS' at \$451.58 per unit, quantity 4, totaling \$1,806.30. To the right of the table, there's a summary box showing 'Subtotal (4 productos): \$2,676.00', 'Descuento: \$869.70', 'Cupones: \$0.00', and 'Costo de envío: Gratis'. Below this, it says 'Total (IVA Incluido): \$1,806.30'. A note at the bottom states 'Los precios aplican de acuerdo a forma de pago'. A large pink 'Comprar' button is prominently displayed.

Confirma tu compra

This screenshot shows the third step of the purchase process on the Liverpool website. It's titled 'Confirma tu compra'. The first section, '1. Entrega', shows a delivery address: 'Liverpool Cuautla' and 'Click & Collect Recoge en módulo'. The second section, '2. Forma de Pago', shows payment information: 'UsUASGQU *1975' and a checkbox for 'Usar Puntos BBVA'. It also includes fields for 'Fecha de vencimiento', 'Código de seguridad', 'MM/AA*', and 'CVV*'. The third section, 'Resumen de compra', provides a summary of the purchase: 'Subtotal (4 productos): \$2,676.00', 'Descuento: \$869.70', 'Cupones: \$0.00', and 'Costo de envío: Gratis'. The total amount is listed as 'Total (IVA incluido): \$1,806.30'. At the bottom, there's a link to 'Transferir saldo a mi monedero digital'.

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status				
	 Liverpool						
	<p>Confirma tu compra</p> <p>1. Entrega</p> <p>Liverpool Cuautla Cambiar Click & Collect Recoge en módulo</p> <p>2. Forma de Pago</p> <p>VISA UsUASGQU *1975 Cambiar <input type="checkbox"/> Usar Puntos BBVA Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta Fecha de vencimiento: Código de seguridad: ② MM/AA* CVV*</p> <p>3. Artículos y promociones</p>	<p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa Ver cupones</p> <p>Cupones (1 disponible) ></p> <table><tr><td>Subtotal (4 productos): \$2,676.00</td><td>Descuento: \$869.70</td></tr><tr><td>Cupones: \$0.00</td><td>Otros:</td></tr></table>	Subtotal (4 productos): \$2,676.00	Descuento: \$869.70	Cupones: \$0.00	Otros:	Ayuda ?
Subtotal (4 productos): \$2,676.00	Descuento: \$869.70						
Cupones: \$0.00	Otros:						

#	Description	Elapsed	Status				
	 Liverpool						
	<p>Confirma tu compra</p> <p>1. Entrega</p> <p>Liverpool Cuautla Cambiar Click & Collect Recoge en módulo</p> <p>2. Forma de Pago</p> <p>VISA UsUASGQU *1975 Cambiar <input type="checkbox"/> Usar Puntos BBVA Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta Fecha de vencimiento: Código de seguridad: ② MM/AA* CVV*</p> <p>3. Artículos y promociones</p>	<p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa Ver cupones</p> <p>Cupones (1 disponible) ></p> <table><tr><td>Subtotal (4 productos): \$2,676.00</td><td>Descuento: \$869.70</td></tr><tr><td>Cupones: \$0.00</td><td>Otros:</td></tr></table>	Subtotal (4 productos): \$2,676.00	Descuento: \$869.70	Cupones: \$0.00	Otros:	Ayuda ?
Subtotal (4 productos): \$2,676.00	Descuento: \$869.70						
Cupones: \$0.00	Otros:						

TS_SMOKE_SUITE_030

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	07-03-2024 19:31:49	End	07-03-2024 19:33:26
Elapsed	1m - 36.529s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	13.953s	PASSED
2	waitForPageLoad(15) Wait for page load successfully	0.030s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	9.555s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	18.219s	PASSED

TS_SMOKE_SUITE_030


#	Description	Elapsed	Status
5	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:27) ... 15 more) 	2.437s	PASSED

Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.257s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:31) ... 15 more) 		
7	click(findTestObject("HomePage/Cart_header")) Object: 'Object Repository/HomePage/Cart_header' is clicked on	2.418s	PASSED
8	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.389s	PASSED
9	CheckoutURL = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'	0.012s	PASSED
10	if (CheckoutURL == CheckoutLink)	0.001s	PASSED


TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	35.138s	ERROR

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website checkout process. The top navigation bar is pink with the Liverpool logo and a search bar. Below it, a modal window titled 'Confirma tu compra' (Confirm your purchase) is displayed. It contains three sections: '1. Entrega' (Delivery) with a dropdown set to 'Liverpool Cuautla' and a note about Click & Collect, '2. Forma de Pago' (Payment Method) with a card input field showing 'VISA UsUASGQU *1975', and '3. Artículos y promociones' (Articles and promotions). To the right of the modal, a 'Resumen de compra' (Purchase summary) box is open, showing a subtotal of \$3,345.00, a discount of \$1,087.13, and a coupon value of \$0.00. A message indicates a coupon is available in the bag. At the bottom of the page, there's a banner with a woman in a beige outfit and promotional text for women's fashion.



TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_058

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

07-03-2024 19:33:26

End

07-03-2024 19:34:35

1m - 8.949s

PASSED

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)	19.785s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx/tienda/home>' successfully

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.422s	PASSED

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	9.988s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	waitForPageLoad(5)	0.014s	PASSED
Wait for page load successfully			
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	13.973s	PASSED
Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	0.320s	PASSED
Object 'Object Repository/PDPPage/EDD_pdp' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	0.308s	PASSED
Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable			
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.289s	PASSED
Object 'Object Repository/PDPPage/Size1_PDP' is clickable			
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.336s	PASSED
Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable			
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.304s	PASSED
Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable			

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.141s	ERROR

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for 'Jeans Aéropostale para Dama' (Aéropostale Women's Jeans). The product has a price of \$335.30 and a discount from \$479.00. It includes options for 'Click & Collect' at Liverpool La Paz and 'Envío gratis a todo el país' (Free shipping worldwide). The page also features a 'Comprar' (Buy) button and a 'Ver disponibilidad en tiendas' (Check store availability) link. The background of the page is white with blue and black text.



TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_016

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	07-03-2024 19:34:35	End	07-03-2024 19:35:22
Elapsed	47.310s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.353s	PASSED
2	click(findTestObject("AccountManagement/UpdatePersonalData_Account")) Object: 'Object Repository/AccountManagement/UpdatePersonalData_Account' is clicked on	7.334s	PASSED
3	verifyElementPresent(findTestObject("AccountManagement/updatePage_Account"), 0) Object 'Object Repository/AccountManagement/updatePage_Account' is present	2.380s	PASSED
4	name = RandomStringUtils.randomAlphabetic(8)	0.001s	PASSED
5	clearText(findTestObject("AccountManagement/FirstNameProfile_Account"), STOP_ON_FAILURE) Text of object 'Object Repository/AccountManagement/FirstNameProfile_Account' is cleared	1.184s	PASSED
6	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.551s	PASSED

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
7	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), name) Keys 'kWQdTXJm' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.468s	PASSED
8	lastname =getAttribute(findTestObject("AccountManagement/LastName_Account"), "value") Attribute 'value' of object 'Object Repository/AccountManagement/LastName_Account' is: 'qa'	0.359s	PASSED
9	println(lastname)	0.000s	PASSED
10	accountname = name + " " + lastname	0.000s	PASSED
11	println(accountname)	0.000s	PASSED
12	click(findTestObject("AccountManagement/UpdateButton_Account")) Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.336s	PASSED
13	fnamelname = getText(findTestObject("AccountManagement/PersonalDataName_Account")) Text of object 'Object Repository/AccountManagement/PersonalDataName_Account' is: 'kWQdTXJm qa'	4.837s	PASSED
14	println(fnamelname)	0.000s	PASSED
15	if (fnamelname == accountname)	0.000s	PASSED

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	29.397s	ERROR

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_017

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017

Description Verify the user able to add new Personal shipping address

Tag

Start 07-03-2024 19:35:22 End 07-03-2024 19:36:55

Elapsed 1m - 33.447s

Status FAILED

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)	0.362s	PASSED
	Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola kWQdTXJm'		
2	out.println(a)	0.000s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
3	<pre>if (a == true) Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	11.514s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		

The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is located on the right side of the header. Below the header, there is a large banner featuring a woman in a cream-colored suit sitting on a chair. The banner has text in Spanish: "MODA MUJER", "Hasta 50% de descuento", and "Adiós al Invierno con un nuevo look". There is also a "Compra ahora" button. The overall design is clean and modern.




TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.333s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	10.033s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL) com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))</pre>	16.977s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
			
7	if (add == true)	0.000s	PASSED
8	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	0.337s	PASSED
9	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully	18.983s	PASSED
10	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account")) Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on	0.565s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
11	<p>address = getText(findTestObject ("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)</p> <p>Unable to get text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:943) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:48) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' located by '//h1[@class='a-cards__titleCard'][2]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.</p>	11.382s	FAILED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
)	findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:943) at Script1697733550802.run(Script1697733550802.groovy:48) ... 15 more		

The screenshot shows a web browser displaying the Liverpool website. The URL is <https://www.liverpool.com.mx/mi-cuenta/direcciones-de-envio/agregar-direccion>. The page title is "Agregar dirección". On the left, there is a sidebar with links: Mis Compras, Wishlist, Cupones, Crédito y Pagos, and Mi crédito. The main content area has two sections: "Datos del destinatario" and "Dirección de envío". In the "Datos del destinatario" section, there are fields for Nombre (required), Segundo nombre (optional), Apellido paterno (required), and Apellido materno (optional). In the "Dirección de envío" section, there are fields for Alias de la dirección (optional), Código Postal (required), and Estado (optional). A note at the top right of the "Datos del destinatario" section says "*Campos Obligatorios". The Liverpool logo is at the top left, and the user's name "Hola kWQdTXJm" is at the top right.

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.840s	ERROR

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Home > Mi Cuenta > Direcciones de entrega > Agregar dirección

Agregar dirección

Mis Compras >

Wishlist >

Cupones >

Crédito y Pagos

MI crédito

Suburba Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Datos del destinatario *Campos Obligatorios

Nombre*	KWQdTXJm	Segundo nombre	Apellido paterno*
Opcional	Apellido materno:	qa	Opcional
Dirección de envío			
Alias de la dirección*	Código Postal*	Estado*	

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_018

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 07-03-2024 19:36:55 End 07-03-2024 19:37:56

Elapsed 1m - 0.313s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.334s	PASSED
2	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.942s	PASSED
3	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	9.620s	PASSED
4	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account")) Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	2.150s	PASSED
5	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account")) Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	5.933s	PASSED
6	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account")) Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	0.355s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account")) Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	1.175s	PASSED
8	scrollToElement(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"), 0) Scroll to object 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' successfully	0.337s	PASSED
9	click(findTestObject("AccountManagement>KeepButtonClickNCollection_Account")) Object: 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' is clicked on	0.323s	PASSED
10	click(findTestObject("AccountManagement>ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement>ClickAndCollectStores_accounts' is clicked on	11.056s	PASSED
11	verifyElementPresent(findTestObject("AccountManagement>ClickNCollectionFirstAddress_Account"), 0) Object 'Object Repository/AccountManagement>ClickNCollectionFirstAddress_Account' is present	2.849s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0) Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	0.315s	PASSED
13	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	0.314s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	0.433s	PASSED
15	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM")) Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	0.667s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	17.461s	ERROR


TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management page. At the top, there is a navigation bar with the Liverpool logo, a search bar, and user information (Mis Compras, Hola kWQdTXJm). Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a location dropdown. The main content area is titled "Direcciones de entrega" and contains two tabs: "Mis direcciones" and "Tiendas Click & Collect". Under "Mis direcciones", there is a list of saved addresses: Liverpool Cuautla (Predeterminada), Liverpool Andares, and Liverpool Tecámac. Each address has a "Ver mapa" link and a three-dot menu icon. Under "Tiendas Click & Collect", there are three Click & Collect points: Click & Collect Departamento de Línea Blanca, Click & Collect Sótano 2, and Click & Collect Plaza Andares. Each point also has a "Ver mapa" link and a three-dot menu icon. On the right side of the page, there is a pink "Agregar tienda" button. At the bottom of the page, there is a footer with links for Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

The screenshot shows the Liverpool website's homepage. It features a large banner at the top with a man in a light blue suit and a striped shirt, with the text "MODA HOMBRE" and "Hasta 50% de descuento". Below the banner, there is a section with tropical plants and a pink diagonal stripe. The main navigation bar at the top includes the Liverpool logo, a search bar, and user information (Mis Compras, Hola kWQdTXJm). Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a location dropdown. The rest of the page is mostly blank white space.

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_019

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 07-03-2024 19:37:56 End 07-03-2024 19:38:54

Elapsed 57.844s

Status PASSED

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola kWQdTXJm'	0.346s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.000s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.331s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	7.835s	PASSED
6	add = verifyElementPresent(findTestObject("AccountManagement/TestQA_Add_AM"), 0, OPTIONAL) Object 'Object Repository/AccountManagement/TestQA_Add_AM' is present	2.910s	PASSED
7	if (add == true) Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	1.368s	PASSED

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
8	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)	2.055s	PASSED
	Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on		
9	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagment"), [:], STOP_ON_FAILURE)	16.070s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagment' successfully		
10	delay(10, STOP_ON_FAILURE)	10.011s	PASSED
	Delayed 10 second(s)		
11	enhancedClick(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.377s	PASSED
	Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on		
12	verifyElementPresent(findTestObject("AccountManagement/FirstPersonalShippingAddress_Account"), 0)	4.277s	PASSED
	Object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present		

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.170s	ERROR

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user profile 'Hola kWQdTXJm'. Below the navigation is a search bar and a 'Mis Compras' button. The main content area is titled 'Direcciones de entrega' (Delivery Addresses). It features three tabs: 'Mis direcciones' (selected), 'Tiendas Click & Collect', and 'Agregar dirección'. Under 'Mis direcciones', there are two entries: 'TestQA' and 'AUTOMATIONNPNtsoeAO'. Each entry includes a delete icon, the address, and a 'Teléfonos:' section with placeholder numbers. At the bottom of the page, there's a footer with links for 'Suburbia', 'Pottery Barn', 'Pottery Barn Kids', 'Williams Sonoma', 'West Elm', 'GAP', 'Banana Republic', and 'Toys R Us', along with a second search bar and user information.



TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_023

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	07-03-2024 19:38:54	End	07-03-2024 19:40:05
Elapsed	1m - 11.249s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.455s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/Mi Cartera_HP"))	5.062s	PASSED
Object: 'Object Repository/AccountManagement/Mi Cartera_HP' is clicked on			
3	click(findTestObject("AccountManagement/MyCardButton_Account"))	5.649s	PASSED
Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on			

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
4	<p>add = verifyElementPresent(findTestObject("AccountManagement/QAtesting_card_AM"), 0, OPTIONAL)</p> <pre>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text() ='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text()='QATESTING']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall(VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call(VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43))</pre>	11.342s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
			
5	if (add == true)	0.000s	PASSED
6	click(findTestObject("AccountManagement/AddCardButton_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddCardButton_Account' is clicked on	0.377s	PASSED
7	Cardname = "QATESTING"	0.000s	PASSED
8	setText(findTestObject("AccountManagement/CardName_Account"), Cardname) Text 'QATESTING' is set on object 'Object Repository/AccountManagement/CardName_Account'	3.909s	PASSED
9	callTestCase(findTestCase("CommonMethods/AddCard_Account"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/AddCard_Account' successfully	2.817s	PASSED
10	waitForPageLoad(0) Wait for page load successfully	0.015s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
11	CardName = getText(findTestObject("AccountManagement/CardNameGrid_Account")) Text of object 'Object Repository/AccountManagement/CardNameGrid_Account' is: 'QATESTING'	2.531s	PASSED
12	if (Cardname == CardName)	0.000s	PASSED
13	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM")) Object: 'Object Repository/AccountManagement/Select3dot_qatestingCard_AM' is clicked on	0.362s	PASSED
14	click(findTestObject("AccountManagement/EditCardDetails_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/EditCardDetails_Account' is clicked on	6.159s	PASSED
15	Name = RandomStringUtils.randomAlphabetic(8)	0.000s	PASSED
16	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	1.195s	PASSED
17	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CLEAR)) Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.524s	PASSED
18	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.326s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
19	clearText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), STOP_ON_FAILURE)	0.361s	PASSED
	Text of object 'Object Repository/AccountManagement/FullName_Card_Edit_AM' is cleared		
20	delay(10)	10.007s	PASSED
	Delayed 10 second(s)		
21	setText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), "")	0.660s	PASSED
	Text " is set on object 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
22	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(Name))	0.388s	PASSED
	Keys 'nquKFRsy' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
23	click(findTestObject("AccountManagement/AcceptButton_AccountM"))	0.320s	PASSED
	Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on		
24	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))	4.354s	PASSED
	Object: 'Object Repository/AccountManagement>Select3dot_qatestingCard_AM' is clicked on		
25	click(findTestObject("AccountManagement/qatesting_eliminar_car_AM"), STOP_ON_FAILURE)	0.377s	PASSED
	Object: 'Object Repository/AccountManagement/qatesting_eliminar_car_AM' is clicked on		
26	click(findTestObject("OPCPage/accept_deletion_card_OPCC"))	0.629s	PASSED
	Object: 'Object Repository/OPCPage/accept_deletion_card_OPCC' is clicked on		
27	if (verifyElementNotPresent(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"), 0) == true)	1.352s	PASSED



TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
28	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.920s	ERROR

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_021

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	07-03-2024 19:40:05	End	07-03-2024 19:40:24
Elapsed	18.809s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola kWQdTXJm'	0.301s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.001s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.452s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.486s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	1.800s	PASSED

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0)	3.891s	PASSED

[Object 'Object Repository/AccountManagement/PaymentMethodsSection_Account' is present](#)

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.804s	ERROR

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's payment method section. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user information. Below the navigation, a breadcrumb trail shows 'Home > Mi cuenta > Mis formas de pago'. On the left, a sidebar lists 'Mis formas de pago' options: Mis Compras, Wishlist, Cupones, Crédito y Pagos, and MI crédito. The main content area displays two sections: 'Mis tarjetas' (with a VISA card ending in 1975 labeled 'Predeterminada') and 'Otros métodos de pago' (listing Puntos BBVA, Paypal, and Efectivo). At the bottom, there's a footer with links to various brands like Suburba, Pottery Barn, Williams Sonoma, etc.

This screenshot shows a blurred version of the Liverpool website's payment method section, identical to the one above it. The blurred effect covers the entire content area, obscuring the payment method details.

This screenshot shows a blurred version of the Liverpool website's payment method section, identical to the ones above it. The blurred effect covers the entire content area, obscuring the payment method details.

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_022

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	07-03-2024 19:40:24	End	07-03-2024 19:42:35
Elapsed	2m - 11.315s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.328s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	37.388s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	19.211s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	46.426s	PASSED
5	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	5.153s	PASSED
6	click(findTestObject("AccountManagement/MyCardButton_Account")) Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	4.790s	PASSED
7	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account")) Object: 'Object Repository/AccountManagement/Select3DotAddress2Nd_Account' is clicked on	3.565s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account")) Object: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' is clicked on	0.362s	PASSED
9	verifyElementPresent(findTestObject("AccountManagement/DefaultCard_Account"), 0) Object 'Object Repository/AccountManagement/DefaultCard_Account' is present	1.539s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.442s	ERROR

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a search bar. Below the navigation is a breadcrumb trail: Home > Mi Cuenta > Tarjetas de Crédito / Débito. The main content area displays a grid of five credit/debit card icons, each with a three-dot menu icon. Below the grid are links for Mis Compras, Wishlist, Cupones, and Crédito y Pagos. A pink button labeled 'Agregar tarjeta' is visible on the right.

The screenshot shows the Liverpool website's navigation bar and a promotional banner for men's fashion. The banner features a man with a beard, a light-colored suit, and a striped shirt. Text on the banner includes 'MODA HOMBRE', 'Hasta 50% de descuento', 'Adiós al invierno con un nuevo look', and 'Compra ahora'. A vertical pink sidebar on the right says 'Te escuchamos' with a small emoji. At the bottom of the page, a cookie consent message reads 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button.

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_020

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 07-03-2024 19:42:35 End 07-03-2024 19:43:22

Elapsed 46.581s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	refresh() Refresh successfully	20.986s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.756s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	4.062s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.196s	PASSED
5	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account")) Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	2.523s	PASSED
6	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection")) Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.347s	PASSED

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0)	2.190s	PASSED

Object 'Object Repository/AccountManagement/VerifyDefaultPresent_Account' is present

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.460s	ERROR

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account section. Below the navigation, a breadcrumb trail indicates the user is at 'Home > Mi Cuenta > Direcciones de entrega'. The main content area is titled 'Direcciones de entrega' and contains three tabs: 'Mis direcciones' (selected), 'Tiendas Click & Collect' (highlighted in pink), and 'Agregar tienda'. On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The central area displays three Click & Collect locations: Liverpool Andares (predetermined), Liverpool Cuautla, and Liverpool Tecámac. Each location has a 'Ver mapa' link, a description of the collection point, and a 'Click & Collect' button.

The screenshot shows the Liverpool website's homepage. It features a large banner with a man in a suit and the text 'MODA HOMBRE' and 'Hasta 50% de descuento'. Below the banner, there's a promotional message 'Adiós al invierno con un nuevo look' and a 'Compra ahora' button. A vertical sidebar on the right says 'Te escuchamos' with a speech bubble icon. At the bottom, a cookie consent message reads 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button 'X'.

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_024

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	07-03-2024 19:43:22	End	07-03-2024 19:44:42
Elapsed	1m - 20.479s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.330s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))	6.789s	PASSED
Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on			

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
3	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)</pre> <p>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)) </p>	11.393s	PASSED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
			
4	if (add == true)	0.000s	PASSED
5	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)	0.348s	PASSED
	Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on		
6	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	18.307s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully		
7	delay(10)	10.013s	PASSED
	Delayed 10 second(s)		
8	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.415s	PASSED
	Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on		
9	Address1 = getText(findTestObject("AccountManagement/TestQA_Add_AM"))	3.915s	PASSED
	Text of object 'Object Repository/AccountManagement/TestQA_Add_AM' is: 'TestQA'		

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
10	if (TempAddress == Address1)	0.000s	PASSED
11	click(findTestObject("AccountManagement>Select3Dot_TestQA_Add_AM")) Object: 'Object Repository/AccountManagement>Select3Dot_TestQA_Add_AM' is clicked on	0.373s	PASSED
12	click(findTestObject("AccountManagement/TestQA_Add_Editar_AM"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/TestQA_Add_Editar_AM' is clicked on	0.348s	PASSED
13	name = "QATESTING"	0.000s	PASSED
14	TempAddress = name	0.000s	PASSED
15	clearText(findTestObject("AccountManagement/ShortName_Account"), STOP_ON_FAILURE) Text of object 'Object Repository/AccountManagement/ShortName_Account' is cleared	6.328s	PASSED
16	sendKeys(findTestObject("AccountManagement/ShortName_Account"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.563s	PASSED
17	sendKeys(findTestObject("AccountManagement/ShortName_Account"), name) Keys 'QATESTING' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.375s	PASSED
18	click(findTestObject("AccountManagement/AcceptButton_AccountM")) Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	0.329s	PASSED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
19	Address1 = getText(findTestObject("AccountManagement/QATESTING_address_AM")) Text of object 'Object Repository/AccountManagement/QATESTING_address_AM' is: 'QATESTING'	2.532s	PASSED
20	if (TempAddress == Address1)	0.002s	PASSED
21	click(findTestObject("AccountManagement>Select3dotQATESTING_Add_AM")) Object: 'Object Repository/AccountManagement>Select3dotQATESTING_Add_AM' is clicked on	0.339s	PASSED
22	click(findTestObject("AccountManagement/QAtesting_Address_Remove_AM"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/QAtesting_Address_Remove_AM' is clicked on	0.366s	PASSED
23	println(TempAddress)	0.000s	PASSED
24	verifyTextPresent(TempAddress, false) Text 'QATESTING' is present on page	1.165s	PASSED
25	click(findTestObject("WishListPage/Acceptor_Eliminar_wishlist_WP")) Object: 'Object Repository/WishListPage/Acceptor_Eliminar_wishlist_WP' is clicked on	0.370s	PASSED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
26	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	15.729s	ERROR

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with the Liverpool logo, a search bar, and account information. Below the navigation, there are tabs for 'Mis direcciones' (My Addresses), 'Tiendas Click & Collect', and a prominent pink 'Agregar dirección' (Add Address) button. On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area displays three address entries:

Address ID	Address Details	Phone Number	Actions
AUTOMATIONriECraBFNewTest123456	TestQA Test Test kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA	93-58585989 0R72150R72	More options
AUTOMATIONNPtsoeAO	TestQA Test Test kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA	93-58585989 0R72150R72	More options
AUTOMATIONNI	QATest Test Test Regina Street, 12 san francisco, CL OC NORTE MEXICALI, 21200 A CALIFORNIA	93-58585989 0R72150R72	More options

At the bottom of the page, there's a footer with links to various categories like Suburbia, Pottery Barn, Williams Sonoma, etc., and a cookie consent message.

The screenshot shows a promotional banner for men's fashion (MODA HOMBRE) with a 50% discount offer. The banner features a man in a light-colored suit and striped shirt. Text on the banner includes 'MODA HOMBRE', 'Hasta 50% de descuento', 'Adiós al invierno con un nuevo look', and 'Compra ahora'. A small 'Te interesa?' button is visible on the right. At the bottom, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button.

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is located above the main content area. The main banner features a man with a beard wearing a light blue blazer over a striped shirt. The text "MODA HOMBRE" is prominently displayed, along with "Hasta 50% de descuento" and "Adiós al invierno con un nuevo look". A "Compra ahora" button is also visible. Below the banner, a cookie consent message is displayed: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_025

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025

Description To Verify Logged in user is able to change the password

Tag

Start 07-03-2024 19:44:42 End 07-03-2024 19:45:24

Elapsed 42.160s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.335s	PASSED
2	click(findTestObject("AccountManagement/ChangePassword_Account")) Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	5.127s	PASSED
3	click(findTestObject("AccountManagement/ContinueButton_Account")) Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	2.143s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0) Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	11.616s	PASSED

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.870s	ERROR

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo. Below it, a white box contains an email confirmation message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." followed by a list of icons for various brands like Sephora, PBteen, Gap, etc. A larger white box below displays an envelope icon and the text "Correo electrónico enviado" with the instruction "Revisa todas las bandejas, incluyendo la de spam." At the bottom of the page, there's a navigation bar with links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main content area features a woman in a beige outfit sitting on a couch, with promotional text for "MODA MUJER" and "Hasta 50% de descuento". A cookie consent banner at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's homepage. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. On the right side of the header, there are user account details (Mis Compras, Hola kWQdTXJm) and a shopping cart icon showing 5 items. Below the header, there's a main banner featuring a woman in a beige outfit. The banner text includes "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look. Compra ahora". A vertical pink sidebar on the right says "Te escuchamos" with a speech bubble icon. At the bottom of the page, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button.</p>		

TS_SMOKE_SUITE_075

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 07-03-2024 19:45:24 End 07-03-2024 19:47:32

Elapsed 2m - 8.074s

Status **PASSED**


Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.518s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		


TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.369s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	5.746s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	3.907s	PASSED
5	click(findTestObject("OPCPage/3DotButton_Checkout")) Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on	2.337s	PASSED
6	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account")) Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on	0.385s	PASSED
7	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account")) Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Cuautla'	1.999s	PASSED
8	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.374s	PASSED
9	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	14.698s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
10	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.276s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550948.run(Script1697733550948.groovy:39) ... 15 more)		
			
11	click(findTestObject("PDPPage/AddToCart_PDP"))	15.184s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
12	click(findTestObject("HomePage/bag_header_HP"))	4.149s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
13	click(findTestObject("CartPage/BuyButton_Cart"))	5.555s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
14	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout")) Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Cuautla Click & Collect Recoge en módulo Cambiar'	10.322s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
15	if (TitleAddress == DefaultAddress)	0.001s	PASSED
16	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.369s	PASSED
17	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE) Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	2.782s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0) Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.522s	PASSED
19	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0) Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.298s	PASSED
20	click(findTestObject("OPCPage/Address_PopUP_option1_opc")) Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.441s	PASSED
21	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc")) Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.519s	PASSED
22	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.602s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
23	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.583s	ERROR

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a purchase confirmation page from Liverpool. At the top, there is a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the page title is "Confirma tu compra". There are two main sections: "1. Entrega" and "2. Forma de Pago". Under "Entrega", the delivery address is listed as "NOOnGR 123, 123, SAN MATEO TLALTENANGO, 05600, santa fe, DISTRITO FEDERAL". Under "Forma de Pago", a card number "UsUASGQU *1975" is entered, and there is an option to "Usar Puntos BBVA". A "Resumen de compra" box on the right shows a subtotal of \$4,014.00, a discount of \$1,304.55, and a coupon value of \$0.00. The total amount is \$2,709.45. The Liverpool logo is at the bottom left, and a search bar and user profile are at the bottom right.



TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. On the right side of the header, there are user account details (Mis Compras, Hola kWQdTXJm) and a notification badge indicating 6 items. Below the header, there's a large promotional banner for women's fashion. The banner features a woman in a beige blazer and pants, sitting on a couch. The text on the banner reads "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look. Compra ahora". At the bottom of the banner, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_072

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	07-03-2024 19:47:32	End	07-03-2024 19:49:34
Elapsed	2m - 1.382s		
Status	PASSED		


Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.441s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		


TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	22.349s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. A search bar is also present. Below the navigation, a green notification bar says "Se eliminaron artículos de tu bolsa." (Articles removed from your bag.). The main content area displays a message "No hay artículos en tu bolsa" (There are no articles in your bag) with a "Continuar comprando" (Continue shopping) button. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Mundial Qatar, and a newsletter sign-up section.</p>		

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.386s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	19.235s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	3.882s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	2.314s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	7.975s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			
8	click(findTestObject("OPCPage/AddAddressButtonPopup_checkout"))	2.132s	PASSED
Object: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' is clicked on			
9	StoreValue = "AUTOMATION" + RandomStringUtils.randomAlphabetic(8)	0.001s	PASSED
10	out.println(StoreValue)	0.002s	PASSED
11	Name = "TestQA"	0.001s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
12	TempAddress = Name	0.001s	PASSED
13	setText(findTestObject("OPCPage/name_addaddress_opc"), Name) Text 'TestQA' is set on object 'Object Repository/OPCPage/name_addaddress_opc'	1.539s	PASSED
14	setText(findTestObject("OPCPage/shortName_addAddress_opc"), StoreValue) Text 'AUTOMATIONDnoQajZs' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	0.769s	PASSED
15	setText(findTestObject("OPCPage/mothersLastName_addAddress_opc"), MotherName) Text 'Test ' is set on object 'Object Repository/OPCPage/mothersLastName_addAddress_opc'	0.882s	PASSED
16	setText(findTestObject("OPCPage/Lastname_Address_OPc"), MotherName) Text 'Test ' is set on object 'Object Repository/OPCPage/Lastname_Address_OPc'	0.874s	PASSED
17	callTestCase(findTestCase("CommonMethods/SaveAddressOPC"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SaveAddressOPC' successfully	10.365s	PASSED
18	click(findTestObject("OPCPage/ContinueButtonAddcard_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddcard_Checkout' is clicked on	0.567s	PASSED
19	waitForPageLoad(0) Wait for page load successfully	0.016s	PASSED
20	ShortName = getText(findTestObject("OPCPage/currentDeliveryAddress_OPc"), STOP_ON_FAILURE) Text of object 'Object Repository/OPCPage/currentDeliveryAddress_OPc' is: 'AUTOMATIONDnoQajZs'	4.037s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
21	if (StoreValue == ShortName)	0.001s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
22	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.456s	ERROR


TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays delivery information (AUTOMATIONDnoQajZs) and payment details (VISA UsUASGQU *1975). A summary box on the right shows a subtotal of \$669.00, a discount of \$217.43, and a coupon of \$0.00. The bottom of the page features a navigation bar with links like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a user profile "Hola kWQdTXJm".

The screenshot shows a Liverpool website page featuring a large promotional banner for women's fashion. The banner features a woman in a light-colored suit and includes text: "MODA MUJER", "Hasta 50% de descuento", and "Adiós al Invierno con un nuevo look". Below the banner, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is located above a main banner. The banner features a woman in a beige blazer and pants, with the text 'MODA MUJER' and 'Hasta 50% de descuento'. Below the banner, a message says 'Adiós al invierno con un nuevo look' and 'Compra ahora'. A cookie consent message at the bottom left states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información'.</p>		

TS_SMOKE_SUITE_073

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	07-03-2024 19:49:34	End	07-03-2024 19:51:13
Elapsed	1m - 39.334s		
Status	PASSED		


Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL) Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. java:11)	11.544s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
2	waitForPageLoad(0) Wait for page load successfully	0.006s	PASSED
3	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.350s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.600s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	15.867s	PASSED
6	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	5.340s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.330s	PASSED
8	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	3.695s	PASSED
9	click(findTestObject("OPCPage/3DotButton2_Checkout")) Object: 'Object Repository/OPCPage/3DotButton2_Checkout' is clicked on	2.012s	PASSED
10	click(findTestObject("OPCPage/EditAddress_Checkout")) Object: 'Object Repository/OPCPage/EditAddress_Checkout' is clicked on	0.405s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
11	setText(findTestObject("OPCPage/shortName_addAddress_opc"), ShortName) Text 'NewTest12345' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	2.472s	PASSED
12	waitForPageLoad(0) Wait for page load successfully	0.002s	PASSED
13	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.342s	PASSED
14	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"), OPTIONAL) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	2.142s	PASSED
15	delay(5) Delayed 5 second(s)	5.012s	PASSED
16	click(findTestObject("HomePage/Logo_hp"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	15.612s	PASSED
17	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	1.325s	PASSED
18	click(findTestObject("AccountManagement/deliveryAddress_MyAccount")) Object: 'Object Repository/AccountManagement/deliveryAddress_MyAccount' is clicked on	4.543s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
19	addressBlockContainer = getText(findTestObject("AccountManagement/addressBlockContainer_Account")) Text of object 'Object Repository/AccountManagement/addressBlockContainer_Account' is: 'AUTOMATIONDnoQajZsNewTest12345 TestQA Test Test kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA Teléfonos: 93-58585989 9823459823'	3.025s	PASSED
20	if (addressBlockContainer == ShortName)	0.001s	PASSED

TS_SMOKE_SUITE_073


#	Description	Elapsed	Status
21	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.592s	ERROR

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a user account dropdown showing "Mis Compras" and "Hola kWQdTXJm". There are also notifications with the number "2". Below the header, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Mi tienda - Liverpool..." link.



The screenshot shows the "Direcciones de entrega" (Delivery Addresses) page. It has a sidebar with links for "Mis Compras", "Wishlist", "Cupones", and "Crédito y Pagos". The main content area is divided into three sections: "Mis direcciones", "Tiendas Click & Collect", and a button "Agregar dirección". Each section contains a list of addresses. The first address in each section is a placeholder: "AUTOMATIONDnoQajZsNewTest12345". The second address in each section is "TestQA Test Test kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA". The third address in each section is partially visible: "TestQA Test Te kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA". Below the address lists, there are sections for "Teléfonos:" with numbers "93-58585989" and "0873450873". At the bottom of the page, there are links for "Subvistas", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us".



The screenshot shows the Liverpool website's homepage banner. It features a woman sitting on a chair, smiling, wearing a light-colored blazer and pants. The banner has a pink and blue gradient background. Text on the right side includes "MODA MUJER", "Hasta 50% de descuento", "Adiós al Invierno con un nuevo look", and a "Compra ahora" button. A small notification icon with the number "2" is visible in the top right corner of the banner area.



The screenshot shows a cookie consent message at the bottom of the page. It states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)". There is a close button "X" on the right side of the message.

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. On the right side of the header, there are user account details (Mis Compras, Hola kWQdTXJm) and a notification badge indicating 2 items. Below the header, there's a promotional banner for women's fashion (MODA MUJER) featuring a woman in a beige outfit. The banner includes text about discounts and a call to action to buy now. At the bottom of the page, a cookie consent message is visible.</p>		

TS_SMOKE_SUITE_076

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076

Description To verify the display of payment page for the for logged in user

Tag

Start 07-03-2024 19:51:13 End 07-03-2024 19:52:12

Elapsed 59.259s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.398s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PDPPage/AddToCart_PDP"))	15.053s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
3	click(findTestObject("HomePage/bag_header_HP"))	4.293s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
4	click(findTestObject("CartPage/BuyButton_Cart"))	2.207s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
5	callTestCase(findTestCase("CommonMethods/assert_OPCTestCase"), [], STOP_ON_FAILURE)	4.815s	PASSED
Call Test Case 'Test Cases/CommonMethods/assert_OPCTestCase' successfully			

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.415s	ERROR

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user information (Mis Compras, Hola kWQdTXJm). Below the navigation, there's a promotional banner for women's fashion with a woman in a cream-colored suit and the text "MODA MUJER Hasta 50% de descuento". The main content area shows a "Resumen de compra" (Purchase summary) box containing delivery and payment details, along with a coupon offer. The bottom part of the page displays a grid of products from various brands like Suburba, Pottery Barn, Williams Sonoma, etc.

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_077

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077

Description To verify the functionality of new adding card in checkout flow for logged in user

Tag

Start 07-03-2024 19:52:12 End 07-03-2024 19:53:33



Elapsed 1m - 20.671s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.125s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	delay(7)	7.017s	PASSED
	Delayed 7 second(s)		
3	click(findTestObject("PDPPage/AddToCart_PDP"))	9.630s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
4	click(findTestObject("HomePage/bag_header_HP"))	4.597s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
5	click(findTestObject("CartPage/BuyButton_Cart"))	2.568s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/create_new_CARD_OPB"), [:], STOP_ON_FAILURE)	23.525s	PASSED
Call Test Case 'Test Cases/CommonMethods/create_new_CARD_OPB' successfully			
			
			

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.132s	ERROR

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page titled "Confirma tu compra". It includes a summary of the purchase, payment information, delivery details, and a coupon section. The payment method is a VISA card ending in 8659. The subtotal is \$2,676.00, with a discount of \$869.70 and no coupons applied.



TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. On the right side of the header, there are user account details (Mis Compras, Hola kWQdTXJm) and a notification badge indicating 4 items. Below the header, there's a large promotional banner for women's fashion. The banner features a woman in a beige blazer and pants, sitting on a couch. Text on the banner includes "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look. Compra ahora". At the bottom of the banner, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_078

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 07-03-2024 19:53:33 End 07-03-2024 19:55:34

Elapsed 2m - 1.254s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)	8.497s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_cardPrice_PLP"))	4.501s	PASSED
Object: 'Object Repository/PLPPage/product1_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	36.880s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	4.674s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	3.050s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))	6.787s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on			
7	click(findTestObject("OPCPage/paymentMethod_button3_OPCC"))	1.484s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_button3_OPCC' is clicked on			


TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Continue_payment_3rdmethod_OP")) Object: 'Object Repository/OPCPage/Continue_payment_3rdmethod_OP' is clicked on	3.260s	PASSED
9	delay(5) Delayed 5 second(s)	5.011s	PASSED
10	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.992s	PASSED
11	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	14.677s	PASSED


TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.365s	ERROR

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_080

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080
Description	To verify that the display of the applied Coupon details in the order success page

Tag

Start	07-03-2024 19:55:34	End	07-03-2024 19:58:36
Elapsed	3m - 1.986s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.115s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	21.906s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	18.086s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":Single_SKU_PDP}], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	28.610s	PASSED
5	waitForPageLoad(0) Wait for page load successfully	0.010s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_PLP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_080.run(TS_SMOKE_SUITE_080:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_PLP' located by '//li[@class='m-product__card card-masonry a'][1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	21.155s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550970.run(Script1697733550970.groovy:32) ... 15 more)		
7		0.011s	PASSED
7	waitForPageLoad(0)	0.011s	PASSED
	Wait for page load successfully		
8	click(findTestObject("PDPPage/AddToCart_PDP"))	3.037s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
9	click(findTestObject("HomePage/bag_header_HP"))	5.132s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
10	click(findTestObject("CartPage/BuyButton_Cart"))	7.748s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
11	click(findTestObject("OPCPage/paymentMethod_change_OPB"), OPTIONAL)	9.715s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OPB' is clicked on		

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
12	click(findTestObject("OPCPage/paymentMethod_button1_OPC"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_button1_OPC' is clicked on	1.506s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPC"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPC'	0.884s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPC"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPC'	0.914s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.611s	PASSED
16	j = getText(findTestObject("OPCPage/Page_/TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$451.57'	2.878s	PASSED
17	j1 = replace("\$", "").replace(",", "")	0.003s	PASSED
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.315s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.001s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC")) Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.358s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC")) Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.471s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$22.58'	7.232s	PASSED
23	b1 = replace("\$", "").replace(", ", "")	0.001s	PASSED
24	out.println(a1)	0.000s	PASSED
25	out.println(b1)	0.000s	PASSED
26	if (a1 != b1)	0.001s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$428.99'	0.319s	PASSED
28	k1 = replace("\$", "").replace(", ", "")	0.001s	PASSED
29	out.println(j1)	0.000s	PASSED
30	out.println(k1)	0.001s	PASSED
31	if (j1 >= k1)	0.001s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
32	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.358s	PASSED
33	delay(15) Delayed 15 second(s)	15.016s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	2.424s	PASSED


TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
35	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	32.006s	ERROR


TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It includes a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with the Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and user account links for 'Mis Compras' and 'Hola kWQdTXJm'. There are also links for 'Tiendas' and 'Ayuda', and a 'Mi tienda Liverpool La ...' button.



TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_082

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	07-03-2024 19:58:36	End	07-03-2024 20:01:30
Elapsed	2m - 53.583s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.175s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	23.888s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	17.357s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
4	<pre>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	30.089s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status																									
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>Mi Bolsa</p> <p>No hay artículos en tu bolsa</p> <p>Continuar comprando</p> <table border="1"><tr><td>Soporte al cliente</td><td>Servicios Liverpool</td><td>Ventas Corporativas</td><td>Sostenibilidad</td><td>Suscríbete a nuestro Newsletter</td></tr><tr><td>Facturación</td><td>Crédito</td><td>Acerca de Liverpool</td><td>Promociones</td><td>Ventas por teléfono 55 5262-9999</td></tr><tr><td>Ayuda</td><td>Tiempo aire</td><td>Bolsa de trabajo</td><td>Venta Nocturna</td><td>Desde tu celular *7171</td></tr><tr><td>Mis compras</td><td>Concursos y promociones</td><td>¿Quiénes somos?</td><td>Buen fin</td><td>Contáctanos vía WhatsApp o por Teléfono al</td></tr><tr><td>Garantías Liverpool</td><td>Diseño de Interiores</td><td>Relación con inversionistas</td><td>Mundial Qatar</td><td>5552629999</td></tr></table>	Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter	Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999	Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171	Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al	Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Mundial Qatar	5552629999		
Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter																								
Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999																								
Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171																								
Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al																								
Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Mundial Qatar	5552629999																								





TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.336s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	15.793s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
7	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	19.149s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550977.run(Script1697733550977.groovy:33) ... 15 more)		
8	 click(findTestObject("PDPPage/AddToCart_PDP"))	4.137s	PASSED
9	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on  click(findTestObject("HomePage/bag_header_HP"))	6.545s	PASSED
10	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on  click(findTestObject("CartPage/BuyButton_Cart"))	2.555s	PASSED
11	Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on  click(findTestObject("OPCPage/paymentMethod_change_OPC"))	11.049s	PASSED
12	Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully  scrollToElement(findTestObject("OPCPage/card3_Option_OPC"), 0)	2.418s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
13	click(findTestObject("OPCPage/card3_Option_OPc")) Object: 'Object Repository/OPCPage/card3_Option_OPc' is clicked on	0.458s	PASSED
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPc"), 0) Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is present	0.517s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPc")) Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is clicked on	0.358s	PASSED


TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:52) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15400}, fedcm:accounts: true, goog: </pre>	5.890s	FAILED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:58895}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: e5f5485fcde49ebdb4ea9bcc51493110 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106) at jdk.internal.reflect.GeneratedMethodAccessor31.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at Script1697733550977.run(Script1697733550977.groovy:52) ... 15 more)</pre>		

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status																
	 A screenshot of a Liverpool payment selection dialog box. The title bar says "Selecciona una forma de pago". Inside, there's a section for "Datos del tarjetahabiente" with a "Nombre completo" field containing "vedant". A checkbox for "Establecer tarjeta como predeterminada" is unchecked. Below it is a "Dirección asociada a la tarjeta" section. At the bottom are "Regresar" and "Continuar" buttons. In the background, a sidebar shows "Configuración" with sections for "Entrega" (selected "AUTOCOL"), "Forma de pago" (selected "VISA"), and "Artículo". A footer table shows items: Nombre (3), Precio (\$69.00, \$17.43, \$0.00), Cantidad (1, 1, 1), and Total (\$69.00, \$17.43, \$0.00). <p>Selecciona una forma de pago</p> <p>Datos del tarjetahabiente</p> <p>Nombre completo* vedant</p> <p>Establecer tarjeta como predeterminada</p> <p>Dirección asociada a la tarjeta</p> <p>Continuar</p> <p>Regresar</p> <p>Configuración</p> <p>1. Entrega</p> <p>AUTO COL kmp</p> <p>2. Forma de pago</p> <p>VISA</p> <p>Fecha d MM/</p> <p>3. Artículo</p> <table border="1"><thead><tr><th>Nombre</th><th>Precio</th><th>Cantidad</th><th>Total</th></tr></thead><tbody><tr><td>3</td><td>\$69.00</td><td>1</td><td>\$69.00</td></tr><tr><td></td><td>\$17.43</td><td>1</td><td>\$17.43</td></tr><tr><td></td><td>\$0.00</td><td>1</td><td>\$0.00</td></tr></tbody></table>	Nombre	Precio	Cantidad	Total	3	\$69.00	1	\$69.00		\$17.43	1	\$17.43		\$0.00	1	\$0.00		
Nombre	Precio	Cantidad	Total																
3	\$69.00	1	\$69.00																
	\$17.43	1	\$17.43																
	\$0.00	1	\$0.00																

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.713s	ERROR

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's checkout interface. On the left, there are three sections: '1. Entrega' (Delivery) with an address input field containing 'AUTOMATIONDnoQajZsNewTest12345' and 'kmpit road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA'; '2. Forma de Pago' (Payment Method) with a VISA card input field showing 'visatest *3065' and a CVV input field; and '3. Artículos y promociones' (Articles and promotions) with a table showing a single item: 'Nombre' (Name), 'Precio' (Price), 'Cantidad' (Quantity), and 'Total'. On the right, a 'Resumen de compra' (Purchase summary) box displays the subtotal (\$669.00), discount (\$217.43), and total (\$0.00). A sidebar on the right shows a message about available coupons and a link to 'Ver cupones'.



TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Hola kWQdTXJm", and a notification icon with the number "1". The main content area features a large image of a smiling man with a beard wearing a light blue blazer over a white and blue striped shirt. The background has a dark, textured pattern. Text overlays include "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A cookie consent message at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_083

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 07-03-2024 20:01:30 End 07-03-2024 20:03:04

Elapsed 1m - 33.966s

Status **PASSED**


Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.340s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
3	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	13.745s	PASSED

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550984.run(Script1697733550984.groovy:25) ... 15 more)		
4		2.484s	PASSED
4	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	2.484s	PASSED
5	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.225s	PASSED
6	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.278s	PASSED
7	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	4.549s	PASSED
8	click(findTestObject("OPCPage/Address_PopUP_option1_opc")) Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	2.693s	PASSED

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
9	click(findTestObject("OPCPage/radiobtn1_addressPopup_OP")) Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OP' is clicked on	0.349s	PASSED
10	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.362s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OP"), "1225") Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OP'	4.222s	PASSED
12	setText(findTestObject("OPCPage/enterCardCVV_OP"), "805") Text '805' is set on object 'Object Repository/OPCPage/enterCardCVV_OP'	0.918s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.598s	PASSED
14	delay(10) Delayed 10 second(s)	10.016s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	7.602s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.334s	PASSED

TS_SMOKE_SUITE_083


#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.154s	ERROR

TS_SMOKE_SUITE_083


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's main navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, etc. Below the bar is a search bar and a user profile section. The main banner features a woman in a beige suit and includes promotional text for women's fashion.



TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_086

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 20:03:04	End	07-03-2024 20:05:20
Elapsed	2m - 15.647s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	23.215s	PASSED
2	waitForPageLoad(0) Wait for page load successfully	0.032s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	9.227s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	13.571s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:27) ... 15 more)		
5		2.476s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		4.966s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.476s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		5.472s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.508s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button2_OP' is clicked on		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="a-box__accordionIcon float-right">...</div> is not clickable at point (632, 342). Other element would receive the click: <p class="a- cashInfo__description a-paypal-margin">...</p> (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11045}</p>	12.828s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:58895}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: e5f5485fcde49ebdb4ea9bcc51493110 at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor19.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
)	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:39) ... 15 more</pre> 		


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor28.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	11.583s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$._switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$._switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		



TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
			
12	click(findTestObject("OPCPage/button_continuar_payment_opc")) Object: 'Object Repository/OPCPage/button_continuar_payment_opc' is clicked on	0.351s	PASSED
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC")) Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on	5.155s	PASSED
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	19.486s	PASSED
15	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.368s	PASSED


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.846s	ERROR

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_087

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 20:05:20	End	07-03-2024 20:07:14
Elapsed	1m - 54.247s		
Status	PASSED		





Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	22.670s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	12.545s	PASSED
3	waitForPageLoad(0) Wait for page load successfully	0.015s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	16.727s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550996.run(Script1697733550996.groovy:27) ... 15 more)		
5		2.487s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		3.950s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.549s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		4.220s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.508s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button1_OP' is clicked on		

TS_SMOKE_SUITE_087


#	Description	Elapsed	Status
10	setText(findTestObject("OPCPage/enterCardCVV_OPCText"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPCText'	0.946s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPCText"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPCText'	0.894s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.623s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPCText")) Object: 'Object Repository/OPCPage/Final_comparar_OPCText' is clicked on	4.853s	PASSED
14	delay(15) Delayed 15 second(s)	15.016s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	1.538s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.338s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.286s	ERROR

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_088

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 07-03-2024 20:07:14 End 07-03-2024 20:08:28

Elapsed 1m - 14.451s

Status FAILED

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	13.671s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP")) Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	2.743s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.520s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.694s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount")) Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	7.884s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	0.668s	PASSED



TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	0.960s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM")) Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.575s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM")) Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.347s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM")) Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.631s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM")) Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.360s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805") Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	0.843s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.595s	PASSED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation- section__gratitude']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	30.296s	FAILED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
	 <p>The screenshot shows the Liverpool website's mobile recharge interface. It consists of three main sections: 1. Selection of numbers to recharge, showing a checked checkbox for 'mobile' and the number '5542140023'. 2. Selection of payment method, showing a selected credit card (Visa) ending in '3065' with a note 'Predeterminada'. 3. Summary of the recharge, showing a subtotal of '\$30.00' and a total of '\$30.00'. A 'Finalizar recarga' (Finish recharge) button is visible at the bottom.</p>  <p>This screenshot is identical to the one above, showing the Liverpool website's mobile recharge interface. It includes the same three sections: selection of numbers to recharge, selection of payment method, and a summary of the recharge. A 'Finalizar recarga' button is also present.</p>		

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
15	Start listener action : sampleAfterTestCase	13.594s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709818581245.run(TempTestSuite1709818581245.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>		
95			
106			
180			

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor33.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page for a mobile recharge. The user has selected a mobile number (5542140023) and chosen 'Tiempo Aire' as the service type. They have also selected a recharge amount of 'TELCEL 30 Pesos'. In the payment section, a Visa card named 'Visatest *3065' is selected as the method. The card's expiration date is set to March 2026. The total amount for the recharge is \$30.00. A pink banner at the top indicates that the transaction was not authorized by the bank issuer.

The screenshot shows a Liverpool website search results page for 'BYD'. The search bar contains the query 'BYD'. The results page lists various products related to BYD, including a car model and accessories. The Liverpool logo and navigation menu are visible at the top of the page.



TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
			