

ArrangeByLogin

Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.1.212
Browser	Chrome 122.0.0.0

Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	45	Failed	9
Error	1	Incomplete	0
Skipped	0		
Start	07-03-2024 12:53:33	End	07-03-2024 13:50:55
Elapsed	57m - 21.467s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	PASSED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	ERROR
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	PASSED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	PASSED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	PASSED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	FAILED

ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	PASSED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	PASSED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs. Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	PASSED
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	PASSED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	FAILED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	PASSED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	PASSED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	FAILED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	PASSED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	FAILED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	FAILED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	FAILED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	FAILED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	PASSED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	PASSED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	PASSED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

TS_SMOKE_SUITE_001

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	07-03-2024 12:53:54	End	07-03-2024 12:54:18
Elapsed	24.152s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)	0.678s	PASSED
Object 'Object Repository/HomePage/Logo_hp' is present			

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.358s	ERROR

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_002

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

07-03-2024 12:54:18

End

07-03-2024 12:54:45

26.534s

PASSED

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0) Object 'Object Repository/HomePage/Logo_hp' is present	0.361s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0) Object 'Object Repository/HomePage/Departamentos' is present	0.361s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0) Object 'Object Repository/HomePage/brand1_HP' is present	0.330s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0) Object 'Object Repository/HomePage/brand2_HP' is present	0.314s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0) Object 'Object Repository/HomePage/brand3_HP' is present	0.330s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0) Object 'Object Repository/HomePage/brand4_HP' is present	0.330s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0) Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.329s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0) Object 'Object Repository/HomePage/credito_HP' is present	0.377s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0) Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.314s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0) Object 'Object Repository/HomePage/Iniciar sesion' is present	0.377s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0) Object 'Object Repository/HomePage/Tiendas_HP' is present	0.330s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0) Object 'Object Repository/HomePage/Ayuda_HP' is present	0.298s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.404s	ERROR

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
---	-------------	---------	--------



TS_SMOKE_SUITE_003

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	07-03-2024 12:54:45	End	07-03-2024 12:55:28
Elapsed	43.386s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	17.316s	PASSED
2 mouseOver(findTestObject("HomePage/Departamentos")) Object: 'Object Repository/HomePage/Departamentos' is hovered			
3	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP")) Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.361s	PASSED
4 click(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on			
5	mouseOver(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.669s	PASSED
6 verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP")) Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable			
7	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP")) Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable	0.322s	PASSED


TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.474s	ERROR

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_007

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	07-03-2024 12:55:28	End	07-03-2024 12:56:07
Elapsed	39.035s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	waitForPageLoad(5) Wait for page load successfully	0.047s	PASSED
2 click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on			
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	6.738s	PASSED
4 verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present			
5	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	8.483s	PASSED

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.926s	ERROR

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_008

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"(Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	07-03-2024 12:56:07	End	07-03-2024 12:57:02
Elapsed	55.036s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on	0.386s	PASSED
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0) Object 'Object Repository/SLP/breadCrumb_SLP' is present	16.548s	PASSED
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0) Object 'Object Repository/SLP/Map_Verify_slp' is present	0.298s	PASSED
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0) Object 'Object Repository/SLP/find_store_title_SLP' is present	0.330s	PASSED
5	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	14.718s	PASSED

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.662s	ERROR

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_009

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 12:57:02	End	07-03-2024 12:57:43
Elapsed	41.053s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.378s	PASSED
2	click(findTestObject("HomePage/Iniciar_miscompras")) Object: 'Object Repository/HomePage/Iniciar_miscompras' is clicked on	1.000s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	4.500s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.341s	PASSED

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	34.771s	ERROR

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo. Below it, a modal window titled "Inicia sesión" (Log in) contains fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. Above the modal, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." (Remember that with one account you can log in to all our stores). The main navigation bar includes links for "Suzanne", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". A search bar at the top right says "Buscar por producto, marca y más...". Below the navigation, there's a banner for "BEAUTY DAY" featuring a perfume bottle and a flower. The banner text includes "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones" (Find out before everyone else! Register and receive the best promotions) and "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
 <p>A screenshot of the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is the Liverpool navigation bar with links to various brands like Subsistema, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a lock icon. Below the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "BYD", "Tiendas", "Ayuda", and "Selección tu tienda". The main content area features a large image of a Givenchy Irresistible perfume bottle on the left and a "BEAUTY DAY" banner with a flower icon and a starburst on the right. A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Mas información" with a close button "X".</p>			

TS_SMOKE_SUITE_013

Information

ID Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 07-03-2024 12:57:43 End 07-03-2024 12:58:29

Elapsed 45.921s

Status **ERROR**

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.251s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	20.869s	PASSED


TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
3	randomemail = a.GenerateRandomEmail.generateRandomEmail() Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013 FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.a.GenerateRandomEmail.generateRandomEmail() is applicable for argument types: () values: [] at TS_SMOKE_SUITE_013.run(TS_SMOKE_SUITE_013:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.074s	ERROR


TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.523s	ERROR

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_039

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	07-03-2024 12:58:29	End	07-03-2024 12:59:01
Elapsed	32.166s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Departamentos' is clicked on	0.447s	PASSED
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP")) Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.541s	PASSED
3	click(findTestObject("HomePage/L1_Category_HP")) Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on	0.377s	PASSED
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp")) Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable	8.238s	PASSED

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.478s	ERROR

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		




Home > Belleza

Belleza

Bath y Body
Perfumería y Cosméticos
Salud

BELLEZA

No importa si eres beauty blogger, profesional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Suburbia

Pottery Barn

Pottery Barn Kids

Williams Sonoma

West Elm


GAP

Banana Republic

Toys R Us



TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_047

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047

Description To verify the display of facets on the item listing page

Tag

Start 07-03-2024 12:59:01 End 07-03-2024 12:59:40

Elapsed 38.559s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	8.681s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	4.903s	PASSED
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.321s	PASSED
Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.557s	PASSED
Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present			
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.306s	PASSED
Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present			
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.314s	PASSED
Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present			

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.318s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.333s	PASSED

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.716s	ERROR


TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results for 'ropa'. The top navigation bar includes a search bar with 'ropa', a 'Mis Compras' button, and a shopping cart icon with '0'. Below the navigation are links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Selecciona tu tienda'. The main content area shows a search result for 'ropa' with 939 resultados. A sidebar on the left lists categories like Moda, Ella, Ropa Mujer, Caballeros, Niños, Prueba BT, Muebles, and Bebés. The main grid displays several products, including a black skirt and a brown boot. A promotional banner for 'MODERNOS A MANO' shows a pair of pants for \$14.40. At the bottom, there's a registration offer: 'iEntérate antes que nadie! Regístrate y recibe las mejores promociones'.



TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_048

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 07-03-2024 12:59:40 End 07-03-2024 13:00:18

Elapsed 38.163s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Multi_Sku_With_Range_PLP], STOP_ON_FAILURE)	8.585s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	6.604s	PASSED
Text of object 'Object Repository/PLPPage/product2_cardPrice_PLP' is: '\$1,22900 - \$8,99500'			
3	verify price range	0.332s	PASSED
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1,22900 - \$6,07163'			
4	a1 = a.contains("-")	0.003s	PASSED
5	b1 = b.contains("-")	0.001s	PASSED
6	out.println(a1)	0.018s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
7	out.println(b1)	0.002s	PASSED
8	if (a1 == true && b1 == true)	0.003s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.411s	ERROR


TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page for the term "bermuda". The search bar at the top contains "bermuda". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays 18 products related to bermuda shorts. On the left, a sidebar lists categories such as Moda, Ella, Ropa Mujer, Caballeros, Prueba BT, Nautica, Belleza, and That's It. Two product cards are visible: one for "Bermuda para Caballero Nautica" and another for "Bermuda para Caballero Nautica". At the bottom of the page, there is a promotional banner for "BEAUTY DAY" with text "Compra hoy y paga hasta mayo con Tarjetas Liverpool".



TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" is displayed, featuring a flower icon and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". On the right side of the banner, there's a vertical pink bar with the text "Te escuchamos" and a small speaker icon. The background of the page features a large image of a hand holding a Givenchy Irresistible perfume bottle against a sunset sky.</p>		

TS_SMOKE_SUITE_049

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			
Start	07-03-2024 13:00:18	End	07-03-2024 13:00:55
Elapsed	36.391s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rate_CPandDP], STOP_ON_FAILURE)	8.568s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	4.485s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	0.323s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			


TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.905s	ERROR

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_055

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 07-03-2024 13:00:55 End 07-03-2024 13:01:35

Elapsed 40.126s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductRangeMultiSKU], STOP_ON_FAILURE)	8.624s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify milti sku	19.188s	PASSED
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
3	verify price range	0.300s	PASSED
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.868s	ERROR

TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for men's Bermuda shorts. The product is labeled "Bermuda para Caballero Náutica". It has a price of \$309.00 - \$111,109.00 and a rating of 4 stars. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a product page for men's Bermuda shorts. The product is labeled "Bermuda para Caballero Náutica". It has a price of \$309.00 - \$111,109.00 and a rating of 4 stars. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a promotional banner for "BEAUTY DAY". It features a perfume bottle and text encouraging users to register and receive promotions. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a promotional banner for "BEAUTY DAY". It features a perfume bottle and text encouraging users to register and receive promotions. A pink button labeled "Comprar ahora" is visible.

TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_054

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 07-03-2024 13:01:35 End 07-03-2024 13:02:24

Elapsed 48.901s

Status PASSED

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	8.768s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"zap"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.073s	PASSED
3	click(findTestObject("PLPPage/product1_PLP")) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	4.741s	PASSED
4	verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0) Object 'Object Repository/PDPPage/Colour1_PDP' is present	12.331s	PASSED
5	verify sku not present Web element with id: 'Object Repository/PDPPage/Colour2_PDP' located by 'By.xpath: //ul[@id='color-list-mobile']//li[2]' is not present after '10' second(s)	2.067s	PASSED
6	verify discount price present Object 'Object Repository/PDPPage/discountPrice_PDP' is present	0.524s	PASSED

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
7	verify card price present	0.512s	PASSED

Object 'Object Repository/PDPPage/cardPrice_PDP' is present

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.762s	ERROR


TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for 'Tenis para Caballero Vans'. The product image is a black and white photo of a Vans sneaker. The price is listed as \$669.00, with a red crossed-out price of \$451.58. A button labeled 'Ver más promociones' is visible. To the right, there are two boxes: one for 'Recoge en 2 Horas' (with a green checkmark) and another for 'Envío gratis a todo el país'. Below the product details, there is a section for 'Cantidad:' with a minus sign, a '1' button, and a plus sign.

This screenshot is identical to the one above, showing the same product page for men's Vans sneakers. It includes the product image, price, promotional button, and collection options for pickup or delivery.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a large image of a hand holding a Givenchy Irresistible perfume bottle. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters. Below it, smaller text reads 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right contains the text 'Te escuchamos' and a small speaker icon.



TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_056

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056

Description To verify the display of PDP for single sku

Tag

Start 07-03-2024 13:02:24 End 07-03-2024 13:03:00

Elapsed 36.645s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"pantalon"], STOP_ON_FAILURE)	8.008s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	6.569s	PASSED
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	7.396s	PASSED
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	0.313s	PASSED
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	1.315s	PASSED
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.310s	PASSED
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.314s	PASSED
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP")) Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable	0.341s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP")) Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.319s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp")) Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable	0.323s	PASSED

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.342s	ERROR


TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a Liverpool website page for a child's pantalon. The product is titled "Pantalon Everlast" with a price of \$109.00. It includes a star rating of 4.5 stars and a "Ver disponibilidad en tienda" button. To the right, there are options for "Recoge en 2 Horas" (with a note about selecting a store) and "Envío gratis a todo el país". A "Cantidad:" input field shows "1". Below the product details, a promotional banner encourages users to register for early access to promotions.

This screenshot shows another Liverpool website page, likely for a different product. The header and navigation bar are identical to the first one. The main content area features a large image of a perfume bottle labeled "IRRESISTIBLE GIVENCHY". To the right, there is a "BEAUTY DAY" promotion banner with text about paying until May with Liverpool cards. A vertical pink sidebar on the right says "Te escuchamos" with a speech bubble icon.

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_057

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057

Description To verify the display of PDP for multi sku item

Tag

Start 07-03-2024 13:03:00 End 07-03-2024 13:03:35

Elapsed 34.732s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductNoRangeMultiSKU], STOP_ON_FAILURE)	9.310s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	9.385s	PASSED
	Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable		
3		1.459s	PASSED
	Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable		
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.515s	PASSED
	Object 'Object Repository/PDPPage/Colour1_PDP' is clickable		
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	0.304s	PASSED
	Object 'Object Repository/PDPPage/Colour2_PDP' is clickable		
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.319s	PASSED
	Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable		

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp")) Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.306s	PASSED
8	 Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.309s	PASSED
9	verify pdp price Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.297s	PASSED
10	verify pdp price Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.298s	PASSED
11	verify pdp price Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.314s	PASSED

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.793s	ERROR

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows the Liverpool website interface. At the top, there is a search bar with the number '1029796323'. Below the search bar are navigation links for 'Mis Compras', 'Iniciar sesión', and a shopping cart icon with '0'. The main menu includes 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Selecciona tu tienda'. The breadcrumb navigation shows: Home > Prueba Ciclo 3 20 Julio Modificado > Prueba Ciclo 3 Modificado > Prueba Ciclo 3.1 Modificado. The main content area displays a product for a 'PLAYERA EVERLAST PARA NIÑO' (Everlast Child Shirt) with a price of \$52.50.

This screenshot shows a detailed view of the same product listing for the 'PLAYERA EVERLAST PARA NIÑO'. It includes a large image of the shirt, the product name, its price (\$75.00), and a promotional offer of \$52.50. There are also options for 'Recoge en 2 Horas' (Collect in 2 hours) and 'Recibe a domicilio' (Delivery to home). A sidebar on the right provides information about store pickup and delivery.

The screenshot shows the Liverpool website again, featuring a prominent promotional banner for 'BEAUTY DAY'. The banner features a large image of a perfume bottle, the text 'BEAUTY DAY', and a call to action: 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right says 'Te escuchamos' with a smiley face icon.



TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_059

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	07-03-2024 13:03:35	End	07-03-2024 13:04:13
Elapsed	37.851s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.741s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	6.393s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.333s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.292s	ERROR

TS_SMOKE_SUITE_059


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selecciona tu tienda". The main content area displays a grid of 126 products related to MAC cosmetics. On the left, a sidebar lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Muier. At the bottom of the page, there is a promotional banner for "BEAUTY DAY" featuring a perfume bottle and text about purchases until May.

This screenshot is identical to the one above, showing the Liverpool website's search results for "mac". It displays the same search bar, navigation links, product grid, category sidebar, and "BEAUTY DAY" promotional banner.

This screenshot is identical to the ones above, showing the Liverpool website's search results for "mac". It displays the same search bar, navigation links, product grid, category sidebar, and "BEAUTY DAY" promotional banner.

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_060

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 07-03-2024 13:04:13 End 07-03-2024 13:05:04

Elapsed 51.453s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	7.164s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	11.951s	PASSED
3	waitForPageLoad(0) Wait for page load successfully	0.017s	PASSED
4	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0) Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	5.913s	PASSED
5	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE) Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (125)'	0.314s	PASSED
6	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on	0.435s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
7	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP")) Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "	2.890s	PASSED
8	out.println(a)	0.001s	PASSED
9	out.println(b)	0.001s	PASSED
10	if (a.contains(b))	0.013s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.561s	ERROR


TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a dropdown for "Selecciona tu tienda". The main content area displays a grid of 125 products related to MAC cosmetics. On the left, there are filters for "Filtros" (Liverpool selected) and "Categorías" (MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella). The products shown include M-A-C Pigment, M.A.C Studio Fix Powder Plus, and M-A-C Studio Fix Fluid SPF 15. A promotional banner at the bottom encourages users to register for promotions.



TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_061

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061		
Description	To verify the functionality of pagination in search result page.		
Tag	search		
Start	07-03-2024 13:05:04	End	07-03-2024 13:06:07
Elapsed	1m - 2.526s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.569s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	9.961s	PASSED
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.032s	PASSED
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.428s	PASSED
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.015s	PASSED
Delayed 10 second(s)			
7	a1 = getUrl()	0.016s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
8	out.println(a1)	0.001s	PASSED
9	a = a1.contains("page-2")	0.000s	PASSED
10	out.println(a)	0.001s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0) Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.318s	PASSED
12	waitForPageLoad(0) Wait for page load successfully	0.016s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.403s	PASSED
14	delay(10) Delayed 10 second(s)	10.011s	PASSED
15	if (a == true)	0.002s	PASSED
16	b1 = getUrl() Current window's url is: ' https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac '	0.010s	PASSED
17	b = b1.contains("page-1")	0.001s	PASSED



TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
18	out.println(b1)	0.001s	PASSED
19	if (b == true)	0.001s	PASSED


TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.586s	ERROR

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The navigation menu includes links for "Suburbia", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". Below the menu, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selecciona tu tienda". A small "BYD" link is also visible. The main content area features a large image of a Givenchy Irresistible perfume bottle held in a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A pink vertical bar on the right says "Te escuchamos" with a speech bubble icon. The bottom of the page has a decorative pattern of circles.</p>		

TS_SMOKE_SUITE_062

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062

Description To verify display of price for the product in search result page.

Tag

Start 07-03-2024 13:06:07 End 07-03-2024 13:06:43

Elapsed 36.578s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	8.562s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.015s	PASSED
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	5.091s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.357s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.463s	ERROR


TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "vaso". The search bar at the top contains "vaso". Below the search bar, there are navigation links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main content area displays a search result for a "Vaso Villeroy & Boch Humo Colour Concept" product, which is a blue glass tumbler with a decorative pattern. The product image is shown next to its name and a small description. On the left, there is a sidebar with categories like HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, and Ella. At the bottom of the page, there is a promotional banner for "BEAUTY DAY" featuring a perfume bottle.



TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_063

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063

Description To verify the display of the color swatches in search result page

Tag

Start 07-03-2024 13:06:43 End 07-03-2024 13:07:22

Elapsed 38.969s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":PLP_with_pagination], STOP_ON_FAILURE)	9.086s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.015s	PASSED
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/facetes/ColorTitleFacet_PLP"), 0)	7.387s	PASSED
	Scroll to object 'Object Repository/PLPPage/facetes/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/facetes/Color_1_facet_PLP"), 0)	0.313s	PASSED
	Object 'Object Repository/PLPPage/facetes/Color_1_facet_PLP' is present		

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.079s	ERROR

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Color

Y/o recibe30% en monedero



Y/o recibe30% en monedero



Ver más

Marcas

Búsqueda rápida

BLUE MICROPHONES (1)

CLINIQUE (1)

MAC (110)

Partial Test Brand (14)

MAC Select Moisturecover

\$56⁹⁹
~~\$40⁰⁰~~



M.A.C. Mac Pigment-Teal (Fn)

\$355⁹⁹
~~\$284⁰⁰~~

Maquillaje Prueba MAC

\$2,785⁹⁹



Precios

Menos de \$100.0 (19)

Y/o recibe30% en monedero



Y/o recibe30% en monedero



Y/o recibe30% en monedero



iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool

Buscar por producto, marca y más...

Mis Compras Iniciar sesión 0

Categorías Mesa de regalos Mi crédito Servicios ▾

Tiendas Ayuda

Selección tu tienda BYD



TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
¡Entérate antes que nadie! Regístrate y recibe las mejores promociones			
Suburbia	Pottery Barn	Pottery Barn Kids	Williams Sonoma
West Elm	GAP	Banana Republic	Toys R Us
L Liverpool	Buscar por producto, marca y más...	🔍	Mis Compras Iniciar sesión
Categorías	Mesa de regalos	Mi crédito	Servicios
BYD	Tiendas	Ayuda	📍 Selecciona tu tienda



TS_SMOKE_SUITE_069

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069

Description To verify the search result page when user selects the price as sorting option

Tag

Start 07-03-2024 13:07:22 End 07-03-2024 13:08:37

Elapsed 1m - 14.898s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	8.363s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/Sortby_PLP"))	9.068s	PASSED
Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on			
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	10.738s	PASSED
Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on			
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	6.310s	PASSED
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1740'			
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.693s	PASSED
Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'			
6	if (productcardprice3 <= productcardprice4)	0.002s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.400s	PASSED
Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on			

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP")) Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	10.648s	PASSED
9	delay(5) Delayed 5 second(s)	5.013s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	0.365s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.368s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.000s	PASSED

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.781s	ERROR


TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a search bar with 'Vaso' typed in. Below the search bar, there are navigation links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a 'Selecciona tu tienda' dropdown. The main content area shows a search result for 'Vaso' with 83 results. A dropdown menu allows sorting by 'Mayor precio'. The results are categorized under 'Regalo con compra' and include items like 'Set de Vasos para Whisky Christofle' and 'Set de Copas para Agua Christofle'. There are also sections for 'HogarNew', 'Bebés', 'Hogar', 'Avent', 'Línea Blanca', 'Decoración e Iluminación', 'Deportes', and 'Ella'. At the bottom of the page, there's a promotional banner for 'BEAUTY DAY' featuring a perfume bottle.



TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
¡Entérate antes que nadie! Regístrate y recibe las mejores promociones			
Suburbia	Pottery Barn	Pottery Barn Kids	Williams Sonoma
West Elm	GAP	Banana Republic	Toys R Us
 Liverpool	Buscar por producto, marca y más...	<input type="text"/>	Mis Compras
		<input type="button" value=""/>	Iniciar sesión
 0			
Categorías	Mesa de regalos	Mi crédito	Servicios
BYD	Tiendas	Ayuda	 Selecciona tu tienda



TS_SMOKE_SUITE_070

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070

Description to verify the pagination in the search result page

Tag

Start 07-03-2024 13:08:37 End 07-03-2024 13:09:41

Elapsed 1m - 3.624s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.003s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	6.338s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.384s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.008s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.026s	PASSED
Current window's url is: ' https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac '			
6	a = a1.contains("page-2")	0.001s	PASSED
7	if (a == true)	0.002s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0) Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	0.329s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.403s	PASSED
10	delay(7) Delayed 7 second(s)	7.016s	PASSED
11	b1 = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac'	0.012s	PASSED
12	b = b1.contains("page-1")	0.001s	PASSED
13	if (b == true)	0.001s	PASSED


TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
14	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.365s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website's search results page for the term "mac". The page has a pink header with the Liverpool logo and a search bar containing "mac". Below the header, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selecciona tu tienda" button. The main content area shows a search result for "mac" with 126 products. On the left, there is a sidebar with categories like MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Mujer. The main content area displays three product cards: "M-A-C Pigment" (with a brown textured image), "M.A.C Studio Fix Powder Plus Foundation" (with a white cream image), and "M-A-C Studio Fix Fluid SPF 15" (with a beige liquid image). Each product card includes a small blue banner indicating a 30% discount offer. <p>mac</p> <p>Mis Compras Iniciar sesión</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Selecciona tu tienda</p> <p>Home > mac</p> <p>"mac" (126 resultados)</p> <p>Ordenar por:</p> <p>126 Productos</p> <p>Categorías</p> <ul style="list-style-type: none">MACBellezaPrueba Ciclo 3 20Julio ModificadoEllaPrueba Multi CocciónBebésModaRopa Mujer <p>M-A-C Pigment</p> <p>M.A.C Studio Fix Powder Plus Foundation</p> <p>M-A-C Studio Fix Fluid SPF 15</p>		

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.556s	ERROR


TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a dropdown for "Selecciona tu tienda". The main content area displays a grid of 126 products. On the left, a sidebar lists categories: MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Mujer. The products shown are M-A-C Pigment, M.A.C Studio Fix Powder Plus, and M-A-C Studio Fix Fluid SPF 15. Each product has a small image and a "Y/o recibe30% en monedero" badge. At the bottom of the page, there is a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". The footer includes links to various brands like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_027

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 07-03-2024 13:09:41 End 07-03-2024 13:11:21

Elapsed 1m - 39.869s

Status **PASSED**

Details


#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	7.928s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	11.427s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
groovy:74)	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at close any pop up.run(close any pop up:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more		



TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
3	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.530s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
			
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.577s	PASSED

Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully

5	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	15.518s	PASSED
---	------------------------------------------------------	---------	--------

Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on


TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
6	<p>click(findTestObject("OPCPage/close_popup_OP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15000}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57409}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,}</p>	0.444s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 643f5a9e000e57e40975f821ad9806d4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733551158.run(Script1697733551158.groovy:31) ... 15 more)</pre> 		
7	click(findTestObject("PDPPage/AddToCart_pdp"))	0.395s	PASSED
	<p>Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</p>		
8	click(findTestObject("HomePage/Cart_header"))	5.445s	PASSED
	<p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p>		
9	click(findTestObject("CartPage/Iniciar_Cart"))	1.543s	PASSED
	<p>Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on</p>		
10	verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)	5.924s	PASSED
	<p>Object 'Object Repository/HomePage/LoginPage_hp' is present</p>		
11	verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)	0.785s	PASSED
	<p>Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present</p>		

TS_SMOKE_SUITE_027


#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	30.266s	ERROR

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the header are social media icons for S, PB, LK, we, WS, GAP, BR, and R. The main content area features a login form titled "Inicia sesión" with fields for "Correo electrónico" and "Contraseña". Below the form is a link "¿Olvidaste tu contraseña?". A large pink button labeled "Iniciar sesión" is at the bottom of the form. Above the login form, there's a banner with the text "iEntérate antes que nadie! Regístrate y recibe las mejores promociones". The navigation bar below the header includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar has the placeholder "Buscar por producto, marca y más...". Other navigation links include Mis Compras, Iniciar sesión, and Ayuda. A promotional banner for "BEAUTY DAY" featuring a perfume bottle and a flower is visible. Another banner below it says "Compra hoy y paga hasta mayo". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)" with a close button "X".

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras', 'Iniciar sesión', and a notification icon with '1'. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. A promotional banner for 'BEAUTY DAY' features a pink flower and the text 'Compra hoy y paga hasta mayo'. In the center, there's a large image of a Givenchy Irresistible perfume bottle. At the bottom of the page, a cookie consent message reads: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información'.</p>		

TS_SMOKE_SUITE_028

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 07-03-2024 13:11:21 End 07-03-2024 13:12:42

Elapsed 1m - 21.153s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	7.792s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.015s	PASSED
	Wait for page load successfully		
3	click(findTestObject("PDPPage/AddToCart_pdp"))	14.957s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on		
4	click(findTestObject("HomePage/Cart_header"))	5.668s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
5	click(findTestObject("CartPage/BuyButton_Cart"))	3.937s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
6	<p>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	11.408s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas.</p>  <p>Inicia sesión</p> <p>Correo electrónico</p> <p>Contraseña</p> <p>Olvidaste tu contraseña?</p> <p>Iniciar sesión</p>		

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.456s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool login page. At the top, there's a banner with the Liverpool logo and a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the banner are icons for various Liverpool stores: Líder, Pintor, Brico, we, ws, GAP, BR, and R. The main form is titled "Inicia sesión". It has two input fields: "Correo electrónico" and "Contraseña", with a "Forgot password?" link below it. A large pink button at the bottom right says "Iniciar sesión".</p>		

TS_SMOKE_SUITE_028


#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.832s	ERROR

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and social media links (S, PB, LK, we, WS, GAP, BR, R). Below the header, a modal window titled "Inicia sesión" (Log in) is displayed, containing fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. The main page background features a banner for "BEAUTY DAY" with a perfume bottle and a flower, and text "Compra hoy y paga hasta mayo". The bottom of the page includes a navigation bar with links like "Suburbia", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", "Toys R Us", a search bar, and account links for "Mis Compras" and "Iniciar sesión". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras' and 'Iniciar sesión'. A notification badge with the number '2' is visible. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. On the right side of the header, there are links for 'Tiendas' and 'Ayuda', along with a 'Selecciona tu tienda' button. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a promotional banner for 'BEAUTY DAY' featuring a flower and the text 'Compra hoy y paga hasta mayo'. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información' with a close button 'X'.</p>		

TS_SMOKE_SUITE_006

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	07-03-2024 13:12:42	End	07-03-2024 13:13:51
Elapsed	1m - 9.433s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	8.196s	PASSED
2	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP")) Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	8.620s	PASSED
3	click(findTestObject("HomePage/Mesa de regalos_HP")) Object: 'Object Repository/HomePage/Mesa de regalos_HP' is clicked on	16.125s	PASSED
4	verifyElementPresent(findTestObject("HomePage/gr/Find_gift_table_GR"), 0) Object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present	0.571s	PASSED
5	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	12.833s	PASSED


TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.012s	ERROR

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_010

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 13:13:51	End	07-03-2024 13:14:44
Elapsed	52.356s		
Status	PASSED		

Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	11.757s	PASSED
Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully			

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_010.run(TS_SMOKE_SUITE_010:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.608s	PASSED

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		



TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
3	click(findTestObject("HomePage/Mis_comprar")) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.367s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0) Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	1.787s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0) Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	3.723s	PASSED

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.028s	ERROR

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		




The screenshot shows the Liverpool website's header. It includes the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", a "Mis Compras" button, a greeting "Hola pSQkXjuq" with a dropdown arrow, and a notification badge with the number "2". Below the header are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", and "Ayuda". A location pin icon and the text "Mi tienda - Liverpool..." are also present.



The screenshot shows the "Mis Compras" (My Purchases) section. On the left, there are buttons for "Mis Compras", "Wishlist", and "Cupones". On the right, there is a search bar with placeholder text "Busca tus compras realizadas en internet o en tienda:" and a "Filtrar compras" (Filter purchases) dropdown. Below the search bar is a link "¿Dónde encuentro mi número de pedido/facturación en el ticket?". Underneath, there is a section titled "Compras en internet de los últimos 6 meses" (Internet purchases in the last 6 months) showing a single purchase entry: "No. de pedido: 0399002793" (Pedido confirmado - Order confirmed | Entrega estimada: 17 de marzo-20 de marzo) with a "Ver detalle de compra" (View purchase details) button.



The screenshot shows the Liverpool website's header, identical to the one above, including the logo, search bar, user greeting, and navigation links.



TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_011

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	07-03-2024 13:14:44	End	07-03-2024 13:15:27
Elapsed	43.350s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP")) Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on	2.897s	PASSED
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0) Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present	3.411s	PASSED
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0) Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present	0.295s	PASSED
4	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	13.965s	PASSED


TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.706s	ERROR


TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, etc. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" and a user profile icon. The main banner features a woman in a beige suit sitting on a chair, with promotional text "MODA MUJER", "Hasta 50% de descuento", and "Adiós al Invierno con un nuevo look". A "Compra ahora" button is also visible.



TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_012

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	07-03-2024 13:15:27	End	07-03-2024 13:15:51
Elapsed	23.508s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0) Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.331s	PASSED


TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.119s	ERROR

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_014

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	07-03-2024 13:15:51	End	07-03-2024 13:16:59
Elapsed	1m - 8.134s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	refresh() Refresh successfully	14.206s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	3.871s	PASSED
3	click(findTestObject("AccountManagement/UpdatePeronalData_Account")) Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	9.117s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/firstName_update_accountManagement"), 0) Object 'Object Repository/AccountManagement/firstName_update_accountManagement' is present	2.206s	PASSED
5	waitForPageLoad(0) Wait for page load successfully	0.017s	PASSED
6	Name = "harish"	0.000s	PASSED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/firstName_update_accountManagement"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/firstName_update_accountManagement' is clicked on	1.020s	PASSED
8	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.338s	PASSED
9	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CLEAR)) Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.553s	PASSED
10	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(BACK_SPACE), STOP_ON_FAILURE) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.353s	PASSED
11	clearText(findTestObject("AccountManagement/firstName_update_accountManagement"), OPTIONAL) Text of object 'Object Repository/AccountManagement/firstName_update_accountManagement' is cleared	0.354s	PASSED
12	delay(10) Delayed 10 second(s)	10.009s	PASSED
13	setText(findTestObject("AccountManagement/firstName_update_accountManagement"), "") Text " is set on object 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.704s	PASSED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
14	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(Name)) Keys 'harish' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.368s	PASSED
15	out.println(Name)	0.001s	PASSED
16	click(findTestObject("AccountManagement/UpdateButton_Account")) Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.429s	PASSED
17	waitForPageLoad(0) Wait for page load successfully	0.014s	PASSED

TS_SMOKE_SUITE_014


#	Description	Elapsed	Status
18	<pre>verifyElementText(findTestObject("HomePage/header_Hola_text_HP"), "Hola " + Name)</pre> <p>Verify element text of test object 'Object Repository/HomePage/header_Hola_text_HP' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/HomePage/header_Hola_text_HP' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4835) at TS_SMOKE_SUITE_014.run(TS_SMOKE_SUITE_014:55) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=122.0.6261.95) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/stale_element_reference.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11045} </p>	1.693s	FAILED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:57409}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 643f5a9e000e57e40975f821ad9806d4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.getText (RemoteWebElement.java:166) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.getText(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.getText(EventFiringWebDriver.java:463) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</pre>		

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText(WebUiBuiltInKeywords.groovy:4835) at Script1697733551073.run(Script1697733551073.groovy:55) ... 15 more		



The screenshot shows the Liverpool website homepage. At the top, there is a pink header bar with the Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and a notification badge indicating 2 items. Below the header, there is a navigation menu with links to 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios' (with a dropdown arrow), 'Tiendas', 'Ayuda', and a location dropdown set to 'Mi tienda - Liverpool'. The main content area shows a grid of products. On the left side, there is a sidebar with links to 'Mis Compras', 'Wishlist', 'Cupones', and a 'Crédito y Pagos' section containing 'Mi crédito' and 'Facturación Electrónica'. A red curved arrow points from the bottom right towards the sidebar.

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
19	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.730s	ERROR

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's user profile section. At the top, there is a navigation bar with the Liverpool logo, a search bar, and account information for 'Mis Compras' and 'Hola harish'. Below the navigation, there are links for 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. On the right side of the header, there are links for 'Tiendas', 'Ayuda', and a location indicator for 'Mi tienda - Liverpool...'. The main content area is titled 'Mi Cuenta'. On the left, there is a sidebar with links for 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area displays personal data under 'Datos Personales': Correo electrónico (imathpati@kognivera.com), Nombre (harish qa), Fecha de nacimiento (19/12/2005), and Sexo (Hombre). At the bottom of the page, there is a footer with links for various brands like Suburbia, Pottery Barn, Williams Sonoma, etc., and a pink banner at the very bottom.



TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_015

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none">- Mi cuenta- Mis pedidos- Mi tiempo Aire- Mis tarjetas- Cerrar sesion		
Tag			
Start			
Elapsed			
Status	07-03-2024 13:16:59	End	07-03-2024 13:17:35
	36.342s		
	PASSED		


Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.471s	PASSED
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.551s	PASSED

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows the Liverpool website's header with various brand links like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is present. On the right, a user profile dropdown for 'Hola harish' is open, showing options like 'Mi Cuenta', 'Mis Compras', 'Wishlist', 'Cupones', 'Mis tarjetas', and 'Cerrar sesión'. Below the header, there's a blurred promotional image featuring a woman in a light-colored outfit.</p>		



TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0) Object 'Object Repository/HomePage/Mis_comprar' is present	0.330s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0) Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.296s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0) Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.317s	PASSED
6	verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0) Object 'Object Repository/HomePage/a_Mis tarjetas' is present	0.292s	PASSED
7	verifyElementPresent(findTestObject("HomePage/a_Cerrar sesin_hp"), 0) Object 'Object Repository/HomePage/a_Cerrar sesin_hp' is present	0.309s	PASSED


TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.699s	ERROR

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		
	 <p>The screenshot shows the Liverpool website's header with various brand links like Suburbia, Pottery Barn, etc. A search bar and a user account dropdown for 'Hola harish' are visible. A tooltip-like box is overlaid on the account dropdown, listing options such as 'Mi Cuenta', 'Mis Compras', 'Wishlist', 'Cupones', 'Mis tarjetas', and 'Cerrar sesión'. Below the header is a large promotional banner for women's fashion.</p>  <p>This screenshot shows another view of the Liverpool website's homepage. It features a similar header with brand links and a search bar. The user account dropdown for 'Hola harish' is shown again, along with a 'Tiendas' and 'Ayuda' link. Below the header is a large promotional banner for women's fashion.</p>		

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_029

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	07-03-2024 13:17:35	End	07-03-2024 13:18:47
Elapsed	1m - 11.403s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	11.112s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.017s	PASSED
Wait for page load successfully			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	15.164s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.382s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
5	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:27) ... 15 more) 	2.511s	PASSED
6	click(findTestObject("HomePage/Cart_header")) Object: 'Object Repository/HomePage/Cart_header' is clicked on	2.871s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	0.013s	PASSED
8	CheckoutURL = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart' if (CheckoutURL == CheckoutLink)	0.000s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	28.213s	ERROR

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a magnifying glass icon. To the right of the search bar are links for "Mis Compras" and "Hola harish". Below the header, there are navigation links for "Categories", "Mesa de regalos", "Mi crédito", and "Servicios". On the far right, there are links for "Tiendas" and "Ayuda", followed by a location pin icon and the text "Mi tienda - Liverpool".

The screenshot shows the Liverpool website's shopping cart summary page titled "Mi Bolsa". It displays a single item: "ZAP CASUAL CLASSIC SLIP. ON, 27, VARIOS" in size 7, color Negro, with a price of \$451.57. The quantity is set to 3, and the total is \$1,354.72. The page also shows a breakdown of costs: Subtotal (\$2,007.00), Descuento (\$652.28), Cupones (\$0.00), and Costo de envío (Gratis). A note states "Total (IVA Incluido): \$1,354.72". At the bottom, there is a pink "Comprar" button and a note: "*Los precios aplican de acuerdo a forma de pago".

The screenshot shows the Liverpool website's shopping cart summary page titled "Mi Bolsa". It displays a single item: "ZAP CASUAL CLASSIC SLIP. ON, 27, VARIOS" in size 7, color Negro, with a price of \$451.57. The quantity is set to 3, and the total is \$1,354.72. The page also shows a breakdown of costs: Subtotal (\$2,007.00), Descuento (\$652.28), Cupones (\$0.00), and Costo de envío (Gratis). A note states "Total (IVA Incluido): \$1,354.72". At the bottom, there is a pink "Comprar" button and a note: "*Los precios aplican de acuerdo a forma de pago".

The screenshot shows the Liverpool website's shopping cart summary page titled "Mi Bolsa". It displays a single item: "ZAP CASUAL CLASSIC SLIP. ON, 27, VARIOS" in size 7, color Negro, with a price of \$451.57. The quantity is set to 3, and the total is \$1,354.72. The page also shows a breakdown of costs: Subtotal (\$2,007.00), Descuento (\$652.28), Cupones (\$0.00), and Costo de envío (Gratis). A note states "Total (IVA Incluido): \$1,354.72". At the bottom, there is a pink "Comprar" button and a note: "*Los precios aplican de acuerdo a forma de pago".

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
			
			

TS_SMOKE_SUITE_030

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	07-03-2024 13:18:47	End	07-03-2024 13:20:12
Elapsed	1m - 25.147s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	12.997s	PASSED
2	waitForPageLoad(15) Wait for page load successfully	0.037s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.264s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	15.441s	PASSED

TS_SMOKE_SUITE_030



#	Description	Elapsed	Status
5	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:27) ... 15 more) 	2.451s	PASSED

Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.247s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:31) ... 15 more)		
7	 <p>click(findTestObject("HomePage/Cart_header"))</p> <p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p>	2.483s	PASSED
8	 <p>click(findTestObject("CartPage/BuyButton_Cart"))</p> <p>Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on</p>	2.926s	PASSED
9	<p>CheckoutURL = getUrl()</p> <p>Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'</p>	0.014s	PASSED
10	<p>if (CheckoutURL == CheckoutLink)</p>	0.000s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	29.169s	ERROR


TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" contains sections for "1. Entrega" (Delivery) and "2. Forma de Pago" (Payment Method). The delivery address is listed as "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". The payment method is a Visa card ending in "3065". To the right, a "Resumen de compra" (Purchase Summary) box displays the subtotal (\$2,676.00), discount (\$869.70), and coupons (\$0.00). At the bottom, there's a search bar and navigation links like "Mis Compras" and "Ayuda".



TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_058

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

07-03-2024 13:20:12

End

07-03-2024 13:21:15

1m - 2.826s

PASSED

Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	13.082s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx/tienda/home>' successfully

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.549s	PASSED

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	8.617s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	waitForPageLoad(5)	0.019s	PASSED
Wait for page load successfully			
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	14.893s	PASSED
Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	0.310s	PASSED
Object 'Object Repository/PDPPage/EDD_pdp' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	0.316s	PASSED
Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable			
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.339s	PASSED
Object 'Object Repository/PDPPage/Size1_PDP' is clickable			
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.333s	PASSED
Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable			
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.324s	PASSED
Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable			

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.965s	ERROR


TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for 'Jeans Aéropostale para Dama' (Aéropostale jeans for women). The product has a price of \$335.30. It includes options for Click & Collect at Liverpool La Paz, delivery to address AUTOMATIONBTmkqYse, and home delivery. The page also features a search bar and navigation links for categories like Categorías, Mesas de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...



TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_016

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	07-03-2024 13:21:15	End	07-03-2024 13:21:54
Elapsed	39.324s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.404s	PASSED
2	click(findTestObject("AccountManagement/UpdatePeronalData_Account")) Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	7.307s	PASSED
3	verifyElementPresent(findTestObject("AccountManagement/updatePage_Account"), 0) Object 'Object Repository/AccountManagement/updatePage_Account' is present	1.141s	PASSED
4	name = RandomStringUtils.randomAlphabetic(8)	0.010s	PASSED
5	clearText(findTestObject("AccountManagement/FirstNameProfile_Account"), STOP_ON_FAILURE) Text of object 'Object Repository/AccountManagement/FirstNameProfile_Account' is cleared	1.143s	PASSED
6	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.639s	PASSED

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
7	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), name) Keys 'njnmkvID' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.368s	PASSED
8	lastname =getAttribute(findTestObject("AccountManagement/LastName_Account"), "value") Attribute 'value' of object 'Object Repository/AccountManagement/LastName_Account' is: 'qa'	0.339s	PASSED
9	println(lastname)	0.001s	PASSED
10	accountname = name + " " + lastname	0.001s	PASSED
11	println(accountname)	0.001s	PASSED
12	click(findTestObject("AccountManagement/UpdateButton_Account")) Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.352s	PASSED
13	fnamelname = getText(findTestObject("AccountManagement/PersonalDataName_Account")) Text of object 'Object Repository/AccountManagement/PersonalDataName_Account' is: 'njnmkvID qa'	4.633s	PASSED
14	println(fnamelname)	0.001s	PASSED
15	if (fnamelname == accountname)	0.002s	PASSED

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_016


#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.857s	ERROR

TS_SMOKE_SUITE_016


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's user profile section. At the top, there is a navigation bar with the Liverpool logo, a search bar, and account information (Mis Compras, Hola njnmkvID, 4 notifications). Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right, there are links for Tiendas, Ayuda, and a location indicator for Mi tienda - Liverpool. The main content area is titled "Mi Cuenta". On the left, there is a sidebar with links for Mis Compras, Wishlist, Cupones, Crédito y Pagos, and MI crédito. The main content area displays personal data under "Datos Personales": Correo electrónico: imathpati@kognivera.com, Nombre: njnmkvID qa, Fecha de nacimiento: 19/12/2005, and Sexo: Hombre. At the bottom of the page, there is a footer with links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

The screenshot shows the Liverpool website's homepage banner. It features a large image of a man with a beard wearing a light blue blazer over a striped shirt. The banner has a pink and blue color scheme. Text on the banner includes "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. There is also a small "Tessell" logo in the bottom right corner of the banner area.



TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_017

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017

Description Verify the user able to add new Personal shipping address

Tag

Start 07-03-2024 13:21:54 End 07-03-2024 13:22:59

Elapsed 1m - 5.201s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola njnmkvID'	0.341s	PASSED
2	out.println(a)	0.000s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
3	<pre>if (a == true) Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	11.608s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		

The screenshot shows the Liverpool website's header. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is positioned next to a user profile icon showing 'Mis Compras' and a greeting 'Hola njnmkvID'. There is also a shopping cart icon with the number '4'. Below the header, there is a main banner for 'MODA HOMBRE' featuring a man in a suit and text about discounts and a new look.




TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.360s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	7.636s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL) com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))</pre>	11.142s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
7	 <p>if (add == true)</p>	0.001s	PASSED
8	<p>click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)</p> <p>Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on</p>	0.398s	PASSED
9	<p>callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)</p> <p>Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully</p>	17.817s	PASSED
10	<p>click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))</p> <p>Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on</p>	0.608s	PASSED
11	<p>address = getText(findTestObject("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)</p> <p>Text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' is: 'TestQA'</p>	3.737s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
12	out.println(address)	0.001s	PASSED
13	out.println(TempAddress)	0.001s	PASSED
14	if (TempAddress == address)	0.001s	PASSED

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.426s	ERROR

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user account information. Below the navigation, a sidebar on the left lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area is titled 'Direcciones de entrega' and contains three address entries:

Mis direcciones	Tiendas Click & Collect	Agregar dirección
AUTOMATIONBTmkqYse Prédeterminada QATest Test Test Regina Street, 1231232342 san francisco, CUAUHTEMOC N OC NORTE MEXICALI, 21200, MX, BAJ A CALIFORNIA	TestQA nijnmkvID qa qa kmpf road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORN IA Teléfonos: 93-58585989 087345023	AUTOMATIONNPtsoeAO TestQA Test Test kmpf road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORN IA Teléfonos: 93-58585989 087345023

At the bottom of the page, there's another navigation bar with links like 'Suburba', 'Pottery Barn', 'Pottery Barn Kids', etc., and a footer section.



TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_018

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 07-03-2024 13:22:59 End 07-03-2024 13:23:39

Elapsed 39.733s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.354s	PASSED
2	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.121s	PASSED
3	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	2.776s	PASSED
4	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account")) Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	1.548s	PASSED
5	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account")) Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	6.489s	PASSED
6	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account")) Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	0.392s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account")) Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	1.317s	PASSED
8	scrollToElement(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"), 0) Scroll to object 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' successfully	0.330s	PASSED
9	click(findTestObject("AccountManagement>KeepButtonClickNCollection_Account")) Object: 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' is clicked on	0.338s	PASSED
10	click(findTestObject("AccountManagement>ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement>ClickAndCollectStores_accounts' is clicked on	2.443s	PASSED
11	verifyElementPresent(findTestObject("AccountManagement>ClickNCollectionFirstAddress_Account"), 0) Object 'Object Repository/AccountManagement>ClickNCollectionFirstAddress_Account' is present	2.135s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0) Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	0.341s	PASSED
13	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	0.388s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	0.397s	PASSED
15	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM")) Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	0.594s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	13.690s	ERROR

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Mis direcciones

Tiendas Click & Collect

Agregar tienda

Liverpool Andares

Liverpool Cuautla

Liverpool Tecámac

Mis Compras

Wishlist

Cupones

Crédito y Pagos

Mi crédito

Suburbs

Pottery Barn

Pottery Barn Kids

Williams Sonoma

West Elm

GAP

Banana Republic

Toys R Us


Buscar por producto, marca y más...

Mis Compras

Hola njnmkvID

4

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_019

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 07-03-2024 13:23:39 End 07-03-2024 13:24:57

Elapsed 1m - 17.907s

Status FAILED


Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola njnmkvID'	0.313s	PASSED
2	out.println(a)	0.001s	PASSED
3	if (a == false)	0.001s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.344s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	5.251s	PASSED

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL) com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))</pre>	11.105s	PASSED




TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
7	 <p>Direcciones de entrega</p> <p>Mis direcciones</p> <p>AUTOMATIONBTmkqYse (Predeterminada)</p> <p>QATest Test Test Regina Street, 1231232342 san fransisco, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA</p> <p>TestQA</p> <p>njnmkvID qa qa kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA</p> <p>TestQA Test Test kmpt road, 9823958982 mexico, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA</p> <p>Telefonos: 93-58585989</p> <p>Telefonos: 93-58585989 9873459873</p> <p>Agregar dirección</p>	0.001s	PASSED
8	<p>click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)</p> <p>Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on</p>	0.351s	PASSED
9	<p>callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)</p> <p>Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully</p>	16.047s	PASSED
10	<p>delay(10, STOP_ON_FAILURE)</p> <p>Delayed 10 second(s)</p>	10.011s	PASSED
11	<p>enhancedClick(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))</p> <p>Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on</p>	0.379s	PASSED

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
12	<pre>verifyElementPresent(findTestObject ("AccountManagement/FirstPersonalShippingAddress_Account"), 0) Unable to verify object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:50) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' located by '(//h1 [@class='a-cards__titleCard'])[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$__verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.</pre>	11.421s	FAILED

TS_SMOKE_SUITE_019


#	Description	Elapsed	Status
	VerifyElementPresentKeyword\$._verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
			
			
			
			

TS_SMOKE_SUITE_019


#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.593s	ERROR

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_023

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	07-03-2024 13:24:57	End	07-03-2024 13:26:13
Elapsed	1m - 15.981s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.375s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/Mi Cartera_HP"))	6.492s	PASSED
Object: 'Object Repository/AccountManagement/Mi Cartera_HP' is clicked on			
3	click(findTestObject("AccountManagement/MyCardButton_Account"))	4.260s	PASSED
Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on			

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
4	<p>add = verifyElementPresent(findTestObject("AccountManagement/QAtesting_card_AM"), 0, OPTIONAL)</p> <pre>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text() ='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text()='QATESTING']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall(VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call(VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43))</pre>	11.219s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
			
5	if (add == true)	0.001s	PASSED
6	click(findTestObject("AccountManagement/AddCardButton_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddCardButton_Account' is clicked on	0.364s	PASSED
7	Cardname = "QATESTING"	0.000s	PASSED
8	setText(findTestObject("AccountManagement/CardName_Account"), Cardname) Text 'QATESTING' is set on object 'Object Repository/AccountManagement/CardName_Account'	5.481s	PASSED
9	callTestCase(findTestCase("CommonMethods/AddCard_Account"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/AddCard_Account' successfully	4.803s	PASSED
10	waitForPageLoad(0) Wait for page load successfully	0.016s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
11	CardName = getText(findTestObject("AccountManagement/CardNameGrid_Account")) Text of object 'Object Repository/AccountManagement/CardNameGrid_Account' is: 'QATESTING'	3.997s	PASSED
12	if (Cardname == CardName)	0.001s	PASSED
13	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM")) Object: 'Object Repository/AccountManagement/Select3dot_qatestingCard_AM' is clicked on	0.350s	PASSED
14	click(findTestObject("AccountManagement/EditCardDetails_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/EditCardDetails_Account' is clicked on	6.329s	PASSED
15	Name = RandomStringUtils.randomAlphabetic(8)	0.001s	PASSED
16	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CONTROL, "a")) Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	1.635s	PASSED
17	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CLEAR)) Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.484s	PASSED
18	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(BACK_SPACE)) Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.346s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
19	clearText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), STOP_ON_FAILURE)	0.373s	PASSED
	Text of object 'Object Repository/AccountManagement/FullName_Card_Edit_AM' is cleared		
20	delay(10)	10.015s	PASSED
	Delayed 10 second(s)		
21	setText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), "")	0.670s	PASSED
	Text " is set on object 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
22	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(Name))	0.398s	PASSED
	Keys 'LoAIJfqZ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
23	click(findTestObject("AccountManagement/AcceptButton_AccountM"))	0.361s	PASSED
	Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on		
24	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))	3.785s	PASSED
	Object: 'Object Repository/AccountManagement>Select3dot_qatestingCard_AM' is clicked on		
25	click(findTestObject("AccountManagement/qatesting_eliminar_car_AM"), STOP_ON_FAILURE)	0.407s	PASSED
	Object: 'Object Repository/AccountManagement/qatesting_eliminar_car_AM' is clicked on		
26	click(findTestObject("OPCPage/accept_deletion_card_OPCC"))	0.480s	PASSED
	Object: 'Object Repository/OPCPage/accept_deletion_card_OPCC' is clicked on		
27	if (verifyElementNotPresent(findTestObject("AccountManagement>Select3dot_qatestingCard_ AM"), 0) == true)	1.446s	PASSED



TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
28	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.661s	ERROR

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_021

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	07-03-2024 13:26:13	End	07-03-2024 13:26:32
Elapsed	18.810s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola njnmkvID'	0.312s	PASSED
2	out.println(a)	0.001s	PASSED
3	if (a == false)	0.000s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.445s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.509s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	1.558s	PASSED

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0) Object 'Object Repository/AccountManagement/PaymentMethodsSection_Account' is present	3.833s	PASSED

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.075s	ERROR

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's payment method section. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user information. Below the navigation, a breadcrumb trail shows 'Home > Mi cuenta > Mis formas de pago'. On the left, a sidebar lists 'Mis formas de pago' options: Mis Compras, Wishlist, Cupones, Crédito y Pagos, and MI crédito. The main content area displays two sections: 'Mis tarjetas' (with a card labeled 'VISA visatest * 3065 Predeterminada') and 'Otros métodos de pago' (listing Puntos BBVA, Paypal, and Efectivo). At the bottom of the page, there's a footer with links to various brands like Suburba, Pottery Barn, Williams Sonoma, etc., and a 'BYD' link.

The screenshot shows a blurred promotional banner for 'MODA MUJER' (Women's Fashion) with text 'PAGA 50% DE DESCUENTO' and 'PAGO EN 3 CUOTAS SIN INTERESES'. The banner features a woman in a light-colored outfit. The background of the page is white, and the overall layout is clean and modern.

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website homepage. The header features the Liverpool logo, a search bar, and navigation links for categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user greeting 'Hola njnmkvID'. Below the header is a large banner for 'MODA MUJER' with a woman in a beige outfit. The main content area shows various product categories and promotional offers.		

TS_SMOKE_SUITE_022

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	07-03-2024 13:26:32	End	07-03-2024 13:27:58
Elapsed	1m - 26.282s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.456s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	17.863s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	16.545s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	18.998s	PASSED
5	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	10.689s	PASSED
6	click(findTestObject("AccountManagement/MyCardButton_Account")) Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	1.096s	PASSED
7	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account")) Object: 'Object Repository/AccountManagement/Select3DotAddress2Nd_Account' is clicked on	5.633s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account")) Object: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' is clicked on	0.349s	PASSED
9	verifyElementPresent(findTestObject("AccountManagement/DefaultCard_Account"), 0) Object 'Object Repository/AccountManagement/DefaultCard_Account' is present	1.561s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.013s	ERROR

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account dropdown. Below the navigation is a breadcrumb trail: Home > Mi Cuenta > Tarjetas de Crédito / Débito. The main content area displays a grid of credit card icons with placeholder numbers like 'tryssddsg * 2569' and 'JHWfMlaB * 8604'. On the left, there are links for 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. At the bottom, there are links for 'MI CRÉDITO' and various brand logos: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

This screenshot is identical to the one above, showing the Liverpool website's 'Tarjetas de Crédito / Débito' section with the same layout, cards, and sidebar links.

The screenshot shows a promotional banner for women's fashion. It features a woman in a light-colored suit sitting on a chair, with a potted plant to her left. The banner text includes 'MODA MUJER', 'Hasta 50% de descuento', 'Adiós al Invierno con un nuevo look', and a 'Compra ahora' button. A small pink vertical bar on the right says 'Te esc...'. At the bottom, a cookie consent message reads 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button 'X'.

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_020

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 07-03-2024 13:27:58 End 07-03-2024 13:28:36

Elapsed 38.075s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	refresh() Refresh successfully	11.969s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	1.799s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	4.454s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.405s	PASSED
5	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account")) Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	1.379s	PASSED
6	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection")) Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.388s	PASSED

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0)	1.858s	PASSED

Object 'Object Repository/AccountManagement/VerifyDefaultPresent_Account' is present

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.758s	ERROR

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user information. Below the navigation, there are sections for 'Mis direcciones' (My addresses), 'Tiendas Click & Collect' (Stores Click & Collect), and a pink 'Agregar tienda' (Add store) button. On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area displays three Click & Collect locations: Liverpool Andares (predetermined), Liverpool Cuautla, and Liverpool Tecámac. Each location has a 'Ver mapa' (View map) link and detailed address information.

The screenshot shows a promotional banner for women's fashion. It features a woman in a light-colored suit sitting on a chair, smiling. The banner has a pink header with the text 'MODA MUJER' and 'Hasta 50% de descuento'. Below this, it says 'Adiós al Invierno con un nuevo look' and 'Compra ahora'. A vertical pink bar on the right says 'Te escuchamos' with a small speaker icon. At the bottom of the banner, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button 'X'.

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_024

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	07-03-2024 13:28:36	End	07-03-2024 13:29:57
Elapsed	1m - 21.177s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.352s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))	7.423s	PASSED
Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on			

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
3	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL) com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))</pre>	11.329s	PASSED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
			
4	if (add == true)	0.001s	PASSED
5	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)	0.342s	PASSED
	Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on		
6	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	17.218s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully		
7	delay(10)	10.008s	PASSED
	Delayed 10 second(s)		
8	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.374s	PASSED
	Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on		

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
9	<pre>Address1 = getText(findTestObject("AccountManagement/TestQA_Add_AM")) Unable to get text of object 'Object Repository/AccountManagement/TestQA_Add_AM' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AccountManagement/TestQA_Add_AM' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957) at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:44) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/TestQA_Add_AM' located by '//h1 [text()='TestQA']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin.</pre>	11.350s	FAILED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
)	GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957) at Script1697733550844.run(Script1697733550844.groovy:44) ... 15 more		


The screenshot shows a web browser displaying the Liverpool website. The header includes the Liverpool logo, a search bar, and user information (Mis Compras, Hola njnmkvID). The navigation menu has links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a location dropdown. The breadcrumb path is Home > Mi Cuenta > Direcciones de entrega > Agregar dirección. The main content is titled 'Agregar dirección' (Add Address). On the left, there's a sidebar with links for Mis Compras, Wishlist, Cupones, Crédito y Pagos, and Mi crédito. The main form is divided into two sections: 'Datos del destinatario' (Recipient Data) and 'Dirección de envío' (Shipping Address). The 'Datos del destinatario' section contains fields for Nombre (Name), Segundo nombre (Second Name), Apellido paterno (Last Name), and Apellido materno (Last Name Maternal). The 'Nombre' field is marked as required (*Campos Obligatorios). The 'Dirección de envío' section contains fields for Alias de la dirección (Address Alias), Código Postal (Postal Code), and Estado (State). The 'Alias de la dirección' field is marked as required (*).

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.601s	ERROR

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's address addition form. The 'Datos del destinatario' (Recipient Data) section contains required fields: Nombre (njnmkvID), Segundo nombre (optional), Apellido paterno (qa), and Apellido materno (qa). The 'Dirección de envío' (Shipping Address) section has optional fields: Alias de la dirección (optional), Código Postal (optional), and Estado (optional). The top navigation bar includes links for Mis Compras, Wishlist, Cupones, Crédito y Pagos, and various store categories like Suburba, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

Más información'." data-bbox="92 648 707 936"/>

The screenshot shows the Liverpool website's main page. It features a large banner for 'MODA MUJER' (Women's Fashion) with a woman in a beige outfit. The banner includes text: 'Hasta 50% de descuento', 'Adiós al Invierno con un nuevo look', and a 'Compra ahora' button. To the right, there is a vertical sidebar with the text 'Te escuchamos' and a small icon. At the bottom, a cookie consent message reads: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)'. There is also a close button (X) next to the message.

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_025

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025

Description To Verify Logged in user is able to change the password

Tag

Start 07-03-2024 13:29:57 End 07-03-2024 13:30:45

Elapsed 47.721s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.369s	PASSED
2	click(findTestObject("AccountManagement/ChangePassword_Account")) Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	10.646s	PASSED
3	click(findTestObject("AccountManagement/ContinueButton_Account")) Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	5.424s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0) Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	8.597s	PASSED

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.623s	ERROR

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo. Below it, a modal window displays a green envelope icon and the text "Correo electrónico enviado". It also includes the instruction "Revisa todas las bandejas, incluyendo la de spam." The main navigation bar at the bottom has links for Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains "Buscar por producto, marca y más...". The user is logged in as "Hola njnmkvID" with a notification count of 4. The bottom banner features a man in a suit and the text "MODA HOMBRE" and "Hasta 50% de descuento". A vertical sidebar on the right says "Te escuchamos" with a speech bubble icon.

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras" (My Purchases), a user greeting "Hola njnmkvID", a notification badge with the number "4", and a lock icon. Further down the page, there is a main banner featuring a male model with a beard wearing a light blue blazer over a striped shirt. The banner has text in Spanish: "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A vertical pink sidebar on the right says "Te escuchamos" with a speech bubble icon. At the bottom of the page, there is a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_075

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 07-03-2024 13:30:45 End 07-03-2024 13:32:44

Elapsed 1m - 58.803s

Status **PASSED**

Details


#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.525s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		




TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP")) Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.365s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	9.912s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	3.773s	PASSED
5	click(findTestObject("OPCPage/3DotButton_Checkout")) Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on	1.479s	PASSED
6	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account")) Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on	0.370s	PASSED
7	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account")) Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Cuautla'	6.142s	PASSED
8	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.360s	PASSED
9	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	14.046s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
10	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	16.916s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550948.run(Script1697733550948.groovy:39) ... 15 more)		
			
11	click(findTestObject("PDPPage/AddToCart_PDP"))	1.058s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
12	click(findTestObject("HomePage/bag_header_HP"))	6.150s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
13	click(findTestObject("CartPage/BuyButton_Cart"))	3.654s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
14	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout")) Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Cuautla Click & Collect Recoge en módulo Cambiar'	7.145s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
15	if (TitleAddress == DefaultAddress)	0.001s	PASSED
16	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.363s	PASSED
17	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE) Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	2.111s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0) Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.435s	PASSED
19	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0) Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.312s	PASSED
20	click(findTestObject("OPCPage/Address_PopUP_option1_opc")) Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.476s	PASSED
21	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc")) Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.531s	PASSED
22	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.539s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
23	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.014s	ERROR

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page for a purchase confirmation. At the top, there's a yellow warning box stating: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the page title is "Confirma tu compra". There are two main sections: "1. Entrega" (Delivery) and "2. Forma de Pago" (Payment). Under "Entrega", the address is listed as "NOngR" and "123, 123, SAN MATEO TLALTENANGO, 05600, santa fe, DISTRITO FEDERAL". Under "Forma de Pago", the card number is "tryssdsg", the expiration date is "MM/AA *", and the CVV is "CVV*". To the right, there's a "Resumen de compra" (Purchase Summary) box showing a shopping bag icon with a percentage sign. It states: "Tienes un cupón disponible en tu bolsa" and provides a link "Ver cupones". Below this, it lists the subtotal (\$3,345.00), discount (\$1,087.13), and coupons (\$0.00). At the bottom of the page, there are links for categories like Suburba, Pottery Barn, and Williams Sonoma, along with a search bar and user information.



TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are buttons for "Mis Compras" (My Purchases), a user greeting "Hola njnmkvID", and a shopping cart icon showing "5". The main content area features a large image of a smiling man with a beard wearing a light blue blazer over a white and blue striped shirt. The background has a dark, textured pattern. Text overlays include "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A small note at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_072

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	07-03-2024 13:32:44	End	07-03-2024 13:34:47
Elapsed	2m - 3.595s		
Status	PASSED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.414s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar and user account information (Mis Compras, Hola njnmkvID, 5 items). Below the navigation is a large banner for 'MODA HOMBRE' featuring a man in a suit. The banner text includes 'Hasta 50% de descuento' and 'Adiós al Invierno con un nuevo look'. A 'Compra ahora' button is also visible. At the bottom of the page, a cookie consent message states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información'.</p>		


TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
2	callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL) Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. java:1)	20.780s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. A search bar is also present. Below the navigation, a green notification bar says "Se eliminaron artículos de tu bolsa." (Articles removed from your bag.). The main content area displays a message "No hay artículos en tu bolsa" (There are no articles in your bag) with a "Continuar comprando" (Continue shopping) button. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Mundial Qatar, and a newsletter sign-up section.</p>		

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.360s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	22.201s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	5.353s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	2.422s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	4.994s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			
8	click(findTestObject("OPCPage/AddAddressButtonPopup_checkout"))	1.622s	PASSED
Object: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' is clicked on			
9	StoreValue = "AUTOMATION" + RandomStringUtils.randomAlphabetic(8)	0.002s	PASSED
10	out.println(StoreValue)	0.001s	PASSED
11	Name = "TestQA"	0.000s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
12	TempAddress = Name	0.000s	PASSED
13	setText(findTestObject("OPCPage/name_addaddress_opc"), Name) Text 'TestQA' is set on object 'Object Repository/OPCPage/name_addaddress_opc'	1.203s	PASSED
14	setText(findTestObject("OPCPage/shortName_addAddress_opc"), StoreValue) Text 'AUTOMATIONMqbvhJfZ' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	0.857s	PASSED
15	setText(findTestObject("OPCPage/mothersLastName_addAddress_opc"), MotherName) Text 'Test ' is set on object 'Object Repository/OPCPage/mothersLastName_addAddress_opc'	0.830s	PASSED
16	setText(findTestObject("OPCPage/Lastname_Address_OPc"), MotherName) Text 'Test ' is set on object 'Object Repository/OPCPage/Lastname_Address_OPc'	1.097s	PASSED
17	callTestCase(findTestCase("CommonMethods/SaveAddressOPC"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SaveAddressOPC' successfully	11.385s	PASSED
18	click(findTestObject("OPCPage/ContinueButtonAddcard_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddcard_Checkout' is clicked on	0.590s	PASSED
19	waitForPageLoad(0) Wait for page load successfully	0.017s	PASSED
20	ShortName = getText(findTestObject("OPCPage/currentDeliveryAddress_OPc"), STOP_ON_FAILURE) Text of object 'Object Repository/OPCPage/currentDeliveryAddress_OPc' is: 'AUTOMATIONMqbvhJfZ'	5.227s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
21	if (StoreValue == ShortName)	0.001s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
22	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.055s	ERROR

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays a summary of the purchase. It includes a checkbox for "Utilizar datos de entrega como predeterminado", a section for "1. Entrega" with a placeholder "AUTOMATIONMqBvhJfZ" and address "kmpt road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA", and a "Cambiar" button. A "Resumen de compra" box shows a small gift icon and a message: "Tienes un cupón disponible en tu bolsa" with a "Ver cupones" link. Another box shows "Cupones (1 disponible)" with a "Subtotal (1 productos): \$669.00", "Descuento: \$217.43", and "Cupones: \$0.00". At the bottom, there are links for "Suburba", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us".

The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with the placeholder "Buscar por producto, marca y más...", and user account links: "Mis Compras", "Hola njnmkvID", and a lock icon. Below the header, there's a navigation menu with categories like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "BYD" link.

The screenshot shows a promotional banner for men's fashion. It features a man with a beard in a light-colored suit and striped shirt. The text "MODA HOMBRE" is prominently displayed, along with "Hasta 50% de descuento" and "Adiós al invierno con un nuevo look". A "Compra ahora" button is visible. At the bottom, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras" (My Purchases), a user greeting "Hola njnmkvID", and a shopping cart icon with the number "1". Below the search bar is a secondary navigation bar with links to "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Mi tienda - Liverpool ...". A large banner in the center features a smiling man with a beard wearing a light blue blazer over a white and blue striped shirt. The banner has a dark background with green foliage on either side. The text "MODA HOMBRE" is prominently displayed in white, followed by "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_073

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	07-03-2024 13:34:47	End	07-03-2024 13:36:41
Elapsed	1m - 54.027s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.555s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar and user account information (Mis Compras, Hola njnmkvID). Below the navigation is a large banner for 'MODA HOMBRE' featuring a man in a suit. The banner includes text: 'Hasta 50% de descuento', 'Adiós al Invierno con un nuevo look', and a 'Compra ahora' button. A cookie consent message at the bottom states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información'.</p>		

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
2	waitForPageLoad(0) Wait for page load successfully	0.011s	PASSED
3	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.365s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	9.145s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	18.056s	PASSED
6	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.608s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.211s	PASSED
8	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	7.859s	PASSED
9	click(findTestObject("OPCPage/3DotButton2_Checkout")) Object: 'Object Repository/OPCPage/3DotButton2_Checkout' is clicked on	2.889s	PASSED
10	click(findTestObject("OPCPage/EditAddress_Checkout")) Object: 'Object Repository/OPCPage/EditAddress_Checkout' is clicked on	0.447s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
11	setText(findTestObject("OPCPage/shortName_addAddress_opc"), ShortName) Text 'NewTest12345' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	2.578s	PASSED
12	waitForPageLoad(0) Wait for page load successfully	0.015s	PASSED
13	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.375s	PASSED
14	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"), OPTIONAL) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	2.432s	PASSED
15	delay(5) Delayed 5 second(s)	5.018s	PASSED

TS_SMOKE_SUITE_073


#	Description	Elapsed	Status
16	<p>click(findTestObject("HomePage/Logo_hp"), STOP_ON_FAILURE)</p> <p>Unable to click on object 'Object Repository/HomePage/Logo_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Logo_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:51) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (102, 32). Other element would receive the click: <div class="m-modal modal fade show o-product__modal" >...</div> (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</p>	11.885s	FAILED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
19	<pre>122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir31084_1100, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:58941}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b3822d727b14a645c73900cc3a2e7870 at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.WebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.WebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute</pre>		

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
)	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550942.run(Script1697733550942.groovy:51) ... 15 more		



The screenshot shows a Liverpool Click & Collect selection dialog box. The dialog has a red header bar with the text "Para continuar, selecciona una tienda." Below this is a "Tiendas favoritas" section with a "Click & Collect" button. A dropdown menu titled "Selección una tienda" is open, showing three options:

- Liverpool Cuautla (Predeterminado): Includes "Click & Collect" and "Click & Collect Recoge en tu auto".
- Liverpool Andares:
 - Click & Collect: Sótano 2, en las escaleras eléctricas.
 - Click & Collect Recoge en tu auto.
- Liverpool Tecámac:
 - Click & Collect: PB a un costado del departamento de trajes de caballero

A pink "Continuar" button is at the bottom right of the dialog.

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.477s	ERROR

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool Click & Collect selection interface. At the top, a message says "Para continuar, selecciona una tienda." Below this, there are two tabs: "A tu domicilio" and "Click & Collect". The "Click & Collect" tab is selected. A dropdown menu titled "Tiendas favoritas" is open, showing three options: Liverpool Cuautla (selected), Liverpool Andares, and Liverpool Tecámac. Each option has a description and a radio button next to it. The Liverpool Cuautla option is described as "Predeterminado" and "Click & Collect Sótano 2, en las escaleras eléctricas". The Liverpool Andares and Liverpool Tecámac options are described as "Click & Collect PB a un costado del departamento de trajes de caballero". At the bottom right of the interface is a pink "Continuar" button.

This screenshot is identical to the one above, showing the Liverpool Click & Collect selection interface. It displays the same message, tabs, dropdown menu, and options for Liverpool Cuautla, Liverpool Andares, and Liverpool Tecámac. The Liverpool Cuautla option is still selected. The "Continuar" button is visible at the bottom right.

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
---	-------------	---------	--------

Liverpool

Para continuar, selecciona una tienda.

A tu domicilio Click & Collect

Tiendas favoritas Selecciona una tienda

1. Entrega Liverpool Cuautla Predeterminado

Click & Collect Departamento de Línea Blanca

2. Forma de pago Liverpool Andares

Click & Collect Sótano 2, en las escaleras eléctricas

Click & Collect Recoge en tu auto

3. Artículo Liverpool Tecámac

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

Continuar

Nombre Precio Cantidad Total

Dirección Cupones: \$0.00

Costo de envío: \$0.00

Costo total: \$34.85

Continuar

Nombre Precio Cantidad Total

Dirección Cupones: \$0.00

Costo de envío: \$0.00

Costo total: \$34.85

TS_SMOKE_SUITE_076

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076

Description To verify the display of payment page for the for logged in user

Tag

Start 07-03-2024 13:36:41 End 07-03-2024 13:37:16

Elapsed 35.077s

Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_076


#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_076.run(TS_SMOKE_SUITE_076:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Buscar1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	0.539s	FAILED

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at SearchForAProduct_search.run(SearchForAProduct_search:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...), userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_14400}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:58941}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b3822d727b14a645c73900cc3a2e7870 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute</pre>		

TS_SMOKE_SUITE_076



#	Description	Elapsed	Status
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		



TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.469s	ERROR

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
---	-------------	---------	--------

Liverpool

Para continuar, selecciona una tienda.

A tu domicilio Click & Collect

Tiendas favoritas Selecciona una tienda

1. Entrega Liverpool Cuautla Predeterminado

Click & Collect Sótano 2, en las escaleras eléctricas

Click & Collect Recoge en tu auto

2. Forma de pago Liverpool Andares

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

3. Artículos

Nombre	Precio	Cantidad	Total
	\$38.00		\$38.00
	\$34.85		\$34.85
	\$0.00		\$0.00
	\$0.00		\$0.00

Continuar

Liverpool

Para continuar, selecciona una tienda.

A tu domicilio Click & Collect

Tiendas favoritas Selecciona una tienda

1. Entrega Liverpool Cuautla Predeterminado

Click & Collect Sótano 2, en las escaleras eléctricas

Click & Collect Recoge en tu auto

2. Forma de pago Liverpool Andares

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

3. Artículos

Nombre	Precio	Cantidad	Total
	\$38.00		\$38.00
	\$34.85		\$34.85
	\$0.00		\$0.00
	\$0.00		\$0.00

Continuar

TS_SMOKE_SUITE_077

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077
Description To verify the functionality of new adding card in checkout flow for logged in user

Tag

Start 07-03-2024 13:37:16 End 07-03-2024 13:37:51
Elapsed 35.014s
Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_077


#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_077.run(TS_SMOKE_SUITE_077:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Buscar1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	0.518s	FAILED

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at SearchForAProduct_search.run(SearchForAProduct_search:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...}, userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_14200, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:58941}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b3822d727b14a645c73900cc3a2e7870 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute</pre>		

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		



TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.413s	ERROR

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool Click & Collect selection interface. At the top, a message says "Para continuar, selecciona una tienda." Below this, there are two tabs: "A tu domicilio" and "Click & Collect". The "Click & Collect" tab is selected. A dropdown menu titled "Tiendas favoritas" is open, showing three options: Liverpool Cuautla (selected), Liverpool Andares, and Liverpool Tecámac. Each option has a description and a radio button next to it. The Liverpool Cuautla option is described as "Predeterminado" and "Click & Collect Sótano 2, en las escaleras eléctricas". The Liverpool Andares option is described as "Click & Collect PB a un costado del departamento de trajes de caballero". The Liverpool Tecámac option is described as "Click & Collect Recoge en tu auto". At the bottom right of the interface is a pink "Continuar" button.

This screenshot is identical to the one above, showing the Liverpool Click & Collect selection interface. It displays the same message, tabs, dropdown menu, and options for Liverpool Cuautla, Liverpool Andares, and Liverpool Tecámac. The Liverpool Cuautla option is still selected. The "Continuar" button is visible at the bottom right.

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
---	-------------	---------	--------

Liverpool

Para continuar, selecciona una tienda.

A tu domicilio Click & Collect

Tiendas favoritas

Selección de tienda

Continuar

Liverpool Cuautla

Predeterminado

Click & Collect Sótano 2, en las escaleras eléctricas

Click & Collect Recoge en tu auto

Liverpool Andares

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

Liverpool Tecámac

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

Continuar

Nombre Precio Cantidad Total

Cupones: \$0.00

Liverpool

Para continuar, selecciona una tienda.

A tu domicilio Click & Collect

Tiendas favoritas

Selección de tienda

Continuar

Liverpool Cuautla

Predeterminado

Click & Collect Sótano 2, en las escaleras eléctricas

Click & Collect Recoge en tu auto

Liverpool Andares

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

Liverpool Tecámac

Click & Collect PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

Continuar

Nombre Precio Cantidad Total

Cupones: \$0.00

TS_SMOKE_SUITE_078

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 07-03-2024 13:37:52 End 07-03-2024 13:38:40

Elapsed 48.148s

Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_078


#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_078.run(TS_SMOKE_SUITE_078:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Buscar1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	0.500s	FAILED

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at SearchForAProduct_search.run(SearchForAProduct_search:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...}, userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_14400, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:58941}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b3822d727b14a645c73900cc3a2e7870 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute</pre>		

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		



TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	47.581s	ERROR

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a modal window titled 'Para continuar, selecciona una tienda.' (To continue, select a store). It displays three options: 'Liverpool Cuautla' (selected), 'Liverpool Andares', and 'Liverpool Tecámac'. Each option has a radio button and a description. A 'Continuar' (Continue) button is at the bottom right.

The screenshot shows the Liverpool website homepage. At the top, there's a search bar with placeholder text 'Buscar por producto, marca y más...' and a user profile section with 'Mis Compras' and a notification badge. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas' (selected), and 'Ayuda'. A banner for 'MODA MUJER' with a woman in a suit is visible.

The screenshot shows the Liverpool website with a cookie consent banner at the bottom. The banner states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)'.

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_080

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080		
Description	To verify that the display of the applied Coupon details in the order success page		
Tag			
Start	07-03-2024 13:38:40	End	07-03-2024 13:41:26
Elapsed	2m - 45.951s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.253s	PASSED
2 navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully			
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	35.919s	PASSED
4 callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
5	waitForPageLoad(0) Wait for page load successfully	0.014s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_PLP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_080.run(TS_SMOKE_SUITE_080:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_PLP' located by '//li[@class='m-product__card card-masonry a'][1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	19.533s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550970.run(Script1697733550970.groovy:32) ... 15 more)		
7		0.013s	PASSED
7	waitForPageLoad(0)	0.013s	PASSED
	Wait for page load successfully		
8	click(findTestObject("PDPPage/AddToCart_PDP"))	3.132s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
9	click(findTestObject("HomePage/bag_header_HP"))	4.586s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
10	click(findTestObject("CartPage/BuyButton_Cart"))	3.634s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
11	click(findTestObject("OPCPage/paymentMethod_change_OPB"), OPTIONAL)	5.408s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OPB' is clicked on		

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
12	click(findTestObject("OPCPage/paymentMethod_button1_OPC"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_button1_OPC' is clicked on	1.426s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPC"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPC'	0.928s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPC"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPC'	1.135s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.614s	PASSED
16	j = getText(findTestObject("OPCPage/Page_/TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$1,354.72'	2.968s	PASSED
17	j1 = replace("\$", "").replace(",", "")	0.002s	PASSED
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.341s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.001s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC")) Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.401s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC")) Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.485s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$67.74'	3.168s	PASSED
23	b1 = replace("\$", "").replace(", ", "")	0.001s	PASSED
24	out.println(a1)	0.001s	PASSED
25	out.println(b1)	0.000s	PASSED
26	if (a1 != b1)	0.001s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$1,286.98'	0.291s	PASSED
28	k1 = replace("\$", "").replace(", ", "")	0.001s	PASSED
29	out.println(j1)	0.000s	PASSED
30	out.println(k1)	0.001s	PASSED
31	if (j1 >= k1)	0.002s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
32	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.378s	PASSED
33	delay(15) Delayed 15 second(s)	15.009s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	6.349s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
35	Start listener action : sampleAfterTestCase	32.931s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>		
95			
106			
180			

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It features a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with a Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and links for Mis Compras, Hola njnmkvID, and a lock icon. The main content area has a pink banner for 'MODA HOMBRE' with a 50% discount offer.



This screenshot is identical to the previous ones, showing the Liverpool homepage with the same visual elements and promotional banner.



TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_082

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	07-03-2024 13:41:26	End	07-03-2024 13:44:04
Elapsed	2m - 38.370s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.134s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	26.121s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	16.120s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
4	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	29.816s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status																									
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>Mi Bolsa</p> <p>No hay artículos en tu bolsa</p> <p>Continuar comprando</p> <table border="1"><tr><td>Soporte al cliente</td><td>Servicios Liverpool</td><td>Ventas Corporativas</td><td>Sostenibilidad</td><td>Suscríbete a nuestro Newsletter</td></tr><tr><td>Facturación</td><td>Crédito</td><td>Acerca de Liverpool</td><td>Promociones</td><td>Ventas por teléfono 55 5262-9999</td></tr><tr><td>Ayuda</td><td>Tiempo aire</td><td>Bolsa de trabajo</td><td>Venta Nocturna</td><td>Desde tu celular *7171</td></tr><tr><td>Mis compras</td><td>Concursos y promociones</td><td>¿Quiénes somos?</td><td>Buen fin</td><td>Contáctanos vía WhatsApp o por Teléfono al</td></tr><tr><td>Garantías Liverpool</td><td>Diseño de Interiores</td><td>Relación con inversionistas</td><td>Venta Nocturna</td><td>5552629999</td></tr></table>	Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter	Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999	Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171	Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al	Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Venta Nocturna	5552629999		
Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter																								
Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999																								
Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171																								
Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al																								
Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Venta Nocturna	5552629999																								



TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.354s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	13.093s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
7	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	16.664s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550977.run(Script1697733550977.groovy:33) ... 15 more)		
8		3.063s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
9		5.297s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
10		2.477s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
11		8.677s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on			
12		2.361s	PASSED
Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully			

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
13	click(findTestObject("OPCPage/card3_Option_OPc")) Object: 'Object Repository/OPCPage/card3_Option_OPc' is clicked on	0.356s	PASSED
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPc"), 0) Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is present	0.443s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPc")) Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is clicked on	0.377s	PASSED


TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:52) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15400}, fedcm:accounts: true, goog: </pre>	5.454s	FAILED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:60512}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 62d3cc70b398361a211c0f4af824fdc2 at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106) at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at Script1697733550977.run(Script1697733550977.groovy:52) ... 15 more)</pre>		

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	 A screenshot of a payment selection dialog box from Liverpool. The title bar says "Selecciona una forma de pago". Inside, there's a section for "Datos del tarjetahabiente" with a required field "Nombre completo" containing "vedant". A checkbox "Establecer tarjeta como predeterminada" is unchecked. Below it is a section for "Dirección asociada a la tarjeta". At the bottom are "Regresar" and "Continuar" buttons. In the background, the Liverpool shopping cart interface is visible with items and totals.		

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.410s	ERROR

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a checkout process on the Liverpool website. The top navigation bar includes links for Ayuda (Help), Resumen de compra (Order Summary), Mis Compras (My Purchases), Hola njnmkvID (Hello njnmkvID), and a shopping cart icon.

Step 1: Entrega (Delivery)
Delivery address: AUTOMATIONNPtsoeAO, kmpt road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA.

Step 2: Forma de Pago (Payment Method)
Selected payment method: VISA visatest *3065. Payment details: MM/AA* and CVV*.

Step 3: Artículos y promociones (Articles and promotions)
Order summary:
Subtotal (1 products): \$669.00
Descuento: \$217.43
Cupones: \$0.00

Navigation links at the bottom include: Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, Toys R Us, Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...



TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are buttons for "Mis Compras" (My Purchases), a user greeting "Hola njnmkvID", and a shopping cart icon with the number "1". Below the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...". A banner at the bottom of the page features a male model with a beard wearing a light blue blazer over a striped shirt. The banner text includes "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A cookie consent message at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_083

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 07-03-2024 13:44:04 End 07-03-2024 13:45:44

Elapsed 1m - 40.316s

Status **PASSED**


Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.887s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.015s	PASSED
Wait for page load successfully			

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
3	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	14.274s	PASSED

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550984.run(Script1697733550984.groovy:25) ... 15 more)		
4		2.484s	PASSED
4	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	2.484s	PASSED
5	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.813s	PASSED
6	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.271s	PASSED
7	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	6.111s	PASSED
8	click(findTestObject("OPCPage/Address_PopUP_option1_opc")) Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	4.444s	PASSED

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
9	click(findTestObject("OPCPage/radiobtn1_addressPopup_OP")) Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OP' is clicked on	0.374s	PASSED
10	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.381s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OP"), "1225") Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OP'	6.664s	PASSED
12	setText(findTestObject("OPCPage/enterCardCVV_OP"), "805") Text '805' is set on object 'Object Repository/OPCPage/enterCardCVV_OP'	1.054s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.614s	PASSED
14	delay(10) Delayed 10 second(s)	10.014s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	6.430s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.345s	PASSED


TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	32.068s	ERROR

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It includes a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with the Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and links for Mis Compras, Hola njnmkvID, and a lock icon. The main content area features a large banner for 'MODA HOMBRE' with a man in a suit, a discount offer of 'Hasta 50% de descuento', and a 'Compra ahora' button.



TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_086

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 13:45:44	End	07-03-2024 13:47:53
Elapsed	2m - 8.831s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	12.518s	PASSED
2	waitForPageLoad(0) Wait for page load successfully	0.034s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.547s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	12.826s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:27) ... 15 more)		
5		2.446s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP"))	2.446s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		3.771s	PASSED
6	click(findTestObject("HomePage/bag_header_HP"))	3.771s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		3.329s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart"))	3.329s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		6.037s	PASSED
8	click(findTestObject("OPCPage/paymentMethod_change_OP"))	6.037s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.401s	PASSED
9	click(findTestObject("OPCPage/paymentMethod_button2_OP"))	1.401s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button2_OP' is clicked on		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
---	-------------	---------	--------


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="a-box__accordionIcon float-right">...</div> is not clickable at point (632, 342). Other element would receive the click: <p class="a- cashInfo__description a-paypal-margin">...</p> (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11045}</p>	12.748s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:60512}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 62d3cc70b398361a211c0f4af824fdc2 at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
)	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:39) ... 15 more</pre> 		


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	11.685s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
			
12	click(findTestObject("OPCPage/button_continuar_payment_opc")) Object: 'Object Repository/OPCPage/button_continuar_payment_opc' is clicked on	0.370s	PASSED
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC")) Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on	10.242s	PASSED
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	19.528s	PASSED
15	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.356s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.920s	ERROR

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_087

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 13:47:53	End	07-03-2024 13:49:34
Elapsed	1m - 41.328s		
Status	PASSED		




Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	11.981s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.848s	PASSED
3	waitForPageLoad(0) Wait for page load successfully	0.017s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	16.116s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550996.run(Script1697733550996.groovy:27) ... 15 more)		
5		2.438s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		3.960s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.115s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		3.616s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.365s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button1_OP' is clicked on		

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
10	setText(findTestObject("OPCPage/enterCardCVV_OPCText"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPCText'	1.126s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPCText"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPCText'	1.005s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.646s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPCText")) Object: 'Object Repository/OPCPage/Final_comparar_OPCText' is clicked on	5.715s	PASSED
14	delay(15) Delayed 15 second(s)	15.019s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0) Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	3.916s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.360s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.008s	ERROR

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It features a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with a Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and user account links for 'Mis Compras' and 'Hola njnmkvID'. A notification icon with the number '0' is also present. The main content area has a pink banner at the top.



This screenshot shows another view of the Liverpool website's homepage. It has a similar layout to the first one, with the Liverpool logo, search bar, and user account links. The main content area features a large image of a male model in a suit, with a pink banner above it.



TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_088

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 07-03-2024 13:49:35 End 07-03-2024 13:50:55

Elapsed 1m - 20.377s

Status FAILED

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx/tienda/home ' successfully	15.111s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP")) Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	1.687s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.535s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.607s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount")) Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	7.693s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	2.339s	PASSED




TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	2.716s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM")) Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.374s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM")) Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.346s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM")) Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.621s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM")) Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.341s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805") Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	1.048s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.508s	PASSED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation- section__gratitude']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	30.283s	FAILED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
			
			
			


TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709796201234.run(TempTestSuite1709796201234.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	16.110s	ERROR

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page for mobile recharge. The top navigation bar includes the Liverpool logo, a search bar, and user account links. A prominent red error message box states: "La transacción no fue autorizada por el banco emisor." Below this, the breadcrumb navigation shows "Home > Tiempo Aire". The main form is divided into two sections: "1. Selecciona tus números a recargar" and "2. Selecciona tu forma de pago". In section 1, a mobile number "5542140023" is selected for "Tiempo Aire" recharge. In section 2, a Visa card ending in "3065" is chosen as the payment method, with a due date of "03 2026". To the right, a summary box shows a subtotal of \$30.00 and a total of \$30.00. A "Finalizar recarga" button is at the bottom. At the very bottom of the page, there's a note about accepting terms and conditions.



TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
			