

ArrangeByLogin

Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.0.212
Browser	Chrome 122.0.0.0

Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	41	Failed	13
Error	1	Incomplete	0
Skipped	0		
Start	23-02-2024 10:10:01	End	23-02-2024 11:16:53
Elapsed	1h - 6m - 52.176s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover over the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	PASSED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	ERROR
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	FAILED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	PASSED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	FAILED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	FAILED

ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	PASSED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	PASSED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs. Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	FAILED
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	FAILED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	FAILED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	FAILED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	PASSED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	FAILED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	PASSED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	PASSED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	PASSED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	PASSED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	PASSED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	FAILED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	FAILED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	FAILED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

TS_SMOKE_SUITE_001

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	23-02-2024 10:10:27	End	23-02-2024 10:10:52
Elapsed	24.633s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0) Object 'Object Repository/HomePage/Logo_hp' is present	0.539s	PASSED


TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.798s	ERROR

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_001

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_002

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

23-02-2024 10:10:52

End

23-02-2024 10:11:19

27.560s

PASSED

Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0) Object 'Object Repository/HomePage/Logo_hp' is present	0.387s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0) Object 'Object Repository/HomePage/Departamentos' is present	0.327s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0) Object 'Object Repository/HomePage/brand1_HP' is present	0.288s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0) Object 'Object Repository/HomePage/brand2_HP' is present	0.413s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0) Object 'Object Repository/HomePage/brand3_HP' is present	0.371s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0) Object 'Object Repository/HomePage/brand4_HP' is present	0.404s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0) Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.416s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0) Object 'Object Repository/HomePage/credito_HP' is present	0.393s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0) Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.420s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0) Object 'Object Repository/HomePage/Iniciar sesion' is present	0.439s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0) Object 'Object Repository/HomePage/Tiendas_HP' is present	0.383s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0) Object 'Object Repository/HomePage/Ayuda_HP' is present	0.359s	PASSED

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.815s	ERROR

TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



TS_SMOKE_SUITE_002

#	Description	Elapsed	Status
---	-------------	---------	--------



TS_SMOKE_SUITE_003

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	23-02-2024 10:11:19	End	23-02-2024 10:12:17
Elapsed	57.555s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.855s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	24.933s	PASSED
3	mouseOver(findTestObject("HomePage/Departamentos")) Object: 'Object Repository/HomePage/Departamentos' is hovered	0.865s	PASSED
4	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP")) Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	1.130s	PASSED
5	click(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on	1.139s	PASSED
6	mouseOver(findTestObject("HomePage/L1_Category1_HP")) Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.728s	PASSED
7	verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP")) Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable	0.828s	PASSED

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP")) Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable	0.662s	PASSED

TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	25.150s	ERROR

TS_SMOKE_SUITE_003


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website homepage. The top navigation bar includes links for Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Buscar por producto, marca y más...' and a 'Mis Compras' button with a '0' notification. The main content area features a large advertisement for Givenchy Irresistible perfume, with the text 'BEAUTY DAY' and 'Compra hoy y paga hasta mayo'. A cookie consent banner at the bottom states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)'.

This screenshot is identical to the one above, showing the Liverpool website homepage with the same layout, navigation, and main advertisement for Givenchy Irresistible perfume.



TS_SMOKE_SUITE_003

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" is displayed, featuring a flower icon and the text "Compra hoy y paga hasta mayo". On the left side of the page, a large image of a Givenchy Irresistible perfume bottle is shown against a sunset background.</p>		

TS_SMOKE_SUITE_007

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	23-02-2024 10:12:17	End	23-02-2024 10:13:10
Elapsed	52.796s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	waitForPageLoad(5) Wait for page load successfully	0.119s	PASSED
2 click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on			
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	12.242s	PASSED
4 verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present			
5	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	14.657s	PASSED


TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	24.692s	ERROR

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_007

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". Below the search bar is a secondary navigation bar with "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selección tu tienda" dropdown. A large image of a Givenchy Irresistible perfume bottle is prominently displayed on the left. On the right, there's a "BEAUTY DAY" promotional graphic featuring a flower, the text "BEAUTY DAY", and the message "Compra hoy y paga hasta mayo con Tarjetas Liverpool". The background of the page is light blue.</p>		

TS_SMOKE_SUITE_008

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"(Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	23-02-2024 10:13:10	End	23-02-2024 10:13:46
Elapsed	36.644s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE)	0.568s	PASSED
<p>Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on</p>			
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0)	4.544s	PASSED
<p>Object 'Object Repository/SLP/breadCrumb_SLP' is present</p>			
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0)	0.317s	PASSED
<p>Object 'Object Repository/SLP/Map_Verify_slp' is present</p>			
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0)	0.291s	PASSED
<p>Object 'Object Repository/SLP/find_store_title_SLP' is present</p>			
5	navigateToUrl(URL)	8.304s	PASSED
<p>Navigate to 'https://odtaqaa.liverpool.com.mx' successfully</p>			

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.479s	ERROR

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_008

#	Description	Elapsed	Status
1		10:00:00	Success

TS_SMOKE_SUITE_009

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	23-02-2024 10:13:46	End	23-02-2024 10:14:26
Elapsed	39.396s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.371s	PASSED
2	click(findTestObject("HomePage/Iniciar_miscompras")) Object: 'Object Repository/HomePage/Iniciar_miscompras' is clicked on	4.755s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0) Object 'Object Repository/HomePage/EnterUsername_LP' is present	2.834s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0) Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.294s	PASSED

TS_SMOKE_SUITE_009


#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	31.012s	ERROR

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header bar with the Liverpool logo. Below it, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Underneath are icons for various stores like Suburbia, Pottery Barn, Williams Sonoma, GAP, Banana Republic, and Toys R Us. The main content area features a "Inicia sesión" (Log in) form with fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "¿Olvidaste tu contraseña?" (Forgot password?) link and a "Iniciar sesión" (Log in) button. Above the form, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the login form, the navigation bar includes links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selección tu tienda" dropdown. A search bar with a magnifying glass icon is also present. At the bottom, there's a large promotional banner for "BEAUTY DAY" featuring a perfume bottle and the text "Compra hoy y paga hasta mayo". A cookie consent message at the very bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_009

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower and the text "Compra hoy y paga hasta mayo". A message at the bottom states, "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_013

Information

ID Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 23-02-2024 10:14:26 End 23-02-2024 10:15:09

Elapsed 43.160s

Status **ERROR**

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.245s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	17.287s	PASSED


TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
3	randomemail = a.GenerateRandomEmail.generateRandomEmail() Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013 FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.a.GenerateRandomEmail.generateRandomEmail() is applicable for argument types: () values: [] at TS_SMOKE_SUITE_013.run(TS_SMOKE_SUITE_013:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.068s	ERROR


TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.263s	ERROR

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

TS_SMOKE_SUITE_013

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_039

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	23-02-2024 10:15:09	End	23-02-2024 10:15:45
Elapsed	35.414s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE)	0.554s	PASSED
Object: 'Object Repository/HomePage/Departamentos' is clicked on			
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))	0.589s	PASSED
Object 'Object Repository/HomePage/L1_Category1_HP' is clickable			
3	click(findTestObject("HomePage/L1_Category_HP"))	0.464s	PASSED
Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on			
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	10.781s	PASSED
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.932s	ERROR

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

Liverpool

Buscar por producto, marca y más...

Mis Compras Iniciar sesión

Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Selección tu tienda

BYD


Home > Belleza

Belleza

Bath y Body
Perfumería y Cosméticos
Salud

BELLEZA

No importa si eres beauty blogger, professional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Suburbia

Pottery Barn

Pottery Barn Kids

Williams Sonoma

West Elm

GAP

Banana Republic

Toys R Us

Liverpool

Buscar por producto, marca y más...

Mis Compras Iniciar sesión

0

Categorías

Mesa de regalos

Mi crédito

Servicios Tiendas Ayuda Selección tu tienda

BYD


IRRESISTIBLE GIVENCHY

BEAUTY DAY

Compra hoy y paga hasta mayo con Tarjetas Liverpool

Te escuchamos

TS_SMOKE_SUITE_039

#	Description	Elapsed	Status
¡Entérate antes que nadie! Regístrate y recibe las mejores promociones			
Suburbia	Pottery Barn	Pottery Barn Kids	Williams Sonoma
West Elm	GAP	Banana Republic	Toys R Us
 Liverpool	Buscar por producto, marca y más...	<input type="text"/>	Mis Compras Iniciar sesión 
Categorías	Mesa de regalos	Mi crédito	Servicios 
Tiendas	Ayuda	 Selecciona tu tienda	
BYD			



TS_SMOKE_SUITE_047

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047

Description To verify the display of facets on the item listing page

Tag

Start 23-02-2024 10:15:45 End 23-02-2024 10:16:25

Elapsed 40.393s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	8.574s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	7.103s	PASSED
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.437s	PASSED
Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.358s	PASSED
Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present			
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.326s	PASSED
Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present			
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.307s	PASSED
Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present			

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.332s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0) Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.297s	PASSED

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.523s	ERROR

TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

Liverpool

ropa

Mis Compras Iniciar sesión 0

Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Selecciona tu tienda BYD

Home > ropa

"ropa" (945 resultados)

Ordenar por:

945 Productos

Categorías

- Moda
- Ella
- Ropa Mujer
- Caballeros
- Niños
- Prueba BT
- Muebles
- Bebés

Y/o recibe20% en monedero

MODERNOS A MANO

Pantalón para Dama Rue de la Paix \$14⁴⁰

Pantalón para Dama Ivronne

Y/o recibe20% en monedero

iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us


Buscar por producto, marca y más...

Mis Compras Iniciar sesión 0

Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Selecciona tu tienda BYD



TS_SMOKE_SUITE_047

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_048

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 23-02-2024 10:16:25 End 23-02-2024 10:17:05

Elapsed 40.019s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "silla frandiss"}], STOP_ON_FAILURE)	8.313s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	8.903s	PASSED
Text of object 'Object Repository/PLPPage/product1_cardPrice_PLP' is: '\$50000 - \$1,51500'			
3	verify price range	0.356s	PASSED
Text of object 'Object Repository/PLPPage/product1_discountPrice_PLP' is: '\$30000 - \$90900'			
4	a1 = a.contains("-")	0.002s	PASSED
5	b1 = b.contains("-")	0.002s	PASSED
6	out.println(a1)	0.037s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
7	out.println(b1)	0.001s	PASSED
8	if (a1 == true && b1 == true)	0.001s	PASSED

TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.222s	ERROR


TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page. The search bar at the top contains the query "silla frandiss". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays 78 products related to the search term. On the left, a sidebar lists categories such as "Prueba BT", "Muebles", "Prueba Multi Muebles", "HogarNew", "Ella", "Moda", "Ropa Mujer", and "Caballeros". The central area features several product thumbnails, including a large purple wireframe chair and two black office chairs. Promotional banners for "Y/o recibe45% en monedero" are visible above the products. At the bottom of the page, there is a banner encouraging users to register for early promotions.



TS_SMOKE_SUITE_048

#	Description	Elapsed	Status
			



TS_SMOKE_SUITE_049

Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			
Start	23-02-2024 10:17:05	End	23-02-2024 10:17:41
Elapsed	35.712s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rateCPandDP], STOP_ON_FAILURE)	8.609s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	3.958s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	0.344s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.615s	ERROR

TS_SMOKE_SUITE_049


#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows the Liverpool website's search results for the term "sony". The search bar at the top contains "sony". Below it, there are filters for "Categorías" (Muebles, Decoración e Iluminación, Deportes, Mesa y Bar, Videoguegos, Ventanas y Alfombras, Baterías y Sartenes), "Tiendas" (BYD), and "Ayuda". A message "Selección tu tienda" is displayed. The search results show 30 products, with three items visible: a PS4 game cover for "FIFA 21", a smartphone, and another PS4 game cover for "MAX: The Curse of Brotherhood". A promotional banner at the bottom encourages users to register for promotions.

This screenshot shows the same Liverpool search results for "sony" from a different perspective. It includes the same search bar, filters, and promotional banner. The product grid is shown in a different layout, with the smartphone now appearing in the center.

A large promotional banner for "BEAUTY DAY". It features a hand holding a Givenchy "IRRESISTIBLE" perfume bottle. To the right, there is a stylized flower and the text "BEAUTY DAY". Below the flower, it says "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right says "Te escuchamos" with a small speaker icon. The background has a subtle "SOLO OJO" watermark.

TS_SMOKE_SUITE_049

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_055

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 23-02-2024 10:17:41 End 23-02-2024 10:18:24

Elapsed 43.261s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":search2price], STOP_ON_FAILURE)	9.548s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product6_Cardprrice_PLP"))	6.764s	PASSED
Object: 'Object Repository/PLPPage/product6_Cardprrice_PLP' is clicked on			
3	verify milti sku	11.820s	PASSED
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
4	verify price range	2.184s	PASSED
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	12.765s	ERROR

TS_SMOKE_SUITE_055


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's header with a search bar containing 'tenis'. Below the header, there are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to 'Selecciona tu tienda'. The main content area shows a search result for 'Tenis para Caballero Converse'. It includes a product image of a woman, the product name, a star rating of 4.5 stars, and a price of \$150.00. To the right of the product details are two callout boxes: one for 'Recoge en 2 Horas' (Pick up in 2 hours) and another for 'Recibe a domicilio' (Deliver to home). Both boxes contain descriptive text and links for more information.

The screenshot shows the Liverpool website's header with a search bar containing 'Buscar por producto, marca y más..'. Below the header, there are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to 'Selecciona tu tienda'. The main content area features a large promotional banner for 'BEAUTY DAY'. The banner features a perfume bottle and text encouraging purchases before May. A vertical pink sidebar on the right says 'Te escuchamos' with a speech bubble icon.



TS_SMOKE_SUITE_055

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A small "BYD" label is visible near the bottom left. The central part of the page features a large image of a Givenchy Irresistible perfume bottle held in a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right side says "Te escuchamos" with a speaker icon.</p>		

TS_SMOKE_SUITE_054

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 23-02-2024 10:18:24 End 23-02-2024 10:19:47

Elapsed 1m - 22.882s

Status FAILED



Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.840s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	18.427s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"bt"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.703s	PASSED
4	click(findTestObject("PLPPage/product1_PLP")) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	19.120s	PASSED

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
5	<pre>verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0)</pre> <p>Unable to verify object 'Object Repository/PDPPage/Colour1_PDP' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/PDPPage/Colour1_PDP' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_054.run(TS_SMOKE_SUITE_054:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PDPPage/Colour1_PDP' located by '//ul[@id='color-list-mobile']/li[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword </p>	21.631s	FAILED

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) ... 20 more)		
	 <p>Liverpool</p> <p>Mis Compras Iniciar sesión 0</p> <p>Categorías Mesa de regalos Mi crédito Servicios ▾</p> <p>Tiendas Ayuda Selecciona tu tienda</p> <p>BYD</p> <p>Home > CHANEL > MAQUILLAJE > OJOS > LAS SOMBRAS</p> <h2>CHANEL</h2> <p> INDIVIDUAL BT 3 PORTARRETRATO PRUEBA</p> <p>CÓDIGO DE PRODUCTO: 1031226836</p> <p>\$500,00</p> <p>Ver más promociones</p> <p> Envío gratis a todo el país</p> <p>Recibe a domicilio Ingresá tu código postal para conocer si este producto puede llegar el día de hoy</p> <p>COMPRAR AHORA</p> <p>AGREGAR A MI BOLSA</p>		
	 <p>Liverpool</p> <p>Mis Compras Iniciar sesión 0</p> <p>Categorías Mesa de regalos Mi crédito Servicios ▾</p> <p>Tiendas Ayuda Selecciona tu tienda</p> <p>BYD</p> <p>Home > CHANEL > MAQUILLAJE > OJOS > LAS SOMBRAS</p> <h2>CHANEL</h2> <p> INDIVIDUAL BT 3 PORTARRETRATO PRUEBA</p> <p>CÓDIGO DE PRODUCTO: 1031226836</p> <p>\$500,00</p> <p>Ver más promociones</p> <p> Envío gratis a todo el país</p> <p>Recibe a domicilio Ingresá tu código postal para conocer si este producto puede llegar el día de hoy</p> <p>COMPRAR AHORA</p> <p>AGREGAR A MI BOLSA</p>		
	 <p>Recibe a domicilio Ingresá tu código postal para conocer si este producto puede llegar el día de hoy</p> <p>COMPRAR AHORA</p> <p>AGREGAR A MI BOLSA</p>		

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	12.031s	ERROR

TS_SMOKE_SUITE_054


#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows the Liverpool website's product detail page for a Chanel eyeshadow. The product is labeled "INDIVIDUAL BT 3 PORTARRETRATO PRUEBA" with a price of \$500.00. It includes a small image of the product, a "Ver más promociones" link, and shipping information. A "COMPRAR AHORA" button is prominently displayed.

This screenshot is identical to the one above, showing the Liverpool website's product detail page for a Chanel eyeshadow. The product is labeled "INDIVIDUAL BT 3 PORTARRETRATO PRUEBA" with a price of \$500.00. It includes a small image of the product, a "Ver más promociones" link, and shipping information. A "COMPRAR AHORA" button is prominently displayed.

The screenshot shows a promotional banner for Givenchy Irresistible perfume. The banner features a large image of the perfume bottle and the text "BEAUTY DAY". It includes a call to action "Compra hoy y paga hasta mayo" and a "Te escuchamos" button. At the bottom, there is a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_054

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower icon and the text "Compra hoy y paga hasta mayo". On the far right, a vertical red bar says "Te escuchamos" with three dots. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_056

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056

Description To verify the display of PDP for single sku

Tag

Start 23-02-2024 10:19:47 End 23-02-2024 10:20:28

Elapsed 41.468s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"pantalon"], STOP_ON_FAILURE)	9.252s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	7.362s	PASSED
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	10.622s	PASSED
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	0.330s	PASSED
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	0.315s	PASSED
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.330s	PASSED
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.368s	PASSED
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP")) Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable	0.355s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP")) Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.346s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp")) Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable	0.314s	PASSED

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.761s	ERROR

TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



TS_SMOKE_SUITE_056

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_057

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057

Description To verify the display of PDP for multi sku item

Tag

Start 23-02-2024 10:20:28 End 23-02-2024 10:21:04

Elapsed 36.070s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016539127"], STOP_ON_FAILURE)	10.195s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	10.251s	PASSED
	Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable		
3		0.300s	PASSED
	Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable		
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.284s	PASSED
	Object 'Object Repository/PDPPage/Colour1_PDP' is clickable		
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	1.284s	PASSED
	Object 'Object Repository/PDPPage/Colour2_PDP' is clickable		
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.314s	PASSED
	Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable		

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp")) Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.331s	PASSED
8	 Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.354s	PASSED
9	verify pdp price Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.338s	PASSED
10	verify pdp price Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.298s	PASSED
11	verify pdp price Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.367s	PASSED

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.676s	ERROR

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a product page for 'Jeans Aéropostale para Dama'. The product image is a pair of blue jeans on a mannequin. The price is \$335.00. There are options for delivery (Recoge en 2 Horas) and home delivery (Envío gratis a todo el país). The page also features a 'Comprar ahora' button.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a perfume bottle labeled 'IRRESISTIBLE GIVENCHY'. The banner includes a flower graphic and the text 'TE ESCUCHAMOS'.

TS_SMOKE_SUITE_057

#	Description	Elapsed	Status
			

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Mas información](#)

TS_SMOKE_SUITE_059

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	23-02-2024 10:21:05	End	23-02-2024 10:21:40
Elapsed	35.884s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.661s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	4.202s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.321s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.590s	ERROR

TS_SMOKE_SUITE_059

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a search results page for 'mac' on the Liverpool website. The top navigation bar includes links for 'Mis Compras', 'Iniciar sesión', and a lock icon. Below the navigation, there are links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and 'Selecciona tu tienda'. The main content area displays a search bar with 'mac' and a dropdown menu for 'Ordenar por'. A sidebar on the left lists categories such as MAC, Belleza, Prueba Ciclo 3 20 Julio Modificado, Prueba Multi Cocción, Ella, Artes y Manualidades, Caballeros, Accesorios, Bebés, and Decoración e Iluminación. The main grid shows four product items: 'MAC C Pigment' (\$355⁰⁰), 'M.A.C. Half Lash Curler' (\$335⁰⁰), 'Mac prueba maq pot 1' (\$3,479⁰⁰), and 'Maquillaje Prueba MAC' (\$2,785⁰⁰). A promotional banner at the bottom says '¡Entérate antes que nadie! Regístrate y recibe las mejores promociones'.

This screenshot shows a different search results page on the Liverpool website. The layout is similar to the first one, with the same top navigation and sidebar categories. The main grid features a large perfume bottle labeled 'IRRESISTIBLE GIVENCHY' on the left. To its right is a promotional banner for 'BEAUTY DAY' featuring a flower and the text 'Comprá en Liverpool y gana puntos'. A vertical pink banner on the right says 'Te escuchamos' with a speech bubble icon.

This screenshot shows a third variation of the Liverpool search results page. It has the same overall structure with the Liverpool logo, navigation, and sidebar categories. The main visual focus is a large perfume bottle labeled 'IRRESISTIBLE GIVENCHY'. To its right is a 'BEAUTY DAY' promotional banner. A vertical pink banner on the right also says 'Te escuchamos'.

TS_SMOKE_SUITE_060

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 23-02-2024 10:21:40 End 23-02-2024 10:23:06

Elapsed 1m - 25.440s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.748s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	19.775s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.431s	PASSED
4	waitForPageLoad(0) Wait for page load successfully	0.021s	PASSED
5	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0) Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	26.754s	PASSED
6	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE) Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (110)'	0.364s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
7	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE)	0.434s	PASSED
Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on			
8	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP"))	5.099s	PASSED
Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "			
9	out.println(a)	0.000s	PASSED
10	out.println(b)	0.000s	PASSED
11	if (a.contains(b))	0.015s	PASSED

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.618s	ERROR


TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a search results page for "mac" on the Liverpool website. The search bar at the top contains "mac". Below it, there are filters for "Categorías" (selected: Liverpool), "Filtros" (selected: Liverpool), and a "Limpiar Filtros" button. The search results show 110 products. Two items are visible: "M-A-C Pigment" priced at \$355⁰⁰ and "M.A.C. Half Lash Curler" priced at \$335⁰⁰. The page also features a banner for "BEAUTY DAY" and a cookie consent message at the bottom.

The screenshot shows a product detail page for a Givenchy perfume bottle labeled "IRRESISTIBLE". To the right of the product image is a promotional banner for "BEAUTY DAY" featuring a flower and the text "Compra hoy y paga hasta mayo". A vertical sidebar on the right says "Te escuchamos" with a smiley face icon. At the bottom, there is a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_060

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Enterate antes que nadie! Regístrate y recibe las mejores promociones'. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo'. A vertical red banner on the right says 'Te escuchamos' with three dots. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información' with a close button 'X'.</p>		

TS_SMOKE_SUITE_061

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061		
Description	To verify the functionality of pagination in search result page.		
Tag	search		
Start	23-02-2024 10:23:06	End	23-02-2024 10:24:05
Elapsed	59.081s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.586s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.032s	PASSED
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	5.984s	PASSED
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.046s	PASSED
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.609s	PASSED
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.010s	PASSED
Delayed 10 second(s)			
7	a1 = getUrl()	0.041s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
8	out.println(a1)	0.000s	PASSED
9	a = a1.contains("page-2")	0.007s	PASSED
10	out.println(a)	0.000s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0) Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.660s	PASSED
12	waitForPageLoad(0) Wait for page load successfully	0.047s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.489s	PASSED
14	delay(10) Delayed 10 second(s)	10.019s	PASSED
15	if (a == true)	0.000s	PASSED
16	b1 = getUrl() Current window's url is: ' https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac '	0.010s	PASSED
17	b = b1.contains("page-1")	0.000s	PASSED

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
18	out.println(b1)	0.000s	PASSED
19	if (b == true)	0.000s	PASSED


TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.421s	ERROR

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

TS_SMOKE_SUITE_061

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Enterate antes que nadie! Regístrate y recibe las mejores promociones'. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a promotional banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo'. A vertical sidebar on the right says 'Te escuchamos' with three dots. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información' with a close button 'X'.</p>		

TS_SMOKE_SUITE_062

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062

Description To verify display of price for the product in search result page.

Tag

Start 23-02-2024 10:24:05 End 23-02-2024 10:24:43

Elapsed 38.473s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	8.354s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.008s	PASSED
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	6.954s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.314s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.758s	ERROR

TS_SMOKE_SUITE_062


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term "vaso". The search bar at the top contains "vaso". Below the search bar, there are navigation links for "Mis Compras", "Iniciar sesión", and a lock icon. The main content area displays a search result for "vaso" with 76 results. On the left, a sidebar lists categories such as HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, and Mesa v Bar. In the center, three glass products are shown with their names and prices: "Vaso Old Fashion Haus Malibú Super Fondo" (\$99.00), "Vaso Villero & Boch Humo Colour Concept" (\$99.00), and "Vaso Lines Hb Transparente" (\$99.00). At the bottom of the page, there is a promotional banner for "iEntérate antes que nadie! Regístrate y recibe las mejores promociones".

This screenshot shows the same Liverpool website search results for "vaso", but from a different perspective or session. The layout is similar, featuring the Liverpool logo, search bar, and navigation links. The search results for "vaso" are displayed, showing the same three glass products with their names and prices. The sidebar categories are visible on the left.



TS_SMOKE_SUITE_062

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower illustration and the text "Compra hoy y paga hasta mayo". On the far right, a vertical pink bar says "Te escuchamos" with three dots. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_063

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063

Description To verify the display of the color swatches in search result page

Tag

Start 23-02-2024 10:24:43 End 23-02-2024 10:25:32

Elapsed 48.089s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":colour], STOP_ON_FAILURE)	11.313s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.016s	PASSED
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/facetes/ColorTitleFacet_PLP"), 0)	13.924s	PASSED
	Scroll to object 'Object Repository/PLPPage/facetes/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/facetes/Color_1_facet_PLP"), 0)	0.391s	PASSED
	Object 'Object Repository/PLPPage/facetes/Color_1_facet_PLP' is present		

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.345s	ERROR

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a shopping interface with various filters and product cards.

- Color:** A color palette with yellow, blue, dark blue, light blue, orange, pink, and brown. Below it is a "Ver más" link.
- Precios:** Price range filters:
 - Menos de \$100.0 (15)
 - \$100.0 -\$500.0 (66)
 - \$500.0 -\$1000.0 (12)
 - \$1000.0 -\$2000.0 (10)
 - Mas de \$2000.0 (12)A "Mínimo" and "Máximo" input field is present, along with a "Next" button.
- Products:** Three items are displayed:
 - A pair of black cargo pants.
 - A white t-shirt with a red "PEPE JEANS LONDON" logo.
 - A gold-colored MAC cosmetics set (mascara and brush).


The screenshot shows the Liverpool website homepage with a navigation bar and search functionality.

- Header:** Includes a promotional message "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones".
- Navigation:** Links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.
- Search:** A search bar with placeholder text "Buscar por producto, marca y más..." and a magnifying glass icon.
- User Options:** Mis Compras, Iniciar sesión, and a notification badge with the number 01.
- Footer:** Categories (Categorías), Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a "Selección tu tienda" dropdown.

The screenshot shows a beauty advertisement for Givenchy's Irresistible perfume.

- Product:** A clear glass bottle of Givenchy Irresistible perfume with a silver cap.
- Text:** BEAUTY DAY, Compra hoy y paga hasta mayo, Te escuchamos, and OJO.
- Cookie Notice:** A banner at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_063

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower illustration and the text "Compra hoy y paga hasta mayo". On the far right, a vertical bar says "Te escuchamos" with three dots. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_069

Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069
Description	To verify the search result page when user selects the price as sorting option
Tag	

Start 23-02-2024 10:25:32 End 23-02-2024 10:26:46

Elapsed 1m - 14.174s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	8.526s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/Sortby_PLP"))	4.547s	PASSED
Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on			
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	10.575s	PASSED
Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on			
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	10.661s	PASSED
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1900'			
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.300s	PASSED
Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'			
6	if (productcardprice3 <= productcardprice4)	0.011s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.381s	PASSED
Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on			

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP")) Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	10.635s	PASSED
9	delay(5) Delayed 5 second(s)	5.017s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	0.316s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP")) Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.298s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.000s	PASSED

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.779s	ERROR

TS_SMOKE_SUITE_069

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term 'vaso'. The search bar at the top contains 'vaso'. Below it, there are two sections: 'Regalo con compra' (Gift with purchase) featuring a glass and a set of glasses, and a main grid of products. The first product in the grid is 'Set de Vasos para Whisky Christofle Transparente Albi' priced at \$6,240⁰⁰, with a rating of ★★★★☆(1). The second product is 'Set de Vasos para Vodka Christofle Transparente Iriana' priced at \$4,168⁰⁰, with a rating of ★★★★☆(2). Other visible categories include HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, Mesa y Bar, Muebles, and Ventanas y Alfombras.

This screenshot shows a different layout of the Liverpool website's search results for 'vaso'. It features a large image of a Givenchy perfume bottle on the left and a promotional banner for 'BEAUTY DAY' on the right. The search bar still contains 'vaso'. The main grid of products is partially visible below the banner.

This screenshot shows yet another variation of the Liverpool website's search results for 'vaso'. It features a large image of a Givenchy perfume bottle on the left and a 'BEAUTY DAY' banner on the right. The search bar contains 'vaso'. The main product grid is visible at the bottom.

TS_SMOKE_SUITE_070

Information

ID Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070

Description to verify the pagination in the search result page

Tag

Start 23-02-2024 10:26:46 End 23-02-2024 10:27:51

Elapsed 1m - 5.121s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "mac"}], STOP_ON_FAILURE)	8.786s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	5.909s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.404s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.016s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.000s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			
6	a = a1.contains("page-2")	0.000s	PASSED
7	if (a == true)	0.000s	PASSED


TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0) Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	1.189s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE) Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.457s	PASSED
10	delay(7) Delayed 7 second(s)	7.002s	PASSED
11	b1 = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac'	0.000s	PASSED
12	b = b1.contains("page-1")	0.000s	PASSED
13	if (b == true)	0.000s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
14	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.420s	PASSED

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more) 		

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.819s	ERROR

TS_SMOKE_SUITE_070

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website search results page for the term 'mac'. The search bar at the top contains 'mac'. Below it, there's a breadcrumb navigation: Home > mac. A sidebar on the left lists categories like MAC, Belleza, and Caballeros. The main content area displays four product items:

- M-A-C Pigment (Image: brown eyeshadow palette) - \$355⁰⁰
- M.A.C. Half Lash Curler (Image: eyelash curler) - \$335⁰⁰
- Mac prueba maq pot 1 (Image: clear cylindrical container with makeup brushes) - \$3,479⁰⁰
- Maquillaje Prueba MAC (Image: red lipstick) - \$2,785⁰⁰

A banner at the bottom encourages users to register for promotions.

This screenshot is identical to the one above, showing the Liverpool website search results for 'mac' with the same products and layout.

This screenshot is identical to the previous ones, showing the Liverpool website search results for 'mac' with the same products and layout.

TS_SMOKE_SUITE_027

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 23-02-2024 10:27:51 End 23-02-2024 10:29:46

Elapsed 1m - 54.723s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	11.064s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	12.026s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre> groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at close any pop up.run(close any pop up:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/close_popup_OP' located by '(//i [@class='icon-close close'])[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more) </pre> 		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)	11.403s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)
at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:24)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		



TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE)	9.325s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
5	click(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	6.893s	PASSED
	Object: 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is clicked on		
6	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	17.009s	PASSED
	Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
7	<p>click(findTestObject("OPCPage/close_popup_OP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11001}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60074}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,</p>	1.001s	PASSED

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 45cf523b780234fe89cf31b33b4da3f8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

TS_SMOKE_SUITE_027


#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733551158.run(Script1697733551158.groovy:32) ... 15 more)</pre>		
8	click(findTestObject("PDPPage/AddToCart_pdp"))	0.370s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on		
9	click(findTestObject("HomePage/Cart_header"))	3.586s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
10	click(findTestObject("CartPage/Iniciar_Cart"))	1.433s	PASSED
	Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on		
11	verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)	6.145s	PASSED
	Object 'Object Repository/HomePage/LoginPage_hp' is present		
12	verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)	0.332s	PASSED
	Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present		

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	33.994s	ERROR

TS_SMOKE_SUITE_027

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_028

Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 23-02-2024 10:29:46 End 23-02-2024 10:31:14

Elapsed 1m - 27.957s

Status PASSED

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.657s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.013s	PASSED
Wait for page load successfully			
3	click(findTestObject("HomePage/FirstProduct_plp"))	7.164s	PASSED
Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	10.982s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	5.322s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	6.109s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
7	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.495s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		



Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas.



Inicia sesión

Correo electrónico

Contraseña

[¿Olvidaste tu contraseña?](#)

[Iniciar sesión](#)

No tienes cuenta? [Crear cuenta](#)


TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:35) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.696s	PASSED

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)  <p>The screenshot shows a Liverpool login interface. At the top, there's a navigation bar with icons for shopping cart, user profile, and other site features. Below it is a pink header with the Liverpool logo. The main area has a white background with a light gray footer. A large pink button at the bottom contains the text 'Iniciar sesión'. Above this button, there are two input fields: one for 'Correo electrónico' (email) and one for 'Contraseña' (password), both with placeholder text. Below the password field is a link '¿Olvidaste tu contraseña?'. At the very bottom, there's a small note '¿No tienes cuenta? Crear cuenta'.</p>		

TS_SMOKE_SUITE_028


#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	27.421s	ERROR

TS_SMOKE_SUITE_028

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_006

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	23-02-2024 10:31:14	End	23-02-2024 10:32:12
Elapsed	57.968s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP")) Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	0.367s	PASSED
2	click(findTestObject("HomePage/Mesa de regalos_HP")) Object: 'Object Repository/HomePage/Mesa de regalos_HP' is clicked on	16.901s	PASSED

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
3	<pre>verifyElementPresent(findTestObject("HomePage/gr/Find_gift_table_GR"), 0)</pre> <p>Unable to verify object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_006.run(TS_SMOKE_SUITE_006:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/gr/Find_gift_table_GR' located by '//button[@class='btnPrimary'][1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	11.687s	FAILED



TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more		
)			
			

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	28.914s	ERROR

TS_SMOKE_SUITE_006

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

TS_SMOKE_SUITE_010

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	23-02-2024 10:32:12	End	23-02-2024 10:33:52
Elapsed	1m - 40.736s		
Status	PASSED		




Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	16.314s	PASSED
2	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	30.107s	PASSED
3	click(findTestObject("HomePage/Mis_comprar")) Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	22.868s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0) Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	1.873s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0) Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	6.320s	PASSED

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.075s	ERROR

TS_SMOKE_SUITE_010

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_011

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"(Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	23-02-2024 10:33:52	End	23-02-2024 10:34:36
Elapsed	43.631s		
Status	PASSED		

Details


#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP")) Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on	3.232s	PASSED
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0) Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present	3.288s	PASSED
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0) Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present	0.340s	PASSED
4	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	13.238s	PASSED

TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.472s	ERROR

TS_SMOKE_SUITE_011

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



TS_SMOKE_SUITE_012

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	23-02-2024 10:34:36	End	23-02-2024 10:34:59
Elapsed	23.033s		
Status	PASSED		




Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0) Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.322s	PASSED

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.666s	ERROR

TS_SMOKE_SUITE_012

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			
			

TS_SMOKE_SUITE_014

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	23-02-2024 10:34:59	End	23-02-2024 10:36:30
Elapsed	1m - 31.337s		
Status	FAILED		

Details


#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.926s	PASSED
2	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	23.026s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	15.195s	PASSED
4	click(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is clicked on	14.896s	PASSED

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
5	<pre>click(findTestObject("AccountManagement/MyAccountButton_Account")) Unable to click on object 'Object Repository/AccountManagement/MyAccountButton_Account' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/AccountManagement/MyAccountButton_Account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at TS_SMOKE_SUITE_014.run(TS_SMOKE_SUITE_014:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/MyAccountButton_Account' located by '//*[@contains(text(),'Mi Cuenta')][1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)</pre>	11.488s	FAILED

TS_SMOKE_SUITE_014


#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1697733551073.run(Script1697733551073.groovy:28) ... 15 more		




TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.671s	ERROR

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

TS_SMOKE_SUITE_014

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains the placeholder "Buscar por producto, marca y más...". Below the search bar, there are links for "Mis Compras", "Hola Harish", and a notification icon with the number "1". The main content area features two images: one of a child playing with a large LEGO set and another of a woman holding a baby. Promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE" are visible on the left side.</p>		

TS_SMOKE_SUITE_015

Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none">- Mi cuenta- Mis pedidos- Mi tiempo Aire- Mis tarjetas- Cerrar sesion		
Tag			
Start			
Elapsed			
Status	23-02-2024 10:36:30	End	23-02-2024 10:37:25
	54.430s		
	PASSED		


Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.505s	PASSED
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.349s	PASSED

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		



TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0) Object 'Object Repository/HomePage/Mis_comprar' is present	0.568s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0) Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.372s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0) Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.650s	PASSED
6	verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0) Object 'Object Repository/HomePage/a_Mis tarjetas' is present	16.399s	PASSED
7	verifyElementPresent(findTestObject("HomePage/a_Cerrar sesin_hp"), 0) Object 'Object Repository/HomePage/a_Cerrar sesin_hp' is present	0.341s	PASSED


TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.176s	ERROR

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			

TS_SMOKE_SUITE_015

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_029

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	23-02-2024 10:37:25	End	23-02-2024 10:38:53
Elapsed	1m - 28.199s		
Status	PASSED		



Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	8.670s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.017s	PASSED
Wait for page load successfully			
3	click(findTestObject("HomePage/FirstProduct_plp"))	13.917s	PASSED
Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	13.628s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
5	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:29) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.390s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:29) ... 15 more)		
6	 click(findTestObject("HomePage/Cart_header"))	2.426s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
7	 click(findTestObject("CartPage/BuyButton_Cart"))	6.705s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8	CheckoutURL = getUrl() Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'	0.028s	PASSED
9	if (CheckoutURL == CheckoutLink)	0.001s	PASSED

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.283s	ERROR

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website interface. At the top, there's a yellow banner with a warning message: "⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays the delivery address: "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". The payment section shows a Visa card with the number "43065" and expiration date "MM/AA". A checkbox for "Usar monedero digital \$32,789.00" is checked. To the right, a "Resumen de compra" (Purchase Summary) box shows a subtotal of \$170.00, a discount of \$68.00, and a coupon of \$0.00. The total amount is \$102.00. The bottom of the page features a pink banner with the text "DESCUENTOS SIN CUENTOS" and "HOT SALE". On the right side, there's a photo of a dog and a cat eating from bowls.

TS_SMOKE_SUITE_029

#	Description	Elapsed	Status
	 		

TS_SMOKE_SUITE_030

Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	23-02-2024 10:38:53	End	23-02-2024 10:40:55
Elapsed	2m - 1.877s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.814s	PASSED
2	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	21.810s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	18.767s	PASSED
4	waitForPageLoad(15) Wait for page load successfully	0.046s	PASSED
5	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":SLSearchTerm}], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	26.429s	PASSED
6	click(findTestObject("HomePage/FirstProduct_plp")) Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on	8.212s	PASSED

TS_SMOKE_SUITE_030


#	Description	Elapsed	Status
7	click(findTestObject("PDPPage/AddToCart_pdp"))	11.935s	PASSED

[Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on](#)

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
8	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:35) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.418s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:35) ... 15 more)		
9	 A screenshot of a product page for a 'Vaso Old Fashion Haus Malibú Super Fondo'. The product image shows a clear glass with a dark base. The product name is 'Vaso Old Fashion Haus Malibú Super Fondo' and the code is '1001770108'. It has a rating of 4 stars. The price is \$65.00, discounted from \$51.00. A button 'Ver disponibilidad en tienda' is visible. Below the price, it says 'Envío gratis a todo el país'. The quantity is set to 1. The color is 'TRANSPARENTE'. The description includes: 1. Marca: Haus., 2. Modelo: Malibú Super Fondo., 3. Otras Transpare. Object: 'Object Repository/HomePage/Cart_header' is clicked on	2.505s	PASSED
10	 A screenshot of a cart page showing two options for picking up the item: 'Click & Collect: Liverpool La Paz' and 'Enviar gratis a: AUTOMATIONjuqLZcwv'. Under 'Click & Collect', there are buttons for 'Recoge en tienda' and 'Comprar'. It also shows the collection period: 'Recoge entre el 15 de marzo y el 18 de marzo'. Under 'Enviar gratis', there are buttons for 'Recibe a domicilio' and 'Comprar'. It also shows the delivery period: 'Recibe entre el 27 de febrero y el 01 de marzo'. A pink box highlights the 'Agregar a mi bolsa' button. Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	4.477s	PASSED
11	CheckoutURL = getUrl() Current window's url is: ' https://odtaqaa.liverpool.com.mx/tienda/cart '	0.032s	PASSED
12	if (CheckoutURL == CheckoutLink)	0.001s	PASSED

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	14.254s	ERROR

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's shopping cart page. At the top, there's a navigation bar with links for 'Categories', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Hola Harish'. Below the navigation is a search bar and a 'Mis Compras' link. The main area displays a table of items in the cart:

Producto	Precio	Cantidad	Total
VASO OLD FASHION MALIBU, TRANSPARENTE H	\$05.00 \$51.00	3	\$153.00

On the right side of the cart table, there's a summary of the total: Subtotal (3 productos): \$255.00, Descuento: \$102.00, Cupones: \$0.00, Costo de envío: Gratis, and a Total (IVA Incluido): \$153.00. Below the summary, a note states: "Los precios aplican de acuerdo a forma de pago". A pink 'Comprar' button is visible.

The screenshot shows the confirmation page for the purchase. At the top, a yellow banner displays a warning: "⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below the banner, the page title is "Confirma tu compra".



The page is divided into two main sections: "1. Entrega" and "2. Forma de Pago".

1. Entrega: Shows the delivery address: AUTOMATIONJuqlZcvv, Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco BAJA CALIFORNIA. There's a "Cambiar" link next to the address.

2. Forma de Pago: Shows payment details: visatest *3065, Fecha de vencimiento: MM/AA*, Código de seguridad: CVV*. There's also a "Cambiar" link next to the card number.

To the right of the delivery section, there's a "Resumen de compra" table with the same information as the cart: Subtotal (3 productos): \$255.00, Descuento: \$102.00, Cupones: \$0.00, Costo de envío: Gratis, and a Total (IVA incluido): \$153.00. Below the summary, a note says: "He leido y acepto Términos, Condiciones y Aviso de Privacidad". A pink "Finalizar compra" button is at the bottom.

TS_SMOKE_SUITE_030

#	Description	Elapsed	Status
	 <p>Liverpool</p> <p>Ayuda ⓘ</p> <p>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>Confirmar compra</p> <p>1. Entrega</p> <p>AUTOMATIONjuqLZewv Cambiar</p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar</p> <p>Fecha de vencimiento: Código de seguridad: ⓘ</p> <p>MM/AA* CVV*</p> <p><input type="checkbox"/> Usar monedero digital \$32,789.00</p> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa Ver cupones</p> <p>Cupones (2 disponibles) ></p> <p>Subtotal (3 productos): \$255.00 Descuento: \$102.00 Cupones: \$0.00 Costo de envío: \$0.00</p>		
	 <p>Liverpool</p> <p>Ayuda ⓘ</p> <p>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>Confirmar compra</p> <p>1. Entrega</p> <p>AUTOMATIONjuqLZewv Cambiar</p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar</p> <p>Fecha de vencimiento: Código de seguridad: ⓘ</p> <p>MM/AA* CVV*</p> <p><input type="checkbox"/> Usar monedero digital \$32,789.00</p> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa Ver cupones</p> <p>Cupones (2 disponibles) ></p> <p>Subtotal (3 productos): \$255.00 Descuento: \$102.00 Cupones: \$0.00 Costo de envío: \$0.00</p>		

TS_SMOKE_SUITE_058

Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

23-02-2024 10:40:55

End

23-02-2024 10:41:54

58.939s

PASSED

Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	12.400s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.498s	PASSED

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Buscar por producto, marca y más...' and a magnifying glass icon. To the right of the search bar are 'Mis Compras', 'Hola Harish', and a shopping cart icon with the number '3'. A dropdown menu for 'Categorías' is open, showing options like Mesa de regalos, Mi crédito, and Servicios. Below the navigation, there are two promotional banners: one for 'DESCUENTOS SIN CUENTOS' and another for 'HOT SALE'. The main content area features images of a woman wearing headphones and a woman wearing earbuds.</p>		

TS_SMOKE_SUITE_058


#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	8.684s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	waitForPageLoad(5)	0.030s	PASSED
Wait for page load successfully			
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	11.877s	PASSED
Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	1.304s	PASSED
Object 'Object Repository/PDPPage/EDD_pdp' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	0.293s	PASSED
Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable			
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.302s	PASSED
Object 'Object Repository/PDPPage/Size1_PDP' is clickable			
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.310s	PASSED
Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable			
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.305s	PASSED
Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable			

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.722s	ERROR

TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



Jeans Aéropostale para Dama
Código de Producto: 1016537468
★ ★ ★ ★ ★ (Sé el primero en opinar)
[Ver disponibilidad en tienda](#)

\$479.00 \$335.30
[Ver más promociones](#)

Envío gratis a todo el país


Cantidad:
- 1 +

Click & Collect: Liverpool La Paz

Recoge en tienda [Comprar](#)
[Ver disponibilidad en tiendas](#)
Recoge entre el 27 de febrero y el 01 de marzo

Enviar gratis a: AUTOMATIONjuqLZcwv

Recibe a domicilio [Comprar](#)
[Cambiar dirección](#)



DESCUENTOS SIN CUENTOS HOT SALE

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)



TS_SMOKE_SUITE_058

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a shopping cart. The main content area features a pink hair dryer and a purple travel iron on a white surface. A banner on the left side of the main content area says "DESCUENTOS SIN CUENTOS" and "HOT SALE". A small message at the bottom of the page states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información".</p>		

TS_SMOKE_SUITE_016

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	23-02-2024 10:41:54	End	23-02-2024 10:42:48
Elapsed	53.778s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))	0.528s	PASSED
Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered			

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
2	<p>click(findTestObject("AccountManagement/MyAccountButton_Account"))</p> <p>Unable to click on object 'Object Repository/AccountManagement/MyAccountButton_Account' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/AccountManagement/MyAccountButton_Account'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at TS_SMOKE_SUITE_016.run(TS_SMOKE_SUITE_016:23) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15100}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60735}, javascriptEnabled: true,</pre>	29.635s	FAILED

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
	<pre>networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 627f2cba8450764c3a7adf27c48eefc1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</pre>		

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
)	<pre>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1707218658264.run(Script1707218658264.groovy:23) ... 15 more</pre>		

Sucursal | Pottery Barn | Pottery Barn Kids | Williams Sonoma | West Elm | GAP | Banana Republic | Toys R Us

Liverpool | Buscar por producto, marca y más... | Mis Compras | Hola Harish | 3

Categorías | Mesa de regalos | Mi crédito | Servicios | Tiendas | Ayuda | Mi tienda - Liverpool ...

BYD

Más información'."/>


TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
3	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.426s	ERROR

TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (Cart), "Hola Harish" (User Profile), and a notification bell with the number "3". The main content area features a large image of a child playing with a LEGO set, with promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". Below the main image is another navigation bar with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda - Liverpool ...".



TS_SMOKE_SUITE_016

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a shopping cart. The main content area features two images side-by-side. The left image shows a young boy playing with a large, complex乐高 (LEGO) set. The right image shows a woman with curly hair holding a baby. Both images are overlaid with promotional banners: one on the left says "DESCUENTOS SIN CUENTOS" and "HOT SALE", and one on the right features a cartoon baby icon.		

TS_SMOKE_SUITE_017

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017

Description Verify the user able to add new Personal shipping address

Tag

Start 23-02-2024 10:42:48 End 23-02-2024 10:44:14

Elapsed 1m - 26.332s

Status FAILED

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola Harish'	0.347s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.000s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.472s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.575s	PASSED
6	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.324s	PASSED
7	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	4.736s	PASSED


TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
8	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	39.193s	PASSED
Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully			
9	click(findTestCase("AccountManagement/KeepButtonClickNCollection_Account"))	0.511s	PASSED
Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on			

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
10	<p>address = getText(findTestObject ("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)</p> <p>Unable to get text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:943) at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' located by '//h1[@class='a-cards__titleCard'][2]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.</p>	11.261s	FAILED

TS_SMOKE_SUITE_017


#	Description	Elapsed	Status
)	<pre>findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:943) at Script1697733550802.run(Script1697733550802.groovy:42) ... 15 more)</pre> 		

TS_SMOKE_SUITE_017


#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.806s	ERROR

TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's address addition form. The 'Datos del destinatario' (Recipient Data) section contains required fields: Nombre (Name) with value 'Harish', Segundo nombre (Second Name) with value 'qa', and Apellido paterno (Last Name) with value 'qa'. There are also optional fields for Apellido materno (Last Name) with value 'qa' and other address details like Alias de la dirección (Alias of the address), Código Postal (Postal Code), and Estado (State). The left sidebar has links for Mis Compras, Wishlist, Cupones, and Crédito y Pagos. The bottom navigation bar includes links for Suburba, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



TS_SMOKE_SUITE_017

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a user profile section for "Mis Compras" and "Hola Harish". There are also links for "Tiendas" and "Ayuda". The main content area displays two blurred images: one of a dark-colored dog and another of a small outdoor picnic setup.</p>		

TS_SMOKE_SUITE_018

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 23-02-2024 10:44:14 End 23-02-2024 10:44:54

Elapsed 39.600s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.571s	PASSED
2	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.453s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	2.607s	PASSED
4	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.466s	PASSED
5	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account")) Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	1.588s	PASSED
6	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account")) Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	4.248s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account")) Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	0.381s	PASSED
8	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account")) Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	1.177s	PASSED
9	scrollToElement(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"), 0) Scroll to object 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' successfully	0.327s	PASSED
10	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account")) Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on	0.331s	PASSED
11	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	3.849s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/ClickNCollectionFirstAddress_Account"), 0) Object 'Object Repository/AccountManagement/ClickNCollectionFirstAddress_Account' is present	2.793s	PASSED
13	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0) Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	0.323s	PASSED
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	0.398s	PASSED

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
15	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM")) Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	0.366s	PASSED
16	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM")) Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	0.520s	PASSED


TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	15.053s	ERROR

TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:113)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user profile 'Hola Harish'. Below the navigation is a search bar and a 'Mis Compras' button. The main content area is titled 'Direcciones de entrega' (Delivery Addresses). On the left, there's a sidebar with links for 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area is divided into two sections: 'Mis direcciones' (My Addresses) and 'Tiendas Click & Collect'. Under 'Mis direcciones', there are three entries: 'Liverpool Andares' (with a 'Ver mapa' link), 'Liverpool Cuautla' (with a 'Ver mapa' link), and 'Liverpool Tecámac' (with a 'Ver mapa' link). Under 'Tiendas Click & Collect', there are three entries: 'Click & Collect Sotano 2, en las escaleras elecricas' at Liverpool Andares, 'Click & Collect Departamento de Línea Blanca' at Liverpool Cuautla, and 'Click & Collect Recoge en tu auto' at Liverpool Tecámac. A pink 'Agregar tienda' (Add Store) button is located at the top right of the 'Tiendas Click & Collect' section. At the bottom of the page, there's a footer with links for 'Suburba', 'Pottery Barn', 'Pottery Barn Kids', 'Williams Sonoma', 'West Elm', 'GAP', 'Banana Republic', and 'Toys R Us'. The footer also includes the Liverpool logo, a search bar, and the user profile 'Hola Harish'.



TS_SMOKE_SUITE_018

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a user profile section for "Mis Compras" and "Hola Harish". There are also links for "Tiendas" and "Ayuda". Below the header, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", and "BYD".</p>  <p>The main content area displays two blurry images side-by-side. The left image shows a dark-colored dog standing near some bowls. The right image shows a small, white, octagonal dog bed with a patterned cushion inside, placed on a green surface.</p>		

TS_SMOKE_SUITE_019

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 23-02-2024 10:44:54 End 23-02-2024 10:46:13



Elapsed 1m - 19.727s

Status FAILED

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola Harish'	0.321s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.001s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.464s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.490s	PASSED
6	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	3.490s	PASSED
7	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	2.729s	PASSED


TS_SMOKE_SUITE_019


#	Description	Elapsed	Status
8	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	36.423s	PASSED
Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully			
			
			
9	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.511s	PASSED
Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on			

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
10	<pre>verifyElementPresent(findTestObject ("AccountManagement/FirstPersonalShippingAddress_Account"), 0) Unable to verify object 'Object' Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object' Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object' Repository/AccountManagement/FirstPersonalShippingAddress_Account' located by '(//h1 [@class='a-cards__titleCard'])[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$__verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.</pre>	11.358s	FAILED

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
	VerifyElementPresentKeyword\$._verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
	 <p>The screenshot shows the Liverpool website's address addition form. The header includes the Liverpool logo, a search bar, and user information (Mis Compras, Hola Harish). The breadcrumb navigation shows Home > Mi Cuenta > Direcciones de entrega > Agregar dirección. The main form has two sections: 'Datos del destinatario' and 'Dirección de envío'. In 'Datos del destinatario', fields include Nombre (Harish), Segundo nombre (Optional), Apellido paterno (qa), and Apellido materno (qa). In 'Dirección de envío', fields include Alias de la dirección (QATESTING), Código Postal (21200), Estado (BAJA CALIFORNIA), and Colonia (Optional). A note at the top right says '*Campos Obligatorios'.</p>		

#	Description	Elapsed	Status
	VerifyElementPresentKeyword\$._verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
	 <p>This screenshot is identical to the one above, showing the Liverpool website's address addition form. It displays the same header, breadcrumb navigation, and form fields for adding a new delivery address. The 'Datos del destinatario' section and 'Dirección de envío' section are visible, along with the note '*Campos Obligatorios'.</p>		

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.851s	ERROR

TS_SMOKE_SUITE_019

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Mis Compras

Wishlist

Cupones

Crédito y Pagos

Mi crédito

Facturación Electrónica

Monedero digital

DESCUENTOS SIN CUENTOS

HOT SALE

Buscar por producto, marca y más...

Mis Compras

Hola Harish

Tiendas Ayuda

Mi tienda - Liverpool La Paz

Home > Mi Cuenta > Direcciones de entrega > Agregar dirección

Agregar dirección

Datos del destinatario

*Campos Obligatorios

Nombre: Harish

Segundo nombre:

Opcional

Apellido paterno: qa

Apellido materno: qa

Opcional

Dirección de envío

Alias de la dirección: QATESTING

Código Postal: 21200

Estado: BAJA CALIFORNIA

Opcional

El Casa, Oficina...

Colonia:

Municipio o Delegación:

DESCUENTOS SIN CUENTOS

HOT SALE

Buscar por producto, marca y más...

Mis Compras

Hola Harish

Tiendas Ayuda

Mi tienda - Liverpool La Paz

DESCUENTOS SIN CUENTOS

HOT SALE

Buscar por producto, marca y más...

Mis Compras

Hola Harish

Tiendas Ayuda

Mi tienda - Liverpool La Paz

DESCUENTOS SIN CUENTOS

HOT SALE

Buscar por producto, marca y más...

Mis Compras

Hola Harish

Tiendas Ayuda

Mi tienda - Liverpool La Paz

TS_SMOKE_SUITE_023

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	23-02-2024 10:46:13	End	23-02-2024 10:47:29
Elapsed	1m - 15.771s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.504s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>		



TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
2	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.524s	PASSED
3	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.495s	PASSED
4	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	2.836s	PASSED
5	click(findTestObject("AccountManagement/MyCardButton_Account")) Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	4.077s	PASSED
6	click(findTestObject("AccountManagement/AddCardButton_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddCardButton_Account' is clicked on	4.456s	PASSED
7	Cardname = "QATESTING"	0.001s	PASSED
8	setText(findTestObject("AccountManagement/CardName_Account"), Cardname) Text 'QATESTING' is set on object 'Object Repository/AccountManagement/CardName_Account'	4.522s	PASSED
9	callTestCase(findTestCase("CommonMethods/AddCard_Account"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/AddCard_Account' successfully	2.931s	PASSED
10	waitForPageLoad(0) Wait for page load successfully	0.017s	PASSED

TS_SMOKE_SUITE_023


#	Description	Elapsed	Status
11	CardName = getText(findTestObject("AccountManagement/CardNameGrid_Account")) Text of object 'Object Repository/AccountManagement/CardNameGrid_Account' is: 'QATESTING'	2.887s	PASSED
12	if (Cardname == CardName)	0.000s	PASSED
13	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM")) Object: 'Object Repository/AccountManagement/Select3dot_qatestingCard_AM' is clicked on	0.334s	PASSED
14	click(findTestObject("AccountManagement/EditCardDetails_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/EditCardDetails_Account' is clicked on	6.224s	PASSED
15	Name = RandomStringUtils.randomAlphabetic(8)	0.001s	PASSED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
16	<pre>sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a")) Unable to send keys 'a' to object 'Object Repository/AccountManagement/firstName_update_accountManagement' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/AccountManagement/firstName_update_accountManagement' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:56) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/firstName_update_accountManagement' located by '(//div [@class='mdc-ripple-upgraded']/div/input[@id='input-update__name'])' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)</pre>	11.400s	FAILED

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$._sendKeys_closure1.doCall(SendKeysKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword\$._sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys(SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute(SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys(WebUiBuiltInKeywords.groovy:903) at Script1697733550838.run(Script1697733550838.groovy:56) ... 15 more		




TS_SMOKE_SUITE_023



#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.313s	ERROR

TS_SMOKE_SUITE_023

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website's card editing interface. The main form is titled 'Datos de la tarjeta' (Card Details) and contains fields for card type (Visa), number (Visa *2334), alias (QATESTING), and name (EBEFMxrc). Below this is a 'Datos del tarjetero habiente' (Holder Information) section with a name field (Nombre completo * EBEFMxrc). At the bottom is a 'Dirección asociada a la tarjeta' (Address associated with the card) section. On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos' sections. The top navigation bar includes links for Liverpool categories, search, and user account.



TS_SMOKE_SUITE_021

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	23-02-2024 10:47:29	End	23-02-2024 10:47:49
Elapsed	19.673s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL) Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola Harish'	0.299s	PASSED
2	out.println(a)	0.001s	PASSED
3	if (a == false)	0.001s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.446s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.510s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	2.756s	PASSED




TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0) Object 'Object Repository/AccountManagement/PaymentMethodsSection_Account' is present	0.942s	PASSED

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	14.529s	ERROR

TS_SMOKE_SUITE_021

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

TS_SMOKE_SUITE_022

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	23-02-2024 10:47:49	End	23-02-2024 10:49:08
Elapsed	1m - 19.365s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.866s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	20.942s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	18.883s	PASSED
4	refresh() Refresh successfully	9.223s	PASSED
5	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.607s	PASSED
6	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.579s	PASSED
7	click(findTestObject("AccountManagement/MyPaymentMethod_Account")) Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	4.482s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
8	click(findTestObject("AccountManagement/MyCardButton_Account")) Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	4.669s	PASSED
9	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account")) Object: 'Object Repository/AccountManagement/Select3DotAddress2Nd_Account' is clicked on	3.662s	PASSED
10	enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account")) Object: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' is clicked on	0.337s	PASSED
11	verifyElementPresent(findTestObject("AccountManagement/DefaultCard_Account"), 0) Object 'Object Repository/AccountManagement/DefaultCard_Account' is present	1.372s	PASSED

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.636s	ERROR


TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda Liverpool. Below the navigation is a breadcrumb trail: Home > Mi Cuenta > Tarjetas de Crédito / Débito. The main content area displays a grid of five credit/debit card icons. From top-left to bottom-right, they are: QATESTING * 2334 (Visa, Predeterminada), visatest * 3065 (Visa), new card * 2627 (Mastercard), qMCyEcke * 3404 (Visa), CPXyOpGh * 0814 (Visa), and geAAzCac * 8215 (Visa). Below the cards are links for Mis Compras, Wishlist, Cupones, and Crédito y Pagos. A pink button labeled 'Agregar tarjeta' is visible on the right.

The screenshot shows the Liverpool website's navigation bar and a blurred image of a child. At the bottom, a cookie consent banner is displayed with the text: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación.' followed by a 'Más información' link and a close button.

TS_SMOKE_SUITE_022

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a lock icon. Below the search bar is a secondary navigation bar with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda Liverpool La ...". A large image of two children playing with toys is displayed prominently. At the bottom of the page, a cookie consent banner states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_020

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 23-02-2024 10:49:08 End 23-02-2024 10:49:50

Elapsed 42.154s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	refresh() Refresh successfully	13.554s	PASSED
2	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	2.838s	PASSED
3	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.507s	PASSED
4	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	1.865s	PASSED
5	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts")) Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	6.047s	PASSED
6	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account")) Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	3.070s	PASSED

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection")) Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.376s	PASSED
8	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0) Object 'Object Repository/AccountManagement/VerifyDefaultPresent_Account' is present	2.075s	PASSED


TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.771s	ERROR

TS_SMOKE_SUITE_020


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:113)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		

Mis direcciones	Tiendas Click & Collect	Agregar tienda
Liverpool Andares Ver mapa Predeterminada	Liverpool Cuautla Ver mapa Click & Collect Departamento de Línea Blanca	Liverpool Tecámac Ver mapa Click & Collect PB a un costado del departamento de trajes de caballero
Click & Collect Sótano 2, en las escaleras eléctricas	Click & Collect Recoge en tu auto En el estacionamiento de Plaza Andares (Sótano 2) En la e	Click & Collect Recoge en tu auto Sobre el estacionamiento localizado en la parte izquierda d



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

TS_SMOKE_SUITE_020

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a lock icon. The main content area features a large image of a dark-colored sofa or chair. At the bottom of the page, a cookie consent banner displays the message "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación." with a link to "Más información" and a close button (X).</p>		

TS_SMOKE_SUITE_024

Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	23-02-2024 10:49:50	End	23-02-2024 10:52:27
Elapsed	2m - 36.796s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.005s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	20.193s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	15.431s	PASSED
4	click(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is clicked on	14.372s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	7.089s	PASSED
6	click(findTestObject("AccountManagement/DeliveryAddress_Account")) Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	4.452s	PASSED
7	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE) Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	5.806s	PASSED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
8	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	52.817s	PASSED
	<p>Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully</p>		


9 click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account")) 0.573s PASSED

Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
10	<pre>Address1 = getText(findTestObject("AccountManagement/AddressTitleSecound_Account")) Unable to get text of object 'Object Repository/AccountManagement/AddressTitleSecound_Account' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AccountManagement/AddressTitleSecound_Account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957) at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/AddressTitleSecound_Account' located by '(//h1[@class='a-cards__titleCard'])[2]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78)</pre>	11.186s	FAILED

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$._getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957) at Script1697733550844.run(Script1697733550844.groovy:40) ... 15 more Agregar dirección  <p>*Campos Obligatorios</p>		

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.703s	ERROR

TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Agregar dirección

Mis Compras >

Wishlist >

Cupones >

Crédito y Pagos

- Mi crédito
- Facturación Electrónica
- Monedero digital
- Mi Cartera

Datos de mi cuenta

Sucursal | Pottery Barn | Pottery Barn Kids | Williams Sonoma | West Elm | GAP | Banana Republic | Toys R Us

Datos del destinatario *Campos Obligatorios

Nombre: Harish Segundo nombre Apellido paterno: qa

Opcional

Apellido materno: qa

Opcional

Dirección de envío

Alias de la dirección: QATESTING Código Postal: 21200 Estado: BAJA CALIFORNIA

Ej. Casa, Oficina...

Ciudad: maxico Municipio o Delegación: MEXICALI Colonia: CUAUHTEMOC NORTE

Opcional

Calle: kmpt road Núm. Ext.: 9823956 Núm. Int.: Opcional

Edificio Opcional

Buscar por producto, marca y más..

Mis Compras Hola Harish 3

Categorías | Mesa de regalos | Mi crédito | Servicios


Tiendas Ayuda

BYD

Mi tienda - Liverpool ...



TS_SMOKE_SUITE_024

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), "Hola Harish" (logged in user), and a lock icon. Below the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...". A large image of a pink hair dryer and a rose is displayed prominently. At the bottom of the page, a cookie consent banner states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_025

Information

ID Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025

Description To Verify Logged in user is able to change the password

Tag

Start 23-02-2024 10:52:27 End 23-02-2024 10:53:10

Elapsed 43.143s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage")) Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.584s	PASSED
2	click(findTestObject("AccountManagement/MyAccountButton_Account")) Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.440s	PASSED
3	click(findTestObject("AccountManagement/ChangePassword_Account")) Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	3.183s	PASSED
4	click(findTestObject("AccountManagement/ContinueButton_Account")) Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	4.326s	PASSED
5	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0) Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	10.812s	PASSED

TS_SMOKE_SUITE_025


#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.713s	ERROR

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo. Below it, a white box contains an email icon and the text "Correo electrónico enviado". Underneath, it says "Revisa todas las bandejas, incluyendo la de spam." At the bottom of this box, there's a link to "Mis Compras". The main content area features a large image of a child playing with a toy. On the left side of the image, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". On the right side, there's a circular graphic with a baby and the text "Te escuchamos". At the very bottom, a cookie consent banner is visible.

TS_SMOKE_SUITE_025

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_075

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 23-02-2024 10:53:10 End 23-02-2024 10:55:12

Elapsed 2m - 1.633s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/clickMyAccountFromHeader"), [:], OPTIONAL)	6.336s	PASSED
Call Test Case 'Test Cases/CommonMethods/clickMyAccountFromHeader' successfully			
2	callTestCase(findTestCase("CommonMethods/ClickDelivery_MyAccount"), [:], STOP_ON_FAILURE)	0.585s	PASSED
Call Test Case 'Test Cases/CommonMethods/ClickDelivery_MyAccount' successfully			
3	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))	7.497s	PASSED
Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on			
4	click(findTestObject("OPCPage/3DotButton_Checkout"))	2.979s	PASSED
Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on			
5	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account"))	1.142s	PASSED
Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on			

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
6	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account")) Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Cuautla'	3.734s	PASSED
7	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.372s	PASSED
8	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	21.751s	PASSED
9	click(findTestObject("PLPPage/product3_cardPrice_PLP"), OPTIONAL) Object: 'Object Repository/PLPPage/product3_cardPrice_PLP' is clicked on	9.326s	PASSED
10	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	22.047s	PASSED
11	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.911s	PASSED
12	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	4.760s	PASSED
13	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout")) Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Cuautla Click & Collect Recoge en módulo Cambiar'	4.819s	PASSED
14	if (TitleAddress == DefaultAddress)	0.002s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
15	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.473s	PASSED
16	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE) Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	1.154s	PASSED
17	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0) Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.488s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0) Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.345s	PASSED
19	click(findTestObject("OPCPage/Address_PopUP_option1_opc")) Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.518s	PASSED
20	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc")) Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.493s	PASSED
21	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.646s	PASSED

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
22	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	27.071s	ERROR

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a shopping cart summary and payment information on the Liverpool website.

Resumen de compra:

- Tienes un cupón disponible en tu bolsa [Ver cupones](#)
- Subtotal (3 productos): \$255.00
- Descuento: \$102.00
- Cupones: \$0.00

Entrega: AUTOMATIONNPromoOFFK, Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA


Pago: VISA QATESTING *2334, Fecha de vencimiento: MM/AA*, Código de seguridad: CVV*

Links and Buttons: Utilizar datos de entrega como predeterminado, Cambiar, Cupones (2 disponibles), Cambiar, Mis Compras, Hola Harish, Ayuda, Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, Mi tienda - Liverpool ...

Decorative Elements: A banner at the bottom left says "DESCUENTOS SIN CUENTOS" and "HOT SALE". There are also images of a woman wearing headphones and a woman wearing earbuds.

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

TS_SMOKE_SUITE_075

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a shopping cart. Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right side of the header are links for Tiendas, Ayuda, and a dropdown menu for "Mi tienda - Liverpool ...". The main content area features two images: one of a woman wearing over-ear headphones and another of a woman with earbuds. A pink banner at the bottom left of the page says "DESCUENTOS SIN CUENTOS" and "HOT SALE". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_072

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	23-02-2024 10:55:12	End	23-02-2024 10:57:18
Elapsed	2m - 5.659s		
Status	PASSED		

Details


#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)	11.577s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:310)
at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object
'Object Repository/HomePage/Iniciar sesion'
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>   		


TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	22.502s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')])[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows a green notification bar at the top of a Liverpool website page. The bar contains a checkmark icon and the text "Se eliminaron artículos de tu bolsa." (Articles removed from your basket.). Below this, the main content area displays a message "No hay artículos en tu bolsa" (There are no articles in your basket) and a pink button labeled "Continuar comprando" (Continue shopping). The footer of the page includes links for customer support, services, and a newsletter sign-up section.</p>		





TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	8.218s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PLPPage/product2_cardPrice_PLP"), STOP_ON_FAILURE)	6.431s	PASSED
Object: 'Object Repository/PLPPage/product2_cardPrice_PLP' is clicked on			

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
5	<p>click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PDPPage/Size1_PDP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PDPPage/Size1_PDP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PDPPage/Size1_PDP' located by '//ul[@class='p-0 m-0 m-product__size dBlock']/li[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.596s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550936.run(Script1697733550936.groovy:31) ... 15 more)		
6		2.710s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
7		5.359s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
8		3.333s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
9		7.596s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			
10		3.056s	PASSED
Object: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' is clicked on			

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
11	StoreValue = "AUTOMATION" + RandomStringUtils.randomAlphabetic(8)	0.005s	PASSED
12	out.println(StoreValue)	0.001s	PASSED
13	setText(findTestObject("OPCPage/name_addaddress_opc"), Name)	1.581s	PASSED
	Text 'QATest' is set on object 'Object Repository/OPCPage/name_addaddress_opc'		
14	setText(findTestObject("OPCPage/shortName_addAddress_opc"), StoreValue)	1.130s	PASSED
	Text 'AUTOMATIONhkjzQWMZ' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'		
15	setText(findTestObject("OPCPage/mothersLastName_addAddress_opc"), MotherName)	0.839s	PASSED
	Text 'Test' is set on object 'Object Repository/OPCPage/mothersLastName_addAddress_opc'		
16	setText(findTestObject("OPCPage/Lastname_Address_OPc"), MotherName)	1.022s	PASSED
	Text 'Test' is set on object 'Object Repository/OPCPage/Lastname_Address_OPc'		
17	setText(findTestObject("OPCPage/postalCode_addAddress_opc"), PostalCode)	1.024s	PASSED
	Text '21200' is set on object 'Object Repository/OPCPage/postalCode_addAddress_opc'		
18	setText(findTestObject("OPCPage/city_addAddress_opc"), CityAddAddress)	3.150s	PASSED
	Text 'san fransisco' is set on object 'Object Repository/OPCPage/city_addAddress_opc'		
19	click(findTestObject("OPCPage/street_addAddress_opc"))	0.553s	PASSED
	Object: 'Object Repository/OPCPage/street_addAddress_opc' is clicked on		

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
20	setText(findTestObject("OPCPage/street_addAddress_opc"), StreetAddAddress) Text 'Regina Street' is set on object 'Object Repository/OPCPage/street_addAddress_opc'	1.051s	PASSED
21	setText(findTestObject("OPCPage/noExt_addAddress_opc"), NoExtAddAddress) Text '1231232342' is set on object 'Object Repository/OPCPage/noExt_addAddress_opc'	0.830s	PASSED
22	setText(findTestObject("OPCPage/cellphone_addAddress_opc"), CellPhoneAddAddress) Text '7000000000' is set on object 'Object Repository/OPCPage/cellphone_addAddress_opc'	1.001s	PASSED
23	setText(findTestObject("OPCPage/phone_addAddress_opc"), phoneAddAddress) Text '9823958922' is set on object 'Object Repository/OPCPage/phone_addAddress_opc'	0.961s	PASSED
24	click(findTestObject("OPCPage/CheckBoxAddAddressPopup_OPc")) Object: 'Object Repository/OPCPage/CheckBoxAddAddressPopup_OPc' is clicked on	0.654s	PASSED
25	click(findTestObject("OPCPage/ContinueButtonAddcard_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddcard_Checkout' is clicked on	0.657s	PASSED
26	waitForPageLoad(0) Wait for page load successfully	0.015s	PASSED
27	ShortName = getText(findTestObject("OPCPage/currentDeliveryAddress_OPc"), STOP_ON_FAILURE) Text of object 'Object Repository/OPCPage/currentDeliveryAddress_OPc' is: 'AUTOMATIONhkjzQWMZ '	2.966s	PASSED
28	if (StoreValue == ShortName)	0.001s	PASSED

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
29	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.527s	ERROR

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there is a yellow banner with a warning message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays a summary of the purchase. The summary includes:

- Resumen de compra:
 - Tienes un cupón disponible en tu bolsa [Ver cupones](#)
- Cupones (1 disponible)
- Subtotal (1 productos): \$365.00
- Descuento: \$36.50
- Cupones: \$0.00

The payment form shows:

- Entrega: AUTOMATIONhkjzQWMZ, Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA
- Forma de Pago: VISA QATESTING *2334, Fecha de vencimiento: MM/AA*, Código de seguridad: CVV*

At the bottom of the page, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". A cookie consent message at the very bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_072

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 1), a user profile for "Hola Harish", and a lock icon. The main content area features two images: one of a woman wearing over-ear headphones and another of a woman wearing earbuds. On the left side of the page, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_073

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	23-02-2024 10:57:18	End	23-02-2024 10:58:53
Elapsed	1m - 35.365s		
Status	PASSED		


Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.675s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at login_odtaqab.run(login_odtaqab:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows the Liverpool website interface. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar with placeholder text 'Buscar por producto, marca y más...' and a magnifying glass icon. To the right of the search bar are 'Mis Compras', 'Hola Harish', a notification bell with a '1' icon, and a user profile icon. Below the navigation, there's a 'Categorías' dropdown menu with options like 'Mesa de regalos', 'Mi crédito', 'Servicios', and 'BYD'. On the right side of the header, there are links for 'Tiendas' and 'Ayuda', and a note about the current store being 'Mi tienda - Liverpool ...'. The main content area features three product images: a pink promotional banner for 'DESCUENTOS SIN CUENTOS' and 'HOT SALE', a woman wearing large black over-ear headphones, and a woman wearing small black earbuds.</p>		

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
2	waitForPageLoad(0) Wait for page load successfully	0.021s	PASSED
3	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.475s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.729s	PASSED
5	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	6.321s	PASSED
6	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	8.798s	PASSED
7	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.905s	PASSED
8	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	1.941s	PASSED
9	click(findTestObject("OPCPage/ChangeAddress_Checkout")) Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	6.365s	PASSED
10	click(findTestObject("OPCPage/3DotButton2_Checkout")) Object: 'Object Repository/OPCPage/3DotButton2_Checkout' is clicked on	2.728s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
11	click(findTestObject("OPCPage/EditAddress_Checkout")) Object: 'Object Repository/OPCPage/EditAddress_Checkout' is clicked on	0.513s	PASSED
12	setText(findTestObject("OPCPage/shortName_addAddress_opc"), ShortName) Text 'NewTest12345' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	2.721s	PASSED
13	waitForPageLoad(0) Wait for page load successfully	0.016s	PASSED
14	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout")) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.448s	PASSED
15	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"), OPTIONAL) Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	2.449s	PASSED
16	delay(5) Delayed 5 second(s)	5.008s	PASSED
17	click(findTestObject("HomePage/Logo_hp"), STOP_ON_FAILURE) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	12.513s	PASSED
18	mouseOver(findTestObject("HomePage/span_HolaUser_hp")) Object: 'Object Repository/HomePage/span_HolaUser_hp' is hovered	0.786s	PASSED
19	click(findTestObject("HomePage/myAccount_hp")) Object: 'Object Repository/HomePage/myAccount_hp' is clicked on	0.494s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
20	click(findTestObject("AccountManagement/deliveryAddress_MyAccount")) Object: 'Object Repository/AccountManagement/deliveryAddress_MyAccount' is clicked on	2.485s	PASSED
21	addressBlockContainer = getText(findTestObject("AccountManagement/addressBlockContainer_Account")) Text of object 'Object Repository/AccountManagement/addressBlockContainer_Account' is: 'AUTOMATIONhkjzQWMZ Predeterminada QATest Test Test Regina Street, 1231232342 san fransisco, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA Teléfonos: 98-23958922 7000000000'	2.846s	PASSED
22	if (addressBlockContainer == ShortName)	0.000s	PASSED

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
23	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.901s	ERROR

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account section. Below the navigation is a breadcrumb trail: 'Home > Mi Cuenta > Direcciones de entrega'. The main content area is titled 'Direcciones de entrega' and features a sidebar with links for 'Mis compras', 'Wishlist', 'Cupones', 'Crédito y Pagos', and 'MI perfil'. The main content area has tabs for 'Mis direcciones' (selected), 'Tiendas Click & Collect', and a prominent pink 'Agregar dirección' button. Three address entries are listed in a grid:

Address ID	Address Details	Phone Number
AUTOMATIONhkjzQWMZ	QATest Test Test Regina Street, 1231232342 san francisco, CUAUHTEMOC NORTE MEXICALI, 21200, MX, BAJA CALIFORNIA	98-23958922
AUTOMATIONjuqLZcvw	QATest Test Test Regina Street, 123123234 2 san francisco, CUAUHTE MOC NORTE MEXICALI, 21200, MX, BA JA CALIFORNIA	
AUTOMATIONrONEKEND	QATest Test Test Regina Street, 123123234 2 san francisco, CUAUHTE MOC NORTE MEXICALI, 21200, MX, BA JA CALIFORNIA	



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

TS_SMOKE_SUITE_073

#	Description	Elapsed	Status
	 <p>Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información ×</p>		

TS_SMOKE_SUITE_076

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076

Description To verify the display of payment page for the for logged in user

Tag

Start 23-02-2024 10:58:53 End 23-02-2024 10:59:55

Elapsed 1m - 1.460s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)	8.760s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)	5.850s	PASSED
	Object: 'Object Repository/PLPPage/product1_PLP' is clicked on		
3	click(findTestObject("PDPPage/AddToCart_PDP"))	7.407s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
4	click(findTestObject("HomePage/bag_header_HP"))	3.587s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
5	click(findTestObject("CartPage/BuyButton_Cart"))	2.443s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
6	callTestCase(findTestCase("CommonMethods/assert_OPCT(CheckoutPage)'), [:], STOP_ON_FAILURE)	6.330s	PASSED
	Call Test Case 'Test Cases/CommonMethods/assert_OPCT(CheckoutPage)' successfully		

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.938s	ERROR

TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a checkout process on the Liverpool website. At the top, there's a yellow warning bar stating: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below it, a modal window titled "Confirma tu compra" displays the delivery address: "AUTOMATIONhkjzQWMZ" (placeholder), "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". To the right, a "Resumen de compra" (Order Summary) box shows a single item with a pink price tag icon. It includes a link to "Ver cupones" (View coupons). The summary table shows: Subtotal (3 productos): \$1,365.00, Descuento: \$36.50, Cupones: \$0.00. At the bottom left, there's a checkbox for "Usar monedero digital \$32,789.00". The footer navigation includes links like Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

This screenshot shows the Liverpool homepage. The top navigation bar includes links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section for "Hola Harish". Below the navigation, there are three main promotional banners: "DESCUENTOS SIN CUENTOS" (Discounts without interest) with a pink background, "HOT SALE" with a red background, and a large image of a black dog and an orange cat eating from bowls. The footer contains a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".



TS_SMOKE_SUITE_076

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_077

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077		
Description	To verify the functionality of new adding card in checkout flow for logged in user		
Tag			
Start	23-02-2024 10:59:55	End	23-02-2024 11:01:27
Elapsed	1m - 32.166s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE)	8.782s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product3_cardPrice_PLP"), OPTIONAL)	6.689s	PASSED
Object: 'Object Repository/PLPPage/product3_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	18.807s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	3.571s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	1.994s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/create_new_CARD_OPB"), [:], STOP_ON_FAILURE)	24.672s	PASSED
Call Test Case 'Test Cases/CommonMethods/create_new_CARD_OPB' successfully			
<p>The screenshot shows the Liverpool checkout interface. At the top, there's a pink header with the Liverpool logo. Below it, a green toast notification says "Se actualizó tu método de pago y promoción." To the right of the notification are "Ayuda" and a question mark icon. The main area has sections for delivery and payment. A sidebar on the right displays a summary of the purchase, including a subtotal of \$1,365.00 and a discount of \$36.50. The bottom of the screen shows a "Confirmar compra" (Confirm purchase) button.</p>			
Confirmación de compra			
<p>This screenshot shows the Liverpool confirmation page. It features a summary of the purchase with a subtotal of \$1,365.00 and a discount of \$36.50. At the bottom, there's a large blue "Crear" (Create) button.</p>			

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	27.572s	ERROR

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a purchase confirmation page from Liverpool. At the top, there's a header with the Liverpool logo and a help icon. Below it, a pink banner says "Confirma tu compra". The main content area has two sections: "1. Entrega" (Delivery) and "2. Forma de Pago" (Payment Method). Under delivery, the address is listed as "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". Under payment, a card number "ouwKXsrH *8498" is shown, along with a checkbox for "Usar Puntos BBVA". A note states: "Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta". Below this are fields for "Fecha de vencimiento:" and "Código de seguridad:". To the right, a "Resumen de compra" (Purchase Summary) box shows a shopping bag icon with a percentage sign. It says "Tienes un cupón disponible en tu bolsa" and has a "Ver cupones" link. The summary table includes: Subtotal (3 productos): \$1,365.00, Descuento: \$36.50, Cupones: \$0.00. At the bottom, there are links for categories like "Categorías", "Tiendas", and "Ayuda", as well as a "Mis Compras" section and a user profile "Hola Harish". A cookie consent banner at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

TS_SMOKE_SUITE_077

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola Harish", and a shopping cart. The main content area features a pink hair dryer and a purple curling iron. On the left, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". At the bottom, a cookie consent banner states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_078

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 23-02-2024 11:01:27 End 23-02-2024 11:03:38

Elapsed 2m - 11.094s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)	8.413s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_cardPrice_PLP"))	7.066s	PASSED
Object: 'Object Repository/PLPPage/product1_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	29.839s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	6.096s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	3.523s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))	6.113s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on			
7	click(findTestObject("OPCPage/paymentMethod_button3_OPCC"))	1.682s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_button3_OPCC' is clicked on			

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Continue_payment_3rdmethod_OP")) Object: 'Object Repository/OPCPage/Continue_payment_3rdmethod_OP' is clicked on	6.944s	PASSED
9	delay(5) Delayed 5 second(s)	5.011s	PASSED
10	click(findTestObject("OPCPage/Final_comparar_OP")) Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	1.048s	PASSED
11	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	22.320s	PASSED


TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	32.910s	ERROR

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
	 		
			
	 		

TS_SMOKE_SUITE_078

#	Description	Elapsed	Status
			

TS_SMOKE_SUITE_080

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080

Description To verify that the display of the applied Coupon details in the order success page

Tag

Start 23-02-2024 11:03:38 End 23-02-2024 11:07:00

Elapsed 3m - 21.889s

Status **PASSED**

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.188s	PASSED
2	navigateToUrl(URLQA2) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	20.953s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	26.347s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":SL1}], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	38.697s	PASSED
5	waitForPageLoad(0) Wait for page load successfully	0.012s	PASSED
6	click(findTestObject("PLPPage/product1_PLP")) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	9.200s	PASSED
7	waitForPageLoad(0) Wait for page load successfully	0.014s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
8	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	17.639s	PASSED
9	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.515s	PASSED
10	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.957s	PASSED
11	click(findTestObject("OPCPage/paymentMethod_change_OPc"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_change_OPc' is clicked on	8.455s	PASSED
12	click(findTestObject("OPCPage/paymentMethod_button1_OPc"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_button1_OPc' is clicked on	1.709s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPc"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPc'	1.036s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPc"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPc'	0.988s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.540s	PASSED
16	j = getText(findTestObject("OPCPage/Page_TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_TotalPrice_opc' is: '\$500.00'	3.832s	PASSED
17	j1 = replace("\$", "").replace(", ", "")	0.004s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.344s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.001s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC")) Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.438s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC")) Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.506s	PASSED
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC")) Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$25.00'	4.243s	PASSED
23	b1 = replace("\$", "").replace(",", "")	0.001s	PASSED
24	out.println(a1)	0.001s	PASSED
25	out.println(b1)	0.001s	PASSED
26	if (a1 != b1)	0.001s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc")) Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$475.00'	0.309s	PASSED

TS_SMOKE_SUITE_080


#	Description	Elapsed	Status
28	k1 = replace("\$", "").replace(", ", "")	0.000s	PASSED
29	out.println(j1)	0.001s	PASSED
30	out.println(k1)	0.000s	PASSED
31	if (j1 >= k1)	0.001s	PASSED
32	click(findTestObject("OPCPage/Final_comparar_OPB")) Object: 'Object Repository/OPCPage/Final_comparar_OPB' is clicked on	0.338s	PASSED
33	delay(10) Delayed 10 second(s)	10.009s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage")) Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	1.232s	PASSED

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
35	Start listener action : sampleAfterTestCase	44.189s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>		
95			
106			
180			

TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		



A screenshot of the Liverpool website's header. The header features a pink navigation bar with the Liverpool logo on the left. To the right of the logo is a search bar with the placeholder "Buscar por producto, marca y más...". Other menu items in the header include "Mis Compras", "Hola Harish", a lock icon, and "Tiendas Ayuda". Below the header, there is a breadcrumb trail showing "BYD".



TS_SMOKE_SUITE_080

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 1), a user profile for "Hola Harish", and a shopping cart. The main content area features a large image of a handbag and a green wallet. On the left side of the image, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_082

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	23-02-2024 11:07:00	End	23-02-2024 11:09:48
Elapsed	2m - 48.742s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.803s	PASSED
2	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	18.238s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	18.098s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
4	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	37.060s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	<pre>groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section for Hola Harish. A search bar is also present. A green notification bar at the top states: "Se eliminaron artículos de tu bolsa." (Articles removed from your basket.). Below this, a message says "No hay artículos en tu bolsa" (There are no articles in your basket). A pink button labeled "Continuar comprando" (Continue shopping) is visible. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Mundial Qatar, and a newsletter sign-up section.</p>		

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp")) Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.352s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	15.048s	PASSED
7	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	6.299s	PASSED
8	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	13.311s	PASSED
9	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.590s	PASSED
10	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.095s	PASSED
11	click(findTestObject("OPCPage/paymentMethod_change_OPC")) Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on	7.519s	PASSED
12	scrollToElement(findTestObject("OPCPage/card3_Option_OPC"), 0) Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully	1.249s	PASSED
13	click(findTestObject("OPCPage/card3_Option_OPC")) Object: 'Object Repository/OPCPage/card3_Option_OPC' is clicked on	0.456s	PASSED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPB"), 0) Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPB' is present	0.481s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPB")) Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPB' is clicked on	0.384s	PASSED


TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:51) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11404}, fedcm:accounts: true, goog: </pre>	3.865s	FAILED

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:62576}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b15d7bb2e40647a393cfe609f2622311 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106) at jdk.internal.reflect.GeneratedMethodAccessor34.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at Script1697733550977.run(Script1697733550977.groovy:51) ... 15 more)</pre>		

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	 A screenshot of a Liverpool payment interface. The main title is "Dirección y forma de pago". On the left, there's a sidebar with "Configuración" and two sections: "1. Entrega" (with "AUTOCOCHERA" selected) and "2. Forma de pago" (with "CREDITO" selected). The main content area shows "Datos del tarjetahabiente" with a filled-in name "vedant". There's also a checkbox for "Establecer tarjeta como predeterminada". Below it is a section for "Dirección asociada a la tarjeta". At the bottom right are "Regresar" and "Continuar" buttons, with "Continuar" being pink.		

TS_SMOKE_SUITE_082



#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	37.610s	ERROR

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a payment confirmation page from Liverpool. The page title is "Liverpool" and the sub-section is "Confirmación de pago". The main content area is titled "Datos del tarjetahabiente" and contains a text input field with the value "vedant". Below this is a checkbox labeled "Establecer tarjeta como predeterminada". A section titled "Dirección asociada a la tarjeta" is present but empty. At the bottom, there are two buttons: "Regresar" (Grey) and "Continuar" (Pink). On the right side of the page, there is a summary table with columns: Detalles, Cupones, and Gastos. The table shows values: \$0.00, \$0.00, and \$0.00 respectively. The overall background is dark grey.

TS_SMOKE_SUITE_082

#	Description	Elapsed	Status
	 A screenshot of a Liverpool payment interface. The main title is 'Selecciona una forma de pago' (Select a payment method). It shows a 'Datos de la tarjeta' (Card details) section with fields for 'Alias de tarjeta*' (Card alias), 'Nombre completo*' (Full name), 'Número de tarjeta' (Card number), and 'Código de seguridad' (Security code). There are also checkboxes for 'Usar el nombre de mi cuenta' (Use my account name) and 'Usar monedero digital \$32,789.00' (Use digital wallet \$32,789.00). Buttons at the bottom include 'Regresar' (Back) and 'Continuar' (Continue).		
	 A second screenshot of the same Liverpool payment interface, showing the same fields and layout as the first one.		

TS_SMOKE_SUITE_083

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 23-02-2024 11:09:48 End 23-02-2024 11:10:35

Elapsed 46.965s

Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Buscar1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	0.635s	FAILED

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at SearchForAProduct_search.run(SearchForAProduct_search:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_2441\}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:62576}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b15d7bb2e40647a393cf609f2622311 at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute</pre>		

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more)		


The screenshot shows a payment form for Liverpool. The main title is 'Liverpool' with a logo. Below it, there's a sub-section titled 'Confir' with two numbered steps: '1. Entreg' and '2. Forma'. Step 1 has dropdowns for 'AUTOC' and 'Regi CALIFI'. Step 2 has dropdowns for 'VISA' and 'MM/'. There are also fields for 'Fecha de vencimiento' and 'Código de seguridad'. A red circle with a question mark is over the 'Fecha de vencimiento' field. The main form is titled 'Datos de la tarjeta' and includes fields for 'Alias de tarjeta*', 'Nombre completo*', 'Fecha de vencimiento', and 'Código de seguridad'. A note says '*Campos obligatorios'. At the bottom are 'Regresar' and 'Continuar' buttons.

TS_SMOKE_SUITE_083


#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	46.045s	ERROR

TS_SMOKE_SUITE_083


#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		



A screenshot of a Liverpool payment form. The form is titled "Datos de la tarjeta" (Card details) and includes fields for "Alias de tarjeta*" (Credit card alias), "Nombre completo*" (Full name), "Fecha de vencimiento" (Expiration date), and "Código de seguridad" (Security code). There are also checkboxes for "Usar el nombre de mi cuenta" (Use my account name) and "Usar monedero digital \$32,789.00" (Use digital wallet \$32,789.00). At the bottom, there are "Regresar" (Back) and "Continuar" (Continue) buttons.




A screenshot of the Liverpool website homepage. The header features the Liverpool logo and a search bar. Below the header, there are navigation links for categories like "Categorías", "Mesa de regalos", "Mi crédito", and "Servicios". A promotional banner for "DESCUENTOS SIN CUENTOS" and "HOT SALE" is visible. The main content area shows a pink hair dryer and a red rose.



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

TS_SMOKE_SUITE_083

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains the placeholder "Buscar por producto, marca y más...". Below the search bar are links for "Mis Compras", "Hola Harish", and a notification badge with the number "2". The main content area features a pink hair dryer and a purple curling iron. On the left, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". The bottom of the page includes a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. Más información" with a close button "X".</p>		

TS_SMOKE_SUITE_086

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	23-02-2024 11:10:35	End	23-02-2024 11:13:07
Elapsed	2m - 31.394s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	32.931s	PASSED
2	waitForPageLoad(0) Wait for page load successfully	0.090s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	11.267s	PASSED
4	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	5.358s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	11.483s	PASSED
6	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.494s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
7	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.082s	PASSED
8	click(findTestObject("OPCPage/paymentMethod_change_OPCC")) Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on	5.500s	PASSED
9	click(findTestObject("OPCPage/paymentMethod_button2_OPCC")) Object: 'Object Repository/OPCPage/paymentMethod_button2_OPCC' is clicked on	1.598s	PASSED

TS_SMOKE_SUITE_086


#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="a-box__accordionIcon float-right">...</div> is not clickable at point (632, 364). Other element would receive the click: <div class="col-12 a-icon-options" >...</div> (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_14300}, fedcm:accounts: true, goog:</p>	12.970s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:62576}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: b15d7bb2e40647a393cfe609f2622311 at jdk.internal.reflect.GeneratedConstructorAccessor47.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
)	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:38) ... 15 more		




The screenshot shows a payment selection dialog box from Liverpool. The title bar says "Selecciona una forma de pago". There are three tabs at the top: "Tarjetas / Monedero" (selected), "PayPal" (highlighted in black), and "Efectivo y Transferencias". Below the tabs, it says "Paga a meses sin intereses con PayPal". A list of instructions follows: "Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales." and "El cobro de la tarjeta se realiza después de confirmar tu pedido en el último paso del proceso. Mientras tanto no se realiza ningún cargo.". A pink "Continuar" button is at the bottom right. At the bottom of the dialog, there is a radio button labeled "Usar monedero digital \$32,789.00". To the right of the dialog, the Liverpool payment interface shows a total of \$85.00, a discount of -\$4.00, and a final amount of \$0.00.


TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) </p>	11.792s	PASSED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more)</pre> 		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
	 A screenshot of a payment selection dialog box from Liverpool. The title bar says "Selecciona una forma de pago". There are three tabs: "Tarjetas / Monedero" (selected), "PayPal" (highlighted with a black border), and "Efectivo y Transferencias". Below the tabs, it says "Paga a meses sin intereses con PayPal". A note below states: "Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales. El cobro de la tarjeta se realiza después de confirmar tu pedido en el último paso del proceso. Mientras tanto no se realiza ningún cargo." At the bottom right is a pink "Continuar" button.		
12	click(findTestObject("OPCPage/button_continuar_payment_opc"))	0.548s	PASSED
	Object: 'Object Repository/OPCPage/button_continuar_payment_opc' is clicked on		
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC"))	5.360s	PASSED
	Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL)	11.231s	PASSED

com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by //div[@class='confirmation-section__gratitude'] not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by //div[@class='confirmation-section__gratitude'] not found
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92)
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)
at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:46)
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
)

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status														
	<p> Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>1. Entrega</p> <p>AUTOMATIONhkjzQWMZ Cambiar</p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p> PayPal Servicios Liverpool Cambiar</p> <p>* Difiere el total de tu compra a meses sin intereses con PayPal</p> <p>1 pago de \$1,051.00 con PayPal ></p> <p>3. Artículos y promociones</p> <table border="1"><thead><tr><th>Nombre</th><th>Precio</th><th>Cantidad</th><th>Total</th></tr></thead><tbody><tr><td> Vaso Old Fashion</td><td>\$ 05⁰⁰</td><td><input type="button" value="+"/></td><td><input type="button" value="1"/></td><td>\$ 05⁰⁰</td></tr><tr><td>Haus Malibú Super</td><td>\$ 51⁰⁰</td><td><input type="button" value="-"/></td><td><input type="button" value="1"/></td><td>\$ 51⁰⁰</td></tr></tbody></table> <p> La forma de entrega seleccionada requiere la compra de una cantidad mínima de piezas.</p> <p>He leido y acepto Términos, Condiciones y Aviso de Privacidad Terminar compra</p>	Nombre	Precio	Cantidad	Total	Vaso Old Fashion	\$ 05 ⁰⁰	<input type="button" value="+"/>	<input type="button" value="1"/>	\$ 05 ⁰⁰	Haus Malibú Super	\$ 51 ⁰⁰	<input type="button" value="-"/>	<input type="button" value="1"/>	\$ 51 ⁰⁰		
Nombre	Precio	Cantidad	Total														
Vaso Old Fashion	\$ 05 ⁰⁰	<input type="button" value="+"/>	<input type="button" value="1"/>	\$ 05 ⁰⁰													
Haus Malibú Super	\$ 51 ⁰⁰	<input type="button" value="-"/>	<input type="button" value="1"/>	\$ 51 ⁰⁰													

TS_SMOKE_SUITE_086


#	Description	Elapsed	Status
15	<pre>click(findTestObject("HomePage/logo_confirmPage")) Unable to click on object 'Object Repository/HomePage/logo_confirmPage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/logo_confirmPage' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:48) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (102, 20). Other element would receive the click: <div class=" m-mdc__snackBarLabel mdc-snackbar__label" id="" role="status" aria-live="polite">...</div> (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre>	12.090s	FAILED

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
122.0.6261.57	chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir31084_11001}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62576}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b15d7bb2e40647a393cfe609f2622311 at jdk.internal.reflect.GeneratedConstructorAccessor47.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebElement.click(EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
)	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1697733550990.run(Script1697733550990.groovy:48) ... 15 more		




The screenshot shows a web page titled "Confirma tu compra". It has two main sections: "Entrega" (Delivery) and "Forma de Pago" (Payment Method). Under "Entrega", there is a note about unregistered delivery addresses. Under "Forma de Pago", it shows a PayPal service from Liverpool with a payment option for \$1,051.00. To the right, a "Resumen de compra" (Purchase Summary) table provides details:

Resumen de compra	
Tienes un cupón disponible en tu bolsa	
Ver cupones	
Subtotal (3 productos):	\$1,085.00
Descuento:	\$34.00
Cupones:	\$0.00
Costo de envío:	Gratis

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.402s	ERROR

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status																
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  <p>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>Confirma tu compra</p> <p>Resumen de compra</p> <table><thead><tr><th>Subtotal (3 productos):</th><th>\$1,085.00</th></tr></thead><tbody><tr><td>Descuento:</td><td>\$34.00</td></tr><tr><td>Cupones:</td><td>\$0.00</td></tr><tr><td>Costo de envío:</td><td>Gratis</td></tr></tbody></table> <p>Utilizar datos de forma de pago como predeterminado</p> <p>1. Entrega</p> <p>AUTOMATIONhkjzQWMZ</p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>PayPal Servicios Liverpool</p> <p>* Difiere el total de tu compra a meses sin intereses con PayPal</p> <p>1 pago de \$1,051.00 con PayPal</p> <p>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>Confirma tu compra</p> <p>Resumen de compra</p> <table><thead><tr><th>Subtotal (3 productos):</th><th>\$1,085.00</th></tr></thead><tbody><tr><td>Descuento:</td><td>\$34.00</td></tr><tr><td>Cupones:</td><td>\$0.00</td></tr><tr><td>Costo de envío:</td><td>Gratis</td></tr></tbody></table> <p>Utilizar datos de forma de pago como predeterminado</p> <p>1. Entrega</p> <p>AUTOMATIONhkjzQWMZ</p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>PayPal Servicios Liverpool</p> <p>* Difiere el total de tu compra a meses sin intereses con PayPal</p> <p>1 pago de \$1,051.00 con PayPal</p>	Subtotal (3 productos):	\$1,085.00	Descuento:	\$34.00	Cupones:	\$0.00	Costo de envío:	Gratis	Subtotal (3 productos):	\$1,085.00	Descuento:	\$34.00	Cupones:	\$0.00	Costo de envío:	Gratis		
Subtotal (3 productos):	\$1,085.00																		
Descuento:	\$34.00																		
Cupones:	\$0.00																		
Costo de envío:	Gratis																		
Subtotal (3 productos):	\$1,085.00																		
Descuento:	\$34.00																		
Cupones:	\$0.00																		
Costo de envío:	Gratis																		

TS_SMOKE_SUITE_086

#	Description	Elapsed	Status
---	-------------	---------	--------

Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas

Confirma tu compra

Utilizar datos de forma de pago como predeterminado

1. Entrega

AUTOMATIONhkjzQWMZ [Cambiar](#)

Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA

2. Forma de Pago

PayPal Servicios Liverpool [Cambiar](#)

* Difiere el total de tu compra a meses sin intereses con PayPal

1 pago de \$1,051.00 con [PayPal](#) >

Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas

Resumen de compra

Tienes un cupón disponible en tu bolsa
[Ver cupones](#)

Cupones (2 disponibles) >

Subtotal (3 productos):	\$1,085.00
Descuento:	\$34.00
Cupones:	\$0.00
Otros descuentos	Otro

Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas

Confirma tu compra

Utilizar datos de forma de pago como predeterminado

1. Entrega

AUTOMATIONhkjzQWMZ [Cambiar](#)

Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA

2. Forma de Pago

PayPal Servicios Liverpool [Cambiar](#)

* Difiere el total de tu compra a meses sin intereses con PayPal

1 pago de \$1,051.00 con [PayPal](#) >

Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas

Resumen de compra

Tienes un cupón disponible en tu bolsa
[Ver cupones](#)

Cupones (2 disponibles) >

Subtotal (3 productos):	\$1,085.00
Descuento:	\$34.00
Cupones:	\$0.00
Otros descuentos	Otro

TS_SMOKE_SUITE_087

Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	23-02-2024 11:13:07	End	23-02-2024 11:15:18
Elapsed	2m - 10.648s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to ' https://odtaqaa.liverpool.com.mx ' successfully	12.948s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE) Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	21.037s	PASSED
3	waitForPageLoad(0) Wait for page load successfully	0.093s	PASSED
4	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL) Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	4.017s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP")) Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	11.875s	PASSED
6	click(findTestObject("HomePage/bag_header_HP")) Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.693s	PASSED


TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
7	click(findTestObject("CartPage/BuyButton_Cart")) Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.743s	PASSED
8	click(findTestObject("OPCPage/paymentMethod_change_OPc"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_change_OPc' is clicked on	6.207s	PASSED
9	click(findTestObject("OPCPage/paymentMethod_button1_OPc"), OPTIONAL) Object: 'Object Repository/OPCPage/paymentMethod_button1_OPc' is clicked on	3.458s	PASSED
10	setText(findTestObject("OPCPage/enterCardCVV_OPc"), "413", OPTIONAL) Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPc'	0.923s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPc"), "1225", OPTIONAL) Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPc'	0.976s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL) Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.597s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPc")) Object: 'Object Repository/OPCPage/Final_comparar_OPc' is clicked on	7.632s	PASSED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation- section__gratitude']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	21.606s	FAILED

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more)		
	 <p>Solicitud de Pago</p> <p>Comercio: Liverpool Pruebas</p> <p>Concepto: Liverpool</p> <p>Importe: \$ 15.00 MXN</p> <p>Parametro inválido</p> <p>Regresar</p> <p>BBVA</p> <p>© Openpay S.A. de C.V. Todos los derechos reservados</p> <p>Desarrollado por </p>		

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.674s	ERROR

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" and "Hola KlinKPKJV" buttons. Further right is a lock icon indicating a secure connection. The main content area features a large banner for "DESCUENTOS SIN CUENTOS" and "HOT SALE". Below the banner, there are two product images: a colorful tote bag and a teal crocodile-patterned wallet. A vertical sidebar on the right says "Te escuchamos" with a speech bubble icon.

This screenshot is identical to the one above, showing the Liverpool homepage with its signature pink header, search bar, and promotional banners for discounts and sales. The layout includes the same navigation links and a sidebar with the message "Te escuchamos".

This screenshot is also identical to the previous ones, displaying the Liverpool website's home page with its characteristic design elements and promotional content.

TS_SMOKE_SUITE_087

#	Description	Elapsed	Status
	Más información'." data-bbox="93 148 712 382"/>		

TS_SMOKE_SUITE_088

Information

ID Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 23-02-2024 11:15:18 End 23-02-2024 11:16:53

Elapsed 1m - 35.211s

Status FAILED

Details

#	Description	Elapsed	Status
1	navigateToUrl(URL) Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	16.164s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP")) Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	0.647s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.572s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0) Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.872s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount")) Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	7.783s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	1.222s	PASSED



TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	4.543s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM")) Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.383s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM")) Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.411s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM")) Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.592s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM")) Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.327s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805") Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	0.909s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount")) Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.483s	PASSED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation- section__gratitude']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	30.274s	FAILED

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more) 		
			

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708663183856.run(TempTestSuite1708663183856.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	29.788s	ERROR

TS_SMOKE_SUITE_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

1. Selecciona tus números a recargar

mobile
5542140023
Telcel

Tipo de recarga:
Tiempo Aire

Monto de recarga:
TELCEL 30 Pesos

2. Selecciona tu forma de pago

VISA VISA TEST *3065
Predefinida

Fecha de vencimiento:
*Campos obligatorios

Mes: 03 Año: 2026

CVV:
¿Qué es esto?

new card *2627

Resumen de mi recarga

Subtotal(1 recarga): \$30.00

Total: \$30.00

Finalizar recarga

Al hacer click en Finalizar recarga admites estar de acuerdo con nuestros [Términos y condiciones](#)

DESCUENTOS SIN CUENTOS

HOT SALE

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Mas información](#)

DESCUENTOS SIN CUENTOS

HOT SALE

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Mas información](#)