

# ArrangeByLogin

## Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.0.212
Browser	Chrome 122.0.0.0

## Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	45	Failed	8
Error	2	Incomplete	0
Skipped	0		
Start	23-02-2024 19:29:20	End	23-02-2024 20:33:07
Elapsed	1h - 3m - 47.079s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	PASSED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	ERROR
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

# ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	PASSED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	PASSED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	FAILED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	PASSED

# ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	PASSED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	PASSED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs.  Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	ERROR
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	PASSED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	PASSED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	PASSED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	FAILED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	FAILED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

# ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	PASSED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	FAILED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	PASSED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	PASSED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	PASSED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	FAILED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	PASSED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	FAILED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

# TS\_SMOKE\_SUITE\_001

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	23-02-2024 19:29:44	End	23-02-2024 19:30:08
Elapsed	24.203s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)	0.429s	<b>PASSED</b>
<a href="#">Object 'Object Repository/HomePage/Logo_hp' is present</a>			

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.548s	ERROR

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_002

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

23-02-2024 19:30:08

End

23-02-2024 19:30:35

26.336s

PASSED

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)  Object 'Object Repository/HomePage/Logo_hp' is present	0.314s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0)  Object 'Object Repository/HomePage/Departamentos' is present	0.330s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0)  Object 'Object Repository/HomePage/brand1_HP' is present	0.314s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0)  Object 'Object Repository/HomePage/brand2_HP' is present	0.297s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0)  Object 'Object Repository/HomePage/brand3_HP' is present	0.330s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0)  Object 'Object Repository/HomePage/brand4_HP' is present	0.315s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0)  Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.346s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0)  Object 'Object Repository/HomePage/credito_HP' is present	0.361s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0)  Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.333s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0)  Object 'Object Repository/HomePage/Iniciar sesion' is present	0.301s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0)  Object 'Object Repository/HomePage/Tiendas_HP' is present	0.294s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0)  Object 'Object Repository/HomePage/Ayuda_HP' is present	0.315s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.423s	ERROR

# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
---	-------------	---------	--------



# TS\_SMOKE\_SUITE\_003

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	23-02-2024 19:30:35	End	23-02-2024 19:31:25
Elapsed	50.234s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.078s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	23.481s	PASSED
3	mouseOver(findTestObject("HomePage/Departamentos"))  Object: 'Object Repository/HomePage/Departamentos' is hovered	0.690s	PASSED
4	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))  Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.330s	PASSED
5	click(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on	0.406s	PASSED
6	mouseOver(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.726s	PASSED
7	verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP"))  Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable	0.349s	PASSED

## TS\_SMOKE\_SUITE\_003

---

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP"))  <a href="#">Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable</a>	0.322s	PASSED


## TS\_SMOKE\_SUITE\_003

---


#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.768s	ERROR

# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". Below the search bar is a secondary navigation bar with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selecciona tu tienda". A "BYD" link is also present. The main content area features a large image of a Givenchy Irresistible perfume bottle on the left and a "BEAUTY DAY" promotional banner on the right. The banner includes a flower illustration, the text "BEAUTY DAY", "Compra hoy y paga hasta mayo", and a small "Oleg" logo. At the bottom of the page, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_007

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	23-02-2024 19:31:25	End	23-02-2024 19:32:05
Elapsed	39.975s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	waitForPageLoad(5)  Wait for page load successfully	0.040s	PASSED
2	click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on	0.443s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0)  Object 'Object Repository/HomePage/EnterUsername_LP' is present	7.615s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0)  Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.335s	PASSED
5	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	8.477s	PASSED

# TS\_SMOKE\_SUITE\_007


---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.962s	ERROR

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras", "Iniciar sesión", and a notification badge showing "0". Below the search bar is a secondary navigation bar with "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selección tu tienda" dropdown. A large image of a Givenchy Irresistible perfume bottle is prominently displayed on the left. On the right, there's a "BEAUTY DAY" promotional graphic featuring a flower, the text "BEAUTY DAY", and the message "Compra hoy y paga hasta mayo con Tarjetas Liverpool". The background of the page is light blue.</p>		

# TS\_SMOKE\_SUITE\_008

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"( Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	23-02-2024 19:32:05	End	23-02-2024 19:32:55
Elapsed	49.638s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE)	0.395s	PASSED
Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on			
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0)	8.293s	PASSED
Object 'Object Repository/SLP/breadCrumb_SLP' is present			
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0)	0.307s	PASSED
Object 'Object Repository/SLP/Map_Verify_slp' is present			
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0)	0.320s	PASSED
Object 'Object Repository/SLP/find_store_title_SLP' is present			
5	navigateToUrl(URL)	17.799s	PASSED
Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully			

## TS\_SMOKE\_SUITE\_008


---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.430s	ERROR

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" is displayed, featuring a flower icon and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A perfume bottle labeled "IRRESISTIBLE GIVENCHY" is shown on the left side of the banner. The background of the page features a blurred image of a person holding a perfume bottle against a sunset sky.</p>		

# TS\_SMOKE\_SUITE\_009

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	23-02-2024 19:32:55	End	23-02-2024 19:33:35
Elapsed	40.196s		
Status	PASSED		


## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.430s	PASSED
2	click(findTestObject("HomePage/Iniciar_miscompras"))  Object: 'Object Repository/HomePage/Iniciar_miscompras' is clicked on	1.671s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0)  Object 'Object Repository/HomePage/EnterUsername_LP' is present	4.086s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0)  Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.302s	PASSED

# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	33.613s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully



# TS\_SMOKE\_SUITE\_013

---

## Information

ID Test Cases/ArangeByLogin/HomePage/TS\_SMOKE\_SUITE\_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 23-02-2024 19:33:35 End 23-02-2024 19:34:18

Elapsed 43.535s

Status **ERROR**

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.116s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	18.637s	PASSED

## TS\_SMOKE\_SUITE\_013

---

#	Description	Elapsed	Status
3	randomemail = a.GenerateRandomEmail.generateRandomEmail()  Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013 FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.a.GenerateRandomEmail.generateRandomEmail() is applicable for argument types: () values: [] at TS_SMOKE_SUITE_013.run(TS_SMOKE_SUITE_013:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.034s	ERROR

# TS\_SMOKE\_SUITE\_013


---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.587s	ERROR

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_039

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	23-02-2024 19:34:18	End	23-02-2024 19:34:49
Elapsed	30.214s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE)	0.439s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Departamentos' is clicked on			
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))	0.559s	<b>PASSED</b>
Object 'Object Repository/HomePage/L1_Category1_HP' is clickable			
3	click(findTestObject("HomePage/L1_Category_HP"))	0.341s	<b>PASSED</b>
Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on			
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	5.976s	<b>PASSED</b>
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			

# TS\_SMOKE\_SUITE\_039

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.825s	ERROR

TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



|
Buscar

[Mis Compras](#)
[Iniciar sesión](#)

Categorías
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼

[Tiendas](#)
[Ayuda](#)

Selecciona tu tienda
|
BYD

[Home](#) > [Belleza](#)

Belleza

[Bath y Body](#)
[Perfumería y Cosméticos](#)
[Salud](#)

## BELLEZA

No importa si eres beauty blogger, professional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



Conoce la nueva experiencia ¡Así te quedarás!

1. Haz click en Pruébalo.
2. Sube una foto o habilita tu cámara.
3. Elige el tono del producto que deseas probar.
4. Descubre cómo se te ve el tono en tiempo real.









iEntérate antes que nadie! Regístrate y recibe las mejores promociones

[Suburbia](#)
[Pottery Barn](#)
[Pottery Barn Kids](#)
[Williams Sonoma](#)
[West Elm](#)
[GAP](#)
[Banana Republic](#)
≡
[Toys R Us](#)




|
Buscar

[Mis Compras](#)
[Iniciar sesión](#)



# TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_047

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_047

Description To verify the display of facets on the item listing page

Tag

Start 23-02-2024 19:34:49 End 23-02-2024 19:35:28

Elapsed 39.367s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	7.879s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	6.795s	<b>PASSED</b>
	Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable		
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.362s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present		
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.589s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present		
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.413s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present		
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.314s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present		

## TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.389s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.360s	PASSED

# TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.166s	ERROR

TS\_SMOKE\_SUITE\_047

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



X
[Mis Compras](#)
[Iniciar sesión](#)

[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)

[Tiendas](#)
[Ayuda](#)

Selecciona tu tienda

[BYD](#)

[Home > ropa](#)

"ropa" (945 resultados)

Ordenar por:

945 Productos

### Categorías

- Moda
- Ella
- Ropa Mujer
- Caballeros
- Niños
- Prueba BT
- Muebles
- Bebés

**MODERNOS A MANO**

Pantalón para Dama Rue de la Paix

624\$  
\$1440

**Y/o recibe20% en monedero**



Pantalón para Dama Ivvonne

**Y/o recibe20% en monedero**




**¡Entérate antes que nadie! Regístrate y recibe las mejores promociones**

[Suburbia](#)
[Pottery Barn](#)
[Pottery Barn Kids](#)
[Williams Sonoma](#)
[West Elm](#)
[GAP](#)
[Banana Republic](#)
[Toys R Us](#)



X
[Mis Compras](#)
[Iniciar sesión](#)

[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)


[Tiendas](#)
[Ayuda](#)

Selecciona tu tienda

[BYD](#)



# TS\_SMOKE\_SUITE\_047

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_048

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 23-02-2024 19:35:28 End 23-02-2024 19:36:08

Elapsed 39.943s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "silla frandiss"}], STOP_ON_FAILURE)	7.757s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	9.707s	<b>PASSED</b>
Text of object 'Object Repository/PLPPage/product1_cardPrice_PLP' is: '\$50000 - \$1,51500'			
3	verify price range	0.300s	<b>PASSED</b>
Text of object 'Object Repository/PLPPage/product1_discountPrice_PLP' is: '\$30000 - \$90900'			
4	a1 = a.contains("-")	0.001s	<b>PASSED</b>
5	b1 = b.contains("-")	0.000s	<b>PASSED</b>
6	out.println(a1)	0.013s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
7	out.println(b1)	0.001s	PASSED
8	if (a1 == true && b1 == true)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.025s	ERROR


# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page. The search bar at the top contains the query "silla frandiss". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays 78 products related to the search term. On the left, a sidebar lists categories such as "Prueba BT", "Muebles", "Prueba Multi Muebles", "HogarNew", "Ella", "Moda", "Ropa Mujer", and "Caballeros". The central area features several product thumbnails, including a purple wireframe chair, a beige office chair, and a black office chair. Promotional banners for "Y/o recibe45% en monedero" are visible above the products. At the bottom of the page, there is a banner encouraging users to register for early promotions.



# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_049

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			
Start	23-02-2024 19:36:08	End	23-02-2024 19:36:44
Elapsed	36.118s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rateCPandDP], STOP_ON_FAILURE)	7.889s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	5.136s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	0.307s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			

# TS\_SMOKE\_SUITE\_049

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.719s	ERROR


# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows the Liverpool website's search results page for the query "sony". The search bar at the top contains "sony". Below it, there are filters for "Categorías" (Muebles, Decoración e Iluminación, Deportes, Mesa y Bar, Videoguegos, Ventanas y Alfombras, Baterías y Sartenes), "Tiendas" (BYD), and "Ayuda". The main content area displays 30 products, with three items visible: a PS4 game case for "FIFA 21", a smartphone, and another PS4 game case for "MAX: The Curse of Brotherhood". A sidebar on the left lists categories like Muebles, Decoración e Iluminación, Deportes, etc. A banner at the bottom encourages users to register for promotions.

The screenshot shows the Liverpool website's homepage. It features a large advertisement for Givenchy's "IRRESISTIBLE" perfume. To the right of the perfume is a graphic for "BEAUTY DAY" with the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink banner on the right says "Te escuchamos". The top navigation bar includes links for "Categorías" (Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, Toys R Us), "Tiendas" (BYD), and "Ayuda". The search bar at the top has the placeholder "Buscar por producto, marca y más...".

# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_055

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 23-02-2024 19:36:44 End 23-02-2024 19:37:32

Elapsed 47.964s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":search2price], STOP_ON_FAILURE)	9.095s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product6_Cardprrice_PLP"))	5.880s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/product6_Cardprrice_PLP' is clicked on			
3	verify milti sku	17.832s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
4	verify price range	2.296s	<b>PASSED</b>
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

## TS\_SMOKE\_SUITE\_055

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	12.784s	ERROR

# TS\_SMOKE\_SUITE\_055


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's header with a search bar containing 'tenis'. Below the header, there are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to 'Selecciona tu tienda'. The main content area shows a search result for 'Tenis para Caballero Converse'. It includes a product image of a woman, the product name, a star rating of 4.5 stars, and a price of \$150.00. To the right of the product details are two callout boxes: one for 'Recoge en 2 Horas' (Pick up in 2 hours) and another for 'Recibe a domicilio' (Deliver to home). Both boxes contain descriptive text and links for more information.

The screenshot shows the Liverpool website's header with a search bar containing 'Buscar por producto, marca y más..'. Below the header, there are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to 'Selecciona tu tienda'. The main content area features a large promotional banner for 'BEAUTY DAY'. The banner features a perfume bottle and text encouraging purchases before May. A vertical pink sidebar on the right says 'Te escuchamos' with a speech bubble icon.



# TS\_SMOKE\_SUITE\_055

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is the Liverpool logo and a search bar with the placeholder "Buscar por producto, marca y más...". The navigation menu includes links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. On the right side of the header, there are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". Below the header, there's a secondary navigation bar with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selección tu tienda". A small "BYD" link is also visible. The main content area features a large image of a Givenchy Irresistible perfume bottle held by a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right says "Te escuchamos" with a speaker icon. The bottom of the page has a decorative patterned footer.</p>		

# TS\_SMOKE\_SUITE\_054

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 23-02-2024 19:37:32 End 23-02-2024 19:38:39

Elapsed 1m - 7.168s

Status PASSED

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.145s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	26.028s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"zap"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.269s	PASSED
4	click(findTestObject("PLPPage/product1_PLP"))  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	6.957s	PASSED
5	verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0)  Object 'Object Repository/PDPPage/Colour1_PDP' is present	12.307s	PASSED
6	verify sku not present  Web element with id: 'Object Repository/PDPPage/Colour2_PDP' located by 'By.xpath: //ul[@id='color-list-mobile']/li[2]' is not present after '10' second(s)	0.287s	PASSED

## TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
7	verify discount price present	0.304s	PASSED
Object 'Object Repository/PDPPage/discountPrice_PDP' is present			
8	verify card price present	0.292s	PASSED
Object 'Object Repository/PDPPage/cardPrice_PDP' is present			

## TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.506s	ERROR

# TS\_SMOKE\_SUITE\_054


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a product page for 'Tenis para Caballero Vans'. The product image is a black and white photo of a Vans sneaker. The price is listed as \$669.00, with a red crossed-out price of \$451.58. A promotional button 'Ver más promociones' is visible. To the right, there are two boxes: one for 'Recoge en 2 Horas' (Collect in 2 hours) and another for 'Envío gratis a todo el país' (Free shipping worldwide). The page also includes a breadcrumb navigation: Home > Deportes > Zapatos > Él > Casual.

This screenshot shows a different product page on the Liverpool website. It features a large image of a Givenchy Irresistible perfume bottle. To the right, there is a banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo' (Buy today and pay until May). A vertical sidebar on the right says 'Te escuchamos' (We listen to you) with a speech bubble icon. The top navigation bar includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

The screenshot displays a promotional banner for 'BEAUTY DAY'. It features a large image of a perfume bottle and the text 'BEAUTY DAY' in large, colorful letters. Below it, it says 'Compra hoy y paga hasta mayo' (Buy today and pay until May). A vertical sidebar on the right says 'Te escuchamos' (We listen to you) with a speech bubble icon. At the bottom, there is a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)'.

# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is the Liverpool logo and a search bar with the placeholder "Buscar por producto, marca y más...". The navigation menu includes links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. There are also links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to select a store. A notification badge with the number "0" is visible. On the left side, there's a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo". A vertical pink bar on the right says "Te escuchamos" with three dots. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_056

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_056

Description To verify the display of PDP for single sku

Tag

Start 23-02-2024 19:38:39 End 23-02-2024 19:39:27

Elapsed 48.116s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm": "pantalon"], STOP_ON_FAILURE)	7.680s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	7.534s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	18.373s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	0.704s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	0.405s	<b>PASSED</b>
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.332s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.324s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))  <a href="#">Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable</a>	0.300s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP"))  <a href="#">Object 'Object Repository/PDPPage/Detail_PDP' is clickable</a>	0.336s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp"))  <a href="#">Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable</a>	0.292s	PASSED

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.769s	ERROR

# TS\_SMOKE\_SUITE\_056


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a product page for a "Pantalon Everlast". The product image is a small thumbnail. The price is listed as \$109.00, with a crossed-out original price of \$132.30. A "Ver más promociones" link is present. The quantity selector shows "1". To the right, there are two call-to-action boxes: one for "Recoge en 2 Horas" (Collect in 2 hours) and another for "Envío gratis a todo el país" (Free shipping worldwide). Below these are links for "Código de Producto: 60230301", "Opiniones" (Reviews), and "Compra mínima 2 piezas" (Minimum purchase of 2 pieces).

This screenshot shows a different product page. The top navigation bar includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main content area features a large image of a perfume bottle labeled "IRRESISTIBLE GIVENCHY". To the right, there is a promotional banner for "BEAUTY DAY" with the text "Compra hoy y paga hasta mayo" (Buy today and pay until May). A vertical pink sidebar on the right says "Te escuchamos" (We listen to you) with a speech bubble icon.



# TS\_SMOKE\_SUITE\_056

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a pink flower and the text "Compra hoy y paga hasta mayo". On the right side, there's a vertical bar with the text "Te escuchamos" and a small speaker icon. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>".</p>		

# TS\_SMOKE\_SUITE\_057

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_057

Description To verify the display of PDP for multi sku item

Tag

Start 23-02-2024 19:39:27 End 23-02-2024 19:40:04

Elapsed 36.184s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016539127"], STOP_ON_FAILURE)	9.748s	<b>PASSED</b>
	<a href="#">Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully</a>		
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	11.895s	<b>PASSED</b>
	<a href="#">Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable</a>		
3		0.317s	<b>PASSED</b>
	<a href="#">Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable</a>		
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.289s	<b>PASSED</b>
	<a href="#">Object 'Object Repository/PDPPage/Colour1_PDP' is clickable</a>		
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	0.308s	<b>PASSED</b>
	<a href="#">Object 'Object Repository/PDPPage/Colour2_PDP' is clickable</a>		
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.559s	<b>PASSED</b>
	<a href="#">Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable</a>		

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))  Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.352s	PASSED
8	  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.305s	PASSED
9	verify pdp price  Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.322s	PASSED
10	verify pdp price  Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.292s	PASSED
11	verify pdp price  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.317s	PASSED

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.422s	ERROR


# TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows a product page for 'Jeans Aéropostale para Dama'. The product image is a placeholder with the text 'IMAGEN EN VENTA'. The product title is 'Jeans Aéropostale para Dama'. The price is \$479.00, with a red strikethrough of \$335.30. There is a link to 'Ver más promociones'. Below the price, it says 'Envío gratis a todo el país'. The quantity selector shows 'Cantidad: 1'. To the right, there are two boxes: one for 'Recoge en 2 Horas' (with a note to 'Selecciona una tienda') and another for 'Recibe a domicilio' (with a note to 'Ingresá tu código postal'). At the bottom, there is a call-to-action 'iEntérate antes que nadie! Registrate y recibe las mejores promociones'.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a large image of a Givenchy perfume bottle labeled 'IRRESISTIBLE'. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters. Below it, it says 'Compra hoy y paga hasta mayo'. On the right side, there is a vertical pink bar with the text 'Te escuchamos' and a small speaker icon. At the bottom, there is a note about accepting cookies and a link to 'Más información'.

# TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a pink flower and the text "Compra hoy y paga hasta mayo". On the right side, there's a vertical pink bar with the text "Te escuchamos" and a small speaker icon. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>".</p>		

# TS\_SMOKE\_SUITE\_059

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	23-02-2024 19:40:04	End	23-02-2024 19:40:39
Elapsed	35.450s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.167s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	4.867s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.342s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			

# TS\_SMOKE\_SUITE\_059

---


#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.004s	ERROR

# TS\_SMOKE\_SUITE\_059

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results for the term 'mac'. The search bar at the top contains 'mac'. Below it, a search result for 'mac' is displayed, showing 110 results. On the left, a sidebar lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Prueba Multi Cocción, Ella, Artes y Manualidades, Caballeros, and Accesorios. In the center, there are product cards for 'M.A.C Pigment' (price \$355) and 'M.A.C. Half Lash Curler' (price \$335). A promotional banner for 'BEAUTY DAY' is visible on the right side of the page.

# TS\_SMOKE\_SUITE\_059

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower and the text "Compra hoy y paga hasta mayo". On the right side, there's a vertical pink bar with the text "Te escuchamos" and a small speaker icon. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>".</p>		

# TS\_SMOKE\_SUITE\_060

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 23-02-2024 19:40:39 End 23-02-2024 19:42:02

Elapsed 1m - 22.722s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.059s	<b>PASSED</b>
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	35.281s	<b>PASSED</b>
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.168s	<b>PASSED</b>
4	waitForPageLoad(0)  Wait for page load successfully	0.012s	<b>PASSED</b>
5	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	8.293s	<b>PASSED</b>
6	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE)  Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (110)'	0.334s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
7	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE)	0.411s	PASSED
	Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on		
8	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP"))	6.494s	PASSED
	Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "		
9	out.println(a)	0.001s	PASSED
10	out.println(b)	0.001s	PASSED
11	if (a.contains(b))	0.011s	PASSED

# TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.548s	ERROR


# TS\_SMOKE\_SUITE\_060

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a search results page for "mac" on the Liverpool website. The search bar at the top contains "mac". Below it, there's a navigation bar with links like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selecciona tu tienda" dropdown. The main content area displays a grid of 110 products. On the left, there are filters for "Filtros" (set to "Liverpool") and "Categorías" (listing "MAC", "Belleza", "Prueba Ciclo 3 20", "Julio Modificado", and "Prueba Multi Cocción"). One product is highlighted: "M-A-C Pigment" priced at \$355<sup>00</sup>. Another product shown is "M.A.C. Half Lash Curler" at \$335<sup>00</sup>. A promotional banner at the bottom says "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones".

This screenshot shows a different section of the Liverpool website. It features a large image of a Givenchy Irresistible perfume bottle. To the right, there's a graphic for "BEAUTY DAY" with a flower icon and the text "Compra hoy y paga hasta mayo". A vertical pink banner on the right says "Te escuchamos" with a smiley face emoji. At the bottom, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)" with a close button "X".

# TS\_SMOKE\_SUITE\_060

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Enterate antes que nadie! Regístrate y recibe las mejores promociones'. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo'. A vertical red sidebar on the right says 'Te escuchamos' with three dots. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>' with a close button 'X'.</p>		

# TS\_SMOKE\_SUITE\_061

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_061

Description To verify the functionality of pagination in search result page.

Tag search

Start 23-02-2024 19:42:02 End 23-02-2024 19:42:57

Elapsed 55.568s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	7.816s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.012s	<b>PASSED</b>
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	3.834s	<b>PASSED</b>
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.029s	<b>PASSED</b>
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.412s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.008s	<b>PASSED</b>
Delayed 10 second(s)			
7	a1 = getUrl()	0.017s	<b>PASSED</b>
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
8	out.println(a1)	0.005s	PASSED
9	a = a1.contains("page-2")	0.001s	PASSED
10	out.println(a)	0.000s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.285s	PASSED
12	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.390s	PASSED
14	delay(10)  Delayed 10 second(s)	10.010s	PASSED
15	if (a == true)	0.002s	PASSED
16	b1 = getUrl()  Current window's url is: ' <a href="https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac">https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac</a> '	0.023s	PASSED
17	b = b1.contains("page-1")	0.001s	PASSED

## TS\_SMOKE\_SUITE\_061

---

#	Description	Elapsed	Status
18	out.println(b1)	0.001s	PASSED
19	if (b == true)	0.001s	PASSED

# TS\_SMOKE\_SUITE\_061

---

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.587s	ERROR


# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a search results page for "mac" on the Liverpool website. The search bar at the top contains "mac". Below it, there's a navigation bar with links like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays a search result for "mac" with 110 results. On the left, a sidebar lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Prueba Multi Cocción, Ella, Artes y Manualidades, Caballeros, and Accesorios. In the center, there are product cards for "M-A-C Pigment" (price \$355) and "M.A.C. Half Lash Curler" (price \$335). A promotional banner at the bottom encourages users to register for early access to promotions.

This screenshot shows a different section of the Liverpool website. It features a large image of a Givenchy Irresistible perfume bottle. To the right, there's a graphic for "BEAUTY DAY" with a flower icon and the text "Compra hoy y paga hasta mayo". A vertical red banner on the right says "Te escuchamos" with a smiley face emoji. At the bottom, a cookie consent message in Spanish states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Enterate antes que nadie! Regístrate y recibe las mejores promociones'. The main content area features a large image of a Givenchy Irresistible perfume bottle. To the right of the bottle is a promotional banner for 'BEAUTY DAY' with the text 'Compra hoy y paga hasta mayo'. A vertical sidebar on the right says 'Te escuchamos' with three dots. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>' with a close button 'X'.</p>		

# TS\_SMOKE\_SUITE\_062

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_062

Description To verify display of price for the product in search result page.

Tag

Start 23-02-2024 19:42:57 End 23-02-2024 19:43:35

Elapsed 37.264s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	7.628s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.010s	<b>PASSED</b>
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	7.120s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.323s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

# TS\_SMOKE\_SUITE\_062

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.121s	ERROR

# TS\_SMOKE\_SUITE\_062


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term "vaso". The search bar at the top contains "vaso". Below the search bar, there are navigation links for "Mis Compras", "Iniciar sesión", and a lock icon. The main content area displays a search result for "vaso" with 76 results. On the left, a sidebar lists categories such as HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, and Mesa v Bar. In the center, three glass products are shown: "Vaso Old Fashion Haus Malibú Super Fondo" (price \$99.00), "Vaso Villero & Boch Humo Colour Concept" (price \$96.50), and "Vaso Lines Hb Transparente". At the bottom of the page, there is a promotional banner for "iEntérate antes que nadie! Regístrate y recibe las mejores promociones". The footer includes links to various brands like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

This screenshot shows another view of the Liverpool website's search results for "vaso". The layout is similar to the previous one, featuring a search bar with "vaso", navigation links for "Mis Compras", "Iniciar sesión", and a lock icon. The main content area shows a grid of products, with three glasses visible. The sidebar on the left lists categories like HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, and Mesa v Bar. The footer includes links to brands such as Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



# TS\_SMOKE\_SUITE\_062

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower illustration and the text "Compra hoy y paga hasta mayo". On the far right, a vertical pink bar says "Te escuchamos" with three dots. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_063

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_063

Description To verify the display of the color swatches in search result page

Tag

Start 23-02-2024 19:43:35 End 23-02-2024 19:44:09

Elapsed 34.246s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":colour], STOP_ON_FAILURE)	7.978s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.012s	<b>PASSED</b>
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/facetes/ColorTitleFacet_PLP"), 0)	3.835s	<b>PASSED</b>
	Scroll to object 'Object Repository/PLPPage/facetes/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/facetes/Color_1_facet_PLP"), 0)	0.312s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/Color_1_facet_PLP' is present		

# TS\_SMOKE\_SUITE\_063

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.036s	ERROR

# TS\_SMOKE\_SUITE\_063

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a shopping interface with various filters and product thumbnails.

**Color:** A color palette with yellow, blue, dark blue, orange, red, and brown. Below it are two small colored circles. A "Ver más" link is present.

**Precios:** Price range filters:

- Menos de \$100.0 (15)
- \$100.0 -\$500.0 (66)
- \$500.0 -\$1000.0 (12)
- \$1000.0 -\$2000.0 (10)
- Mas de \$2000.0 (12)

A "Mínimo" and "Máximo" input field is at the bottom, along with arrows for navigation.

**Products:** Three main product thumbnails are shown:

- A pair of black cargo-style pants.
- A white t-shirt with a red "PEPE JEANS LONDON" logo.
- A gold-colored MAC cosmetics set (mascara and brush).

The screenshot shows the Liverpool website homepage with a search bar and navigation links.

**Header:** Includes a search bar with placeholder "iEntérate antes que nadie! Regístrate y recibe las mejores promociones", a login link "Mis Compras", and a session status "Iniciar sesión".

**Navigation:** Links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

**Footer:** Includes a "Categorías" dropdown, "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a "Selección tu tienda" button.

The screenshot shows a beauty advertisement for "BEAUTY DAY".


**Product:** A bottle of Givenchy "IRRESISTIBLE" perfume.

**Text:** "BEAUTY DAY", "Compra hoy y paga hasta mayo", and "OJO".

**Callout:** "Te escuchamos" with a smiling emoji.

**Cookie Notice:** "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)" with a close button "X".

# TS\_SMOKE\_SUITE\_063

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is the Liverpool logo and a search bar with the placeholder "Buscar por producto, marca y más...". The navigation menu includes links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. There are also links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to select a store. A promotional banner for "BEAUTY DAY" features a flower icon and the text "Compra hoy y paga hasta mayo". On the right side, a vertical bar says "Te escuchamos" with three dots. At the bottom, a cookie consent message states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_069

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069
Description	To verify the search result page when user selects the price as sorting option

Tag

Start	23-02-2024 19:44:09	End	23-02-2024 19:45:16
Elapsed	1m - 7.014s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.959s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	click(findTestObject("PLPPage/Sortby_PLP"))	3.876s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	10.621s	PASSED
	Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on		
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	4.309s	PASSED
	Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1900'		
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.650s	PASSED
	Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'		
6	if (productcardprice3 <= productcardprice4)	0.001s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.371s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		

# TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP"))  Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	11.014s	PASSED
9	delay(5)  Delayed 5 second(s)	5.003s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	0.315s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.295s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.001s	PASSED

# TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.504s	ERROR

# TS\_SMOKE\_SUITE\_069


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term "vaso". The search bar at the top contains "vaso". Below the search bar, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selecciona tu tienda". The main content area displays 76 results for "vaso". A sidebar on the left lists categories: HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, and Mesa v Bar. The main grid shows various glassware products, including a set of Christofle glasses and a set of Christofle vodka glasses. At the bottom of the page, there is a promotional banner for "Regalos con compra" and a message encouraging users to register for promotions.

This screenshot shows another view of the Liverpool website's search results for "vaso". The layout is similar to the previous one, with the search bar at the top containing "vaso". The sidebar categories are the same: HogarNew, Bebés, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, and Mesa v Bar. The main grid of products is visible, and the bottom features a promotional banner for "Regalos con compra" and a message encouraging users to register for promotions.



# TS\_SMOKE\_SUITE\_069

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" and "Iniciar sesión" buttons, and a notification badge showing "0". Below the search bar is a menu with "Categorías", "Mesa de regalos", "Mi crédito", and "Servicios". On the far right, there are links for "Tiendas", "Ayuda", and "Selección tu tienda". A red banner at the bottom left of the page says "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>". A red "X" button is located at the bottom right of the banner.</p>		

# TS\_SMOKE\_SUITE\_070

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_070

Description to verify the pagination in the search result page

Tag

Start 23-02-2024 19:45:16 End 23-02-2024 19:46:23

Elapsed 1m - 7.393s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "mac"}], STOP_ON_FAILURE)	12.169s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	5.908s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.350s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.006s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.010s	PASSED
Current window's url is: ' <a href="https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac">https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac</a> '			
6	a = a1.contains("page-2")	0.001s	PASSED
7	if (a == true)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	0.295s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.474s	PASSED
10	delay(7)  Delayed 7 second(s)	7.007s	PASSED
11	b1 = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac'	0.007s	PASSED
12	b = b1.contains("page-1")	0.001s	PASSED
13	if (b == true)	0.001s	PASSED

# TS\_SMOKE\_SUITE\_070


---

#	Description	Elapsed	Status
14	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)         at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.346s	PASSED

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	<pre>(MouseOverKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845)     at logout.run(logout:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54)     at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website's search results page for the term "mac". The search bar at the top contains "mac". The main content area shows a grid of products. On the left, there is a sidebar titled "Categorías" with items like MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, etc. In the center, there are three product cards: 1) A close-up image of a brown textured product labeled "M-A-C Pigment \$355°°". 2) An image of a pair of eyelash curlers labeled "M.A.C. Half Lash Curler \$335°°". 3) An image of a teal cylindrical container with a clear dome lid containing makeup brushes labeled "110 Productos". The top navigation bar includes links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a shopping cart icon showing 0.		

## TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.677s	ERROR

# TS\_SMOKE\_SUITE\_070


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a dropdown for "Selecciona tu tienda". The main content area displays a search result for "mac" with 110 products found. On the left, a sidebar lists categories under "Categorías": MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Prueba Multi Cocción, Ella, Artes y Manualidades, Caballeros, and Accesorios. The main grid shows three items: a MAC eyeshadow palette labeled "M-A-C Pigment \$355.00", a small black eyelash curler labeled "M.A.C. Half Lash Curler \$335.00", and a blue cylindrical brush holder containing several makeup brushes.

This screenshot is identical to the one above, showing the Liverpool website's search results for "mac". It features the same search bar, navigation links, and product grid. The sidebar categories listed are: MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Prueba Multi Cocción, Ella, Artes y Manualidades, Caballeros, and Accesorios. The products shown are the same: the M-A-C Pigment eyeshadow palette, the M.A.C. Half Lash Curler, and the blue brush holder.



# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower illustration and the text "Compra hoy y paga hasta mayo". On the left side of the page, a large image of a Givenchy Irresistible perfume bottle is displayed. A small note at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>".</p>		

# TS\_SMOKE\_SUITE\_027

---

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 23-02-2024 19:46:23 End 23-02-2024 19:48:26

Elapsed 2m - 3.155s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	11.150s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	14.031s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at close any pop up.run(close any pop up:22)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/close_popup_OP' located by '(//i [@class='icon-close close'])[1]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> <p>iEntérate antes que nadie! Regístrate y recibe las mejores promociones</p> <p>Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más...</p> <p>Mis Compras Iniciar sesión</p> <p>Categorías Mesa de regalos Mi crédito Servicios ▾ Tiendas Ayuda Selecciona tu tienda BYD</p>		



# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_027

---


#	Description	Elapsed	Status
3	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:24)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)         at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.486s	PASSED

## TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
			
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE)	8.156s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
5	click(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	7.249s	PASSED
	Object: 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is clicked on		
6	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	22.447s	PASSED
	Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on		

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
7	<p>click(findTestObject("OPCPage/close_popup_OP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:32)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementNotInteractableException: element not  interactable  (Session info: chrome=122.0.6261.57)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11001}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60671}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,}</p>	0.431s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9d8606104ea358c96d71961cde08ceac     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at Script1697733551158.run(Script1697733551158.groovy:32) ... 15 more )</pre>		
8	<p>click(findTestObject("PDPPage/AddToCart_pdp"))</p> <p>Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</p>	0.376s	PASSED
9	<p>click(findTestObject("HomePage/Cart_header"))</p> <p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p>	4.957s	PASSED
10	<p>click(findTestObject("CartPage/Iniciar_Cart"))</p> <p>Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on</p>	1.545s	PASSED
11	<p>verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)</p> <p>Object 'Object Repository/HomePage/LoginPage_hp' is present</p>	7.669s	PASSED
12	<p>verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)</p> <p>Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present</p>	0.292s	PASSED


## TS\_SMOKE\_SUITE\_027

---


#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	33.257s	ERROR

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" features a flower and the text "Compra hoy y paga hasta mayo". On the left side of the page, a large image of a Givenchy Irresistible perfume bottle is displayed. A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_028

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 23-02-2024 19:48:26 End 23-02-2024 19:49:59

Elapsed 1m - 32.948s

Status **PASSED**

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.514s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.012s	<b>PASSED</b>
Wait for page load successfully			
3	click(findTestObject("HomePage/FirstProduct_plp"))	25.338s	<b>PASSED</b>
Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	2.921s	<b>PASSED</b>
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	4.240s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	3.421s	<b>PASSED</b>
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

## TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
7	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.431s	PASSED

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows a Liverpool login page. At the top, there's a pink header bar with the Liverpool logo. Below it, a white form is displayed with the title "Inicia sesión". It contains two input fields: one for "Correo electrónico" and one for "Contraseña" with a visibility toggle icon. Below the password field is a link "¿Olvidaste tu contraseña?". At the bottom of the form is a pink button labeled "Iniciar sesión". Above the form, a small note says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the form, there are icons for different Liverpool stores: S, PB, LK, we, WS, LF, B, and R.</p>		

# TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
---	-------------	---------	--------


# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
8	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:35)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.223s	PASSED

## TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
 <p>The screenshot shows the Liverpool website's login interface. At the top, there is a pink header with the Liverpool logo. Below it, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Underneath this, there is a row of small icons representing different store locations. The main area is a white box titled "Inicia sesión". It contains two input fields: one for "Correo electrónico" and one for "Contraseña", which includes a visibility toggle icon. Below these fields is a link "¿Olvidaste tu contraseña?". At the bottom of the box is a large pink button labeled "Iniciar sesión".</p>			


# TS\_SMOKE\_SUITE\_028

---


#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.726s	ERROR

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a notification icon with the number "1". The navigation menu includes categories like "Categorías", "Mesa de regalos", "Mi crédito", and "Servicios". On the right side, there are links for "Tiendas", "Ayuda", and a "Selecciona tu tienda" dropdown. A promotional banner for "BEAUTY DAY" features a flower and the text "Compra hoy y paga hasta mayo". A message at the bottom states, "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>".</p>		

# TS\_SMOKE\_SUITE\_006

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	23-02-2024 19:49:59	End	23-02-2024 19:52:09
Elapsed	2m - 9.342s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	8.862s	PASSED
2	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP"))  Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	6.491s	PASSED
3	click(findTestObject("HomePage/Mesa de regalos_HP"))  Object: 'Object Repository/HomePage/Mesa de regalos_HP' is clicked on	1m - 3.250s	PASSED

# TS\_SMOKE\_SUITE\_006

---

#	Description	Elapsed	Status
4	<pre>verifyElementPresent(findTestObject("HomePage/gr/Find_gift_table_GR"), 0)</pre> <p>Unable to verify object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  execute(VerifyElementPresentKeyword.groovy:68)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)  at TS_SMOKE_SUITE_006.run(TS_SMOKE_SUITE_006:26)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.  webui.exception.WebElementNotFoundException: Web element with id: 'Object  Repository/HomePage/gr/Find_gift_table_GR' located by '//button[@class='btnPrimary'][1]'  not found  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall  (VerifyElementPresentKeyword.groovy:85)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy) </p>	11.443s	FAILED

## TS\_SMOKE\_SUITE\_006

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )</pre>		
	Not found		

# TS\_SMOKE\_SUITE\_006

---

#	Description	Elapsed	Status
5	Start listener action : sampleAfterTestCase	39.223s	PASSED

[Navigate to 'https://odtaqaa.liverpool.com.mx'](https://odtaqaa.liverpool.com.mx) successfully

Not found

Not found

# TS\_SMOKE\_SUITE\_010

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	23-02-2024 19:52:09	End	23-02-2024 19:53:16
Elapsed	1m - 7.229s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)	20.902s	PASSED
<a href="#">Navigate to 'https://odtaqaa.liverpool.com.mx' successfully</a>			

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_010.run(TS_SMOKE_SUITE_010:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.557s	PASSED

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		

The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Buscar por producto, marca y más...' and a magnifying glass icon. To the right of the search bar are 'Mis Compras' (My Purchases), a user profile icon with the text 'Hola zBvnicq', and a shopping cart icon with the number '1'. A dropdown menu for 'Categorías' (Categories) is open, showing options like Mesa de regalos, Mi crédito, and Servicios. Below the navigation, there are two promotional banners: one for 'DESCUENTOS SIN CUENTOS' (No Interest Discounts) and another for 'HOT SALE'. The main content area features a large image of a woman wearing headphones.



## TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
3	click(findTestObject("HomePage/Mis_comprar"))  Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.417s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	3.103s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	8.239s	PASSED

# TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.907s	ERROR


# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's user account page. At the top, there's a search bar, a 'Mis Compras' button, and a greeting 'Hola zVbvnicq'. Below the header, there are navigation links for 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. On the right, there are links for 'Tiendas' and 'Ayuda'. A 'BYD' link is also present. The main content area is titled 'Mis Compras' and contains a search bar with placeholder text 'Busca tus compras realizadas en internet o en tienda:' and a 'Filtrar compras' dropdown. There's also a link '¿Dónde encuentro mi número de pedido/facturación en el ticket?'. Below this, there's a section titled 'Compras en internet de los últimos 6 meses' with a table showing a single item: 'Pago Pendiente' with an estimated delivery date of '16 de marzo-19 de marzo'. A 'Ver detalle de compra' button is available for this item. At the bottom of the page, there's a footer with links to various brands like Suburba, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

A photograph of two handbags. On the left is a pink and yellow patterned tote bag with a large blue monogram 'AE' on the front. On the right is a teal-colored clutch with a prominent crocodile-skin texture. Both bags have leather straps. To the left of the bags, there are promotional banners: 'DESCUENTOS SIN CUENTOS' and 'HOT SALE'.

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 1), a user profile ("Hola zVbvnicq"), and a lock icon. The main content area features a large image of a handbag with a colorful geometric pattern and a teal leather case with a crocodile texture. On the left side of the image, there are promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". The bottom of the page includes a footer with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda - Liverpool ...".</p>		

# TS\_SMOKE\_SUITE\_011

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	23-02-2024 19:53:16	End	23-02-2024 19:54:10
Elapsed	54.216s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP"))  Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on	3.590s	<b>PASSED</b>
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0)  Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present	7.027s	<b>PASSED</b>
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0)  Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present	0.298s	<b>PASSED</b>
4	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	20.302s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_011

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.915s	ERROR

# TS\_SMOKE\_SUITE\_011

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		


The screenshot shows the Liverpool website's header. It includes a search bar with placeholder text "Buscar por producto, marca y más...", a user icon for "Mis Compras", a greeting "Hola zVbvnicq", and a lock icon indicating a secure session. The header also features the Liverpool logo and links to various brands like Suburba, Pottery Barn, and GAP.



This screenshot is identical to the one above, showing the same promotional banner and product images for headphones. The Liverpool website header is visible at the top.



# TS\_SMOKE\_SUITE\_011

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (Cart), "Hola zVbvnicq" (Hello), and a lock symbol. Further down the page, there are sections for "DESCUENTOS SIN CUENTOS" (Discounts without coupons) and "HOT SALE". Two images of women wearing headphones are displayed: one wearing over-ear headphones and another wearing earbuds.</p>		

# TS\_SMOKE\_SUITE\_012

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	23-02-2024 19:54:10	End	23-02-2024 19:54:34
Elapsed	23.334s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0)  Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.299s	PASSED

## TS\_SMOKE\_SUITE\_012


---

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.977s	ERROR

# TS\_SMOKE\_SUITE\_012

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		
	 <p>Sucursal Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más... Mis Compras Hola zVbvnicq 🔒</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Mi tienda - Liverpool ...</p> <p>BYD</p>		
	 <p>DESCUENTOS SIN CUENTOS HOT SALE</p> <p>Sucursal Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más... Mis Compras Hola zVbvnicq 🔒</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Mi tienda - Liverpool ...</p> <p>BYD</p>		
	 <p>DESCUENTOS SIN CUENTOS HOT SALE</p> <p>Sucursal Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más... Mis Compras Hola zVbvnicq 🔒</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Mi tienda - Liverpool ...</p> <p>BYD</p>		

# TS\_SMOKE\_SUITE\_012

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website homepage. The top navigation bar includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar says "Buscar por producto, marca y más...". The user is logged in as "Hola zVbvnicq" with a notification count of 1. Below the header are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...</p> <p>The main content area features two images: one of a woman wearing over-ear headphones and another of a woman wearing in-ear earbuds.</p>		

# TS\_SMOKE\_SUITE\_014

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	23-02-2024 19:54:34	End	23-02-2024 19:55:38
Elapsed	1m - 4.751s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	13.767s	PASSED
2	click(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is clicked on	1.788s	PASSED
3	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.625s	PASSED
4	click(findTestObject("AccountManagement/UpdatePeronalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	6.298s	PASSED
5	verifyElementPresent(findTestObject("AccountManagement/firstName_update_accountManagement"), 0)  Object 'Object Repository/AccountManagement/firstName_update_accountManagement' is present	3.505s	PASSED
6	waitForPageLoad(0)  Wait for page load successfully	0.016s	PASSED

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
7	Name = "harish"	0.000s	PASSED
8	click(findTestObject("AccountManagement/firstName_update_accountManagement"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/firstName_update_accountManagement' is clicked on	0.384s	PASSED
9	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.469s	PASSED
10	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CLEAR))  Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.359s	PASSED
11	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(BACK_SPACE), STOP_ON_FAILURE)  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.464s	PASSED
12	clearText(findTestObject("AccountManagement/firstName_update_accountManagement"), OPTIONAL)  Text of object 'Object Repository/AccountManagement/firstName_update_accountManagement' is cleared	0.435s	PASSED
13	delay(10)  Delayed 10 second(s)	10.016s	PASSED
14	setText(findTestObject("AccountManagement/firstName_update_accountManagement"), "")  Text " is set on object 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.584s	PASSED

## TS\_SMOKE\_SUITE\_014

---

#	Description	Elapsed	Status
15	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(Name))  Keys 'harish' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.338s	PASSED
16	out.println(Name)	0.001s	PASSED
17	click(findTestObject("AccountManagement/UpdateButton_Account"))  Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.347s	PASSED
18	waitForPageLoad(0)  Wait for page load successfully	0.014s	PASSED
19	verifyElementText(findTestObject("HomePage/header_Hola_text_HP"), "Hola " + Name)  Actual text and expected text of test object 'Object Repository/HomePage/header_Hola_text_HP' are matched.	2.167s	PASSED

## TS\_SMOKE\_SUITE\_014


---

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.923s	ERROR

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website's homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar containing the placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 1), a user profile labeled "Hola harish", and a lock icon. The main content area features a large image of a woman wearing headphones, with a pink product box visible on the left side.		

# TS\_SMOKE\_SUITE\_015

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none"><li>- Mi cuenta</li><li>- Mis pedidos</li><li>- Mi tiempo Aire</li><li>- Mis tarjetas</li><li>- Cerrar sesion</li></ul>		
Tag			
Start			
Elapsed			
Status	23-02-2024 19:55:38	End	23-02-2024 19:56:14
	35.945s		
	<b>PASSED</b>		


## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.456s	<b>PASSED</b>
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.578s	PASSED

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows the Liverpool website's header with various brand links like Suburbia, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is present. On the right, there's a user account dropdown for 'Hola harish' with options like 'Mi Cuenta', 'Mis Compras', 'Wishlist', 'Cupones', 'Mis tarjetas', and 'Cerrar sesión'. Below the header, there's a large image of two women wearing headphones.</p>		

# TS\_SMOKE\_SUITE\_015

---


#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0)  Object 'Object Repository/HomePage/Mis_comprar' is present	0.288s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0)  Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.293s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0)  Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.305s	PASSED
6	verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0)  Object 'Object Repository/HomePage/a_Mis tarjetas' is present	0.289s	PASSED
7	verifyElementPresent(findTestObject("HomePage/a_Cerrar sesin_hp"), 0)  Object 'Object Repository/HomePage/a_Cerrar sesin_hp' is present	0.292s	PASSED

# TS\_SMOKE\_SUITE\_015


---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.346s	ERROR

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website homepage. The top navigation bar includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is present, along with user account information for 'Mis Compras' and 'Hola harish'. Below the header, there's a promotional banner for 'DESCUENTOS SIN CUENTOS' and a 'HOT SALE' badge. Two product images are displayed: one of a woman wearing over-ear headphones and another of a woman wearing in-ear earbuds.		

# TS\_SMOKE\_SUITE\_029

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	23-02-2024 19:56:14	End	23-02-2024 19:57:18
Elapsed	1m - 4.172s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.964s	PASSED
<a href="#">Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully</a>			
2	waitForPageLoad(0)	0.015s	PASSED
<a href="#">Wait for page load successfully</a>			
3	click(findTestObject("HomePage/FirstProduct_plp"))	5.955s	PASSED
<a href="#">Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on</a>			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	16.285s	PASSED
<a href="#">Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</a>			

# TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
5	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:29)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.184s	PASSED

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:29) ... 15 more )		
6	 click(findTestObject("HomePage/Cart_header"))	2.410s	PASSED
7	 click(findTestObject("CartPage/BuyButton_Cart"))	4.171s	PASSED
8	CheckoutURL = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'	0.011s	PASSED
9	if (CheckoutURL == CheckoutLink)	0.000s	PASSED

## TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	16.053s	ERROR

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's shopping cart page. At the top, there's a navigation bar with links for Categories, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. Below the navigation is a search bar and a pink header bar with the Liverpool logo.

The main content area displays the shopping cart with two items:

Producto	Precio	Cantidad	Total
VASO OLD FASHION MALIBU, TRANSPARENTE H	\$05 <sup>00</sup> \$51 <sup>00</sup>	2	\$102 <sup>00</sup>

On the right side of the cart summary, there's a breakdown of the total:

- Subtotal (2 productos): \$170.00
- Descuento: \$68.00
- Cupones: \$0.00
- Costo de envío: Gratis

A pink button labeled "Comprar" is visible on the right.

The screenshot shows the Liverpool website's confirmation page. It starts with a heading "Confirma tu compra".

Step 1: Entrega (Delivery) section:

- Delivery address: Liverpool Andares
- Delivery method: Click & Collect Recoge en módulo
- Delivery status: Cambiar

Step 2: Forma de Pago (Payment Method) section:

- Payment method: VISA visatest \*3065
- Change button: Cambiar
- Payment details:
  - Fecha de vencimiento: MM/AA\*
  - Código de seguridad: ②
  - CVV\*
- Use digital wallet option: Usar monedero digital \$32,789.00

Resumen de compra (Purchase Summary) on the right:

Subtotal (2 productos):	\$170.00
Descuento:	\$68.00
Cupones:	\$0.00
Costo de envío:	Gratis
Total (IVA incluido):	\$102.00

Acceptance terms and conditions link: He leido y acepto [Términos, Condiciones y Aviso de Privacidad](#)

Finalizar compra (Finish Purchase) button.

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	 Liverpool		
	<p>Confirma tu compra</p> <p>1. Entrega</p> <p>Liverpool Andares Cambiar Click &amp; Collect Recoge en módulo</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar Fecha de vencimiento: Código de seguridad: ② MM/AA* CVV* <input type="checkbox"/> Usar monedero digital \$32,789.00</p> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p>Cupones (2 disponibles) &gt;</p> <p>Subtotal (2 productos): \$170.00 Descuento: \$68.00 Cupones: \$0.00 Costo de envío: \$0.00</p> 		

# TS\_SMOKE\_SUITE\_030

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	23-02-2024 19:57:18	End	23-02-2024 19:59:46
Elapsed	2m - 27.178s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.359s	PASSED
2	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	20.521s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	18.294s	PASSED
4	waitForPageLoad(15)  Wait for page load successfully	0.029s	PASSED
5	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":SLSearchTerm}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	23.703s	PASSED
6	click(findTestObject("HomePage/FirstProduct_plp"))  Object: 'Object Repository/HomePage/FirstProduct_plp' is clicked on	5.578s	PASSED

## TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
7	click(findTestObject("PDPPage/AddToCart_pdp"))	41.751s	PASSED



[Object: 'Object Repository/PDPPage/AddToCart\\_pdp' is clicked on](#)

# TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
8	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:35)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web  element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button  [contains(text(), 'Agregar garantía')]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement  (WebUiCommonHelper.java:1379)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.  doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call  (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.289s	PASSED

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:35) ... 15 more )		
9	 <p>Vaso Old Fashion Haus Malibú Super Fondo Código de Producto: 1001770108 ★★★★★ (Sé el primero en opinar) <a href="#">Ver disponibilidad en tienda</a> \$65.00 \$51.00 <a href="#">Ver más promociones</a> Envío gratis a todo el país Cantidad: - 1 + Color: TRANSPARENTE Descripción: 1. Marca: Haus. 2. Modelo: Malibú Super Fondo. 3. Otras Transparencia Click &amp; Collect: Liverpool La Paz Recoge en tienda <a href="#">Comprar</a> <a href="#">Ver disponibilidad en tiendas</a> Recoge entre el 16 de marzo y el 19 de marzo Enviar gratis a: 03200 Recibe a domicilio <a href="#">Comprar</a> <a href="#">Cambiar dirección</a> Por el momento no es posible dar la fecha de entrega <b>Compra mínima 3 piezas</b> <a href="#">Agregar a mi bolsa</a></p>	2.447s	PASSED
10	<p>click(findTestObject("HomePage/Cart_header"))</p> <p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p> 	6.670s	PASSED
11	<p>CheckoutURL = getUrl()</p> <p>Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'</p>	0.012s	PASSED
12	<p>if (CheckoutURL == CheckoutLink)</p>	0.000s	PASSED

## TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	14.381s	ERROR

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's shopping cart page. At the top, there is a navigation bar with links for 'Categories', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account section 'Hola harish'. Below the navigation is a search bar with placeholder text 'Buscar por producto, marca y más...' and a magnifying glass icon. The main content area is titled 'Mi Bolsa' (My Bag). It displays a table with three items in the cart:

Producto	Precio	Cantidad	Total
VASO OLD FASHION MALIBU, TRANSPARENTE H	\$05 <sup>00</sup> \$51 <sup>00</sup>	3	\$153 <sup>00</sup>
Color: TRANSPARENTE; Material: VIDRIO;			
Entrega estimada:			
16 de marzo-19 de marzo			
Más opciones de entrega			

To the right of the table, there is a summary box:

Subtotal (3 productos): \$255.00  
Descuento: \$102.00  
Cupones: \$0.00  
Costo de envío: Gratis

Total (IVA Incluido): \$153.00

A note at the bottom states: "Los precios aplican de acuerdo a forma de pago". A pink 'Comprar' button is visible.

## Confirma tu compra

The screenshot shows the payment confirmation page. It is divided into two main sections: '1. Entrega' (Delivery) on the left and 'Resumen de compra' (Purchase Summary) on the right.



**1. Entrega:** Shows delivery information for 'Liverpool Andares' and 'Click & Collect Recoge en módulo'. There is a 'Cambiar' link next to the delivery address.

**2. Forma de Pago:** Shows payment method 'visatest \*3065' and payment details: 'Fecha de vencimiento: MM/AA\*', 'Código de seguridad: ②', and 'CVV\*'. There is also a checkbox for 'Usar monedero digital \$32,789.00'.

**Resumen de compra:** Displays the same purchase summary as the previous screenshot, including subtotal, discount, coupons, shipping cost, and total amount (\$153.00).

At the bottom, there is a checkbox for accepting terms and conditions ('He leído y acepto Términos, Condiciones y Aviso de Privacidad') and a pink 'Finalizar compra' (Finish Purchase) button.

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	 <p>Liverpool</p> <p>Ayuda ⓘ</p> <p>Confirma tu compra</p> <p>1. Entrega</p> <p>Liverpool Andares Cambiar Click &amp; Collect Recoge en módulo</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar Fecha de vencimiento: Código de seguridad: ⓘ MM/AA* CVV* <input type="checkbox"/> Usar monedero digital \$32,789.00</p> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p>Cupones (2 disponibles) &gt;</p> <p>Subtotal (3 productos): \$255.00 Descuento: \$102.00 Cupones: \$0.00 Costo de envío: \$0.00</p>		
	 <p>Liverpool</p> <p>Ayuda ⓘ</p> <p>Confirma tu compra</p> <p>1. Entrega</p> <p>Liverpool Andares Cambiar Click &amp; Collect Recoge en módulo</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar Fecha de vencimiento: Código de seguridad: ⓘ MM/AA* CVV* <input type="checkbox"/> Usar monedero digital \$32,789.00</p> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p>Cupones (2 disponibles) &gt;</p> <p>Subtotal (3 productos): \$255.00 Descuento: \$102.00 Cupones: \$0.00 Costo de envío: \$0.00</p>		

# TS\_SMOKE\_SUITE\_058

---

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

23-02-2024 19:59:46

End

23-02-2024 20:00:49

1m - 2.957s

PASSED

## Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	17.693s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.532s	PASSED

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text 'Buscar por producto, marca y más...' and a magnifying glass icon. To the right of the search bar are 'Mis Compras' (My Purchases), a user profile 'Hola harish', and a shopping cart icon showing '3'. Underneath the search bar is a promotional banner with two sections: 'DESCUENTOS SIN CUENTOS' (Discounts without accounts) and 'HOT SALE'. The main content area features a large image of a black dog and an orange cat eating from bowls. To the right of this image is another smaller image of a dog lying in a bed outdoors.</p>		

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	7.987s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
4	waitForPageLoad(5)	0.014s	PASSED
	Wait for page load successfully		
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	8.447s	PASSED
	Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable		
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	3.086s	PASSED
	Object 'Object Repository/PDPPage/EDD_pdp' is clickable		
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	1.294s	PASSED
	Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable		
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.287s	PASSED
	Object 'Object Repository/PDPPage/Size1_PDP' is clickable		
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.298s	PASSED
	Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable		
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.293s	PASSED
	Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable		

## TS\_SMOKE\_SUITE\_058

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.927s	ERROR

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for 'Jeans Aéropostale para Dama' (Women's Aeropostale jeans). The product has a price of \$335.30. It includes options for 'Click & Collect' at Liverpool La Paz, 'Recoge en tienda' (Pick up in store), and 'Comprar' (Buy). There are also buttons for 'Ver disponibilidad en tiendas' (Check availability in stores) and 'Enviar gratis a: 03200'. The page features a navigation bar with categories like Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...

This screenshot is identical to the one above, showing the same product details and purchase options for women's jeans. The navigation bar remains consistent.



# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_016

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	23-02-2024 20:00:49	End	23-02-2024 20:01:28
Elapsed	39.159s		
Status	ERROR		

## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.491s	PASSED
2	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.525s	PASSED
3	click(findTestObject("AccountManagement/UpdatePeronalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	9.213s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/updatePage_Account"), 0)  Object 'Object Repository/AccountManagement/updatePage_Account' is present	3.862s	PASSED

## TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
5	name = customkeywords.myKeywords.randomString()	0.027s	ERROR

Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_016 FAILED.

Reason:

```
groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.  
customkeywords.myKeywords.randomString() is applicable for argument types: () values: []  
    at TS_SMOKE_SUITE_016.run(TS_SMOKE_SUITE_016:30)  
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  
java:119)  
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  
java:448)  
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  
java:439)  
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  
(TestCaseExecutor.java:418)  
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  
(TestCaseExecutor.java:410)  
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  
java:285)  
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  
(CommonExecutor.java:65)  
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  
(TestSuiteExecutor.java:148)  
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  
106)  
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  
180)  
    at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  
Method)  
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  
(NativeMethodAccessorImpl.java:77)  
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)
```

# TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.806s	ERROR

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Actualizar Datos Personales

Confirma tu información

\*Campos Obligatorios

Correo Electrónico: imathpati@kognivera.com

\*Nombre(s): harish

Apellido Paterno: qa

Apellido Materno: qa


Mis Compras

Hola harish

Mi tienda - Liverpool ...

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website homepage. The header features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and navigation links for "Mis Compras", "Hola harish", and a notification badge with the number "3". Below the header are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...". The main content area displays a blurred image of a pink hair dryer and some makeup products.</p>		

# TS\_SMOKE\_SUITE\_017

---

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_017

Description Verify the user able to add new Personal shipping address

Tag

Start 23-02-2024 20:01:28 End 23-02-2024 20:02:58

Elapsed 1m - 30.325s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)	0.336s	<b>PASSED</b>
Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola harish'			
2	out.println(a)	0.001s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
3	if (a == true)	11.320s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/login\_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login\_odtaqab' failed  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:63)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.call(CallTestCaseKeyword.groovy)  
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  
(KeywordMain.groovy:75)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  
(CallTestCaseKeyword.groovy:81)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  
(CallTestCaseKeyword.groovy:44)  
at com.kms.katalon.core.keyword.internal.KeywordExecutor.  
executeKeywordForPlatform(KeywordExecutor.groovy:74)  
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  
groovy:310)  
at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
at TS\_SMOKE\_SUITE\_017.run(TS\_SMOKE\_SUITE\_017:25)  
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  
java:119)  
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  
java:448)  
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  
java:439)  
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  
(TestCaseExecutor.java:418)  
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  
(TestCaseExecutor.java:410)  
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  
java:285)  
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  
(CommonExecutor.java:65)  
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  
(TestSuiteExecutor.java:148)  
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  
106)  
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  
180)  
at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  
Method)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  
(NativeMethodAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  
'Object Repository/HomePage/Iniciar sesion'  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  
(WebUIKeywordMain.groovy:64)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  
(WebUIKeywordMain.groovy:26)  
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más... Mis Compras Hola harish ▾ 3</p> <p>Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Mi tienda - Liverpool ... BYD</p> <p>Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a> X</p>		

## TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.452s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.464s	PASSED
6	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	5.629s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
7	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)  com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)     at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:34)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) )</pre>	11.349s	PASSED

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
8	<p>if (add == true)</p>	0.001s	PASSED

9 click(findTestObject("AccountManagement/AddAdressPersonal\_Account"), STOP\_ON\_FAILURE)

Object: 'Object Repository/AccountManagement/AddAdressPersonal\_Account' is clicked on

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
10	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	38.789s	PASSED
Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully			
Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on			
11	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.503s	PASSED
Text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' is: 'LWidjwmD'			
12	address = getText(findTestObject("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)	9.145s	PASSED

## TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
13	out.println(address)	0.001s	PASSED
14	out.println(TempAddress)	0.001s	PASSED
15	if (TempAddress == address)	0.000s	PASSED
16	else	0.001s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.805s	ERROR

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:113)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		

Mis direcciones

Tiendas Click & Collect

Agregar dirección

QATESTING

LWidjwmD

piqguokw

harish qa qa  
kmpt road, 9823958982  
maxico, CUAUHTEMOC NORTE  
RTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

harish qa qa  
kmpt road, 9823958982  
maxico, CUAUHTEMOC NORTE  
RTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA


Telefonos:  
93-58585989  
0973450873

Telefonos:  
93-58585989  
0973450873



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website. The header features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and user account links for "Mis Compras" and "Hola harish". Below the header is a navigation menu with links to "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Mi tienda - Liverpool ...". A blurred image of a product page is visible in the background.</p> <p>Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a> X</p>		

# TS\_SMOKE\_SUITE\_018

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 23-02-2024 20:02:58 End 23-02-2024 20:03:33

Elapsed 34.826s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.539s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.490s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	1.986s	<b>PASSED</b>
4	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	2.721s	<b>PASSED</b>
5	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account"))  Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	1.582s	<b>PASSED</b>
6	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	3.515s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	0.339s	PASSED
8	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account"))  Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	1.499s	PASSED
9	scrollToElement(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"), 0)  Scroll to object 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' successfully	0.346s	PASSED
10	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on	0.321s	PASSED
11	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.738s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/ClickNCollectionFirstAddress_Account"), 0)  Object 'Object Repository/AccountManagement/ClickNCollectionFirstAddress_Account' is present	1.812s	PASSED
13	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0)  Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	0.291s	PASSED
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	0.357s	PASSED

## TS\_SMOKE\_SUITE\_018

---

#	Description	Elapsed	Status
15	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	0.382s	PASSED
16	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM"))  Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	0.577s	PASSED

# TS\_SMOKE\_SUITE\_018

---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	13.241s	ERROR

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:113)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		

Mis direcciones

Tiendas Click & Collect

Agregar tienda

Liverpool Andares

Predeterminada

Ver mapa

Click & Collect

Sótano 2, en las escaleras eléctricas

Liverpool Cuautla

Ver mapa

Click & Collect

Departamento de Línea Blanca

Liverpool Tecámac

Ver mapa

Click & Collect

PB a un costado del departamento de trajes de caballero

Click & Collect Recoge en tu auto

En el estacionamiento de Plaza Andares (Sótano 2) En la e

Click & Collect Recoge en tu auto

Sobre el estacionamiento localizado en la parte izquierda d

Mis Compras

Hola harish

3

Mis Compras

Tiendas

Ayuda

Suburba

Pottery Barn

Pottery Barn Kids

Williams Sonoma


West Elm

GAP


Banana Republic

Toys R Us

BYD



# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile (Hola harish), and a lock icon. Below the search bar is a secondary navigation bar with links to Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda - Liverpool ...". A large banner image of a black dog is visible in the background. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_019

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 23-02-2024 20:03:33 End 23-02-2024 20:04:49


Elapsed 1m - 15.555s

Status PASSED

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola harish'	0.334s	PASSED
2	out.println(a)	0.001s	PASSED
3	if (a == false)	0.000s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.454s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.395s	PASSED
6	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	2.397s	PASSED
7	add = verifyElementPresent(findTestObject("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)	4.305s	PASSED

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
8	if (add == true)  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	1.354s	PASSED
9	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	1.832s	PASSED
10	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully	41.517s	PASSED
			

# TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
11	enhancedClick(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on	0.560s	PASSED
12	delay(10, STOP_ON_FAILURE)  Delayed 10 second(s)	10.014s	PASSED
13	verifyElementPresent(findTestObject("AccountManagement/FirstPersonalShippingAddress_Account"), 0)  Object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present	0.309s	PASSED

# TS\_SMOKE\_SUITE\_019


---

#	Description	Elapsed	Status
14	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.991s	ERROR

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website homepage. The header features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a user profile section for "Mis Compras" and "Hola harish". Below the header, there's a navigation menu with links to "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Mi tienda - Liverpool ...". The main content area displays a blurred image of a pink hair dryer and some makeup products. A cookie consent banner at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_023

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	23-02-2024 20:04:49	End	23-02-2024 20:06:02
Elapsed	1m - 13.697s		
Status	<b>PASSED</b>		

## Details


#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.468s	PASSED
2	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.494s	PASSED
3	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	4.009s	PASSED
4	click(findTestObject("AccountManagement/MyCardButton_Account"))  Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	3.095s	PASSED

# TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
5	<p>add = verifyElementPresent(findTestObject("AccountManagement/QAtesting_card_AM"), 0, OPTIONAL)</p> <pre>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text() ='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text()='QATESTING']' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall(VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call(VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) )</pre>	11.248s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
			
6	if (add == true)	0.000s	PASSED
7	click(findTestObject("AccountManagement/AddCardButton_Account"), STOP_ON_FAILURE)	0.367s	PASSED
	Object: 'Object Repository/AccountManagement/AddCardButton_Account' is clicked on		
8	Cardname = "QATESTING"	0.001s	PASSED
9	setText(findTestObject("AccountManagement/CardName_Account"), Cardname)  Text 'QATESTING' is set on object 'Object Repository/AccountManagement/CardName_Account'	4.223s	PASSED
10	callTestCase(findTestCase("CommonMethods/AddCard_Account"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/AddCard_Account' successfully	3.837s	PASSED
11	waitForPageLoad(0)  Wait for page load successfully	0.012s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
12	CardName = getText(findTestObject("AccountManagement/CardNameGrid_Account"))  Text of object 'Object Repository/AccountManagement/CardNameGrid_Account' is: 'QATESTING'	6.264s	PASSED
13	if (Cardname == CardName)	0.001s	PASSED
14	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))  Object: 'Object Repository/AccountManagement>Select3dot_qatestingCard_AM' is clicked on	0.323s	PASSED
15	click(findTestObject("AccountManagement/EditCardDetails_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/EditCardDetails_Account' is clicked on	8.239s	PASSED
16	Name = RandomStringUtils.randomAlphabetic(8)	0.002s	PASSED
17	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.588s	PASSED
18	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CLEAR))  Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.447s	PASSED
19	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(BACK_SPACE))  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.328s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
20	clearText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/FullName_Card_Edit_AM' is cleared	0.320s	PASSED
21	delay(10)  Delayed 10 second(s)	10.005s	PASSED
22	setText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), "")  Text " is set on object 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.645s	PASSED
23	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(Name))  Keys 'objBSXCmt' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.327s	PASSED
24	click(findTestObject("AccountManagement/AcceptButton_AccountM"))  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	0.355s	PASSED
25	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))  Object: 'Object Repository/AccountManagement/Select3dot_qatestingCard_AM' is clicked on	3.561s	PASSED
26	click(findTestObject("AccountManagement/RemoveCardDetails_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/RemoveCardDetails_Account' is clicked on	0.391s	PASSED
27	click(findTestObject("OPCPage/accept_deletion_card_OPCC"))  Object: 'Object Repository/OPCPage/accept_deletion_card_OPCC' is clicked on	0.568s	PASSED
28	if (verifyElementNotPresent(findTestObject("AccountManagement/Select3dot_qatestingCard_AM"), 0) == true)	1.227s	PASSED

# TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
29	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.188s	ERROR

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Buscar por producto, marca y más...

Mis Compras Hola harish

Categorías Mesa de regalos Mi crédito Servicios

Tiendas Ayuda

Se ha actualizado la tarjeta con éxito

Home > Mi Cuenta > Tarjetas de Crédito / Débito

Tarjetas de Crédito / Débito

visatest \* 3065 JHWfMlaB \* 8604 new card \* 2627

qMCyEcke \* 3404 tUmyrKhD \* 0917 CPXyOpGh \* 0814

geAAzCac \* 8215 ouwKXsrH \* 8498

Mis Compras > Wishlist > Cupones > Crédito y Pagos Agregar tarjeta

Mi crédito

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

DESCUENTOS SIN CUENTOS HOT SALE

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

Mis Compras Hola harish

Categorías Mesa de regalos Mi crédito Servicios

Tiendas Ayuda

BYD

Mi tienda Liverpool La ...

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_021

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	23-02-2024 20:06:02	End	23-02-2024 20:06:22
Elapsed	19.339s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola harish'	0.297s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.001s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.429s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.461s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	3.150s	PASSED

## TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0)	3.324s	PASSED

[Object 'Object Repository/AccountManagement/PaymentMethodsSection\\_Account' is present](#)

# TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.602s	ERROR


# TS\_SMOKE\_SUITE\_021

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's payment method section. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user account information. Below the navigation, a breadcrumb trail shows 'Home > Mi cuenta > Mis formas de pago'. On the left, a sidebar lists 'Mis formas de pago' options: Mis Compras, Wishlist, Cupones, Crédito y Pagos, and MI crédito. The main content area displays two sections: 'Mis tarjetas' (with a card labeled 'VISA visatest \* 3065 Predeterminada') and 'Otros métodos de pago' (listing Puntos BBVA, Paypal, and Efectivo). At the bottom of the page, there's a footer with links to various brands like Suburba, Pottery Barn, Williams Sonoma, etc., and a 'BYD' link.

The screenshot shows the Liverpool website with a prominent cookie consent banner at the bottom. The banner contains the text 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación.' followed by a link 'Más información' and a close 'X' button. Above the banner, there's a large blurred image of two people wearing headphones.

# TS\_SMOKE\_SUITE\_021

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile ("Hola harish"), and a shopping cart. The main content area shows a blurred image of a person wearing headphones, likely a product listing. At the bottom of the page, there's a cookie consent banner with text about accepting cookies for a better navigation experience, a "Más información" link, and a close button.</p>		

# TS\_SMOKE\_SUITE\_022

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	23-02-2024 20:06:22	End	23-02-2024 20:07:51
Elapsed	1m - 29.722s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.983s	PASSED
2	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx' successfully	19.841s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	17.133s	PASSED
4	refresh()  Refresh successfully	5.822s	PASSED
5	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	9.681s	PASSED
6	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.496s	PASSED
7	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	6.291s	PASSED

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
8	click(findTestObject("AccountManagement/MyCardButton_Account"))  Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	4.578s	PASSED
9	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account"))  Object: 'Object Repository/AccountManagement>Select3DotAddress2Nd_Account' is clicked on	0.596s	PASSED

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
10	<p>enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account"))</p> <pre>Unable to click on object 'Object Repository/AccountManagement/MakeCardAsDefault_Account' (Root cause: com.kms. katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/AccountManagement/MakeCardAsDefault_Account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:94)         at com.kms.katalon.core.webui.keyword.builtin EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:42)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:685)         at TS_SMOKE_SUITE_022.run(TS_SMOKE_SUITE_022:38)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)         at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' located by '(//div[@class='dropdown-menu show']/a[1])' not found         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin. EnhancedClickKeyword\$_click_closure1.doCall(EnhancedClickKeyword.groovy:66)</pre>	11.287s	FAILED

# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
)	at com.kms.katalon.core.webui.keyword.builtin. EnhancedClickKeyword\$._click_closure1.call(EnhancedClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.click (EnhancedClickKeyword.groovy:94) at com.kms.katalon.core.webui.keyword.builtin.EnhancedClickKeyword.execute (EnhancedClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.enhancedClick (WebUiBuiltInKeywords.groovy:685) at Script1697733550832.run(Script1697733550832.groovy:38) ... 15 more )		

The screenshot shows the Liverpool website's user interface. At the top, there is a navigation bar with the Liverpool logo, a search bar, and links for 'Mis Compras', 'Hola harish', and a shopping cart icon. Below the navigation, there are links for 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. On the right side of the header, there are links for 'Tiendas', 'Ayuda', and a link to 'Mi tienda Liverpool'. The main content area is titled 'Tarjetas de Crédito / Débito'. It displays a grid of six credit/debit cards. Each card has a small logo (VISA or Mastercard), a card number, and a expiration date. To the left of the cards, there are buttons for 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. A 'Agregar tarjeta' button is located on the right side of the card grid. At the bottom left, there is a link for 'Mi crédito'.

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.937s	ERROR

# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Home > Mi Cuenta > Tarjetas de Crédito / Débito

Tarjetas de Crédito / Débito

Mis Compras >

Wishlist >


Cupones >

Crédito y Pagos

Agregar tarjeta



# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's header. It features a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras" (with a dropdown arrow), "Hola harish", and a notification badge with the number "3". Below the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios" (with a dropdown arrow), "Tiendas", "Ayuda", and a link to "Mi tienda Liverpool La ...". A blurred product image of a white ceramic bowl with orange designs is visible in the background.</p> <p>Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a> <span style="float: right;">×</span></p>		

# TS\_SMOKE\_SUITE\_020

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 23-02-2024 20:07:51 End 23-02-2024 20:08:34

Elapsed 42.700s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	16.940s	<b>PASSED</b>
2	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.675s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.480s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	2.936s	<b>PASSED</b>
5	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	3.946s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account"))  Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	2.250s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_020

---

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection"))  Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.346s	PASSED
8	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0)  Object 'Object Repository/AccountManagement/VerifyDefaultPresent_Account' is present	3.102s	PASSED

# TS\_SMOKE\_SUITE\_020

---


#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.987s	ERROR

# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		




The screenshot shows the Liverpool website's homepage. At the top, there is a navigation bar with the Liverpool logo, a search bar containing "Buscar por producto, marca y más...", and links for "Mis Compras", "Hola harish", and a notification icon with the number "3". Below the navigation bar, there are categories like "Categorías", "Mesa de regalos", "Mi crédito", and "Servicios". On the right side of the header, there are links for "Tiendas", "Ayuda", and a dropdown menu for "Mi tienda - Liverpool...".




The screenshot shows the "Direcciones de entrega" (Delivery Addresses) page. The header includes the Liverpool logo, a search bar, and links for "Mis Compras", "Hola harish", and a notification icon with the number "3". Below the header, there are two main sections: "Mis direcciones" and "Tiendas Click & Collect". The "Mis direcciones" section contains links for "Mis Compras", "Wishlist", "Cupones", and "Crédito y Pagos". The "Tiendas Click & Collect" section lists three locations: Liverpool Cuautla (Predeterminada), Liverpool Andares, and Liverpool Tecámac. Each location has a "Ver mapa" link and a detailed description of the Click & Collect service. At the bottom of the page, there is a footer with links for various brands like Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



This screenshot is identical to the one above it, showing the "Direcciones de entrega" page. The only difference is that the background of the page is blurred, showing a dark object and some foliage.



# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's header. It features a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras" (with a notification badge), "Hola harish", and a lock icon. Below the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Mi tienda - Liverpool ...". A blurred product image of a white ceramic bowl with orange designs is visible in the background.</p>		

# TS\_SMOKE\_SUITE\_024



## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	23-02-2024 20:08:34	End	23-02-2024 20:09:51
Elapsed	1m - 17.142s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is clicked on	0.368s	PASSED
2	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.553s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	3.599s	PASSED
4	add = verifyElementPresent(findTestObject("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)	2.329s	PASSED
5	if (add == true)  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	1.288s	PASSED
6	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	1.680s	PASSED

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
7	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	38.994s	PASSED
Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully			
	 		
8	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.560s	PASSED
Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on			
9	Address1 = getText(findTestObject("AccountManagement/QATESTING_address_AM"))	4.518s	PASSED
Text of object 'Object Repository/AccountManagement/QATESTING_address_AM' is: 'QATESTING'			

## TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
10	if (TempAddress == Address1)	0.002s	PASSED
11	click(findTestObject("AccountManagement>Select3dotQATESTING_Add_AM"))  Object: 'Object Repository/AccountManagement>Select3dotQATESTING_Add_AM' is clicked on	0.337s	PASSED
12	click(findTestObject("AccountManagement/QAtesting_Address_Editor_AM"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/QAtesting_Address_Editor_AM' is clicked on	0.375s	PASSED
13	name = RandomStringUtils.randomAlphabetic(8)	0.001s	PASSED
14	TempAddress = name	0.000s	PASSED
15	clearText(findTestObject("AccountManagement/ShortName_Account"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/ShortName_Account' is cleared	3.186s	PASSED
16	sendKeys(findTestObject("AccountManagement/ShortName_Account"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.627s	PASSED
17	sendKeys(findTestObject("AccountManagement/ShortName_Account"), name)  Keys 'MUUbAhLV' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.543s	PASSED

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
18	click(findTestObject("AccountManagement/AcceptButton_AccountM"))  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	0.364s	PASSED
19	Address1 = getText(findTestObject("AccountManagement/AddressTitleSecound_Account"))  Text of object 'Object Repository/AccountManagement/AddressTitleSecound_Account' is: 'LWidjwmD'	2.728s	PASSED
20	if (TempAddress == Address1)	0.001s	PASSED
21	else  Address is not Updated !	0.005s	FAILED
22	click(findTestObject("AccountManagement>Select3DotAddress2Nd_Account"))  Object: 'Object Repository/AccountManagement>Select3DotAddress2Nd_Account' is clicked on	0.313s	PASSED
23	click(findTestObject("AccountManagement/RemoveCardDetails_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/RemoveCardDetails_Account' is clicked on	0.365s	PASSED
24	println(TempAddress)	0.000s	PASSED
25	verifyTextPresent(TempAddress, false)  Text 'MUUbAhLV' is present on page	1.127s	PASSED
26	click(findTestObject("WishListPage/Acceptor_Eliminar_wishlist_WP"))  Object: 'Object Repository/WishListPage/Acceptor_Eliminar_wishlist_WP' is clicked on	0.405s	PASSED

## TS\_SMOKE\_SUITE\_024

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_024

---

#	Description	Elapsed	Status
27	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.746s	ERROR

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Mis direcciones

Tiendas Click & Collect

Agregar dirección

Mis Compras

Wishlist

Cupones

Crédito y Pagos

MUUbAhLV

piqguokw

GzxcJDZR

harish qa qa  
kmpt road, 9823958982  
maxico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

harish qa qa  
kmpt road, 9823958982  
maxico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA


harish qa qa  
kmpt road, 9823958982  
maxico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

Telefonos:  
93-58585989  
0R72180R72

Telefonos:  
0R72180R72


Telefonos:  
0R72180R72

Suburbs Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile (Hola harish), and a lock icon. Below the search bar are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda - Liverpool ...". A large banner at the bottom features a pink elephant and a white cake. A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_025

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_025

Description To Verify Logged in user is able to change the password

Tag

Start 23-02-2024 20:09:51 End 23-02-2024 20:10:29

Elapsed 37.432s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.466s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.493s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/ChangePassword_Account"))  Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	3.078s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/ContinueButton_Account"))  Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	4.757s	<b>PASSED</b>
5	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0)  Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	6.593s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_025

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.004s	ERROR

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a pink header bar with the Liverpool logo. Below it, a white box contains an email icon and the text "Correo electrónico enviado". Underneath, it says "Revisa todas las bandejas, incluyendo la de spam." At the bottom of this box, there's a horizontal line with various store logos: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main content area features a large image of a woman wearing headphones. To the left of the image, there are two promotional banners: one for "DESCUENTOS SIN CUENTOS" and another for "HOT SALE". A vertical sidebar on the right says "Te escuchamos" with a smiling emoji. At the very bottom, a cookie consent banner is visible.

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile ("Hola harish"), and a shopping cart. Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right side, there are links for Tiendas, Ayuda, and a specific store link ("Mi tienda Liverpool La ..."). A banner on the left side of the main content area features the text "DESCUENTOS SIN CUENTOS" and "HOT SALE". The main content area displays two images: one of a woman wearing over-ear headphones and another of a woman with earbuds. A vertical pink sidebar on the right says "Te escuchamos" with three dots.</p>		

# TS\_SMOKE\_SUITE\_075

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 23-02-2024 20:10:29 End 23-02-2024 20:12:12

Elapsed 1m - 43.709s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/clickMyAccountFromHeader"), [:], OPTIONAL)	4.858s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/clickMyAccountFromHeader' successfully			
2	callTestCase(findTestCase("CommonMethods/ClickDelivery_MyAccount"), [:], STOP_ON_FAILURE)	0.481s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/ClickDelivery_MyAccount' successfully			
3	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))	2.910s	<b>PASSED</b>
Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on			
4	click(findTestObject("OPCPage/3DotButton_Checkout"))	1.378s	<b>PASSED</b>
Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on			
5	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account"))	0.395s	<b>PASSED</b>
Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on			

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
6	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account"))  Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Andares'	3.161s	PASSED
7	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.343s	PASSED
8	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	12.184s	PASSED
9	click(findTestObject("PLPPage/product3_cardPrice_PLP"), OPTIONAL)  Object: 'Object Repository/PLPPage/product3_cardPrice_PLP' is clicked on	8.320s	PASSED
10	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	24.181s	PASSED
11	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.530s	PASSED
12	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.431s	PASSED
13	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout"))  Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Andares Click & Collect Recoge en módulo Cambiar'	7.403s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
14	if (TitleAddress == DefaultAddress)	0.001s	PASSED
15	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.327s	PASSED
16	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE)  Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	1.980s	PASSED
17	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0)  Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.518s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0)  Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.286s	PASSED
19	click(findTestObject("OPCPage/Address_PopUP_option1_opc"))  Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.414s	PASSED
20	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc"))  Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.540s	PASSED
21	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.487s	PASSED

# TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
22	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.471s	ERROR

# TS\_SMOKE\_SUITE\_075


#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page for a purchase confirmation. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the page title is "Confirma tu compra". On the left, there's a section for "Entrega" (Delivery) with a checkbox for "Utilizar datos de entrega como predeterminado" and a note that the address is "NOngR" (123, 123, SAN MATEO TLALTENANGO, 05600, santa fe, DISTRITO FEDERAL). To the right, a "Resumen de compra" (Purchase Summary) box shows a shopping bag icon with a percentage sign. It states: "Tienes un cupón disponible en tu bolsa" and has a link "Ver cupones". Below this, a "Cupones" (Coupons) section shows "(2 disponibles)" with a link to "Ver más". The summary table includes: Subtotal (3 productos): \$255.00, Descuento: \$102.00, Cupones: \$0.00. At the bottom of the summary, there are links for "Opciones de pago" and "Opciones de envío".

This screenshot shows the Liverpool website homepage. At the top, there's a pink header with the Liverpool logo and a search bar containing "Buscar por producto, marca y más...". Below the header, there are several navigation links: "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown menu "Mi tienda - Liverpool ...". A "BYD" link is also visible. The main content area features a large pink banner on the left with "DESCUENTOS SIN CUENTOS" and a "HOT SALE" badge. To the right, there are two product images: a woman wearing over-ear headphones and a woman wearing earbuds.

This screenshot shows a cookie consent banner at the bottom of the Liverpool website. The banner contains the text: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)". There is a close button "X" in the top right corner of the banner.

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola harish", and a shopping cart. Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right side of the header are links for Tiendas, Ayuda, and a dropdown for "Mi tienda - Liverpool ...". The main content area features two images: one of a woman wearing over-ear headphones and another of a woman wearing earbuds. There are also promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button (X).</p>		

# TS\_SMOKE\_SUITE\_072

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	23-02-2024 20:12:12	End	23-02-2024 20:14:36
Elapsed	2m - 23.274s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.320s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )</pre>  <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, and a search bar with a magnifying glass icon is in the center. To the right of the search bar are 'Mis Compras', 'Hola harish', a shopping cart icon with '3', and a user profile icon. Below the navigation, there's a 'Categorías' dropdown menu, 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a link to 'Mi tienda - Liverpool ...'. A 'BYD' link is also visible. The main content area features three product images: a pink promotional banner for 'DESCUENTOS SIN CUENTOS' and 'HOT SALE', a woman wearing large black over-ear headphones, and a woman wearing small black earbuds.</p>		

## TS\_SMOKE\_SUITE\_072


---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)     at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	23.071s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. A search bar is also present. A green notification bar at the top says "Se eliminaron artículos de tu bolsa." (Articles removed from your bag.). Below this, a message states "No hay artículos en tu bolsa" (There are no articles in your bag) with a "Continuar comprando" (Continue shopping) button. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Mundial Qatar, and a Suscríbete a nuestro Newsletter section.</p> <p>Elapsed: 00:00:00.000000 Status: Failed</p>	00:00:00.000000	Failed

## TS\_SMOKE\_SUITE\_072

---


#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.759s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PLPPage/product2_cardPrice_PLP"), STOP_ON_FAILURE)	5.958s	PASSED
Object: 'Object Repository/PLPPage/product2_cardPrice_PLP' is clicked on			

# TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
5	<p>click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PDPPage/Size1_PDP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PDPPage/Size1_PDP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:31)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PDPPage/Size1_PDP' located by '//ul[@class='p-0 m-0 m-product__size dBlock']/li[1]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement  (WebUiCommonHelper.java:1379)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.  doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call  (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.237s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550936.run(Script1697733550936.groovy:31) ... 15 more )		
6	 click(findTestObject("PDPPage/AddToCart_pdp"))	2.397s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on		
7	click(findTestObject("HomePage/Cart_header"))	16.211s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
8	click(findTestObject("CartPage/BuyButton_Cart"))	3.355s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
9	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	3.180s	PASSED
	Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on		
10	click(findTestObject("OPCPage/AddAddressButtonPopup_checkout"))	1.850s	PASSED
	Object: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' is clicked on		

## TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
11	StoreValue = "AUTOMATION" + RandomStringUtils.randomAlphabetic(8)	0.002s	PASSED
12	out.println(StoreValue)	0.001s	PASSED
13	setText(findTestObject("OPCPage/name_addaddress_opc"), Name)	2.491s	PASSED
	Text 'QATest' is set on object 'Object Repository/OPCPage/name_addaddress_opc'		
14	setText(findTestObject("OPCPage/shortName_addAddress_opc"), StoreValue)	1.045s	PASSED
	Text 'AUTOMATIONBTmkqYse' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'		
15	setText(findTestObject("OPCPage/mothersLastName_addAddress_opc"), MotherName)	0.663s	PASSED
	Text 'Test' is set on object 'Object Repository/OPCPage/mothersLastName_addAddress_opc'		
16	setText(findTestObject("OPCPage/Lastname_Address_OPc"), MotherName)	0.885s	PASSED
	Text 'Test' is set on object 'Object Repository/OPCPage/Lastname_Address_OPc'		
17	setText(findTestObject("OPCPage/postalCode_addAddress_opc"), PostalCode)	0.939s	PASSED
	Text '21200' is set on object 'Object Repository/OPCPage/postalCode_addAddress_opc'		
18	setText(findTestObject("OPCPage/city_addAddress_opc"), CityAddAddress)	2.301s	PASSED
	Text 'san fransisco' is set on object 'Object Repository/OPCPage/city_addAddress_opc'		
19	click(findTestObject("OPCPage/street_addAddress_opc"))	0.500s	PASSED
	Object: 'Object Repository/OPCPage/street_addAddress_opc' is clicked on		

## TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
20	setText(findTestObject("OPCPage/street_addAddress_opc"), StreetAddAddress)  Text 'Regina Street' is set on object 'Object Repository/OPCPage/street_addAddress_opc'	0.892s	PASSED
21	setText(findTestObject("OPCPage/noExt_addAddress_opc"), NoExtAddAddress)  Text '1231232342' is set on object 'Object Repository/OPCPage/noExt_addAddress_opc'	1.030s	PASSED
22	setText(findTestObject("OPCPage/cellphone_addAddress_opc"), CellPhoneAddAddress)  Text '7000000000' is set on object 'Object Repository/OPCPage/cellphone_addAddress_opc'	0.997s	PASSED
23	setText(findTestObject("OPCPage/phone_addAddress_opc"), phoneAddAddress)  Text '9823958922' is set on object 'Object Repository/OPCPage/phone_addAddress_opc'	0.836s	PASSED
24	click(findTestObject("OPCPage/CheckBoxAddAddressPopup_OPc"))  Object: 'Object Repository/OPCPage/CheckBoxAddAddressPopup_OPc' is clicked on	0.557s	PASSED
25	click(findTestObject("OPCPage/ContinueButtonAddcard_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddcard_Checkout' is clicked on	0.560s	PASSED
26	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
27	ShortName = getText(findTestObject("OPCPage/currentDeliveryAddress_OPc"), STOP_ON_FAILURE)  Text of object 'Object Repository/OPCPage/currentDeliveryAddress_OPc' is: 'AUTOMATIONBTmkqYse '	11.358s	PASSED
28	if (StoreValue == ShortName)	0.000s	PASSED

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
29	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.702s	ERROR

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays the following information:

- 1. Entrega:** AUTOMATIONBTmkqYse, Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA.
- 2. Forma de Pago:** VISA visatest \*3065. Fecha de vencimiento: MM/AA\*. Código de seguridad: CVV\*.
- Resumen de compra:** Subtotal (1 productos): \$365.00. Descuento: \$36.50. Cupones: \$0.00.

At the bottom of the page, there are links for various brands like Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The footer includes a search bar, navigation links (Categorías, Mesa de regalos, Mi crédito, Servicios), and account information (Mis Compras, Hola harish, Ayuda).



# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	Más información'." data-bbox="94 145 714 382"/>		

# TS\_SMOKE\_SUITE\_073

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	23-02-2024 20:14:36	End	23-02-2024 20:16:46
Elapsed	2m - 10.778s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.579s	PASSED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  		

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
2	waitForPageLoad(0)  Wait for page load successfully	0.014s	PASSED
3	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.350s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.369s	PASSED
5	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	5.454s	PASSED
6	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	15.589s	PASSED
7	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	5.315s	PASSED
8	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.863s	PASSED
9	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	4.231s	PASSED
10	click(findTestObject("OPCPage/3DotButton2_Checkout"))  Object: 'Object Repository/OPCPage/3DotButton2_Checkout' is clicked on	2.030s	PASSED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
11	click(findTestObject("OPCPage/EditAddress_Checkout"))  Object: 'Object Repository/OPCPage/EditAddress_Checkout' is clicked on	0.396s	PASSED
12	setText(findTestObject("OPCPage/shortName_addAddress_opc"), ShortName)  Text 'NewTest12345' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	1.933s	PASSED
13	waitForPageLoad(0)  Wait for page load successfully	0.014s	PASSED
14	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.333s	PASSED
15	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"), OPTIONAL)  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	1.968s	PASSED
16	delay(5)  Delayed 5 second(s)	5.005s	PASSED
17	click(findTestObject("HomePage/Logo_hp"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	28.193s	PASSED
18	mouseOver(findTestObject("HomePage/span_HolaUser_hp"))  Object: 'Object Repository/HomePage/span_HolaUser_hp' is hovered	0.717s	PASSED


# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
19	<pre>click(findTestObject("HomePage/myAccount_hp"))  Unable to click on object 'Object Repository/HomePage/myAccount_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/myAccount_hp'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659)     at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:60)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/myAccount_hp' located by ' //div[2]/div/ul//a[.= 'Mi Cuenta']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.215s	FAILED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1697733550942.run(Script1697733550942.groovy:60) ... 15 more		




# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.133s	ERROR

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	 A screenshot of the Liverpool website. The top navigation bar includes links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar says "Buscar por producto, marca y más...". The user is signed in as "Mis Compras" with "Hola harish" and has 2 items in their cart. The main content area shows a pink hair dryer and a purple curling iron. Promotional banners on the left say "DESCUENTOS SIN CUENTOS" and "HOT SALE". <p>DESCUENTOS SIN CUENTOS</p> <p>HOT SALE</p>		

# TS\_SMOKE\_SUITE\_076

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_076

Description To verify the display of payment page for the for logged in user

Tag

Start 23-02-2024 20:16:46 End 23-02-2024 20:17:51

Elapsed 1m - 4.912s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)	8.166s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)	3.283s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/product1_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	9.474s	<b>PASSED</b>
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	5.353s	<b>PASSED</b>
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	4.873s	<b>PASSED</b>
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	callTestCase(findTestCase("CommonMethods/assert_OPCT(CheckoutPage)'), [:], STOP_ON_FAILURE)	4.925s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/assert_OPCT(CheckoutPage)' successfully			

# TS\_SMOKE\_SUITE\_076

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_076

---

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	28.787s	ERROR


# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the page title is "Confirma tu compra". The left side has two sections: "1. Entrega" (Delivery) and "2. Forma de Pago" (Payment). The delivery section shows an address: "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". The payment section shows a Visa card with number "visatest \*3065", expiration date "MM/AA\*", and CVV "CVV\*". There's also a checkbox for "Usar monedero digital \$32,789.00". On the right, there's a "Resumen de compra" (Purchase Summary) box. It shows a pink ribbon icon with a percentage sign. The text says: "Tienes un cupón disponible en tu bolsa" and a link "Ver cupones". Below this, it lists the subtotal (\$1,365.00), discount (\$36.50), and coupons (\$0.00). At the bottom of the page, there's a navigation bar with links like "Suburba", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", "Toys R Us", and a search bar.



# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile for "Hola harish", and a shopping cart. The main content area features two products: a large, colorful handbag with a geometric pattern and a teal-colored crocodile-patterned travel bag. Promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE" are visible on the left side.</p>		

# TS\_SMOKE\_SUITE\_077



## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077		
Description	To verify the functionality of new adding card in checkout flow for logged in user		
Tag			
Start	23-02-2024 20:17:51	End	23-02-2024 20:19:24
Elapsed	1m - 32.519s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":jeans], STOP_ON_FAILURE)	9.057s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product3_cardPrice_PLP"), OPTIONAL)	9.443s	PASSED
Object: 'Object Repository/PLPPage/product3_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	15.513s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	5.017s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	1.961s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/create_new_CARD_OPB"), [:], STOP_ON_FAILURE)	26.275s	PASSED
Call Test Case 'Test Cases/CommonMethods/create_new_CARD_OPB' successfully			
 <p>The screenshot shows the Liverpool website's checkout interface. At the top, there's a pink header with the Liverpool logo. Below it, a green success message box contains two items: a yellow warning about an unregistered address and a green confirmation about updated payment and promotion methods. The main form includes fields for delivery address (Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA) and payment method (VISA card ending in *1057). A sidebar on the right displays a summary of the purchase: Subtotal (\$1.36), Discount (\$0.00), and Cupones (1 disponible). A pink button labeled 'Crear' is visible at the bottom right of the sidebar.</p>			
Confirm your purchase			
 <p>This screenshot shows the Liverpool website's confirmation page. It features a pink header with the Liverpool logo. The main content area displays the purchase summary and payment details from the previous step. The sidebar on the right shows the same summary information: Subtotal (\$1.36), Discount (\$0.00), and Cupones (1 disponible). The pink 'Crear' button is also present here.</p>			

# TS\_SMOKE\_SUITE\_077

---

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.174s	ERROR

# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a purchase confirmation page from Liverpool. At the top, there's a pink header with the Liverpool logo and a help icon. Below it, a modal window titled "Resumen de compra" displays a pink gift bag icon and a message: "Tienes un cupón disponible en tu bolsa" with a link "Ver cupones". The main page has sections for "1. Entrega" (Delivery) and "2. Forma de Pago" (Payment Method). Under delivery, the address is listed as "AUTOMATIONBTmkqYse" and "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". Under payment, a VISA card ending in \*1057 is selected, and there's an option to "Usar Puntos BBVA". A sidebar on the right shows a subtotal of \$1,36 and a discount of \$0.00. At the bottom, there's a navigation bar with links like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...".



# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 3), a user profile ("Hola harish"), and a shopping cart. The main content area features a banner for "DESCUENTOS SIN CUENTOS" and "HOT SALE". Below the banner, there are two images: one of a black dog and an orange and white cat eating from bowls, and another of a dog resting in a large, light-colored dog bed outdoors.</p>		

# TS\_SMOKE\_SUITE\_078

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 23-02-2024 20:19:24 End 23-02-2024 20:21:05

Elapsed 1m - 41.253s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)	10.178s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_cardPrice_PLP"))	5.024s	PASSED
Object: 'Object Repository/PLPPage/product1_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	30.036s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	5.591s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	2.189s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))	5.182s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on			
7	click(findTestObject("OPCPage/paymentMethod_button3_OPCC"))	1.395s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_button3_OPCC' is clicked on			

## TS\_SMOKE\_SUITE\_078

---


#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Continue_payment_3rdmethod_OP"))  Object: 'Object Repository/OPCPage/Continue_payment_3rdmethod_OP' is clicked on	2.540s	PASSED
9	delay(5)  Delayed 5 second(s)	5.018s	PASSED
10	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	1.211s	PASSED
11	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	10.231s	PASSED

# TS\_SMOKE\_SUITE\_078


---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.599s	ERROR

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
	 <p>A screenshot of the Liverpool website homepage. The header features the Liverpool logo, a search bar, and user account information (Mis Compras, Hola harish). Below the header are navigation links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda Liverpool La ... . The main content area displays two beauty products: a pink INFINITI PRO hair dryer and a purple Unbranded curling iron. To the left of these products is a vertical sidebar with promotional banners for 'DESCUENTOS SIN CUENTOS' and 'HOT SALE'.</p>		

# TS\_SMOKE\_SUITE\_080

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080		
Description	To verify that the display of the applied Coupon details in the order success page		
Tag			
Start	23-02-2024 20:21:05	End	23-02-2024 20:23:36
Elapsed	2m - 31.202s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.200s	PASSED
2	navigateToUrl(URLQA2)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	17.672s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	12.188s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":SL1}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	22.853s	PASSED
5	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
6	click(findTestObject("PLPPage/product1_PLP"))  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	8.750s	PASSED
7	waitForPageLoad(0)  Wait for page load successfully	0.000s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
8	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	10.619s	PASSED
9	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.772s	PASSED
10	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	5.085s	PASSED
11	click(findTestObject("OPCPage/paymentMethod_change_OPc"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_change_OPc' is clicked on	8.617s	PASSED
12	click(findTestObject("OPCPage/paymentMethod_button1_OPc"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_button1_OPc' is clicked on	1.478s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPc"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPc'	0.833s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPc"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPc'	0.935s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.612s	PASSED
16	j = getText(findTestObject("OPCPage/Page_TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_TotalPrice_opc' is: '\$500.00'	3.106s	PASSED
17	j1 = replace("\$", "").replace(", ", "")	0.000s	PASSED

## TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.298s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.000s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC"))  Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.377s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC"))  Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.563s	PASSED
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$25.00'	2.861s	PASSED
23	b1 = replace("\$", "").replace(",", "")	0.000s	PASSED
24	out.println(a1)	0.000s	PASSED
25	out.println(b1)	0.000s	PASSED
26	if (a1 != b1)	0.000s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$475.00'	0.298s	PASSED

## TS\_SMOKE\_SUITE\_080



---

#	Description	Elapsed	Status
28	k1 = replace("\$", "").replace(", ", "")	0.000s	PASSED
29	out.println(j1)	0.000s	PASSED
30	out.println(k1)	0.000s	PASSED
31	if (j1 >= k1)	0.000s	PASSED
32	click(findTestObject("OPCPage/Final_comparar_OPB"))  Object: 'Object Repository/OPCPage/Final_comparar_OPB' is clicked on	0.362s	PASSED
33	delay(10)  Delayed 10 second(s)	10.017s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.593s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
35	Start listener action : sampleAfterTestCase	36.961s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully



# TS\_SMOKE\_SUITE\_082

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	23-02-2024 20:23:36	End	23-02-2024 20:26:12
Elapsed	2m - 36.066s		
Status	FAILED		


## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.114s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	15.294s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	13.841s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
4	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)     at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	39.625s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status																									
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1379)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>Mi Bolsa</p> <p>No hay artículos en tu bolsa</p> <p>Continuar comprando</p> <table border="1"><tr><td>Soporte al cliente</td><td>Servicios Liverpool</td><td>Ventas Corporativas</td><td>Sostenibilidad</td><td>Suscríbete a nuestro Newsletter</td></tr><tr><td>Facturación</td><td>Crédito</td><td>Acerca de Liverpool</td><td>Promociones</td><td>Ventas por teléfono 55 5262-9999</td></tr><tr><td>Ayuda</td><td>Tiempo aire</td><td>Bolsa de trabajo</td><td>Venta Nocturna</td><td>Desde tu celular *7171</td></tr><tr><td>Mis compras</td><td>Concursos y promociones</td><td>¿Quiénes somos?</td><td>Buen fin</td><td>Contáctanos vía WhatsApp o por Teléfono al</td></tr><tr><td>Garantías Liverpool</td><td>Diseño de Interiores</td><td>Relación con inversionistas</td><td>Mundial Qatar</td><td>5552629999</td></tr></table>	Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter	Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999	Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171	Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al	Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Mundial Qatar	5552629999		
Soporte al cliente	Servicios Liverpool	Ventas Corporativas	Sostenibilidad	Suscríbete a nuestro Newsletter																								
Facturación	Crédito	Acerca de Liverpool	Promociones	Ventas por teléfono 55 5262-9999																								
Ayuda	Tiempo aire	Bolsa de trabajo	Venta Nocturna	Desde tu celular *7171																								
Mis compras	Concursos y promociones	¿Quiénes somos?	Buen fin	Contáctanos vía WhatsApp o por Teléfono al																								
Garantías Liverpool	Diseño de Interiores	Relación con inversionistas	Mundial Qatar	5552629999																								

## TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.337s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	14.360s	PASSED
7	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	11.674s	PASSED
8	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	12.102s	PASSED
9	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.566s	PASSED
10	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	1.803s	PASSED
11	click(findTestObject("OPCPage/paymentMethod_change_OPC"))  Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on	12.836s	PASSED
12	scrollToElement(findTestObject("OPCPage/card3_Option_OPC"), 0)  Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully	1.752s	PASSED
13	click(findTestObject("OPCPage/card3_Option_OPC"))  Object: 'Object Repository/OPCPage/card3_Option_OPC' is clicked on	0.349s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPB"), 0)  Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPB' is present	0.470s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPB"))  Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPB' is clicked on	0.383s	PASSED

# TS\_SMOKE\_SUITE\_082


---

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p><b>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP'</b> (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:51) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.57) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11404}, fedcm:accounts: true, goog: </pre>	2.879s	FAILED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:63641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 48081eaeddedd92ccb979a28fb57ac     at jdk.internal.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106)         at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)             at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source)             at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429)             at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53)             at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy)             at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)             at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)             at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)             at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903)             at Script1697733550977.run(Script1697733550977.groovy:51)             ... 15 more )</pre>		

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	 <p>The screenshot shows a payment selection dialog box from Liverpool. The title bar says "Selecciona una forma de pago". Inside, there's a section for "Datos del tarjetahabiente" with a "Nombre completo" field containing "vedant". A checkbox for "Establecer tarjeta como predeterminada" is unchecked. Below it is a section for "Dirección asociada a la tarjeta", which is currently empty. At the bottom are "Regresar" and "Continuar" buttons, with "Continuar" being pink. To the left of the dialog, a sidebar shows payment methods: "1. Entrega en tienda" with "AUTOCARRO" selected, and "2. Forma de pago" with "VISA" selected. There are also fields for "Fecha de vencimiento" and "MM/YY". A radio button at the bottom left of the sidebar is selected, labeled "Usar monedero digital \$32,789.00".</p>		

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.551s	ERROR

TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

[Ayuda](#)  

## Confirma tu compra

1. Entrega

AUTOMATIONBTmkqYse [Cambiar](#)

Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco, BAJA CALIFORNIA

Resumen de compra

Tienes un cupón disponible en tu bolsa [Ver cupones](#)

Subtotal (1 productos): \$500.00  
Descuento: \$0.00  
Cupones: \$0.00

2. Forma de Pago

VISA **visatest** \*3065 [Cambiar](#)

Fecha de vencimiento: MM/AA\* Código de seguridad: CVV\*

Usar monedero digital \$32,789.00


Suburbs Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

---

**Liverpool** Buscar por producto, marca y más... Mis Compras Hola harish ▾ Ayuda Mi tienda - Liverpool ...

DESCUENTOS SIN CUENTOS 

BYD



Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_083

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 23-02-2024 20:26:12 End 23-02-2024 20:27:48

Elapsed 1m - 35.287s

Status FAILED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)	7.773s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.031s	PASSED
Wait for page load successfully			
3	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)	5.695s	PASSED
Object: 'Object Repository/PLPPage/product1_PLP' is clicked on			
4	click(findTestObject("PDPPage/AddToCart_PDP"))	8.697s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
5	click(findTestObject("HomePage/bag_header_HP"))	3.469s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	1.715s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	5.612s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			

# TS\_SMOKE\_SUITE\_083

---


#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Address_PopUP_option1_opc"))  Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	2.308s	PASSED
9	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc"))  Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.351s	PASSED
10	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.377s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPc"), "1225")  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPc'	3.653s	PASSED
12	setText(findTestObject("OPCPage/enterCardCVV_OPc"), "805")  Text '805' is set on object 'Object Repository/OPCPage/enterCardCVV_OPc'	0.956s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPc"))  Object: 'Object Repository/OPCPage/Final_comparar_OPc' is clicked on	1.066s	PASSED

# TS\_SMOKE\_SUITE\_083

---

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)  Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)     at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:46)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation- section__gratitude']' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)</pre>	16.053s	FAILED



# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 <p>Solicitud de Pago</p> <p><b>Comercio:</b> Liverpool Pruebas</p> <p><b>Concepto:</b> Liverpool</p> <p><b>Importe:</b> \$ 10.00 MXN</p> <p><b>Parametro inválido</b></p> <p><b>Regresar</b></p> <p>BBVA</p> <p>© Openpay S.A. de C.V. Todos los derechos reservados</p> <p>Desarrollado por </p>		

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
15	Start listener action : sampleAfterTestCase	37.468s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully



# TS\_SMOKE\_SUITE\_086

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	23-02-2024 20:27:48	End	23-02-2024 20:30:00
Elapsed	2m - 12.680s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	17.338s	PASSED
2	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.344s	PASSED
4	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	3.634s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	11.149s	PASSED
6	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.567s	PASSED

## TS\_SMOKE\_SUITE\_086

---

#	Description	Elapsed	Status
7	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.402s	PASSED
8	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))  Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on	4.641s	PASSED
9	click(findTestObject("OPCPage/paymentMethod_button2_OPCC"))  Object: 'Object Repository/OPCPage/paymentMethod_button2_OPCC' is clicked on	2.552s	PASSED

# TS\_SMOKE\_SUITE\_086

---


#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:38)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementClickInterceptedException: element click  intercepted: Element &lt;div class="a-box__accordionIcon float-right"&gt;...&lt;/div&gt; is not clickable  at point (632, 364). Other element would receive the click: &lt;div class="col-12 a-icon-options"  &gt;...&lt;/div&gt;  (Session info: chrome=122.0.6261.57)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.164', os.name: 'Windows 11', os.  arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:  122.0.6261.57, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e...,  userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11040}</p>	13.370s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:63641}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 48081eaeddedd92ccb979a28fb57ac     at jdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor21.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
)	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:38) ... 15 more		




The screenshot shows a modal dialog box titled "Selecciona una forma de pago" (Select a payment method) from the Liverpool website. The dialog has three tabs at the top: "Tarjetas / Monedero" (selected), "PayPal" (highlighted with a black background), and "Efectivo y Transferencias". Below the tabs, there is a section for "PayPal" with the text "Paga a meses sin intereses con PayPal". It includes a note about using a PayPal account for payments via debit/credit cards (VISA, MasterCard, American Express) and mentions that the card charge occurs after confirming the order. A "Continuar" (Continue) button is visible at the bottom right of the dialog. In the background, the Liverpool checkout process is visible, showing steps 1. Entrega and 2. Forma de pago.

# TS\_SMOKE\_SUITE\_086


---

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay'  (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:40)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to  window with title: 'Log in to your PayPal account'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	12.188s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more )</pre> 		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	 A screenshot of a payment selection dialog box from Liverpool. The title bar says "Selecciona una forma de pago". There are three tabs: "Tarjetas / Monedero" (selected), "PayPal" (highlighted with a black border), and "Efectivo y Transferencias". Below the tabs, it says "Paga a meses sin intereses con PayPal". A note below states: "Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales. El cobro de la tarjeta se realiza después de confirmar tu pedido en el último paso del proceso. Mientras tanto no se realiza ningún cargo." At the bottom right is a pink "Continuar" button.		
12	click(findTestObject("OPCPage/button_Continuar_payment_opc"))	0.400s	PASSED
	Object: 'Object Repository/OPCPage/button_Continuar_payment_opc' is clicked on		
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC"))	7.301s	PASSED
	Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL)	12.471s	PASSED

com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder\_Checkout' located by //div[@class='confirmation-section\_\_gratitude'] not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ConfirmOrder\_Checkout' located by //div[@class='confirmation-section\_\_gratitude'] not found  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$\_verifyElementPresent\_closure1.doCall (VerifyElementPresentKeyword.groovy:85)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$\_verifyElementPresent\_closure1.call (VerifyElementPresentKeyword.groovy)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68)  
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)  
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)  
at TS\_SMOKE\_SUITE\_086.run(TS\_SMOKE\_SUITE\_086:46)  
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)  
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)  
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)  
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)  
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  
at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
)

# TS\_SMOKE\_SUITE\_086


#	Description	Elapsed	Status
15	 <p>The screenshot shows a Liverpool website error page. At the top is the Liverpool logo. Below it is a large red warning triangle icon. The main text reads: "Lo sentimos, tu transacción no pudo ser procesada." Below this, smaller text says: "Por favor inténtalo más tarde o puedes llamarnos a: Ventas por teléfono 5262 9999 / 01 800 713 555". A blue "Regresar a tienda" button is at the bottom. A red info box contains the message: "Lo sentimos, tu compra no se pudo procesar correctamente, si requieres una aclaración favor de comunicarte con nosotros." A red exclamation mark icon is next to the message.</p> <p>click(findTestObject("HomePage/logo_confirmPage"))</p> <p>Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on</p>	0.327s	PASSED

## TS\_SMOKE\_SUITE\_086


---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.867s	ERROR

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 0), a user profile ("Hola harish"), and a shopping cart. The main content area features two product images: a large, colorful handbag with a geometric pattern and a smaller, teal-colored crocodile-patterned bag. Promotional banners for "DESCUENTOS SIN CUENTOS" and "HOT SALE" are visible on the left side of the page.</p>		

# TS\_SMOKE\_SUITE\_087

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	23-02-2024 20:30:00	End	23-02-2024 20:32:02
Elapsed	2m - 1.275s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	20.649s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SL1], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	14.183s	PASSED
Wait for page load successfully			
3	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
Object: 'Object Repository/PLPPage/product1_PLP' is clicked on			
4	click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	4.101s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
5	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	10.839s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
6	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.795s	PASSED

## TS\_SMOKE\_SUITE\_087



#	Description	Elapsed	Status
7	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.176s	PASSED
8	click(findTestObject("OPCPage/paymentMethod_change_OPc"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_change_OPc' is clicked on	5.576s	PASSED
9	click(findTestObject("OPCPage/paymentMethod_button1_OPc"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_button1_OPc' is clicked on	1.834s	PASSED
10	setText(findTestObject("OPCPage/enterCardCVV_OPc"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPc'	0.884s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPc"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPc'	0.903s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.579s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPc"))  Object: 'Object Repository/OPCPage/Final_comparar_OPc' is clicked on	4.906s	PASSED

# TS\_SMOKE\_SUITE\_087

---

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  execute(VerifyElementPresentKeyword.groovy:68)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)  at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:46)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.  webui.exception.WebElementNotFoundException: Web element with id: 'Object  Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation-  section__gratitude']' not found  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall  (VerifyElementPresentKeyword.groovy:85)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy) </p>	11.438s	FAILED


# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
)	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more</pre>  <p>Solicitud de Pago</p> <p><b>Comercio:</b> Liverpool Pruebas</p> <p><b>Concepto:</b> Liverpool</p> <p><b>Importe:</b> \$ 5.00 MXN</p> <p><b>Parametro inválido</b></p> <p>BBVA</p> <p>© Openpay S.A. de C.V. Todos los derechos reservados</p> <p>Desarrollado por </p>  <p>Solicitud de Pago</p> <p><b>Comercio:</b> Liverpool Pruebas</p> <p><b>Concepto:</b> Liverpool</p> <p><b>Importe:</b> \$ 5.00 MXN</p> <p><b>Parametro inválido</b></p> <p>BBVA</p> <p>© Openpay S.A. de C.V. Todos los derechos reservados</p> <p>Desarrollado por </p>		

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
15	Start listener action : sampleAfterTestCase	37.304s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx>' successfully



# TS\_SMOKE\_SUITE\_088

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 23-02-2024 20:32:02 End 23-02-2024 20:33:07

Elapsed 1m - 5.083s

Status FAILED

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx">https://odtaqaa.liverpool.com.mx</a> ' successfully	15.477s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP"))  Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	3.358s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.473s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.637s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount"))  Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	8.353s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	1.122s	PASSED

# TS\_SMOKE\_SUITE\_088


#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	2.465s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM"))  Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.397s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM"))  Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.367s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM"))  Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.515s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM"))  Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.344s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805")  Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	0.845s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.596s	PASSED

# TS\_SMOKE\_SUITE\_088


---

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object  'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  execute(VerifyElementPresentKeyword.groovy:68)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)  at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.  webui.exception.WebElementNotFoundException: Web element with id: 'Object  Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation-  section__gratitude']' not found  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall  (VerifyElementPresentKeyword.groovy:85)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy) </p>	17.921s	FAILED

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 <p>The screenshot shows a Liverpool website page for a 'Tiempo Aire' recharge. At the top, there's a navigation bar with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. Below the navigation is a search bar and a user profile 'Mis Compras' with a notification count of 0. A prominent red error message box at the top states: 'La transacción no fue autorizada por el banco emisor.' (The transaction was not authorized by the issuing bank). The main content area has three sections: '1. Selecciona tus números a recargar' (with a checked checkbox for 'mobile' number 5542140023), '2. Selecciona tu forma de pago' (with a selected Visa card ending in *3065), and a 'Resumen de mi recarga' section showing a subtotal of \$30.00 and a total of \$30.00. A large purple 'Finalizar recarga' button is visible.</p>		

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 <p>This screenshot is identical to the one above, showing the same Liverpool website interface for a 'Tiempo Aire' recharge. It displays the same error message about the transaction being unauthorized by the bank. The form fields and summary details are also the same, including the purple 'Finalizar recarga' button.</p>		

## TS\_SMOKE\_SUITE\_088

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1708696752711.run(TempTestSuite1708696752711.groovy:36)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.127s	ERROR

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:113) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

1. Selecciona tus números a recargar

mobile  
5542140023  
Telcel

Tipo de recarga  
Tiempo Aire

Monto de recarga  
TELCEL 30 Pesos

2. Selecciona tu forma de pago

VISA Visatest \*3065  
Predeterminada

Fecha de vencimiento:  
\*Campos obligatorios

Mes  
03

Año  
2026

CVV  
321

¿Qué es esto? ⓘ

Resumen de mi recarga

Subtotal( 1 recarga): \$30.00

Total: \$30.00

Finalizar recarga

AI hacer click en Finalizar recarga admites estar de acuerdo con nuestros

1. Selecciona tus números a recargar

mobile  
5542140023  
Telcel

Tipo de recarga  
Tiempo Aire

Monto de recarga  
TELCEL 30 Pesos

2. Selecciona tu forma de pago

VISA Visatest \*3065  
Predeterminada

Fecha de vencimiento:  
\*Campos obligatorios

Mes  
03

Año  
2026

CVV  
321

¿Qué es esto? ⓘ

Resumen de mi recarga

Subtotal( 1 recarga): \$30.00

Total: \$30.00

Finalizar recarga

AI hacer click en Finalizar recarga admites estar de acuerdo con nuestros



# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
			