

# ArrangeByLogin

## Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.1.212
Browser	Chrome 122.0.0.0

## Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	45	Failed	9
Error	1	Incomplete	0
Skipped	0		
Start	07-03-2024 15:52:46	End	07-03-2024 16:57:06
Elapsed	1h - 4m - 20.168s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	PASSED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	ERROR
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

# ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	PASSED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	PASSED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	PASSED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	FAILED

# ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	FAILED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	PASSED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs.  Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	PASSED
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	PASSED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	FAILED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	FAILED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	PASSED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	PASSED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

# ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	FAILED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	FAILED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	PASSED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	PASSED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	PASSED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	FAILED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	PASSED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	PASSED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

# TS\_SMOKE\_SUITE\_001

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	07-03-2024 15:53:14	End	07-03-2024 15:53:39
Elapsed	24.471s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)	0.737s	<b>PASSED</b>
<a href="#">Object 'Object Repository/HomePage/Logo_hp' is present</a>			

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.605s	ERROR

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_002

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

07-03-2024 15:53:39

End

07-03-2024 15:54:05

26.030s

PASSED

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)  Object 'Object Repository/HomePage/Logo_hp' is present	0.351s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0)  Object 'Object Repository/HomePage/Departamentos' is present	0.301s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0)  Object 'Object Repository/HomePage/brand1_HP' is present	0.323s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0)  Object 'Object Repository/HomePage/brand2_HP' is present	0.315s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0)  Object 'Object Repository/HomePage/brand3_HP' is present	0.283s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0)  Object 'Object Repository/HomePage/brand4_HP' is present	0.298s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0)  Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.283s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0)  Object 'Object Repository/HomePage/credito_HP' is present	0.283s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0)  Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.331s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0)  Object 'Object Repository/HomePage/Iniciar sesion' is present	0.330s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0)  Object 'Object Repository/HomePage/Tiendas_HP' is present	0.330s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0)  Object 'Object Repository/HomePage/Ayuda_HP' is present	0.314s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.225s	ERROR

# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
---	-------------	---------	--------



# TS\_SMOKE\_SUITE\_003

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	07-03-2024 15:54:05	End	07-03-2024 15:54:46
Elapsed	41.773s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	13.013s	PASSED
2 mouseOver(findTestObject("HomePage/Departamentos"))  Object: 'Object Repository/HomePage/Departamentos' is hovered			
3	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))  Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.314s	PASSED
4 click(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on			
5	mouseOver(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.706s	PASSED
6 verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP"))  Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable			
7	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP"))  Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable	0.299s	PASSED

# TS\_SMOKE\_SUITE\_003

---


#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_003

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.498s	ERROR

# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_007

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	07-03-2024 15:54:46	End	07-03-2024 15:55:26
Elapsed	39.530s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	waitForPageLoad(5)  Wait for page load successfully	0.031s	<b>PASSED</b>
2 click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on			
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0)  Object 'Object Repository/HomePage/EnterUsername_LP' is present	6.212s	<b>PASSED</b>
4 verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0)  Object 'Object Repository/HomePage/EnterPassword_LP' is present			
5	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	10.398s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_007

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.111s	ERROR

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_008

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"( Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	07-03-2024 15:55:26	End	07-03-2024 15:56:16
Elapsed	49.557s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE)	0.367s	PASSED
Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on			
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0)	9.802s	PASSED
Object 'Object Repository/SLP/breadCrumb_SLP' is present			
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0)	0.700s	PASSED
Object 'Object Repository/SLP/Map_Verify_slp' is present			
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0)	1.009s	PASSED
Object 'Object Repository/SLP/find_store_title_SLP' is present			
5	navigateToUrl(URL)	14.740s	PASSED
Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully			

# TS\_SMOKE\_SUITE\_008

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.813s	ERROR

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_009

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 15:56:16	End	07-03-2024 15:56:54
Elapsed	38.632s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.396s	PASSED
2	click(findTestObject("HomePage/Iniciar_miscompras"))  Object: 'Object Repository/HomePage/Iniciar_miscompras' is clicked on	4.912s	PASSED
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0)  Object 'Object Repository/HomePage/EnterUsername_LP' is present	2.743s	PASSED
4	verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0)  Object 'Object Repository/HomePage/EnterPassword_LP' is present	0.290s	PASSED

# TS\_SMOKE\_SUITE\_009

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	30.228s	ERROR

# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo. Below it, a modal window titled "Inicia sesión" (Log in) contains fields for "Correo electrónico" (Email) and "Contraseña" (Password), along with a "Forgot password?" link and a "Iniciar sesión" (Log in) button. Above the modal, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." (Remember that with one account you can log in to all our stores). The main navigation bar includes links for "Suzanne", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". A search bar at the top right says "Buscar por producto, marca y más...". Below the navigation, there's a banner for "BEAUTY DAY" featuring a perfume bottle labeled "IRRESISTIBLE GIVENCHY". The banner also includes a "Compartir" (Share) button and a "Close" button.

# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner is the Liverpool navigation bar with links to various brands like Subsistema, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar has the placeholder "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a lock icon. Below the search bar are categories like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "BYD", and links for "Tiendas" and "Ayuda". A "Selección tu tienda" dropdown is also present. The main content area features a large image of a Givenchy Irresistible perfume bottle on the left and a "BEAUTY DAY" promotional banner on the right, which includes a flower icon and a small starburst. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Mas información</a>" with a close button "X".</p>			

# TS\_SMOKE\_SUITE\_013

---

## Information

ID Test Cases/ArangeByLogin/HomePage/TS\_SMOKE\_SUITE\_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 07-03-2024 15:56:54 End 07-03-2024 15:57:37

Elapsed 42.919s

Status **ERROR**

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.388s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	16.712s	PASSED

## TS\_SMOKE\_SUITE\_013


---

#	Description	Elapsed	Status
3	randomemail = a.GenerateRandomEmail.generateRandomEmail()  Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013 FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.a.GenerateRandomEmail.generateRandomEmail() is applicable for argument types: () values: [] at TS_SMOKE_SUITE_013.run(TS_SMOKE_SUITE_013:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.038s	ERROR


# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	24.646s	ERROR

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_039

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	07-03-2024 15:57:37	End	07-03-2024 15:58:10
Elapsed	32.402s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE)	0.421s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Departamentos' is clicked on			
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))	0.524s	<b>PASSED</b>
Object 'Object Repository/HomePage/L1_Category1_HP' is clickable			
3	click(findTestObject("HomePage/L1_Category_HP"))	0.389s	<b>PASSED</b>
Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on			
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	8.726s	<b>PASSED</b>
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			

# TS\_SMOKE\_SUITE\_039

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.267s	ERROR

# TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		




Home > Belleza

## Belleza


Bath y Body  
Perfumería y Cosméticos  
Salud

## BELLEZA

No importa si eres beauty blogger, professional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



# TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_047

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_047

Description To verify the display of facets on the item listing page

Tag

Start 07-03-2024 15:58:10 End 07-03-2024 15:58:49

Elapsed 39.153s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	9.405s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	4.653s	<b>PASSED</b>
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.303s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.694s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present			
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.333s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present			
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.311s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present			

## TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.323s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.333s	PASSED

# TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.705s	ERROR

TS\_SMOKE\_SUITE\_047



| X
[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼

[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)

[Home > ropa](#)

"ropa" (939 resultados)

Ordenar por:
▼

**Categorías**

- [Moda](#)
- [Ella](#)
- [Ropa Mujer](#)
- [Caballeros](#)
- [Niños](#)
- [Prueba BT](#)
- [Muebles](#)
- [Bebés](#)

Y/o recibe 20% en monedero






**MODERNOS A MANO**

Pantalón para Dama Rue de la Paix

624<sup>m</sup>

\$14<sup>40</sup>

¡Entérate antes que nadie! Regístrate y recibe las mejores promociones

[Suburbia](#)
[Pottery Barn](#)
[Pottery Barn Kids](#)
[Williams Sonoma](#)
[West Elm](#)
[GAP](#)
[Banana Republic](#)
[Toys R Us](#)



| X
[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼


[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)



# TS\_SMOKE\_SUITE\_047

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_048

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 07-03-2024 15:58:49 End 07-03-2024 15:59:26

Elapsed 37.244s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Multi_Sku_With_Range_PLP], STOP_ON_FAILURE)	8.212s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	6.045s	<b>PASSED</b>
Text of object 'Object Repository/PLPPage/product2_cardPrice_PLP' is: '\$1,22900 - \$8,99500'			
3	verify price range	0.353s	<b>PASSED</b>
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1,22900 - \$6,07163'			
4	a1 = a.contains("-")	0.001s	<b>PASSED</b>
5	b1 = b.contains("-")	0.001s	<b>PASSED</b>
6	out.println(a1)	0.029s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
7	out.println(b1)	0.002s	PASSED
8	if (a1 == true && b1 == true)	0.002s	PASSED

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.424s	ERROR


# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results page for the term "bermuda". The search bar at the top contains "bermuda". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown for "Selecciona tu tienda". The main content area displays 18 products related to bermuda shorts. On the left, a sidebar lists categories such as Moda, Ella, Ropa Mujer, Caballeros, Prueba BT, Nautica, Belleza, and That's It. Two product cards are visible: one for a pair of tan bermuda shorts and another for a pair of black bermuda shorts. Both cards include promotional offers: "Y/o recibe30% en monedero", "Y/o recibe45% en monedero", and "Y/o recibe20% en monedero". Below the products, there is a banner for "iEntérate antes que nadie! Regístrate y recibe las mejores promociones". At the bottom of the page, there is a footer with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The main navigation menu includes "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selección tu tienda". A promotional banner for "BEAUTY DAY" is displayed, featuring a flower icon and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". On the right side of the banner, there's a vertical pink bar with the text "Te escuchamos" and a small speaker icon. The background of the page features a large image of a hand holding a Givenchy Irresistible perfume bottle against a sunset sky.</p>		

# TS\_SMOKE\_SUITE\_049

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			
Start	07-03-2024 15:59:26	End	07-03-2024 16:00:03
Elapsed	36.685s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rate_CPandDP], STOP_ON_FAILURE)	9.001s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	4.920s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	0.348s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			

# TS\_SMOKE\_SUITE\_049

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.316s	ERROR


# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

The screenshot shows the Liverpool website's search results page for the query "sony". The search bar at the top contains "sony". Below it, there are filters for "Categorías" (Deportes, Videojuegos, Baterías y Sartenes, Muebles, Celulares, Electronics, Apple, Decoración e), "Ordenar por" (Y/o recibe30% en monedero), and a "32 Productos" button. The main content area displays three smartphone products from the Sony range. A promotional banner at the bottom encourages users to register for early access to promotions.

The screenshot shows the Liverpool website's homepage featuring a large advertisement for "BEAUTY DAY". The ad features a hand holding a Givenchy Irresistible perfume bottle. Text in the ad includes "BEAUTY DAY", "Compra hoy y paga hasta mayo con Tarjetas Liverpool", and "Te escuchamos". The Liverpool navigation bar and search bar are visible at the top.

# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_055

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 07-03-2024 16:00:03 End 07-03-2024 16:00:46

Elapsed 43.483s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductRangeMultiSKU], STOP_ON_FAILURE)	8.221s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify milti sku	22.189s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
3	verify price range	1.360s	<b>PASSED</b>
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

## TS\_SMOKE\_SUITE\_055

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.630s	ERROR


# TS\_SMOKE\_SUITE\_055

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for men's Bermuda shorts. The top navigation bar includes the Liverpool logo, a search bar with the number 1031110455, and links for 'Mis Compras', 'Iniciar sesión', and a shopping cart icon with 0 items. Below the navigation are categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Selecciona tu tienda'. The breadcrumb navigation shows 'Home > Caballeros > Ropa > Bermudas y Shorts > Bermudas'. The main content features a large image of the shorts, the product name 'Bermuda para Caballero Náutica', a price of '\$309.00 - \$111,109.00', and a star rating of 4.5 stars. It also includes a 'Ver disponibilidad en tienda' button, a 'Recibe a domicilio' section with a note about entering a postal code, and buttons for 'Comprar ahora', 'Agregar a mi bolsa', and 'Guardar en Wishlist'.

This screenshot shows a promotional banner for men's Bermuda shorts. It features a large image of the shorts, the product name 'Bermuda para Caballero Náutica', a price of '\$309.00 - \$111,109.00', and a star rating of 4.5 stars. It includes a 'Ver disponibilidad en tienda' button, a 'Recibe a domicilio' section with a note about entering a postal code, and buttons for 'Comprar ahora', 'Agregar a mi bolsa', and 'Guardar en Wishlist'. At the bottom, there is a call-to-action: '¡Entérate antes que nadie! Regístrate y recibe las mejores promociones'.

This screenshot shows a different promotional banner. It features a large image of a perfume bottle labeled 'IRRESISTIBLE GIVENCHY'. To the right, there is a graphic with a flower and the text 'BEAUTY DAY'. Below it, there is a note: 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right says 'Te escuchamos' with three dots. The top navigation bar and footer links are visible.



# TS\_SMOKE\_SUITE\_055

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_054

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 07-03-2024 16:00:46 End 07-03-2024 16:01:35

Elapsed 49.030s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	13.987s	<b>PASSED</b>
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"zap"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.533s	<b>PASSED</b>
3	click(findTestObject("PLPPage/product1_PLP"))  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	5.457s	<b>PASSED</b>
4	verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0)  Object 'Object Repository/PDPPage/Colour1_PDP' is present	7.467s	<b>PASSED</b>
5	verify sku not present  Web element with id: 'Object Repository/PDPPage/Colour2_PDP' located by 'By.xpath: //ul[@id='color-list-mobile']//li[2]' is not present after '10' second(s)	1.442s	<b>PASSED</b>
6	verify discount price present  Object 'Object Repository/PDPPage/discountPrice_PDP' is present	0.362s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
7	verify card price present	0.329s	PASSED

Object 'Object Repository/PDPPage/cardPrice\_PDP' is present

# TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.375s	ERROR


# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for 'Tenis para Caballero Vans'. The product image is a black and white photo of a Vans sneaker. The price is listed as \$669.00, with a red crossed-out price of \$451.58. A button labeled 'Ver más promociones' is visible. To the right, there are two boxes: one for 'Recoge en 2 Horas' (with a green checkmark) and another for 'Envío gratis a todo el país'. Below the product details, there is a section for 'Cantidad:' with a minus sign, a '1' button, and a plus sign.

This screenshot is identical to the one above, showing the same product page for men's Vans sneakers. It includes the product image, price, promotional button, and collection options for pickup or delivery.

The screenshot shows a promotional banner for 'BEAUTY DAY'. It features a large image of a hand holding a Givenchy Irresistible perfume bottle. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters. Below it, smaller text reads 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right contains the text 'Te escuchamos' and a small speaker icon.



# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_056

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_056

Description To verify the display of PDP for single sku

Tag

Start 07-03-2024 16:01:35 End 07-03-2024 16:02:13

Elapsed 37.650s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm": "pantalon"], STOP_ON_FAILURE)	8.408s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	5.211s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	9.905s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	0.566s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	0.315s	<b>PASSED</b>
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.331s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.283s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))  <a href="#">Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable</a>	0.330s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP"))  <a href="#">Object 'Object Repository/PDPPage/Detail_PDP' is clickable</a>	0.378s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp"))  <a href="#">Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable</a>	0.331s	PASSED

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.529s	ERROR

# TS\_SMOKE\_SUITE\_056


#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a Liverpool website page for a child's pantalon. The product is titled "Pantalon Everlast" with a price of \$109.00. It includes a star rating of 4.5 stars and a "Ver disponibilidad en tienda" button. To the right, there are options for "Recoge en 2 Horas" (with a note about selecting a store) and "Envío gratis a todo el país". A "Cantidad:" input field shows "1". Below the product, a banner encourages users to register for promotions.

This screenshot shows another Liverpool website page, likely for a different product. The header and navigation bar are identical to the first one. The main content area features a large image of a perfume bottle labeled "IRRESISTIBLE GIVENCHY". To the right, there is promotional text for "BEAUTY DAY" and "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical sidebar on the right says "Te escuchamos" with a microphone icon.



# TS\_SMOKE\_SUITE\_056

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_057

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_057

Description To verify the display of PDP for multi sku item

Tag

Start 07-03-2024 16:02:13 End 07-03-2024 16:02:47

Elapsed 34.185s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductNoRangeMultiSKU], STOP_ON_FAILURE)	8.207s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	11.088s	<b>PASSED</b>
	Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable		
3		0.330s	<b>PASSED</b>
	Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable		
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.314s	<b>PASSED</b>
	Object 'Object Repository/PDPPage/Colour1_PDP' is clickable		
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	0.346s	<b>PASSED</b>
	Object 'Object Repository/PDPPage/Colour2_PDP' is clickable		
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.309s	<b>PASSED</b>
	Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable		

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))  Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.330s	PASSED
8	  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.345s	PASSED
9	verify pdp price  Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.298s	PASSED
10	verify pdp price  Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.299s	PASSED
11	verify pdp price  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.330s	PASSED

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.902s	ERROR

TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$__verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$__verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



Liverpool®

1029796323

| X Mis Compras Iniciar sesión

Categorías Mesa de regalos Mi crédito Servicios ▾

Tiendas Ayuda

Selecciona tu tienda


BYD

# CHANEL

Susurria Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us



# TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_059

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	07-03-2024 16:02:47	End	07-03-2024 16:03:23
Elapsed	36.187s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.874s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	4.557s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.332s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			

# TS\_SMOKE\_SUITE\_059

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.356s	ERROR

# TS\_SMOKE\_SUITE\_059

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows the Liverpool website's search results for the term 'mac'. The search bar at the top contains 'mac'. Below it, there are navigation links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a dropdown for 'Selecciona tu tienda'. The main content area displays a grid of 126 products related to MAC cosmetics. On the left, a sidebar lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Muier. The products shown include M.A.C Pigment, M.A.C Studio Fix Powder Plus, and M.A.C Studio Fix Fluid SPF 15. A promotional banner at the bottom encourages users to register for early access.

This screenshot shows the same Liverpool search results for 'mac', but from a different perspective. It highlights three specific products: M.A.C Pigment, M.A.C Studio Fix Powder Plus, and M.A.C Studio Fix Fluid SPF 15. Each product has a small image and a 'Y/o recibe30% en monedero' (You receive 30% in cashback) badge. The sidebar on the left shows categories like MAC, Belleza, and Prueba Ciclo 3 20. A promotional banner at the bottom says '¡Entérate antes que nadie! Regístrate y recibe las mejores promociones' (Get notified before anyone else! Register and receive the best promotions).

This screenshot shows the Liverpool search results for 'mac' again, with a focus on the same three products: M.A.C Pigment, M.A.C Studio Fix Powder Plus, and M.A.C Studio Fix Fluid SPF 15. The sidebar and promotional banners are identical to the previous screenshots.

This screenshot features a large advertisement for Givenchy's IRRESISTIBLE perfume. A hand holds the bottle, which has a faceted, diamond-like glass design. To the right of the bottle is a promotional graphic for 'BEAUTY DAY'. It includes a flower icon, the text 'BEAUTY DAY', and the message 'Compra hoy y paga hasta mayo con Tarjetas Liverpool' (Buy today and pay until May with Liverpool cards). A vertical banner on the right says 'Te escuchamos' (We listen to you) with a speech bubble icon. The Liverpool logo is visible at the top left of the page.

# TS\_SMOKE\_SUITE\_059

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_060

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 07-03-2024 16:03:23 End 07-03-2024 16:04:22

Elapsed 58.287s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	16.742s	<b>PASSED</b>
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.285s	<b>PASSED</b>
3	waitForPageLoad(0)  Wait for page load successfully	0.019s	<b>PASSED</b>
4	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	4.439s	<b>PASSED</b>
5	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE)  Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (125)'	0.347s	<b>PASSED</b>
6	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on	0.421s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
7	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP"))  Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "	5.771s	PASSED
8	out.println(a)	0.008s	PASSED
9	out.println(b)	0.000s	PASSED
10	if (a.contains(b))	0.008s	PASSED

# TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.138s	ERROR


# TS\_SMOKE\_SUITE\_060

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term "mac". The search bar at the top contains "mac". Below it, there are filters for "Categorías" (Categories) including MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, and Ella. There are also filters for "Limpieza" (Cleaning) and "Y/o recibe30% en monedero" (You receive 30% in cashback). The main search results display three products: "M-A-C Pigment" (with an image showing a brown, textured product), "M.A.C Studio Fix Powder Plus" (with an image of a white powder compact), and "M-A-C Studio Fix Fluid SPF 15" (with an image of a beige liquid bottle). A banner at the bottom encourages users to register for promotions. The footer includes links to various brands like Suburbia, Pottery Barn, Williams Sonoma, and GAP.



# TS\_SMOKE\_SUITE\_060

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_061

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061		
Description	To verify the functionality of pagination in search result page.		
Tag	search		
Start	07-03-2024 16:04:22	End	07-03-2024 16:05:20
Elapsed	58.551s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.256s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.011s	PASSED
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	6.961s	PASSED
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.038s	PASSED
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.445s	PASSED
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.003s	PASSED
Delayed 10 second(s)			
7	a1 = getUrl()	0.015s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
8	out.println(a1)	0.000s	PASSED
9	a = a1.contains("page-2")	0.000s	PASSED
10	out.println(a)	0.000s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.316s	PASSED
12	waitForPageLoad(0)  Wait for page load successfully	0.017s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.375s	PASSED
14	delay(10)  Delayed 10 second(s)	10.010s	PASSED
15	if (a == true)	0.000s	PASSED
16	b1 = getUrl()  Current window's url is: ' <a href="https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac">https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac</a> '	0.015s	PASSED
17	b = b1.contains("page-1")	0.000s	PASSED

## TS\_SMOKE\_SUITE\_061

---


#	Description	Elapsed	Status
18	out.println(b1)	0.000s	PASSED
19	if (b == true)	0.000s	PASSED

# TS\_SMOKE\_SUITE\_061


---

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	21.966s	ERROR

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a banner with the text "¡Entérate antes que nadie! Regístrate y recibe las mejores promociones". Below the banner, the Liverpool logo is on the left, followed by a search bar containing "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras", "Iniciar sesión", and a shopping cart icon showing "0". The navigation menu includes links for "Suburbia", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". Below the menu, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selecciona tu tienda". A small "BYD" link is also visible. The main content area features a large image of a Givenchy Irresistible perfume bottle held in a hand against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower illustration and the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A vertical pink bar on the right says "Te escuchamos" with a speaker icon. The bottom of the page has a decorative pattern of circles.</p>		

# TS\_SMOKE\_SUITE\_062

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_062

Description To verify display of price for the product in search result page.

Tag

Start 07-03-2024 16:05:20 End 07-03-2024 16:05:58

Elapsed 37.500s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	8.669s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.010s	<b>PASSED</b>
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	6.186s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.355s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

## TS\_SMOKE\_SUITE\_062

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.203s	ERROR


# TS\_SMOKE\_SUITE\_062

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "vaso". The search bar at the top contains "vaso". Below the search bar, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selecciona tu tienda". The main content area displays a search result for "vaso" with 83 results. On the left, there is a sidebar with categories like HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, and Ella. In the center, there are three product images: a large blue embossed glass, a smaller clear glass, and another large blue embossed glass. To the right of the products, the text "83 Productos" is displayed. At the bottom of the page, there is a banner for "iEntérate antes que nadie! Regístrate y recibe las mejores promociones" and a footer with links to various brands: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



# TS\_SMOKE\_SUITE\_062

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_063

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_063

Description To verify the display of the color swatches in search result page

Tag

Start 07-03-2024 16:05:58 End 07-03-2024 16:06:33

Elapsed 35.615s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":PLP_with_pagination], STOP_ON_FAILURE)	8.502s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.013s	<b>PASSED</b>
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/faceted/ColorTitleFacet_PLP"), 0)	4.627s	<b>PASSED</b>
	Scroll to object 'Object Repository/PLPPage/faceted/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/faceted/Color_1_facet_PLP"), 0)	0.275s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/faceted/Color_1_facet_PLP' is present		

# TS\_SMOKE\_SUITE\_063

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.120s	ERROR

TS\_SMOKE\_SUITE\_063

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Color



Y/o recibe30% en monedero

Y/o recibe30% en monedero



M.A.C. Mac Pigment-Teal (Fn)  
\$355<sup>00</sup>  
**\$284<sup>00</sup>**

Ver más

Marcas

Búsqueda rápida

BLUE MICROPHONES (1)

CLINIQUE (1)

MAC (109)

Partial Test Brand (14)

MAC Select Moisturecover  
\$50<sup>00</sup>  
**\$40<sup>00</sup>**



Maquillaje Prueba MAC  
\$2,785<sup>00</sup>



Precios

Menos de \$100.0 (19)

Y/o recibe30% en monedero

Y/o recibe30% en monedero

Y/o recibe30% en monedero



¡Entérate antes que nadie! Regístrate y recibe las mejores promociones

Suzurbla Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool®

Buscar por producto, marca y más...

Mis Compras Iniciar sesión

Tiendas Ayuda

Selección tu tienda

Categorías Mesa de regalos Mi crédito Servicios BYD



TS\_SMOKE\_SUITE\_063

#	Description	Elapsed	Status
¡Entérate antes que nadie! Regístrate y recibe las mejores promociones			
Suburbia	Pottery Barn	Pottery Barn Kids	Williams Sonoma
West Elm	GAP	Banana Republic	Toys R Us
L Liverpool	Buscar por producto, marca y más...	🔍	Mis Compras Iniciar sesión
Categorías	Mesa de regalos	Mi crédito	Servicios
BYD	Tiendas	Ayuda	📍 Selecciona tu tienda



# TS\_SMOKE\_SUITE\_069

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069
Description	To verify the search result page when user selects the price as sorting option

Tag

Start	07-03-2024 16:06:33	End	07-03-2024 16:07:47
Elapsed	1m - 13.572s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	7.586s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	click(findTestObject("PLPPage/Sortby_PLP"))	6.661s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	11.094s	PASSED
	Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on		
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	4.243s	PASSED
	Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1740'		
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.314s	PASSED
	Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'		
6	if (productcardprice3 <= productcardprice4)	0.000s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.356s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		

## TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP"))  Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	11.127s	PASSED
9	delay(5)  Delayed 5 second(s)	5.004s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	3.968s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.518s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.000s	PASSED

# TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.582s	ERROR


# TS\_SMOKE\_SUITE\_069

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a search bar with 'Vaso' typed in. Below the search bar, the navigation menu includes 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a link to 'Selecciona tu tienda'. The main content area displays a search result for 'Vaso' with 83 results. A dropdown menu shows sorting options like 'Mayor precio'. On the left, there's a sidebar with categories such as HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, and Ella. In the center, there are product cards for items like 'Set de Vasos para Whisky Christofle' and 'Set de Vasos para Vodka Christofle'. At the bottom of the page, there's a promotional banner for 'BEAUTY DAY' featuring a perfume bottle.



# TS\_SMOKE\_SUITE\_069

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_070

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_070

Description to verify the pagination in the search result page

Tag

Start 07-03-2024 16:07:47 End 07-03-2024 16:08:49

Elapsed 1m - 2.384s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm": "mac"}], STOP_ON_FAILURE)	8.475s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	4.364s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.455s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.011s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.000s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			
6	a = a1.contains("page-2")	0.000s	PASSED
7	if (a == true)	0.016s	PASSED

## TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	0.324s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.420s	PASSED
10	delay(7)  Delayed 7 second(s)	7.017s	PASSED
11	b1 = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac'	0.000s	PASSED
12	b = b1.contains("page-1")	0.000s	PASSED
13	if (b == true)	0.000s	PASSED


# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
14	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.391s	PASSED

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's search results for the term "mac". The search bar at the top contains "mac". Below it, there are navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Selecciona tu tienda". The main content area displays 126 products found. On the left, a sidebar lists categories such as MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Mujer. Three product items are visible: "M-A-C Pigment" (with a "Y/o recibe30% en monedero" badge), "M.A.C Studio Fix Powder Plus Foundation" (with a "Y/o recibe30% en monedero" badge), and "M-A-C Studio Fix Fluid SPF 15" (with a "Y/o recibe30% en monedero" badge).</p>		

## TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.801s	ERROR


# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results page for the query "mac". The search bar at the top contains "mac". Below it, there are links for "Mis Compras", "Iniciar sesión", and a lock icon. The main content area displays a search result for "mac" with 126 products found. The results are filtered by "Y/o recibe30% en monedero". The first three products listed are M-A-C Pigment, M.A.C Studio Fix Powder Plus, and M-A-C Studio Fix Fluid SPF 15. On the left, there is a sidebar with categories like MAC, Belleza, Prueba Ciclo 3 20, Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, and Ropa Muier. At the bottom of the page, there is a banner for "BEAUTY DAY" and a promotional message about paying until May with Liverpool cards.



# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
			



# TS\_SMOKE\_SUITE\_027

---

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 07-03-2024 16:08:49 End 07-03-2024 16:10:40

Elapsed 1m - 50.466s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	10.221s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	11.449s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at close any pop up.run(close any pop up:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/close_popup_OP' located by '(//i [@class='icon-close close'])[1]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> <p>iEntérate antes que nadie! Regístrate y recibe las mejores promociones</p> <p>Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us</p> <p>Liverpool Buscar por producto, marca y más...</p> <p>Mis Compras Iniciar sesión</p> <p>Categorías Mesa de regalos Mi crédito Servicios ▾ Tiendas Ayuda Selecciona tu tienda BYD</p>		



# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_027


#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)	11.466s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:63)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.call(CallTestCaseKeyword.groovy)  
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  
(KeywordMain.groovy:75)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  
(CallTestCaseKeyword.groovy:81)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  
(CallTestCaseKeyword.groovy:44)  
at com.kms.katalon.core.keyword.internal.KeywordExecutor.  
executeKeywordForPlatform(KeywordExecutor.groovy:74)  
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  
groovy:310)  
at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
at TS\_SMOKE\_SUITE\_027.run(TS\_SMOKE\_SUITE\_027:24)  
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  
java:119)  
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  
java:448)  
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  
java:439)  
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  
(TestCaseExecutor.java:418)  
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  
(TestCaseExecutor.java:410)  
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  
java:285)  
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  
(CommonExecutor.java:65)  
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  
(TestSuiteExecutor.java:148)  
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  
106)  
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  
180)  
at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  
Method)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  
(NativeMethodAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse  
over object 'Object Repository/AccountManagement/span\_Hola header\_HP'  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  
(WebUIKeywordMain.groovy:64)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  
(WebUIKeywordMain.groovy:26)  
at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver

## TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
			
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.497s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
5	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	17.920s	PASSED
	Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on		

# TS\_SMOKE\_SUITE\_027



---

#	Description	Elapsed	Status
6	<p>click(findTestObject("OPCPage/close_popup_OPc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OPc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OPc'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:31)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementNotInteractableException: element not  interactable  (Session info: chrome=122.0.6261.96)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.  arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:  122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...,  userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_11000}, fedcm:accounts: true, goog:  chromeOptions: {debuggerAddress: localhost:50988}, javascriptEnabled: true,  networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,</p>	0.456s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: faeb9137ea20d99eadaa3ebdea884b58     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at Script1697733551158.run(Script1697733551158.groovy:31)     ... 15 more )</pre>		
7	 <p>click(findTestObject("PDPPage/AddToCart_pdp"))</p>	0.362s	PASSED
	<p>Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</p>		
8	 <p>click(findTestObject("HomePage/Cart_header"))</p>	4.562s	PASSED
	<p>Object: 'Object Repository/HomePage/Cart_header' is clicked on</p>		
9	 <p>click(findTestObject("CartPage/Iniciar_Cart"))</p>	1.787s	PASSED
	<p>Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on</p>		
10	 <p>verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)</p>	6.901s	PASSED
	<p>Object 'Object Repository/HomePage/LoginPage_hp' is present</p>		
11	 <p>verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)</p>	0.308s	PASSED
	<p>Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present</p>		

## TS\_SMOKE\_SUITE\_027

---


#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	36.421s	ERROR

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and a message: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Below the header are social media icons for S, PB, LK, we, WS, GAP, BR, and R. The main content area features a login form titled "Inicia sesión" with fields for "Correo electrónico" and "Contraseña". Below the form is a link "¿Olvidaste tu contraseña?". A large pink button labeled "Iniciar sesión" is at the bottom of the form. Above the login form, there's a banner with the text "iEntérate antes que nadie! Regístrate y recibe las mejores promociones". The navigation bar below the header includes links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar has the placeholder "Buscar por producto, marca y más...". Other navigation links include Mis Compras, Iniciar sesión, and Ayuda. A promotional banner for "BEAUTY DAY" featuring a perfume bottle and a flower is visible. Another banner at the bottom encourages "Compra hoy y paga hasta mayo". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)" with a close button "X".

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras', 'Iniciar sesión', and a notification icon with '1'. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. A promotional banner for 'BEAUTY DAY' features a pink flower and the text 'Compra hoy y paga hasta mayo'. In the center, there's a large image of a Givenchy Irresistible perfume bottle. At the bottom of the page, a cookie consent message reads: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>'.</p>		

# TS\_SMOKE\_SUITE\_028

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 07-03-2024 16:10:40 End 07-03-2024 16:12:03

Elapsed 1m - 23.525s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	7.772s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.012s	<b>PASSED</b>
Wait for page load successfully			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	14.161s	<b>PASSED</b>
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
4	click(findTestObject("HomePage/Cart_header"))	5.341s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	6.314s	<b>PASSED</b>
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
6	<p>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:31)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)         at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	11.460s	PASSED

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas.</p>  <p>Inicia sesión</p> <p>Correo electrónico</p> <p>Contraseña</p> <p>Olvidaste tu contraseña?</p> <p>Iniciar sesión</p>		

# TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_028

---


#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.404s	PASSED

## TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool login page. At the top, there's a navigation bar with icons for different stores: S, PB, Gap, we, ws, GAP, BR, and R. Below the navigation, a message says: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." The main form is titled "Inicia sesión". It has two input fields: "Correo electrónico" and "Contraseña", with a "Forgot password?" link below it. A large pink button at the bottom right says "Iniciar sesión".</p>		

## TS\_SMOKE\_SUITE\_028

---


#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.982s	ERROR

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website interface. At the top, there's a pink header with the Liverpool logo and social media links (Facebook, Instagram, YouTube, etc.). Below the header, a modal window titled "Inicia sesión" (Log in) is displayed, prompting for "Correo electrónico" (Email) and "Contraseña" (Password). A link to "¿Olvidaste tu contraseña?" (Forgot password?) is also present. The main page background features a large advertisement for Givenchy Irresistible perfume, with the text "BEAUTY DAY" and "Compra hoy y paga hasta mayo" (Buy today and pay until May).

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a header with the Liverpool logo, a search bar, and links for 'Mis Compras', 'Iniciar sesión', and a notification badge with the number '2'. Below the header, there's a navigation menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. A promotional banner for 'BEAUTY DAY' features a pink flower and the text 'Compra hoy y paga hasta mayo'. In the center, there's a large image of a Givenchy Irresistible perfume bottle. At the bottom of the page, a cookie consent message reads: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>'.</p>		

# TS\_SMOKE\_SUITE\_006

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	07-03-2024 16:12:03	End	07-03-2024 16:13:17
Elapsed	1m - 13.461s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	11.782s	PASSED
2	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP"))  Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	11.288s	PASSED
3	click(findTestObject("HomePage/Mesa de regalos_HP"))  Object: 'Object Repository/HomePage/Mesa de regalos_HP' is clicked on	13.005s	PASSED
4	verifyElementPresent(findTestObject("HomePage/gr/Find_gift_table_GR"), 0)  Object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present	0.589s	PASSED
5	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	13.854s	PASSED

## TS\_SMOKE\_SUITE\_006


---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.878s	ERROR

# TS\_SMOKE\_SUITE\_006

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

# TS\_SMOKE\_SUITE\_006

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_010

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 16:13:17	End	07-03-2024 16:14:13
Elapsed	56.003s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)	14.260s	PASSED
<a href="#">Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully</a>			

# TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_010.run(TS_SMOKE_SUITE_010:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.441s	PASSED

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		

The screenshot shows the Liverpool website's header. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar containing 'Buscar por producto, marca y más...'. To the right of the search bar are 'Mis Compras', a user greeting 'Hola njnmkvID', a shopping cart icon with '2' items, and account settings. Below the header, there is a main banner featuring a man in a suit and the text 'MODA HOMBRE' and 'Hasta 50% de descuento'.



## TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
3	click(findTestObject("HomePage/Mis_comprar"))  Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.389s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	7.025s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	0.331s	PASSED


# TS\_SMOKE\_SUITE\_010

---


#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.462s	ERROR

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_011

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	07-03-2024 16:14:13	End	07-03-2024 16:15:00
Elapsed	47.844s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP"))	5.072s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on			
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0)	4.001s	<b>PASSED</b>
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present			
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0)	0.280s	<b>PASSED</b>
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present			
4	navigateToUrl(URL)	15.387s	<b>PASSED</b>
Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully			

# TS\_SMOKE\_SUITE\_011

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.040s	ERROR

# TS\_SMOKE\_SUITE\_011

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It includes a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with the Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and links for Mis Compras, Hola njnmkvID, and a notification icon with the number 2. Further down are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...



This screenshot is identical to the one above it, showing the Liverpool website's header and main navigation bar.



# TS\_SMOKE\_SUITE\_011

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_012

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	07-03-2024 16:15:00	End	07-03-2024 16:15:24
Elapsed	23.513s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0)  Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.299s	PASSED

## TS\_SMOKE\_SUITE\_012


---

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.167s	ERROR

# TS\_SMOKE\_SUITE\_012

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

# TS\_SMOKE\_SUITE\_012

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_014

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	07-03-2024 16:15:24	End	07-03-2024 16:16:26
Elapsed	1m - 2.043s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	14.648s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.920s	PASSED
3	click(findTestObject("AccountManagement/UpdatePeronalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	4.036s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/firstName_update_accountManagement"), 0)  Object 'Object Repository/AccountManagement/firstName_update_accountManagement' is present	2.387s	PASSED
5	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
6	Name = "harish"	0.000s	PASSED

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/firstName_update_accountManagement"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/firstName_update_accountManagement' is clicked on	1.916s	PASSED
8	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.588s	PASSED
9	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CLEAR))  Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.319s	PASSED
10	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(BACK_SPACE), STOP_ON_FAILURE)  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.316s	PASSED
11	clearText(findTestObject("AccountManagement/firstName_update_accountManagement"), OPTIONAL)  Text of object 'Object Repository/AccountManagement/firstName_update_accountManagement' is cleared	0.366s	PASSED
12	delay(10)  Delayed 10 second(s)	10.008s	PASSED
13	setText(findTestObject("AccountManagement/firstName_update_accountManagement"), "")  Text " is set on object 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.723s	PASSED

## TS\_SMOKE\_SUITE\_014

---



#	Description	Elapsed	Status
14	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(Name))  Keys 'harish' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.362s	PASSED
15	out.println(Name)	0.000s	PASSED
16	click(findTestObject("AccountManagement/UpdateButton_Account"))  Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.394s	PASSED
17	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED

# TS\_SMOKE\_SUITE\_014

---

#	Description	Elapsed	Status
18	<pre>verifyElementText(findTestObject("HomePage/header_Hola_text_HP"), "Hola " + Name)</pre> <p>Verify element text of test object 'Object Repository/HomePage/header_Hola_text_HP' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/HomePage/header_Hola_text_HP' FAILED.  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.  verifyElementText(VerifyElementTextKeyword.groovy:72)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.  execute(VerifyElementTextKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementText(WebUiBuiltInKeywords.groovy:4835)  at TS_SMOKE_SUITE_014.run(TS_SMOKE_SUITE_014:55)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Actual text 'Hola  njnmkvID' and expected text 'Hola harish' of test object 'Object  Repository/HomePage/header_Hola_text_HP' are NOT matched.  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementTextKeyword\$\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:57)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementTextKeyword\$\$_verifyElementText_closure1.call(VerifyElementTextKeyword.  groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword </p>	2.155s	FAILED

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) ... 20 more )		
			
			

## TS\_SMOKE\_SUITE\_014

---

#	Description	Elapsed	Status
19	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.703s	ERROR

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		


The screenshot shows the Liverpool website's header. It includes the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and user account links for "Mis Compras", "Hola harish", and a notification badge with the number "2". Below the header are standard navigation links: Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a location link "Mi tienda - Liverpool...". A "BYD" link is also present.

This screenshot displays the "Mi Cuenta" (My Account) section of the Liverpool website. On the left, there is a sidebar with links for "Mis Compras", "Wishlist", "Cupones", and "Crédito y Pagos". The main content area is titled "Datos Personales" and contains personal information: Correo electrónico (imathpati@kognivera.com), Nombre (harish qa), Fecha de nacimiento (19/12/2005), and Sexo (Hombre). At the bottom of the page, there is a horizontal navigation bar with links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

This screenshot is identical to the one above it, showing the Liverpool website's homepage with the navigation bar, search bar, and account links.



# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_015

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none"><li>- Mi cuenta</li><li>- Mis pedidos</li><li>- Mi tiempo Aire</li><li>- Mis tarjetas</li><li>- Cerrar sesion</li></ul>		
Tag			
Start			
Elapsed			
Status	07-03-2024 16:16:26	End	07-03-2024 16:17:13
	47.181s		
	<b>FAILED</b>		

## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.456s	PASSED
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			

# TS\_SMOKE\_SUITE\_015

---

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.421s	PASSED

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> 		

## TS\_SMOKE\_SUITE\_015

---



#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0)  Object 'Object Repository/HomePage/Mis_comprar' is present	0.314s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0)  Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.300s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0)  Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.314s	PASSED

# TS\_SMOKE\_SUITE\_015

---

#	Description	Elapsed	Status
6	<pre>verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0)</pre> <p>Unable to verify object 'Object Repository/HomePage/a_Mis tarjetas' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/a_Mis tarjetas' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/a_Mis tarjetas' located by '//*[@contains(text(), 'Mis tarjetas')][1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) </p>	11.732s	FAILED

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 A screenshot of the Liverpool website homepage. The header features the Liverpool logo, a search bar, and a user account dropdown for 'Hola harish'. Below the header is a navigation menu with links like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', and 'Ayuda'. A promotional banner for 'MODA HOMBRE' is displayed, showing a man in a white suit and striped shirt.		
	 A second screenshot of the Liverpool website homepage, identical to the first one, showing the same layout and promotional banner.		

## TS\_SMOKE\_SUITE\_015

---


#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.581s	ERROR

# TS\_SMOKE\_SUITE\_015


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



Screenshot of the Liverpool website homepage. The header includes links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The search bar contains "Buscar por producto, marca y más...". The user is logged in as "Mis Compras" and "Hola harish". A notification badge with the number "2" is visible. The main banner features a man in a white suit with the text "MODA HOMBRE" and "Hasta 50% de descuento".



# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_029

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	07-03-2024 16:17:13	End	07-03-2024 16:18:22
Elapsed	1m - 8.400s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.873s	PASSED
<a href="#">Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully</a>			
2	waitForPageLoad(0)	0.000s	PASSED
<a href="#">Wait for page load successfully</a>			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	16.708s	PASSED
<a href="#">Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</a>			

# TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:27)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Aregar garantía')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.402s	PASSED

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:27) ... 15 more ) 		
5	click(findTestObject("HomePage/Cart_header"))  Object: 'Object Repository/HomePage/Cart_header' is clicked on	2.500s	PASSED
6	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.319s	PASSED
7	CheckoutURL = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'	0.022s	PASSED
8	if (CheckoutURL == CheckoutLink)	0.000s	PASSED

# TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.466s	ERROR

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Ayuda ?

⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas X

Confirma tu compra

1. Entrega

AUTOMATIONNPtsoeAO Cambiar  
kmpf road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA

2. Forma de Pago

VISA visatest \*3065 Cambiar  
Fecha de vencimiento: Código de seguridad: ②  
MM/AA\* CVV\*

3. Artículos y promociones

Nombre	Precio	Cantidad	Total

Resumen de compra

Tienes un cupón disponible en tu bolsa [Ver cupones](#)

Cupones (1 disponible) >

Subtotal (3 productos): \$2,007.00  
Descuento: \$652.28  
Cupones: \$0.00

Ayuda ?

⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas X

Confirma tu compra

1. Entrega

AUTOMATIONNPtsoeAO Cambiar  
kmpf road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA

2. Forma de Pago

VISA visatest \*3065 Cambiar  
Fecha de vencimiento: Código de seguridad: ②  
MM/AA\* CVV\*

3. Artículos y promociones

Nombre	Precio	Cantidad	Total

Resumen de compra

Tienes un cupón disponible en tu bolsa [Ver cupones](#)

Cupones (1 disponible) >

Subtotal (3 productos): \$2,007.00  
Descuento: \$652.28  
Cupones: \$0.00

Ayuda ?

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status								
	 Liverpool										
	<p>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</p> <p>Confirma tu compra</p> <p>1. Entrega</p> <p>AUTOMATIONNPtsoeAO Cambiar kmpt road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>VISA visatest *3065 Cambiar Fecha de vencimiento: Código de seguridad: ② MM/AA* CVV*</p> <p>3. Artículos y promociones</p> <table border="1"><thead><tr><th>Nombre</th><th>Precio</th><th>Cantidad</th><th>Total</th></tr></thead><tbody><tr><td></td><td></td><td></td><td></td></tr></tbody></table> <p>Resumen de compra</p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p>Cupones (1 disponible) &gt;</p> <p>Subtotal (3 productos): \$2,007.00 Descuento: \$652.28 Cupones: \$0.00 Costo de envío: \$0.00</p>  Liverpool	Nombre	Precio	Cantidad	Total						
Nombre	Precio	Cantidad	Total								

# TS\_SMOKE\_SUITE\_030

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	07-03-2024 16:18:22	End	07-03-2024 16:20:10
Elapsed	1m - 48.099s		
Status	PASSED		


## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	14.938s	PASSED
2	waitForPageLoad(15)  Wait for page load successfully	0.047s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	26.860s	PASSED

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:27)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	17.463s	PASSED

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
5	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:27) ... 15 more ) 	2.521s	PASSED


Object: 'Object Repository/PDPPage/AddToCart\_pdp' is clicked on

# TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:31)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.381s	PASSED

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551197.run(Script1697733551197.groovy:31) ... 15 more )		
7		2.579s	PASSED
8	click(findTestObject("HomePage/Cart_header"))  Object: 'Object Repository/HomePage/Cart_header' is clicked on	2.577s	PASSED
9	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	0.032s	PASSED
10	CheckoutURL = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'  if (CheckoutURL == CheckoutLink)	0.000s	PASSED

## TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	29.590s	ERROR

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays the following information:

- 1. Entrega:** AUTOMATIONNPtsoeAO, kmpt road, 9823958982, CUAUHTEMOC NORTE, 21200, mexico, BAJA CALIFORNIA.
- 2. Forma de Pago:** VISA visatest \*3065. Payment details include MM/AA\* and CVV\*.
- 3. Artículos y promociones:** A table showing items: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, Toys R Us.
- Resumen de compra:** Subtotal (4 productos): \$2,676.00, Descuento: \$869.70, Cupones: \$0.00.

At the bottom, there are navigation links like "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...".



# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_058

---

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

07-03-2024 16:20:10

End

07-03-2024 16:21:14

1m - 4.153s

PASSED

## Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	14.864s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx/tienda/home>' successfully

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.584s	PASSED

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> 		

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	9.022s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	waitForPageLoad(5)	0.014s	PASSED
Wait for page load successfully			
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	13.264s	PASSED
Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	2.463s	PASSED
Object 'Object Repository/PDPPage/EDD_pdp' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	0.316s	PASSED
Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable			
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.308s	PASSED
Object 'Object Repository/PDPPage/Size1_PDP' is clickable			
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.346s	PASSED
Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable			
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.318s	PASSED
Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable			

## TS\_SMOKE\_SUITE\_058


---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.557s	ERROR

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for 'Jeans Aéropostale para Dama' (Women's Aeropostale jeans). The product has a price of \$335.30. The page includes options for Click & Collect at Liverpool La Paz, delivery to address AUTOMATIONNPtsoeAO, and shipping information. The Liverpool logo is visible at the top.



# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_016

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	07-03-2024 16:21:14	End	07-03-2024 16:21:51
Elapsed	37.158s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.374s	PASSED
2	click(findTestObject("AccountManagement/UpdatePeronalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	7.488s	PASSED
3	verifyElementPresent(findTestObject("AccountManagement/updatePage_Account"), 0)  Object 'Object Repository/AccountManagement/updatePage_Account' is present	2.366s	PASSED
4	name = RandomStringUtils.randomAlphabetic(8)	0.009s	PASSED
5	clearText(findTestObject("AccountManagement/FirstNameProfile_Account"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/FirstNameProfile_Account' is cleared	0.347s	PASSED
6	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.567s	PASSED

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
7	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), name)  Keys 'LPpuKKki' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.329s	PASSED
8	lastname =getAttribute(findTestObject("AccountManagement/LastName_Account"), "value")  Attribute 'value' of object 'Object Repository/AccountManagement/LastName_Account' is: 'qa'	0.314s	PASSED
9	println(lastname)	0.000s	PASSED
10	accountname = name + " " + lastname	0.000s	PASSED
11	println(accountname)	0.000s	PASSED
12	click(findTestObject("AccountManagement/UpdateButton_Account"))  Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.362s	PASSED
13	fnamelname = getText(findTestObject("AccountManagement/PersonalDataName_Account"))  Text of object 'Object Repository/AccountManagement/PersonalDataName_Account' is: 'LPpuKKki qa'	2.386s	PASSED
14	println(fnamelname)	0.000s	PASSED
15	if (fnamelname == accountname)	0.000s	PASSED

# TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.501s	ERROR

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's user profile section. At the top, there is a navigation bar with the Liverpool logo, a search bar, and account information (Mis Compras, Hola LPpuKKki, notifications). Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right, there are links for Tiendas, Ayuda, and a location indicator for Mi tienda - Liverpool. The main content area is titled "Mi Cuenta". On the left, there is a sidebar with links for Mis Compras, Wishlist, Cupones, Crédito y Pagos, and MI crédito. The main content area displays personal data: Correo electrónico: imathpati@kognivera.com, Nombre: LPpuKKki qa, Fecha de nacimiento: 19/12/2005, and Sexo: Hombre. At the bottom of the page, there is a footer with links for Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

The screenshot shows the Liverpool website's homepage. It features a pink header with the Liverpool logo, a search bar, and account information (Mis Compras, Hola LPpuKKki, notifications). Below the header, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right, there are links for Tiendas, Ayuda, and a location indicator for Mi tienda - Liverpool. The main content area features a large image of a woman in a beige outfit, with text overlaying it: "MODA MUJER", "Hasta 50% de descuento", "Adiós al Invierno con un nuevo look", and "Compra ahora". A vertical pink bar on the right says "Te escuchamos" with a speaker icon.

A large image of a woman sitting on a chair, wearing a beige blazer and trousers, smiling. She is positioned in front of a grey wall with some plants and a lamp. To her right is a vertical pink bar with the text "Te escuchamos" and a speaker icon.

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_017

---

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_017

Description Verify the user able to add new Personal shipping address

Tag

Start 07-03-2024 16:21:51 End 07-03-2024 16:23:01

Elapsed 1m - 10.073s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola LPpuKKki'	0.301s	<b>PASSED</b>
2	out.println(a)	0.000s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
3	if (a == true)	11.579s	PASSED

Unable to call Test Case 'Test Cases/CommonMethods/login\_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login\_odtaqab' failed  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.doCall(CallTestCaseKeyword.groovy:63)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$.\_callTestCase\_closure1.call(CallTestCaseKeyword.groovy)  
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  
(KeywordMain.groovy:75)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  
(CallTestCaseKeyword.groovy:81)  
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  
(CallTestCaseKeyword.groovy:44)  
at com.kms.katalon.core.keyword.internal.KeywordExecutor.  
executeKeywordForPlatform(KeywordExecutor.groovy:74)  
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  
groovy:310)  
at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
at TS\_SMOKE\_SUITE\_017.run(TS\_SMOKE\_SUITE\_017:25)  
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  
java:119)  
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  
java:448)  
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  
java:439)  
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  
(TestCaseExecutor.java:418)  
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  
(TestCaseExecutor.java:410)  
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  
java:285)  
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  
(CommonExecutor.java:65)  
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  
(TestSuiteExecutor.java:148)  
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  
106)  
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  
180)  
at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  
Method)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  
(NativeMethodAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  
(DelegatingMethodAccessorImpl.java:43)  
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  
'Object Repository/HomePage/Iniciar sesion'  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  
(WebUIKeywordMain.groovy:64)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  
(WebUIKeywordMain.groovy:26)  
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		

The screenshot shows the Liverpool website's header. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar is positioned next to the Liverpool logo. To the right of the search bar are links for 'Mis Compras', a user profile (Hola LPpuKKki), and a shopping cart icon showing 4 items. Below the header, there is a promotional banner for women's fashion.



## TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.358s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	9.285s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)  com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)     at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:32)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) )</pre>	14.517s	PASSED

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
7	if (add == true)	0.000s	PASSED
8	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on	0.380s	PASSED
9	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully	17.707s	PASSED
10	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on	0.582s	PASSED
11	address = getText(findTestObject("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' is: 'TestQA'	3.321s	PASSED

## TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
12	out.println(address)	0.000s	PASSED
13	out.println(TempAddress)	0.000s	PASSED
14	if (TempAddress == address)	0.000s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.927s	ERROR

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	... 23 more		


The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account dropdown. Below the navigation is a search bar and a 'Mis Compras' button. The main content area is titled 'Direcciones de entrega' (Delivery Addresses). It features a sidebar with links for 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main panel has tabs for 'Mis direcciones' (selected), 'Tiendas Click & Collect', and a prominent pink 'Agregar dirección' (Add Address) button. Under 'Mis direcciones', there are three entries:

- AUTOMATIONNNPtsoeAO (Predeterminada):  
TestQA  
kmpt road, 9823958982  
mexico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA
- TestQA Test Test  
Regina Street, 1231232342  
san francisco, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA
- AUTOMATIONBTmkqYse  
QATest Test Test  
Regina Street, 1231232342  
san francisco, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

Each address entry includes a 'Teléfonos:' section with two placeholder numbers: '93-58585989' and '0R73450R73'. At the bottom of the page, there's a footer with links for 'Suburba', 'Pottery Barn', 'Pottery Barn Kids', 'Williams Sonoma', 'West Elm', 'GAP', 'Banana Republic', and 'Toys R Us', along with the Liverpool logo, a search bar, and a user account dropdown.



# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_018

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 07-03-2024 16:23:01 End 07-03-2024 16:24:12

Elapsed 1m - 10.314s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.349s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	4.840s	<b>PASSED</b>
3	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.178s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account"))  Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	3.084s	<b>PASSED</b>
5	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	9.904s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	2.020s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account"))  Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	2.972s	PASSED
8	scrollToElement(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"), 0)  Scroll to object 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' successfully	1.944s	PASSED
9	click(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"))  Object: 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' is clicked on	2.145s	PASSED
10	click(findTestObject("AccountManagement>ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement>ClickAndCollectStores_accounts' is clicked on	5.968s	PASSED
11	verifyElementPresent(findTestObject("AccountManagement>ClickNCollectionFirstAddress_Account"), 0)  Object 'Object Repository/AccountManagement>ClickNCollectionFirstAddress_Account' is present	2.894s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0)  Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	1.968s	PASSED
13	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	2.078s	PASSED

## TS\_SMOKE\_SUITE\_018

---

#	Description	Elapsed	Status
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	2.062s	PASSED
15	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM"))  Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	1.981s	PASSED

## TS\_SMOKE\_SUITE\_018

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	21.882s	ERROR

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with the Liverpool logo, a search bar, and account information. Below the navigation, there are sections for 'Mis direcciones' (My Addresses) and 'Tiendas Click & Collect' (Stores Click & Collect). A pink button labeled 'Agregar tienda' (Add store) is visible. On the left, a sidebar lists links like 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main content area displays three Click & Collect locations: Liverpool Andares, Liverpool Cuautla, and Liverpool Tecámac, each with a map link and detailed address information. At the bottom of the page, there's a footer with links to various brands and a 'Suburbs' section.

The screenshot shows a promotional banner for women's fashion. It features a woman in a light-colored suit sitting on a chair, smiling. The banner has a pink header and footer. The text 'MODA MUJER' (Women's Fashion) is prominently displayed, along with 'Hasta 50% de descuento' (Up to 50% discount) and 'Adiós al Invierno con un nuevo look' (Goodbye Winter with a new look). A 'Compra ahora' (Buy now) button is shown. A vertical pink bar on the right says 'Te escuchamos' (We listen to you) with a small speaker icon.

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_019

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 07-03-2024 16:24:12 End 07-03-2024 16:25:48

Elapsed 1m - 36.272s

Status FAILED

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola LPpuKKki'	0.363s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.000s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.349s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	8.924s	PASSED
6	add = verifyElementPresent(findTestObject("AccountManagement/TestQA_Add_AM"), 0, OPTIONAL)  Object 'Object Repository/AccountManagement/TestQA_Add_AM' is present	10.641s	PASSED
7	if (add == true)  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	1.462s	PASSED

## TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
8	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)	30.156s	PASSED

Object: 'Object Repository/AccountManagement/AddAdressPersonal\_Account' is clicked on

# TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
9	<pre>callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement'  (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:44)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text  'TestQA' of object 'Object Repository/AccountManagement/AddressAliases_Account'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	20.019s	FAILED

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText SetTextKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute SetTextKeyword.groovy:39)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)             at SaveAddress_AccountManagement.run(SaveAddress_AccountManagement:27)             at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)             at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)             at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)             at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)             at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)             at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)             at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)             at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)                 at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)                     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/AddressAliases_Account' located by '//input[@id='shortName']' not found         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_.setText_closure1.doCall(SetTextKeyword.groovy:53)             at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_.setText_closure1.call(SetTextKeyword.groovy)             at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)                 ... 38 more )</pre>		

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
---	-------------	---------	--------

The screenshot shows the Liverpool website's delivery address management interface. At the top, there is a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user greeting 'Hola LPpuKKki'. A search bar is also present. Below the navigation, the breadcrumb path 'Home > Mi Cuenta > Direcciones de entrega' is visible.

The main content area is titled 'Direcciones de entrega' (Delivery Addresses). It features three tabs: 'Mis direcciones' (selected), 'Tiendas Click & Collect', and 'Agregar dirección' (Add Address). On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', 'Crédito y Pagos', and 'Mi crédito'. The 'Mis direcciones' tab displays three address entries:

- AUTOMATIONNPtsoeAO** (Predeterminada): TestQA Test Test, kmpt road, 9823958982, mexico, CUAUHTEMOC NORTE, MEXICALI, 21200, MX, BAJA CALIFORNIA
- AUTOMATIONBTmkqYse**: QATest Test Test, Regina Street, 1231232342, san francisco, CUAUHTEMOC NORTE, MEXICALI, 21200, MX, BAJA CALIFORNIA
- MUUbAhLV**: harish qa qa, kmpt road, 9823958982, mexico, CUAUHTEMOC NORTE, MEXICALI, 21200, MX, BAJA CALIFORNIA

Each address entry includes a 'Teléfonos:' field with placeholder numbers (93-58585989, 08-73958022, 03-55588020).

# TS\_SMOKE\_SUITE\_019


---

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	24.279s	ERROR

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_023

---

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	07-03-2024 16:25:48	End	07-03-2024 16:27:50
Elapsed	2m - 1.827s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.330s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			

# TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
2	<p>click(findTestObject("AccountManagement/Mi Cartera_HP"))</p> <p>Unable to click on object 'Object Repository/AccountManagement/Mi Cartera_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/AccountManagement/Mi Cartera_HP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/Mi Cartera_HP' located by '/a [text()='Mi Cartera']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	30.276s	FAILED


# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
)	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1697733550838.run(Script1697733550838.groovy:24) ... 15 more		

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool Buscar por producto, marca y más... Mis Compras Hola LPpuKKki 4

Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda Mi tienda Liverpool La ... BYD



# TS\_SMOKE\_SUITE\_023


---

#	Description	Elapsed	Status
3	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	1m - 31.040s	ERROR

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is on the left, followed by a search bar containing 'Buscar por producto, marca y más...'. To the right of the search bar are 'Mis Compras', a user greeting 'Hola LPpuKKki', and a notification badge with the number '4'. Below the navigation bar, there is a main banner featuring a man in a light blue suit and a striped shirt, with the text 'MODA HOMBRE' and 'Hasta 50% de descuento'. The banner also includes a 'Compra ahora' button. The rest of the page below the banner follows the standard Liverpool website layout.



# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_021

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	07-03-2024 16:27:50	End	07-03-2024 16:28:42
Elapsed	52.604s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola LPpuKKki'	1.278s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.000s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.467s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.519s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	3.864s	PASSED

## TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0)  Object 'Object Repository/AccountManagement/PaymentMethodsSection_Account' is present	25.623s	PASSED

# TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	20.781s	ERROR

# TS\_SMOKE\_SUITE\_021

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's payment method section. At the top, there's a navigation bar with the Liverpool logo, a search bar, and user information. Below the navigation, a breadcrumb trail shows 'Home > Mi cuenta > Mis formas de pago'. On the left, a sidebar lists 'Mis compras', 'Wishlist', 'Cupones', 'Crédito y Pagos', and 'MI crédito'. The main content area displays a 'Mis tarjetas' section with a card labeled 'VISA visatest \* 3065 Predeterminada'. Below it is an 'Otros métodos de pago' section with options for 'Puntos BBVA', 'Paypal', and 'Efectivo'. At the bottom of the page, there's a footer with links to various brands like Suburba, Pottery Barn, Williams Sonoma, etc., and a pink banner.

The screenshot shows a promotional banner for women's fashion. It features a woman sitting on a chair, wearing a beige blazer, white top, and beige pants. The background is a textured wall with some plants. The banner includes text for 'MODA MUJER', 'Hasta 50% de descuento', and 'Adiós al Invierno con un nuevo look'. A 'Compra ahora' button is present. A vertical pink bar on the right says 'Te escuchamos' with a speaker icon.

# TS\_SMOKE\_SUITE\_021

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_022

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	07-03-2024 16:28:42	End	07-03-2024 16:30:31
Elapsed	1m - 48.979s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.673s	<b>PASSED</b>
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	37.436s	<b>PASSED</b>
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	24.785s	<b>PASSED</b>
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	18.068s	<b>PASSED</b>
5	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	6.053s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/MyCardButton_Account"))  Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	1.350s	<b>PASSED</b>
7	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account"))  Object: 'Object Repository/AccountManagement/Select3DotAddress2Nd_Account' is clicked on	5.338s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account"))  Object: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' is clicked on	0.372s	PASSED
9	verifyElementPresent(findTestObject("AccountManagement/DefaultCard_Account"), 0)  Object 'Object Repository/AccountManagement/DefaultCard_Account' is present	2.385s	PASSED

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.438s	ERROR

# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's credit card management interface. At the top, there are three cards listed: 'new card \* 2627' (Predeterminada), 'visatest \* 3065', and 'OyVNCdyG \* 3319'. Below these are links for 'Mis Compras', 'Wishlist', and 'Cupones'. On the right, a pink button says 'Agregar tarjeta'. The navigation bar includes categories like 'Mesa de regalos', 'Mi crédito', and 'Servicios', along with links for 'Tiendas' and 'Ayuda'.

The screenshot shows a promotional banner for women's fashion. It features a woman in a light-colored suit sitting on a chair. The text on the banner reads 'MODA MUJER', 'Hasta 50% de descuento', 'Adiós al Invierno con un nuevo look', and 'Compra ahora'. A vertical pink bar on the right says 'Te escuchamos'. At the bottom, a cookie consent message states: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)'.

# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_020

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 07-03-2024 16:30:31 End 07-03-2024 16:31:19

Elapsed 47.289s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	17.748s	<b>PASSED</b>
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.549s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.226s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	5.732s	<b>PASSED</b>
5	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account"))  Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	1.911s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection"))  Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.367s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_020

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0)	2.997s	PASSED

Object 'Object Repository/AccountManagement/VerifyDefaultPresent\_Account' is present

# TS\_SMOKE\_SUITE\_020

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.705s	ERROR

# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management page. At the top, there is a navigation bar with the Liverpool logo, a search bar, and user information (Mis Compras, Hola LPpuKKki). Below the navigation, there are links for Categorías, Mesa de regalos, Mi crédito, and Servicios. On the right side of the header, there are links for Tiendas, Ayuda, and a location dropdown. The main content area has a breadcrumb trail: Home > Mi Cuenta > Direcciones de entrega. The page title is "Direcciones de entrega". On the left, there is a sidebar with links for Mis Compras, Wishlist, Cupones, Crédito y Pagos, and Mi crédito. The main content area is divided into three sections: "Mis direcciones" (listing Liverpool Andares as the default address), "Tiendas Click & Collect" (listing Liverpool Cuautla and Liverpool Tecámac), and a "Agregar tienda" button. At the bottom of the page, there is a footer with links for Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.

The screenshot shows a promotional banner for women's fashion on the Liverpool website. The banner features a woman in a light-colored suit and includes the text "MODA MUJER", "Hasta 50% de descuento", and "Adiós al Invierno con un nuevo look". It also has a "Compra ahora" button and a vertical "Te escuchamos" message with a speech bubble icon. At the bottom of the banner, there is a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)". A close button (X) is located on the right side of the message.

# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_024

---

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	07-03-2024 16:31:19	End	07-03-2024 16:32:41
Elapsed	1m - 22.409s		
Status	<b>PASSED</b>		

## Details


#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.394s	<b>PASSED</b>
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))	8.509s	<b>PASSED</b>
Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on			

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
3	add = verifyElementPresent(findTestObject("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)	12.099s	PASSED

com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING\_address\_AM' located by '//h1 [text()='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING\_address\_AM' located by '//h1[text() ='QATESTING']' not found  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$\_verifyElementPresent\_closure1.doCall (VerifyElementPresentKeyword.groovy:85)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$\_verifyElementPresent\_closure1.call (VerifyElementPresentKeyword.groovy)  
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  
at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68)  
at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent (WebUiBuiltInKeywords.groovy:1487)  
at TS\_SMOKE\_SUITE\_024.run(TS\_SMOKE\_SUITE\_024:26)  
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  
at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  
)

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
			
4	if (add == true)	0.001s	PASSED
5	click(findTestObject("AccountManagement/AddAddressPersonal_Account"), STOP_ON_FAILURE)	0.482s	PASSED
	Object: 'Object Repository/AccountManagement/AddAddressPersonal_Account' is clicked on		
6	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	18.405s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully		
7	delay(10)	10.014s	PASSED
	Delayed 10 second(s)		
8	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.351s	PASSED
	Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on		
9	Address1 = getText(findTestObject("AccountManagement/TestQA_Add_AM"))	3.557s	PASSED
	Text of object 'Object Repository/AccountManagement/TestQA_Add_AM' is: 'TestQA'		

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
10	if (TempAddress == Address1)	0.002s	PASSED
11	click(findTestObject("AccountManagement>Select3Dot_TestQA_Add_AM"))  Object: 'Object Repository/AccountManagement>Select3Dot_TestQA_Add_AM' is clicked on	0.374s	PASSED
12	click(findTestObject("AccountManagement/TestQA_Add_Editar_AM"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/TestQA_Add_Editar_AM' is clicked on	0.394s	PASSED
13	name = "QATESTING"	0.000s	PASSED
14	TempAddress = name	0.001s	PASSED
15	clearText(findTestObject("AccountManagement/ShortName_Account"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/ShortName_Account' is cleared	4.124s	PASSED
16	sendKeys(findTestObject("AccountManagement/ShortName_Account"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.564s	PASSED
17	sendKeys(findTestObject("AccountManagement/ShortName_Account"), name)  Keys 'QATESTING' sent to object: 'Object Repository/AccountManagement/ShortName_Account'	0.598s	PASSED
18	click(findTestObject("AccountManagement/AcceptButton_AccountM"))  Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on	0.405s	PASSED

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
19	Address1 = getText(findTestObject("AccountManagement/QATESTING_address_AM"))  Text of object 'Object Repository/AccountManagement/QATESTING_address_AM' is: 'QATESTING'	2.578s	PASSED
20	if (TempAddress == Address1)	0.001s	PASSED
21	click(findTestObject("AccountManagement>Select3dotQATESTING_Add_AM"))  Object: 'Object Repository/AccountManagement>Select3dotQATESTING_Add_AM' is clicked on	0.373s	PASSED
22	click(findTestObject("AccountManagement/QAtesting_Address_Remove_AM"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/QAtesting_Address_Remove_AM' is clicked on	0.387s	PASSED
23	println(TempAddress)	0.000s	PASSED
24	verifyTextPresent(TempAddress, false)  Text 'QATESTING' is present on page	1.125s	PASSED
25	click(findTestObject("WishListPage/Acceptor_Eliminar_wishlist_WP"))  Object: 'Object Repository/WishListPage/Acceptor_Eliminar_wishlist_WP' is clicked on	0.395s	PASSED

## TS\_SMOKE\_SUITE\_024

---

#	Description	Elapsed	Status
26	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	17.061s	ERROR

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Liverpool

Mis Compras Mis Compras Hola LPpuKKki 4

Categorías Mesa de regalos Mi crédito Servicios ▾ Tiendas Ayuda BYD

Home > Mi Cuenta > Direcciones de entrega

Direcciones de entrega

Mis direcciones Tiendas Click & Collect Agregar dirección

Mis Compras >

Wishlist >

Cupones >

Crédito y Pagos >

Mi crédito

Suburbs Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

AUTOMATIONNPtsoeAO

TestQA Test Test  
kmpt road, 9823958982  
mexico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

Telefonos:  
93-58585989  
0R72180R72

AUTOMATIONBTmkqYse

QATest Test Test  
Regina Street, 1231232342  
san francisco, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

Telefonos:  
0R720R72

MUUbAhLV

harish qa qa  
kmpt road, 9823958982  
mexico, CUAUHTEMOC NORTE  
MEXICALI, 21200, MX, BAJA CALIFORNIA

Telefonos:  
0R720R72

Buscar por producto, marca y más...

Mis Compras Hola LPpuKKki 4

Categorías Mesa de regalos Mi crédito Servicios ▾ Tiendas Ayuda BYD

Suburbs Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

MODA HOMBRE

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

Te escuchamos

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_025

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_025

Description To Verify Logged in user is able to change the password

Tag

Start 07-03-2024 16:32:41 End 07-03-2024 16:33:26

Elapsed 44.823s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.376s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/ChangePassword_Account"))  Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	7.091s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/ContinueButton_Account"))  Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	2.552s	<b>PASSED</b>
4	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0)  Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	11.746s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_025

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.009s	ERROR

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo. Below it, a white box contains an email confirmation message: "Correo electrónico enviado" (Email sent) with a green envelope icon, and "Revisa todas las bandejas, incluyendo la de spam." (Check all boxes, including spam). Above this box, a message says "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." (Remember that with one account you can enter all our stores). Below the message are icons for various brands: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main navigation bar includes links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user profile section. A banner at the bottom features a woman in a beige outfit sitting on a chair, with text for "MODA MUJER", "Hasta 50% de descuento", and "Compra ahora". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is present, along with a user profile section showing 'Mis Compras' and a notification badge with the number '4'. Below the header, there is a main banner featuring a woman in a beige outfit. The banner text includes 'MODA MUJER', 'Hasta 50% de descuento', and 'Adiós al invierno con un nuevo look'. A 'Compra ahora' button is also visible. On the right side of the banner, there is a vertical pink bar with the text 'Te escuchamos' and a small speech bubble icon. At the bottom of the page, a cookie consent banner is displayed, stating 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación.' with a link to 'Más información' and a close button.</p>		

# TS\_SMOKE\_SUITE\_075

---

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 07-03-2024 16:33:26 End 07-03-2024 16:35:27

Elapsed 2m - 1.370s

Status **PASSED**

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------


# TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.608s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.342s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.509s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.023s	PASSED
5	click(findTestObject("OPCPage/3DotButton_Checkout"))  Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on	1.740s	PASSED
6	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account"))  Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on	0.340s	PASSED
7	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account"))  Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Andares'	1.977s	PASSED
8	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.351s	PASSED
9	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	17.335s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
10	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:39)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	21.294s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550948.run(Script1697733550948.groovy:39) ... 15 more )		
11	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	1.070s	PASSED
12	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.003s	PASSED
13	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	4.564s	PASSED
14	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout"))  Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Andares Click & Collect Recoge en módulo Cambiar'	8.494s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
15	if (TitleAddress == DefaultAddress)	0.000s	PASSED
16	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.345s	PASSED
17	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE)  Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	1.681s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0)  Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.540s	PASSED
19	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0)  Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.292s	PASSED
20	click(findTestObject("OPCPage/Address_PopUP_option1_opc"))  Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.487s	PASSED
21	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc"))  Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.502s	PASSED
22	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.599s	PASSED

## TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
23	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.126s	ERROR

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a shopping cart summary on the right and a payment form on the left. The payment form includes fields for delivery address (NOmR, 123, 123, SAN MATEO TLALTEPANCO, 05600, santa fe, DISTRITO FEDERAL) and payment method (new card \*2627, MM/AA, CVV). A yellow banner at the top left states: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". The summary box shows a subtotal of \$3,345.00, a discount of \$1,087.13, and a coupon of \$0.00.



# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. Below the header, there's a large promotional banner featuring a woman in a beige outfit. The banner text includes "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look. Compra ahora". At the bottom of the page, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button.</p>		

# TS\_SMOKE\_SUITE\_072

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	07-03-2024 16:35:27	End	07-03-2024 16:38:41
Elapsed	3m - 14.003s		
Status	FAILED		

## Details


#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.339s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> 		

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/CartPage/Product1_remove_cart'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	21.531s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. A search bar is also present. Below the navigation, a green notification bar says "Se eliminaron artículos de tu bolsa." (Articles removed from your bag.). The main content area displays a message "No hay artículos en tu bolsa" (There are no articles in your bag) with a "Continuar comprando" (Continue shopping) button. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Mundial Qatar, and a newsletter sign-up section.</p>		

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.537s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	32.337s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	5.823s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	11.640s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	15.178s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			


## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
8	<p>click(findTestObject("OPCPage/AddAddressButtonPopup_checkout"))</p> <p>Unable to click on object 'Object Repository/OPCPage/AddAddressButtonPopup_checkout'  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on  object 'Object Repository/OPCPage/AddAddressButtonPopup_checkout'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:659)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:37)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web  element with id: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' located  by '//button[@class='a-btn a-btn--tertiary d-none d-sm-block font-weight-bold'][1]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement  (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.  findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$__click_closure1.  doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$__click_closure1.call  (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	30.183s	FAILED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
)	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1697733550936.run(Script1697733550936.groovy:37) ... 15 more		



The screenshot shows the Liverpool website's checkout interface. At the top, there's a pink header bar with the Liverpool logo and a help icon. Below it, the main page title is "Confirma tu compra". The process is divided into three steps: 1. Entrega (Delivery), which shows "Liverpool Andares" and "Click & Collect Recoge en módulo"; 2. Forma de Pago (Payment Method), which shows a card icon with "new card \*2627", a date input field "MM/AA\*", and a CVV input field "CVV\*"; 3. Artículos y promociones (Articles and promotions), which lists items with columns for Nombre (Name), Precio (Price), Cantidad (Quantity), and Total. To the right of the delivery section, there's a "Resumen de compra" (Purchase Summary) box. It features a shopping bag icon and a message stating "Tienes un cupón disponible en tu bolsa" (You have a coupon available in your bag) with a "Ver cupones" (View coupons) link. Below this, there's a "Cupones" (Coupons) section with "(1 disponible)" (1 available) and a "Continuar" (Continue) button.

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	56.215s	ERROR


# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page titled "Confirma tu compra". It displays three main sections: "1. Entrega" (Delivery) with "Liverpool Andares" selected; "2. Forma de Pago" (Payment Method) with a card labeled "new card \*2627"; and "3. Artículos y promociones" (Articles and promotions). On the right, there's a "Resumen de compra" (Purchase Summary) box showing a subtotal of \$669.00, a discount of \$217.43, and a coupon of \$0.00. A message indicates a coupon is available in the bag. Below the summary, there's a "Cupones" (Coupons) section and a "Comprar" (Buy) button. The footer includes links for categories like Suburbia, Pottery Barn, and Williams Sonoma, as well as a search bar and user account information.



# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" (Cart icon), "Hola LPpuKKki", and a notification badge with the number "1". The main content area features a large image of a woman in a beige blazer and pants, smiling. Overlaid on the image are the words "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look". A "Compra ahora" button is also visible. At the bottom of the page, a cookie consent banner states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_073

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	07-03-2024 16:38:41	End	07-03-2024 16:40:48
Elapsed	2m - 6.772s		
Status	FAILED		


## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)  Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. java:11)	11.520s	PASSED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> 		

# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
2	waitForPageLoad(0)  Wait for page load successfully	0.013s	PASSED
3	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.354s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	25.138s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	32.261s	PASSED
6	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	4.705s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.482s	PASSED


# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
8	<p>click(findTestObject("OPCPage/ChangeAddress_Checkout"))</p> <p>Unable to click on object 'Object Repository/OPCPage/ChangeAddress_Checkout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/ChangeAddress_Checkout'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)  at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:35)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/ChangeAddress_Checkout' located by '//div[@class='a-box__accordionIcon change-address']/label' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.249s	FAILED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
)	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1697733550942.run(Script1697733550942.groovy:35) ... 15 more		



The screenshot shows a Liverpool website's 404 error page. At the top, there is a pink header bar with the Liverpool logo. Below it, a white main content area has a large "Lo sentimos..." heading. A message below it says "Parece que no es la página que esperabas encontrar". There is a search bar with the placeholder "Intenta con una búsqueda" and a magnifying glass icon. Below the search bar, a link says "Tal vez te interesa ver otras opciones." followed by a list of links: Casa, Nuestras tiendas, Mesa de regalos, Ayuda, and Mi crédito.

## TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	37.936s	ERROR

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's 404 error page. The page has a pink header with the Liverpool logo. The main content area features a large white box with the text "Lo sentimos..." and "Parece que no es la página que esperabas encontrar". Below this is a search bar with the placeholder "Intenta con una búsqueda" and a magnifying glass icon. Further down, there's a section titled "Tal vez te interesa ver otras opciones." with links to "Casa", "Nuestras tiendas", "Mesa de regalos", "Ayuda", and "Mi crédito". At the bottom of the page, there's a navigation bar with links to various brands like Suburba, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The footer also includes a search bar, user information (Mis Compras, Hola LPpuKKki), and links to Categorías, Ayuda, and BYD.

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#) ×

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are icons for "Mis Compras" (with a notification count of 2), a user profile (Hola LPpuKKki), and a lock icon. Below the search bar are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mi tienda - Liverpool ...</p> <p><b>MODA HOMBRE</b> Hasta 50% de descuento Adiós al invierno con un nuevo look <a href="#">Compra ahora</a></p> <p>Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a> <span style="float: right;">×</span></p>		

# TS\_SMOKE\_SUITE\_076

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_076

Description To verify the display of payment page for the for logged in user

Tag

Start 07-03-2024 16:40:48 End 07-03-2024 16:41:52

Elapsed 1m - 4.190s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.868s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PDPPage/AddToCart_PDP"))	15.720s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
3	click(findTestObject("HomePage/bag_header_HP"))	3.993s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
4	click(findTestObject("CartPage/BuyButton_Cart"))	2.417s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
5	callTestCase(findTestCase("CommonMethods/assert_OPCTestCase"), [], STOP_ON_FAILURE)	6.600s	PASSED
Call Test Case 'Test Cases/CommonMethods/assert_OPCTestCase' successfully			

# TS\_SMOKE\_SUITE\_076

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.473s	ERROR

# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays the following information:

- 1. Entrega:** AUTOMATIONBTmkqYse, Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA.
- 2. Forma de Pago:** VISA visatest \*3065. Fecha de vencimiento: MM/AA\*. Código de seguridad: CVV\*.
- 3. Artículos y promociones:** A table showing items: Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, Toys R Us.
- Resumen de compra:** Subtotal (3 productos): \$2,007.00, Descuento: \$652.28, Cupones: \$0.00.
- A sidebar on the right shows a message: "Tienes un cupón disponible en tu bolsa" with a "Ver cupones" link, and a "Cupones (1 disponible)" section.

At the bottom of the page, there's a large promotional banner for "MODA HOMBRE" with a man in a suit, offering "Hasta 50% de descuento" and "Adiós al invierno con un nuevo look". A cookie consent message at the bottom states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_077

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_077

Description To verify the functionality of new adding card in checkout flow for logged in user

Tag

Start 07-03-2024 16:41:52 End 07-03-2024 16:43:23


Elapsed 1m - 31.238s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.395s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	delay(7)	7.013s	PASSED
Delayed 7 second(s)			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	7.626s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	4.557s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	3.452s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			

# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/create_new_CARD_OPB"), [:], STOP_ON_FAILURE)	33.518s	PASSED
Call Test Case 'Test Cases/CommonMethods/create_new_CARD_OPB' successfully			
			
<p>1. Entrega</p> <p>AUTOMATIONBTmkqYse <a href="#">Cambiar</a></p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p><input type="checkbox"/> Utilizar datos de forma de pago como predeterminado</p> <p>2. Forma de Pago</p> <p>VISA UsUASGQU *1975 <a href="#">Cambiar</a></p> <p><input type="checkbox"/> Usar Puntos BBVA</p> <p>Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta</p> <p>Fecha de vencimiento: Código de seguridad: <input type="text"/></p> <p>MM/AA <input type="text"/></p>			
			
<p>Confirma tu compra</p> <p>1. Entrega</p> <p>AUTOMATIONBTmkqYse <a href="#">Cambiar</a></p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p><input type="checkbox"/> Utilizar datos de forma de pago como predeterminado</p> <p>2. Forma de Pago</p> <p>VISA UsUASGQU *1975 <a href="#">Cambiar</a></p> <p><input type="checkbox"/> Usar Puntos BBVA</p> <p>Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta</p> <p>Fecha de vencimiento: Código de seguridad: <input type="text"/></p>			
			

# TS\_SMOKE\_SUITE\_077

---

#	Description	Elapsed	Status
7	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.587s	ERROR

# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a confirmation page from the Liverpool website. At the top, there's a header with the Liverpool logo and a help icon. Below it, a section titled "Confirma tu compra" (Confirm your purchase) contains a checkbox for "Utilizar datos de forma de pago como predeterminado". The "1. Entrega" (Delivery) section shows an address: "AUTOMATIONBTmkqYse", "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". The "2. Forma de Pago" (Payment Method) section shows a VISA card ending in "1975" and a checkbox for "Usar Puntos BBVA". A note says: "Se tomarán los puntos disponibles, si no cubren el monto total, se tomará la diferencia del crédito de tu tarjeta". Below this are fields for "Fecha de vencimiento:" and "Código de seguridad:". At the bottom of this section are links for various brands: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. To the right, a "Resumen de compra" (Purchase Summary) box shows a shopping bag icon with a percentage sign. It states: "Tienes un cupón disponible en tu bolsa" and has a link "Ver cupones". The summary table shows: Subtotal (4 productos): \$2,676.00, Descuento: \$869.70, Cupones: \$0.00. At the bottom right of the summary box is a "Comprar ahora" (Buy now) button.



# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. Below the header, there's a large promotional banner featuring a woman in a beige outfit. The banner text includes "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look. Compra ahora". At the bottom of the page, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button.</p>		

# TS\_SMOKE\_SUITE\_078

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 07-03-2024 16:43:23 End 07-03-2024 16:45:15

Elapsed 1m - 51.614s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)	9.817s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_cardPrice_PLP"))	6.783s	PASSED
Object: 'Object Repository/PLPPage/product1_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	27.099s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	5.129s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	2.490s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))	8.700s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on			
7	click(findTestObject("OPCPage/paymentMethod_button3_OPCC"))	1.518s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_button3_OPCC' is clicked on			

# TS\_SMOKE\_SUITE\_078

---



#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Continue_payment_3rdmethod_OP"))  Object: 'Object Repository/OPCPage/Continue_payment_3rdmethod_OP' is clicked on	1.490s	PASSED
9	delay(5)  Delayed 5 second(s)	5.013s	PASSED
10	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	2.728s	PASSED
11	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	9.670s	PASSED

## TS\_SMOKE\_SUITE\_078


---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.108s	ERROR

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_080

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080
Description	To verify that the display of the applied Coupon details in the order success page

Tag

Start	07-03-2024 16:45:15	End	07-03-2024 16:48:10
Elapsed	2m - 55.410s		
Status	PASSED		


## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.328s	PASSED
2	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	20.039s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	17.300s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	28.361s	PASSED
5	waitForPageLoad(0)  Wait for page load successfully	0.013s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_PLP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_080.run(TS_SMOKE_SUITE_080:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_PLP' located by '//li[@class='m-product__card card-masonry a'][1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	18.362s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550970.run(Script1697733550970.groovy:32) ... 15 more )		
7		0.012s	PASSED
7	waitForPageLoad(0)	0.012s	PASSED
	Wait for page load successfully		
8	click(findTestObject("PDPPage/AddToCart_PDP"))	3.056s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
9	click(findTestObject("HomePage/bag_header_HP"))	4.747s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
10	click(findTestObject("CartPage/BuyButton_Cart"))	5.714s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
11	click(findTestObject("OPCPage/paymentMethod_change_OPB"), OPTIONAL)	8.079s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OPB' is clicked on		

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
12	click(findTestObject("OPCPage/paymentMethod_button1_OPC"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_button1_OPC' is clicked on	2.047s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPC"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPC'	0.955s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPC"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPC'	0.921s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.588s	PASSED
16	j = getText(findTestObject("OPCPage/Page_/TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$451.57'	2.941s	PASSED
17	j1 = replace("\$", "").replace(",", "")	0.005s	PASSED
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.317s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.001s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC"))  Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.368s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC"))  Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.562s	PASSED

## TS\_SMOKE\_SUITE\_080

---

#	Description	Elapsed	Status
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$22.58'	3.429s	PASSED
23	b1 = replace("\$", "").replace(", ", "")	0.001s	PASSED
24	out.println(a1)	0.001s	PASSED
25	out.println(b1)	0.001s	PASSED
26	if (a1 != b1)	0.002s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$428.99'	0.318s	PASSED
28	k1 = replace("\$", "").replace(", ", "")	0.000s	PASSED
29	out.println(j1)	0.001s	PASSED
30	out.println(k1)	0.000s	PASSED
31	if (j1 >= k1)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_080

---

#	Description	Elapsed	Status
32	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.349s	PASSED
33	delay(15)  Delayed 15 second(s)	15.020s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	8.658s	PASSED

## TS\_SMOKE\_SUITE\_080


---

#	Description	Elapsed	Status
35	Start listener action : sampleAfterTestCase	31.714s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>		
95			
106			
180			

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, etc. Below the navigation is a search bar and a user profile section. The main banner features a woman in a beige suit and includes text for 'MODA MUJER', 'Hasta 50% de descuento', and a 'Compra ahora' button. The overall design has a pink and white color scheme.



# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_082

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	07-03-2024 16:48:10	End	07-03-2024 16:50:52
Elapsed	2m - 41.168s		
Status	FAILED		

## Details


#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.045s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	18.089s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	16.420s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
4	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)     at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	29.993s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows the Liverpool website's shopping cart page. At the top, there's a navigation bar with the Liverpool logo, a search bar, and links for 'Mis Compras' and 'Hola LPpuKKki'. Below the navigation, there's a menu with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', and 'Servicios'. A 'Tiendas' and 'Ayuda' link is also present. The main content area is titled 'Mi Bolsa' and displays a message: 'No hay artículos en tu bolsa'. A pink button labeled 'Continuar comprando' is visible. At the bottom, there's a footer with links for 'Soporte al cliente', 'Servicios Liverpool', 'Ventas Corporativas', 'Sostenibilidad', 'Facturación', 'Crédito', 'Acerca de Liverpool', 'Promociones', 'Ayuda', 'Tiempo aire', 'Bolsa de trabajo', 'Venta Nocturna', 'Mis compras', 'Concursos y promociones', '¿Quiénes somos?', 'Buen fin', 'Garantías Liverpool', 'Diseño de Interiores', 'Relación con inversionistas', and 'Venta Nocturna'. There's also a newsletter sign-up section and contact information for ventas.</p>		

## TS\_SMOKE\_SUITE\_082

---




#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.336s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	14.408s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
7	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:33)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	18.183s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550977.run(Script1697733550977.groovy:33) ... 15 more )		
8		3.255s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
9		5.298s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
10		2.301s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
11		8.752s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on			
12	Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully	1.507s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
13	click(findTestObject("OPCPage/card3_Option_OPc"))  Object: 'Object Repository/OPCPage/card3_Option_OPc' is clicked on	0.413s	PASSED
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPc"), 0)  Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is present	0.564s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPc"))  Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is clicked on	0.380s	PASSED

## TS\_SMOKE\_SUITE\_082


---

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p><b>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP'</b> (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:52) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15400}, fedcm:accounts: true, goog: </pre>	5.476s	FAILED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:53381}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: e95965ffabed774179552d6441c0a0c9     at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106)         at jdk.internal.reflect.GeneratedMethodAccessor37.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429)         at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53)         at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)         at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903)         at Script1697733550977.run(Script1697733550977.groovy:52)         ... 15 more )</pre>		

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	 <p>The screenshot shows a payment form for Liverpool. The cardholder name field contains "kjshdaksjd". A red circle with a question mark icon is displayed above the cardholder name input field, indicating an error. The "Continuar" button is highlighted in pink.</p>		


## TS\_SMOKE\_SUITE\_082

---


#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.593s	ERROR

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		





The screenshot shows a Liverpool payment form. The user has entered 'kjshdaksjd' as the cardholder's name. A red circle with a question mark icon is displayed above the 'Continuar' button, indicating a validation error. The 'Continuar' button is highlighted in pink.



The second screenshot is identical to the first, showing the same Liverpool payment form with the same validation error message and highlighted 'Continuar' button.

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	 A screenshot of a Liverpool payment form. The form is titled "Selecciona una forma de pago" (Select a payment method). It shows a card number "kjshdaksjd" entered in the "Número completo" field. There is a checkbox for "Establecer tarjeta como predeterminada" (Set card as default) which is unchecked. Below the card details is a section for "Dirección asociada a la tarjeta" (Address associated with the card). At the bottom right are two buttons: "Regresar" (Back) and a pink "Continuar" (Continue) button.		
	 A second screenshot of the same Liverpool payment form, identical to the first one, showing the card number "kjshdaksjd" and the "Continuar" button.		

# TS\_SMOKE\_SUITE\_083

---

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 07-03-2024 16:50:52 End 07-03-2024 16:51:27

Elapsed 34.942s

Status FAILED

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_083

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Buscar1'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	0.494s	FAILED

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647)                 at SearchForAProduct_search.run(SearchForAProduct_search:20)                     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)                             at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)                                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)                                     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.96) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...}, userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_14400, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:53381}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: e95965ffabed774179552d6441c0a0c9     at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)             at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)                 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)                     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)                         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)                             at org.openqa.selenium.remote.service.DriverCommandExecutor.execute</pre>		

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		



The screenshot shows a Liverpool payment interface. A modal window is open, prompting the user to select a payment method. The modal has a title 'Selecciona una forma de pago' and contains fields for 'Nombre completo' (with placeholder 'kjshdaksjd') and a checkbox for 'Establecer tarjeta como predeterminada'. Below the modal, the main page displays a summary of items: 'Membresía' (Membership), 'Precio' (Price), 'Cantidad' (Quantity), and 'Total' (Total). The total amount shown is \$69.00.

# TS\_SMOKE\_SUITE\_083



---

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	34.369s	ERROR

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	 A screenshot of a Liverpool payment form. The card number field contains 'kjshdaksjd'. A red circle with a question mark is overlaid on the top left corner of the input field. Below the card number, there is a checkbox labeled 'Establecer tarjeta como predeterminada'.		
	 A second screenshot of the same Liverpool payment form, showing the same incomplete card number 'kjshdaksjd' and the same red question mark overlay.		

# TS\_SMOKE\_SUITE\_086

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 16:51:27	End	07-03-2024 16:53:55
Elapsed	2m - 28.673s		
Status	PASSED		




## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	16.338s	PASSED
2	waitForPageLoad(0)  Wait for page load successfully	0.055s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	17.096s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:27)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	14.996s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:27) ... 15 more )		
5		3.158s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		4.537s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.477s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		6.285s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.532s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button2_OP' is clicked on		

## TS\_SMOKE\_SUITE\_086

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_086

---


#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:39)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementClickInterceptedException: element click  intercepted: Element &lt;div class="a-box__accordionIcon float-right"&gt;...&lt;/div&gt; is not clickable  at point (632, 364). Other element would receive the click: &lt;div class="col-12 a-icon-options"  &gt;...&lt;/div&gt;  (Session info: chrome=122.0.6261.96)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.  arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:  122.0.6261.96, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...,  userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15300}</p>	12.848s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:53381}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: e95965ffabed774179552d6441c0a0c9     at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)             at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)             at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)             at org.openqa.selenium.WebElement\$click.call(Unknown Source)             at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)             at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)                 at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)                 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)                 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)                 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)                 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)                 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)                 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
)	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:39) ... 15 more		




The screenshot shows a payment selection dialog box from Liverpool. The dialog title is "Selecciona una forma de pago". It has three options: "Tarjetas / Monedero" (selected), "PayPal" (highlighted with a black background), and "Efectivo y Transferencias". Below the options, it says "Paga a meses sin intereses con PayPal". A list of instructions follows: "Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales." and "El cobro de la tarjeta se realiza después de confirmar tu pedido en el último paso del proceso. Mientras tanto no se realiza ningún cargo.". A pink "Continuar" button is at the bottom right.

# TS\_SMOKE\_SUITE\_086


---

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay'  (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:41)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to  window with title: 'Log in to your PayPal account'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	11.625s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$._switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$._switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more )</pre>  <p>The screenshot shows a payment selection dialog from Liverpool. At the top, it says 'Selecciona una forma de pago'. Below that, there are three buttons: 'Tarjetas / Monedero' (selected), 'PayPal' (highlighted in pink), and 'Efectivo y Transferencias'. The 'PayPal' button has a blue background and white text. Below the buttons, it says 'Paga a meses sin intereses con PayPal'. There is a note: 'Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales.' At the bottom right of the dialog is a pink 'Continuar' button.</p>		

# TS\_SMOKE\_SUITE\_086


#	Description	Elapsed	Status
			
12	click(findTestObject("OPCPage/button_Continuar_payment_opc"))  Object: 'Object Repository/OPCPage/button_Continuar_payment_opc' is clicked on	0.355s	PASSED
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC"))  Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on	5.799s	PASSED
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL)  Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	19.575s	PASSED
15	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.335s	PASSED

## TS\_SMOKE\_SUITE\_086


---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.578s	ERROR

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_087

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 16:53:55	End	07-03-2024 16:55:46
Elapsed	1m - 51.146s		
Status	PASSED		

## Details




#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	12.493s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.261s	PASSED
3	waitForPageLoad(0)  Wait for page load successfully	0.013s	PASSED

# TS\_SMOKE\_SUITE\_087

---

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:27)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	18.190s	PASSED

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550996.run(Script1697733550996.groovy:27) ... 15 more )		
5		2.533s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		5.213s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.210s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		6.933s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		2.150s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button1_OP' is clicked on		

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
10	setText(findTestObject("OPCPage/enterCardCVV_OPCText"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPCText'	0.955s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPCText"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPCText'	0.947s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.575s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPCText"))  Object: 'Object Repository/OPCPage/Final_comparar_OPCText' is clicked on	6.557s	PASSED
14	delay(15)  Delayed 15 second(s)	15.010s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)  Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	3.801s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.359s	PASSED

## TS\_SMOKE\_SUITE\_087


---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.871s	ERROR


# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It includes a top navigation bar with links to Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with a Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and user account links for 'Mis Compras' and 'Hola LPpuKKki'. A notification icon shows '0'. The main content area features a large banner for 'MODA HOMBRE' with a man in a suit, a discount offer of 'Hasta 50% de descuento', and a 'Compra ahora' button. A vertical sidebar on the right says 'Te escuchamos'.



# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_088

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 07-03-2024 16:55:46 End 07-03-2024 16:57:06

Elapsed 1m - 19.390s

Status FAILED

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	14.158s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP"))  Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	2.512s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.534s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.694s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount"))  Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	8.460s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	0.654s	PASSED

# TS\_SMOKE\_SUITE\_088



#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	1.833s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM"))  Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.405s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM"))  Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.341s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM"))  Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.596s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM"))  Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.366s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805")  Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	0.989s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.627s	PASSED

# TS\_SMOKE\_SUITE\_088

---

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object  'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  execute(VerifyElementPresentKeyword.groovy:68)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)  at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.  webui.exception.WebElementNotFoundException: Web element with id: 'Object  Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation-  section__gratitude']' not found  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall  (VerifyElementPresentKeyword.groovy:85)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy) </p>	30.238s	FAILED

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 A screenshot of the Liverpool website's recharge interface. It shows three main sections: 1. Selección de números a recargar, which lists a mobile number (5542140023) and Telcel as the provider, with a dropdown for 'Tipo de recarga' set to 'Tiempo Aire' and a dropdown for 'Monto de recarga' set to 'TELCEL 30 Pesos'. 2. Selección de forma de pago, which shows a pre-filled Visa credit card with the last four digits '3065' and expiration date '03/2026', along with fields for 'Mes' (03), 'Año' (2026), and 'CVV' (333). 3. Resumen de mi recarga, which displays a subtotal of '\$30.00' for one recharge and a total of '\$30.00'. A 'Finalizar recarga' button is visible at the bottom right.		
	 A second screenshot of the Liverpool website's recharge interface, identical to the first one. It shows the same three sections: 1. Selección de números a recargar, 2. Selección de forma de pago, and 3. Resumen de mi recarga. The summary shows a subtotal of '\$30.00' and a total of '\$30.00'. A 'Finalizar recarga' button is visible at the bottom right.		

## TS\_SMOKE\_SUITE\_088

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor38.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709806957212.run(TempTestSuite1709806957212.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	16.925s	ERROR

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor32.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page for mobile recharge. The top navigation bar includes categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Mis Compras', 'Hola LPpuKKki', and a lock icon. A search bar is at the top right. A red warning message box says: 'La transacción no fue autorizada por el banco emisor.' Below it, the breadcrumb navigation shows 'Home > Tiempo Aire'. The main content area has two columns: '1. Selecciona tus números a recargar' and '2. Selecciona tu forma de pago'. In the first column, a mobile number '5542140023' is selected for 'Tiempo Aire' and the amount is 'TELCEL 30 Pesos'. In the second column, a VISA card 'Visatest \*3065' is selected as the payment method, with a due date of '03 2026'. To the right, a summary box shows a subtotal of '\$30.00' and a total of '\$30.00'. A 'Finalizar recarga' button is at the bottom.

This screenshot shows another part of the Liverpool website. The top navigation bar is identical to the previous one. The main content area features a banner for women's fashion with a woman in a beige suit sitting on a chair. The banner text includes 'MODA MUJER', 'Hasta 50% de descuento', and 'Adiós al Invierno con un nuevo look'. A 'Compra ahora' button is visible. On the right side of the banner, there is a vertical text 'Te escuchamos' with a small speaker icon.



# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
			